




Computer Audit :: 07/07/2021 01:00:58 p.m.

Vista General

| Item | Value |
|-----------------------|---|
| Computer Name | WS60022 |
| Domain Name | GOBIERNOCBA |
| Site Name | Supercentro |
| Roles | Workstation, Server, Potential Browser |
| Description | |
| Operating System | Microsoft Windows 7 Professional 64-bit |
| Manufacturer | System manufacturer |
| Model | System Product Name |
| Serial Number | System Serial Number |
| Asset Tag | Default string |
| Number Of Processors | 1 |
| Processor Description | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Total Memory | 8144MB |
| Total Hard Drive | 932GB |
| Display | W1943, 18.5" (41cm x 23cm) |
| BIOS Version | ALASKA - 1072009 BIOS Date: 07/04/17 12:25:57 Ver: 05.0000C |
| User Account | 20124063109 |
| System Uptime | 0 Days, 0 Hours, 13 Minutes |
| Local Time | 2021-07-07 13:00:31 |



Software instalado



Active Setup

| Name | Version | Installed |
|----------------|-------------|-----------|
| .NET Framework | 2,0,50727,0 | |
| .NET Framework | 2,0,50727,1 | |
| .NET Framework | 4,0,30319,0 | |

| | | |
|-------------------------------------|-----------------|-----|
| Active Directory Service Interface | 5,0,00,0 | Yes |
| Address Book 7 | 6,1,7601,17514 | Yes |
| Browsing Enhancements | 11,0,9600,18977 | Yes |
| DirectDrawEx | 4,71,1113,0 | Yes |
| Dynamic HTML Data Binding | 11,0,9600,18977 | Yes |
| Google Chrome | 43,0,0,0 | Yes |
| HTML Help | 6,3,9600,18977 | Yes |
| Internet Explorer Core Fonts | 11,0,9600,0 | Yes |
| Internet Explorer Help | 11,0,9600,18977 | Yes |
| Internet Explorer Setup Tools | 11,0,9600,18977 | Yes |
| Microsoft Windows Media Player 12.0 | 12,0,7601,23930 | Yes |
| Microsoft Windows Media Player | 12,0,7601,23930 | No |
| Microsoft Windows Media Player | 12,0,7601,23930 | Yes |
| Microsoft Windows Script 5.6 | 5,6,0,8833 | Yes |
| Microsoft Windows | 6,1,7601,17514 | Yes |
| MSN Site Access | 4,9,9,2 | Yes |
| Offline Browsing Pack | 11,0,9600,18977 | Yes |
| RevokedRootsUpdate | 5,0,2195,0 | Yes |
| Themes Setup | 1,1,1,9 | Yes |
| Windows Desktop Update | 6,1,7601,24000 | Yes |

Installed Programs

Adobe Acrobat Reader DC - Español

| Item | Value |
|------|-----------------------------------|
| Name | Adobe Acrobat Reader DC - Español |

| | |
|------------------------|--|
| Vendor | Adobe Systems Incorporated |
| Version | 19.010.20098 |
| Product Language | Spanish |
| Install Date | 20210607 |
| Install Location | C:\Program Files (x86)\Adobe\Acrobat Reader DC\ |
| Install Source | C:\ProgramData\Adobe\Setup\{AC76BA86-7AD7-1034-7B44-AC0F074E4100}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BF05C9F5-318D-4310-871C-237E64236198} |
| Package Name | AcroRead.msi |
| Local Package | C:\Windows\Installer\1261a4.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-7AD7-1034-7B44-AC0F074E4100} |

Adobe Refresh Manager

| Item | Value |
|--------|----------------------------|
| Name | Adobe Refresh Manager |
| Vendor | Adobe Systems Incorporated |

| | |
|------------------------|--|
| Version | 1.8.0 |
| Product Language | English |
| Install Date | 20210611 |
| Install Location | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\ |
| Install Source | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\Cache\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B555C9E-6840-4EB6-916B-D3D9BF3483D2} |
| Package Name | Arm_000182442176_829123359055567 78119343301781995627.msi |
| Local Package | C:\Windows\Installer\dae83.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-0804-1033-1959-000182442176} |

Asmedia USB Host Controller Driver

| Item | Value |
|---------|------------------------------------|
| Name | Asmedia USB Host Controller Driver |
| Vendor | Asmedia Technology |
| Version | 1.16.36.1 |

| | |
|------------------------|--|
| Product Language | Neutral |
| Install Date | 20170714 |
| Install Location | C:\Program Files (x86)\ASM104xUSB3\ |
| Install Source | C:\Users\201650~1\AppData\Local\Temp\{1FED35CD-CF1F-4238-BA5E-EACE7437BD31}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C400A99-74F3-4314-953B-B3AAB69E800D} |
| Package Name | setup.msi |
| Local Package | C:\Windows\Installer\39bd7f.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E4FB0B39-C991-4EE7-95DD-1A1A7857D33D} |

ASUS Product Register Program

| Item | Value |
|------------------|-------------------------------|
| Name | ASUS Product Register Program |
| Vendor | ASUSTek Computer Inc. |
| Version | 1.0.030 |
| Product Language | English |

| | |
|------------------------|--|
| Install Date | 20180627 |
| Install Location | |
| Install Source | E:\Software\APRP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AA4DE214-1D5F-402C-BFF5-670A9881F797} |
| Package Name | APRP.msi |
| Local Package | C:\Windows\Installer\53401.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {C87D79F6-F813-4812-B7A9-CCCAAB8B1188} |

Brother MFL-Pro Suite DCP-8085DN

| Item | Value |
|------------------|----------------------------------|
| Name | Brother MFL-Pro Suite DCP-8085DN |
| Vendor | Brother Industries, Ltd. |
| Version | 3.0.1.0 |
| Product Language | Spanish |
| Install Date | 20180517 |

| | |
|------------------------|---|
| Install Location | C:\Program Files (x86)\Brother\Brmf108i |
| Install Source | N:\Drivers\Impresoras\Brother\Brother 8085DN W7\mflpro\Data\Disk1\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {004B8D14-7E3A-490A-ABB3-753535E169E3} |

Cortex XDR 7.4.0.27237

| Item | Value |
|------------------|--------------------------|
| Name | Cortex XDR 7.4.0.27237 |
| Vendor | Palo Alto Networks, Inc. |
| Version | 7.4.0.27237 |
| Product Language | English |
| Install Date | 20210607 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | C:\ProgramData\Cyvera\LocalSystem\Download\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {16DF5260-9E42-4E14-A248-D7CBE3CAF687} |
| Package Name | Traps.pkg |
| Local Package | C:\Windows\Installer\3f1622.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF96CC96-B7CF-4816-BB00-CF4911EC48E9} |

CryptoIDE versión 2.1.3.306

| Item | Value |
|------------------|-----------------------------------|
| Name | CryptoIDE versión 2.1.3.306 |
| Vendor | Longmai Technology |
| Version | 2.1.3.306 |
| Product Language | |
| Install Date | 20210531 |
| Install Location | C:\Program Files (x86)\CryptoIDE\ |
| Install Source | |

| | |
|------------------------|--|
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6DB6E1D9-6BE9-42C5-89B4-2C013F3C3B91}_is1 |

doPDF 9 Printer Driver

| Item | Value |
|------------------|--|
| Name | doPDF 9 Printer Driver |
| Vendor | Softland |
| Version | 9.2.234 |
| Product Language | English |
| Install Date | 20180414 |
| Install Location | C:\Program Files\Softland\novaPDF 9\ |
| Install Source | C:\ProgramData\Package Cache\DriverPackageIdx64.9.2.234\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {2368D4FC-3905-4B85-BD38-8110A13D19C7} |
| Package Name | dopdf(x64).msi |
| Local Package | C:\Windows\Installer\12e121.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4BDBDA13-E017-4C89-8CF4-39D47CD3A486} |

doPDF 9

| Item | Value |
|------------------|----------|
| Name | doPDF 9 |
| Vendor | Softland |
| Version | 9.2.234 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |

| | |
|------------------------|--|
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {05fa734e-b450-44e4-9fd2-54b386a97a7e} |

doPDF

| Item | Value |
|------------------|---|
| Name | doPDF |
| Vendor | Softland |
| Version | 9.2.234 |
| Product Language | English |
| Install Date | 20180414 |
| Install Location | C:\ProgramData\Softland\novaPDF 9\doPdf9_Softland |
| Install Source | C:\ProgramData\Package Cache\OemPackageldx64.9.2.234\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {A5BAF68B-1FC2-4A19-AFA8-710604FE3833} |

| | |
|------------------------|--|
| Package Name | doconf(x64).msi |
| Local Package | C:\Windows\Installer\12e129.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A5BAF68B-1FC2-4A19-AFA8-710604FE3833} |

Eines de correcció del Microsoft Office 2013: català

| Item | Value |
|------------------|---|
| Name | Eines de correcció del Microsoft Office 2013: català |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Catalan |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9D493041-6F0F-4F9B-A006-11B041FB8DDE} |
| Package Name | Proof.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\176466.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0403-1000-0000000FF1CE} |

Eines de correcció del Microsoft Office 2016: català

| Item | Value |
|------------------|--|
| Name | Eines de correcció del Microsoft Office 2016: català |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Catalan |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-0000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {236125EB-7E4D-4FA8-BC67-6035A3FAF2C1} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da11d.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0403-1000-0000000FF1CE} |

Ferramentas de verificación de Microsoft Office 2013 - Galego

| Item | Value |
|------------------|--|
| Name | Ferramentas de verificación de Microsoft Office 2013 - Galego |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Galician |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.g\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AD05E4CC-EF16-4663-AAAF-9E2AEE4E7217} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17645a.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0456-1000-0000000FF1CE} |

Ferramentas de verificación de Microsoft Office 2016 - Galego

| Item | Value |
|--------------------|--|
| Name | Ferramentas de verificación de Microsoft Office 2016 - Galego |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Galician |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.g\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FDEC6C48-9629-414C-B15A-5A8C82468B10} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da10d.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0456-1000-0000000FF1CE} |

Google Chrome

| Item | Value |
|--------------------|--|
| Name | Google Chrome |
| Vendor | Google LLC |
| Version | 91.0.4472.124 |
| Product Language | |
| Install Date | 20210705 |
| Install Location | C:\Program Files (x86)\Google\Chrome\Application |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|---------------|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Google Chrome |

Google Update Helper

| Item | Value |
|--------------------|---|
| Name | Google Update Helper |
| Vendor | Google Inc. |
| Version | 1.3.24.15 |
| Product Language | English |
| Install Date | 20140704 |
| Install Location | |
| Install Source | C:\Program Files (x86)\Google\Update\1.3.24.15\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADD4EFC-316E-4840-8E96-5CE4F2C538CE} |
| Package Name | GoogleUpdateHelper.msi |
| Local Package | C:\Windows\Installer\15b957.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A92DAB39-4E2C-4304-9AB6-BC44E68B55E2} |

Google Update Helper

| Item | Value |
|--------------------|---|
| Name | Google Update Helper |
| Vendor | Google Inc. |
| Version | 1.3.33.17 |
| Product Language | English |
| Install Date | 20180518 |
| Install Location | |
| Install Source | C:\Program Files (x86)\Google\Update\1.3.33.17\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D91BA6B5-F113-423F-B5A8-A4E6EA34919E} |
| Package Name | GoogleUpdateHelper.msi |
| Local Package | C:\Windows\Installer\12c910.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {60EC980A-BDA2-4CB6-A427-B07A5498B4CA} |

Herramientas de corrección de Microsoft Office 2016: español

| Item | Value |
|--------------------|---|
| Name | Herramientas de corrección de Microsoft Office 2016: español |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CBBDC62-D644-4596-9AD5-7511753063BB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da12e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|---------------------------------------|
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0C0A-1000-000000FF1CE} |

HP LaserJet P1000 series

| Item | Value |
|--------------------|--------------------------|
| Name | HP LaserJet P1000 series |
| Vendor | |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--------------------------|
| Executable Description | |
| Software ID | HP LaserJet P1000 series |

HPSSupply

| Item | Value |
|------------------------|--|
| Name | HPSSupply |
| Vendor | Hewlett Packard Development Company L.P. |
| Version | 2.1.1.0000 |
| Product Language | Neutral |
| Install Date | 20180517 |
| Install Location | C:\Program Files (x86)\HP\HPSUPPLY\ |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\7zS35FC\DTSS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8B1B746E-0785-44FF-B609-CBCA7A64110E} |
| Package Name | HPSSupply.msi |
| Local Package | C:\Windows\Installer\b0878.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {7902E313-FF0F-4493-ACB1-A8147B78DCD0} |
|-------------|--|

Intel(R) Chipset Device Software

| Item | Value |
|------------------------|--|
| Name | Intel(R) Chipset Device Software |
| Vendor | Intel Corporation |
| Version | 10.1.1.13 |
| Product Language | English |
| Install Date | 20180627 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{12CB6BC1-4E71-4890-AA0E-2 6CED6AD7EDD}\v10.1.1.13\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E73DA3C7-A2FC-443F-AB48-A094D86F7BC9} |
| Package Name | SetupChipsetx64.msi |
| Local Package | C:\Windows\Installer\533b1.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {12CB6BC1-4E71-4890-AA0E-26CED6AD7EDD} |
|-------------|--|

Intel(R) Management Engine Components

| Item | Value |
|------------------------|---|
| Name | Intel(R) Management Engine Components |
| Vendor | Intel Corporation |
| Version | 1.0.0.0 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FEA1B36F-E7EA-4D97-AB0F-D049F536ADA5} |
| Package Name | ME_App_x64.msi |
| Local Package | C:\Windows\Installer\179c8e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {71E896B1-C4E0-4FF5-A09B-974CF9298962} |

Intel(R) ME UninstallLegacy

| Item | Value |
|------------------------|---|
| Name | Intel(R) ME UninstallLegacy |
| Vendor | Intel Corporation |
| Version | 1.0.1.0 |
| Product Language | English |
| Install Date | 20180627 |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) Management Engine Components\ |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\IIFEBD6.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9475703C-B73E-4279-8129-24E0B69B22BB} |
| Package Name | ME_UnLegacy_x64.msi |
| Local Package | C:\Windows\Installer\533b7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3DF3AC42-174D-4915-9ED2-448AD4338B83} |

Intel(R) Network Connections

| Item | Value |
|------------------------|--|
| Name | Intel(R) Network Connections |
| Vendor | Intel |
| Version | 21.1.0.0 |
| Product Language | Neutral |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Intel\ |
| Install Source | F:\DRIVERS MSI\Network\Intel\APPS\PROSETDX\WinX64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ACC9B793-82A8-4975-967B-E7C74C93AD09} |
| Package Name | PROSETDX.msi |
| Local Package | C:\Windows\Installer\269a82.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1E5EDF73-13EC-4211-820D-1900B8BD7951} |

Intel(R) USB 3.0 eXtensible Host Controller Driver

| Item | Value |
|------------------------|---|
| Name | Intel(R) USB 3.0 eXtensible Host Controller Driver |
| Vendor | Intel Corporation |
| Version | 4.0.2.42 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {240C3DDD-C5E9-4029-9DF7-95650D040CF2} |

| Item | Value |
|------------------------|---|
| Name | Intel® Trusted Connect Service Client |
| Vendor | Intel Corporation |
| Version | 1.35.133.1 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3071CC94-5ED5-44AC-8922-C7C1371D77F4} |
| Package Name | iclsClient\Installer_x64.msi |
| Local Package | C:\Windows\Installer\179c94.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1B444AF9-1DBE-4884-8F35-969BEFCF69A8} |

Java 7 Update 67

| Item | Value |
|------------------------|--|
| Name | Java 7 Update 67 |
| Vendor | Oracle |
| Version | 7.0.670 |
| Product Language | Neutral |
| Install Date | 20180414 |
| Install Location | C:\Program Files (x86)\Java\jre7\ |
| Install Source | C:\Program Files (x86)\Java\jdk1.7.0_67\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {81E8A0DC-0E9B-433D-A6F9-5D71FA7CF48A} |
| Package Name | jre.msi |
| Local Package | C:\Windows\Installer\17d639.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {26A24AE4-039D-4CA4-87B4-2F03217067FF} |

Java 8 Update 161 (64-bit)

| Item | Value |
|------------------------|---|
| Name | Java 8 Update 161 (64-bit) |
| Vendor | Oracle Corporation |
| Version | 8.0.1610.12 |
| Product Language | English |
| Install Date | 20180407 |
| Install Location | C:\Program Files\Java\jre1.8.0_161\ |
| Install Source | C:\Users\Administrador\AppData\LocalLow\Oracle\Java\jre1.8.0_161_x64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6BD6CDCE-1F2C-4D7E-B5B3-57D503584755} |
| Package Name | jre1.8.0_16164.msi |
| Local Package | C:\Windows\Installer\19a6a4.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {26A24AE4-039D-4CA4-87B4-2F64180161F0} |

Java Auto Updater

| Item | Value |
|------------------------|---|
| Name | Java Auto Updater |
| Vendor | Oracle Corporation |
| Version | 2.8.161.12 |
| Product Language | English |
| Install Date | 20180407 |
| Install Location | |
| Install Source | C:\Users\Administrador\AppData\LocalLow\Oracle\Java\jre1.8.0_161_x64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F3585FA7-0EAB-45F2-A8BF-A04AC017FED0} |
| Package Name | au.msi |
| Local Package | C:\Windows\Installer\19a6ab.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4A03706F-666A-4037-7777-5F2748764D10} |

Java SE Development Kit 7 Update 67

| Item | Value |
|------------------------|--|
| Name | Java SE Development Kit 7 Update 67 |
| Vendor | Oracle |
| Version | 1.7.0.670 |
| Product Language | Neutral |
| Install Date | 20180414 |
| Install Location | C:\Program Files (x86)\Java\jdk1.7.0_67\ |
| Install Source | C:\Users\Administrador.PC\AppData\LocalLow\Sun\Java\jdk1.7.0_67\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32A3A4F2-B792-11D6-A78A-00B0D0170670} |
| Package Name | jdk1.7.0_67.msi |
| Local Package | C:\Windows\Installer\17d635.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {32A3A4F4-B792-11D6-A78A-00B0D0170670} |

Lotus Notes 8.5.2

| Item | Value |
|------------------------|--|
| Name | Lotus Notes 8.5.2 |
| Vendor | IBM |
| Version | 8.52.10222 |
| Product Language | Neutral |
| Install Date | 20140704 |
| Install Location | |
| Install Source | z:\soft\inst\lotus notes\lotus 8.5\instalador cliente 8\lotus notes\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2ED2530E-EA19-48BA-99F8-131DB81F61AD} |
| Package Name | Lotus Notes 8.5.2.msi |
| Local Package | C:\Windows\Installer\5af9d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E11DFB27-BAF4-46D6-AD76-D5519C0E6786} |

Microsoft .NET Framework 4.7.1 (ESN)

| Item | Value |
|------------------------|--|
| Name | Microsoft .NET Framework 4.7.1 (ESN) |
| Vendor | Microsoft Corporation |
| Version | 4.7.02558 |
| Product Language | Spanish |
| Install Date | 20180407 |
| Install Location | |
| Install Source | E:\36fb6b5fd0e5944469aae96391933a\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FED1D3F3-8AB5-4257-84EA-33F51CE4FD11} |
| Package Name | netfx_FullLP_x64.msi |
| Local Package | C:\Windows\Installer\d5004.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC5CA97A-BFC2-3787-A9FA-300C3ABA608B} |

Microsoft .NET Framework 4.7.1

| Item | Value |
|------------------------|--|
| Name | Microsoft .NET Framework 4.7.1 |
| Vendor | Microsoft Corporation |
| Version | 4.7.02558 |
| Product Language | Neutral |
| Install Date | 20180414 |
| Install Location | |
| Install Source | E:\4f73660421e2b3434cce3992e79de2af\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {83A6F53F-9D96-47D4-90CD-7934DE9E693B} |
| Package Name | netfx_Full_x64.msi |
| Local Package | C:\Windows\Installer\e0959.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E0C7523C-686B-3EE6-8FB1-CB4339E30EDD} |

Microsoft Access MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Access MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0015-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {177DA5EF-EB52-4120-B848-B62BF17B781D} |
| Package Name | AccessMUI.msi |
| Local Package | C:\Windows\Installer\17641c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0015-0C0A-1000-000000FF1CE} |

Microsoft Access MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Access MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0015-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {57C8D614-5795-4178-9111-CE82BE6114A7} |
| Package Name | AccessMUI.msi |
| Local Package | C:\Windows\Installer\2da165.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0015-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft DCF MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0090-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1BFC5CFC-1D7C-4D27-9157-77F4F0EB9B5E} |
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\17643a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0090-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft DCF MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0090-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BAA5140F-2D04-4E9D-8BE5-7566EAEB5A19} |
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\2da17d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0090-0C0A-1000-0000000FF1CE} |

Microsoft Excel MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Excel MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0016-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F37FE962-7F81-43C1-8806-CC497E612B7A} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\176448.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0016-0C0A-1000-000000FF1CE} |

Microsoft Excel MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Excel MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0016-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB70D1F8-FB8D-42B5-B85C-D72DC92BA5D1} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\2da18e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0016-0C0A-1000-0000000FF1CE} |

Microsoft Groove MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Groove MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00BA-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6960F7D8-41F8-4497-B020-61422FBE41C3} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\176454.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft Groove MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Groove MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00BA-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B2085FB-D7E6-4001-B4E3-3486DB585681} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\2da196.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft InfoPath MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0044-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F03B257F-FF94-457C-979E-908B58FD2A7B} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\176422.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0044-0C0A-1000-000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft InfoPath MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0044-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E0B930E1-E83F-4CD6-8AEC-E8A985FF48EB} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\2da19e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0044-0C0A-1000-0000000FF1CE} |

Microsoft Lync MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Lync MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-012B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C7DFE7A-1B91-493D-A854-641E30097AF2} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\17642e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office 32-bit Components 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F4DF0CDD-D36F-409F-9C65-328B797BE617} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\1764c2.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office 32-bit Components 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {227F671D-6DDF-42CE-8A67-CB1A1BD0919A} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\2da1e6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AE378228-DA40-4437-8360-E67E892E63AD} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\17648c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2E277707-D18B-4D3E-8569-9D5F84B30B46} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\2da175.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM UX MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E2-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86687012-CE89-4C2B-99EB-376675BBD977} |
| Package Name | OSMUXMUI.msi |
| Local Package | C:\Windows\Installer\176492.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM UX MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E2-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {228B0510-7A69-4AD5-AD1F-CBF656ADC5D5} |
| Package Name | OSMUXMUI.msi |
| Local Package | C:\Windows\Installer\2da1ae.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Professional Plus 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20170727 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E4B1E9CA-45CB-4A71-8221-FFA8794676C0} |
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\177131.msi |
| Product ID | 00216-40000-00000-AA554 |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Professional Plus 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5046E58E-C6FD-4A8C-B22D-0E0BF329EDC1} |
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\2db2a6.msi |
| Product ID | 00339-10000-00000-AA791 |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Proofing (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {17D57BF2-B437-4F9A-A9DF-B1175EC62BCE} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\176486.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Proofing (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B0EEB792-06AA-4223-921C-F4150F5A456D} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\2da13e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - English

| Item | Value |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2013 - English |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | English |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.en\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1BC161FB-DBD9-42FF-AF7E-7BA518895323} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176480.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - Español

| Item | Value |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2013 - Español |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {11B59E8E-CC80-4E71-97AD-D8F11B717C8D} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176473.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2016 - English

| Item | Value |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2016 - English |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | English |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.en\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {217FB395-5F1C-40A3-87A8-9D44A396DE3B} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da136.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {A596CD35-0995-4CED-A986-B02B08CB4F81} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\176428.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D202969B-35A4-43EA-9AFD-FE52E002B7A2} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\2da185.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-006E-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C0A1C70-66CD-441E-9898-7C5F86B08CE2} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\1763fe.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-006E-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-006E-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6663F1D7-65BA-4354-B799-A0315713C427} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\2da105.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-006E-0C0A-1000-0000000FF1CE} |

| Item | Value |
|------------------------|---|
| Name | Microsoft Office zuzenketa-tresnak 2013 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Basque |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7F739607-9AC6-439A-9ECB-BBCF450A3EA0} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176460.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-042D-1000-0000000FF1CE} |

Microsoft Office zuzenketa-tresnak 2016 - Euskara

| Item | Value |
|------------------------|---|
| Name | Microsoft Office zuzenketa-tresnak 2016 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Basque |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BBBB585A-72A3-4FC9-B8F2-F848EEA93BBB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da115.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-042D-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft OneNote MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00A1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {805289D6-AFB2-4577-8ED9-F2F1DEAE0DB6} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\17644e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft OneNote MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00A1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86486077-BFAE-4DBE-BF74-CE98BBFA18CA} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\2da16d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Outlook MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170727 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001A-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD0662CF-53D3-41A2-B091-586F437E65D4} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\176499.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001A-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Outlook MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001A-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9B948EF6-57EC-4642-9BB6-D7292846D74B} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\2da1b7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001A-0C0A-1000-0000000FF1CE} |

Microsoft PowerPoint MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft PowerPoint MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0018-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AFCB3DE3-9399-421F-9BEB-A6EA8F27C452} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\1764a7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0018-0C0A-1000-0000000FF1CE} |

Microsoft PowerPoint MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft PowerPoint MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0018-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5DF3F22A-6783-40CC-8BD8-539EF2C95B79} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\2da1bf.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0018-0C0A-1000-0000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Publisher MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0019-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EE455AC3-0731-43FD-9DAE-0346B3D20327} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\176434.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Publisher MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0019-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3571874E-2542-4DC2-82BC-52561BFBFC96} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\2da1c7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Silverlight

| Item | Value |
|------------------------|---|
| Name | Microsoft Silverlight |
| Vendor | Microsoft Corporation |
| Version | 5.1.50907.0 |
| Product Language | English |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Silverlight\ |
| Install Source | d:\b6f5b84f14689f8089bfc3a9202830\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E1E4DF14-A167-4911-AE93-355D7D872A13} |
| Package Name | silverlight.msi |
| Local Package | C:\Windows\Installer\2c008.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {89F4137D-6C26-4A84-BDB8-2E5A4BB71E00} |

Microsoft Skype for Business MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Skype for Business MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-012B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {27354C5D-2532-4E16-9F13-0C2926A70B50} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\2da1a6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20150519 |
| Install Location | |
| Install Source | C:\Users\202843~1\AppData\Local\Temp\IXP001.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C4724ED-EE14-4DB6-B996-8F3E8FBA675C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\1a7b8a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {071c9b48-7c32-4621-a0ac-3f809523288f} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.61000 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1.WS5\AppData\Local\Temp\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {015A855C-3760-46C5-A5EE-A5F06C3A019C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\1956b4.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ad8a2fa1-06e7-4b0d-927d-6e54b3d31028} |

Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\d5778ac7d72d04cc73d1e086b589\VC_Red_x64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {80902F2D-E1EF-43CA-B366-74496197E004} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\221729.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D8E6291-B0D5-35EC-8441-6616F567A0F7} |

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\d5778ac7d72d04cc73d1e086b589\VC_Red_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {461C455E-DA40-49B3-871B-14308CC7CEFF} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\221710.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0C3E5D1-1ADE-321E-8167-68EF0DE699A5} |

Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.30501

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.30501 |
| Vendor | Microsoft Corporation |
| Version | 12.0.30501.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {050d4fc8-5d48-4b8f-8972-47c82c46020f} |

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.30501

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.30501 |
| Vendor | Microsoft Corporation |
| Version | 12.0.30501.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {f65db027-aff3-4070-886a-0d87064aabb1} |

Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.21005

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180510 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{929FBD26-9020-399B-9A7A-751D61F0B942}\v12.0.21005\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0990E7AB-85D7-456A-B8F8-1E1E56A29571} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\68802.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {929FBD26-9020-399B-9A7A-751D61F0B942} |

Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.21005

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180510 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{A749D8E6-B613-3BE3-8F5F-045C84EBA29B}\v12.0.21005\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FE26E34E-F44B-4B4D-A2C9-878D87759F44} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\687fa.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A749D8E6-B613-3BE3-8F5F-045C84EBA29B} |

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.21005

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180510 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{F8CFEB22-A2E7-3971-9EDA-4B11EDEF185}\v12.0.21005\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5703FD24-BF2D-4D14-AB2F-E415A0361E63} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\68812.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|---------------------------------------|
| Software ID | {F8CFEB22-A2E7-3971-9EDA-4B11EDEF185} |
|-------------|---------------------------------------|

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.21005

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180510 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{13A4EE12-23EA-3371-91EE-EFB36DDFFF3E}\v12.0.21005\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E9934153-EAB1-4DA6-AA72-86C8BB1EDF2C} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\6880a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {13A4EE12-23EA-3371-91EE-EFB36DDFFF3E} |

Microsoft Visual Studio 2010 Tools for Office Runtime (x64) Language Pack - ESN

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual Studio 2010 Tools for Office Runtime (x64) Language Pack - ESN |
| Vendor | Microsoft Corporation |
| Version | 10.0.50903 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\a0b2f5f5006bceda0e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1A6F608B-958A-4D78-A1D8-60A1F9FD6FFE} |
| Package Name | vstor40_LP_x64_esn.msi |
| Local Package | c:\Windows\Installer\2217a5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {B618B2AA-4B45-3B04-98CA-50466370B650} |
|-------------|--|

Microsoft Visual Studio 2010 Tools for Office Runtime (x64)

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual Studio 2010 Tools for Office Runtime (x64) |
| Vendor | Microsoft Corporation |
| Version | 10.0.50908 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\31f3df6e573462e80b73\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B540620C-75CA-487E-8D42-314383E9EC0F} |
| Package Name | vstor40_x64.msi |
| Local Package | c:\Windows\Installer\221782.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {9495AEB4-AB97-39DE-8C42-806EEF75ECA7} |

Microsoft Word MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Word MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20170714 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {83633C93-5BCA-45E8-9171-C0764566B5C8} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\1764ba.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001B-0C0A-1000-0000000FF1CE} |

Microsoft Word MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Word MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C036EC3-F232-4409-9ED2-DEF3CCE96CCA} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\2da1dc.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001B-0C0A-1000-0000000FF1CE} |

Mozilla Maintenance Service

| Item | Value |
|------------------------|-----------------------------|
| Name | Mozilla Maintenance Service |
| Vendor | Mozilla |
| Version | 59.0.2.6656 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | MozillaMaintenanceService |

MrvlUsgTracking

| Item | Value |
|------------------------|---|
| Name | MrvlUsgTracking |
| Vendor | Marvell |
| Version | 1.0.7 |
| Product Language | English |
| Install Date | 20180517 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\7zS35FC\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {CEF6D7DC-933F-4803-9777-C0285499915B} |
| Package Name | MrvlUsgTracking.msi |
| Local Package | C:\Windows\Installer\b0872.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A82D052A-0806-42DF-80CD-1730A1AC0ED3} |

MrvlUsgTracking64

| Item | Value |
|------------------------|---|
| Name | MrvIUsrTracking64 |
| Vendor | Marvell Semiconductor Pvt Ltd |
| Version | 1.0.1 |
| Product Language | English |
| Install Date | 20180517 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\7zS35FC\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {B287A1DD-240F-4096-A6C3-5ABE9AC3AEC4} |
| Package Name | MrvIUsrTrackingOAR64.msi |
| Local Package | C:\Windows\Installer\b086c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {42F0FD29-7EB3-4CAA-AF10-BC2619B96D80} |

Outils de vérification linguistique 2013 de Microsoft Office - Français

| Item | Value |
|------------------------|---|
| Name | Outils de vérification linguistique 2013 de Microsoft Office - Français |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | French |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.fr\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C84A0B07-4BEA-4059-ABD7-A67E5E204470} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17647a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-040C-1000-0000000FF1CE} |

Realtek Ethernet Controller Driver

| Item | Value |
|------------------------|--|
| Name | Realtek Ethernet Controller Driver |
| Vendor | Realtek |
| Version | 7.92.115.2015 |
| Product Language | |
| Install Date | 20180627 |
| Install Location | C:\Program Files (x86)\Realtek\NICDRV_8169 |
| Install Source | E:\Drivers\LAN\Realtek\LAN\Win7\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {8833FFB6-5B0C-4764-81AA-06DFEED9A476} |

Realtek High Definition Audio Driver

| Item | Value |
|------------------------|--|
| Name | Realtek High Definition Audio Driver |
| Vendor | Realtek Semiconductor Corp. |
| Version | 6.0.1.7982 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files\Realtek\Audio\HDA |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F132AF7F-7BCA-4EDE-8A7C-958108FE7DBC} |

Revisores de Texto do Microsoft Office 2013 – Português do Brasil

| Item | Value |
|------------------------|--|
| Name | Revisores de Texto do Microsoft Office 2013 – Português do Brasil |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Portuguese |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}\C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B7344999-5642-4A6C-9099-F8EE5175291F} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17646c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0416-1000-0000000FF1CE} |

Revisores de Texto do Microsoft Office 2016 – Português (Brasil)

| Item | Value |
|------------------------|--|
| Name | Revisores de Texto do Microsoft Office 2016 – Português (Brasil) |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Portuguese |
| Install Date | 20170815 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CE6CDC43-C24B-4677-826A-A325FBFF03F3} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\2da125.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0416-1000-00000000FF1CE} |

| Item | Value |
|------------------------|--|
| Name | Skype™ 7.3 |
| Vendor | Skype Technologies S.A. |
| Version | 7.3.101 |
| Product Language | English |
| Install Date | 20161213 |
| Install Location | C:\Program Files (x86)\Skype\ |
| Install Source | C:\ProgramData\Skype\{24991BA0-F0EE-44AD-9CC8-5EC50AECF6B7}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E4F3B66C-1E32-4098-93E6-EB5DC73C2FDD} |
| Package Name | Skype.msi |
| Local Package | C:\Windows\Installer\2c016.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {24991BA0-F0EE-44AD-9CC8-5EC50AECF6B7} |

Software para dispositivos de chipset Intel®

| Item | Value |
|------------------------|--|
| Name | Software para dispositivos de chipset Intel® |
| Vendor | Intel(R) Corporation |
| Version | 10.1.1.13 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {fb610cea-ba50-4d4b-a717-cf025419035c} |

Update for Microsoft .NET Framework 4.7.1 (KB4054852)

| Item | Value |
|------------------------|---|
| Name | Update for Microsoft .NET Framework 4.7.1 (KB4054852) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4054852 |

Update for Microsoft .NET Framework 4.7.1 (KB4054981)

| Item | Value |
|------------------------|---|
| Name | Update for Microsoft .NET Framework 4.7.1 (KB4054981) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4054981 |

wufuc

| Item | Value |
|------------------------|--|
| Name | wufuc |
| Vendor | zeffy |
| Version | 0.7.1.81 |
| Product Language | Spanish |
| Install Date | 20180314 |
| Install Location | C:\Program Files\wufuc\ |
| Install Source | E:\Eliminar mensaje incompatibilidad W7\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3E0655BA-1CD2-47E0-A7E1-D13727718241} |
| Package Name | wufuc_setup_x64.msi |
| Local Package | C:\Windows\Installer\eb36c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {8F760ACC-7186-4A5E-BE22-1AE1801ACBFD} |

[Software Updates](#)

| Update ID | Installed On | Description |
|-----------|--------------|---|
| KB982018 | 7/7/2014 | Update |
| KB976902 | 11/21/2010 | Update |
| KB971033 | 5/12/2015 | Update |
| KB4099950 | 4/14/2018 | Update |
| KB4093118 | 4/14/2018 | Security Update |
| KB4054998 | 4/7/2018 | Update |
| KB405498 | 20180414 | KB4054981 |
| KB405485 | 20180407 | KB4054852 |
| KB4054521 | 4/7/2018 | Security Update |
| KB4051956 | 4/7/2018 | Update |
| KB4048960 | 4/7/2018 | Security Update |
| KB4041678 | 4/7/2018 | Security Update |
| KB4040980 | 4/7/2018 | Update |
| KB4038779 | 4/7/2018 | Security Update |
| KB4033996 | 9/7/2017 | Update |
| KB4019990 | 9/7/2017 | Update |
| KB4014504 | 7/14/2017 | Update |
| KB401107 | 20170727 | Security Update for Microsoft Outlook 2013 (KB4011078) 64-Bit Edition |
| KB321357 | 20170714 | Update for Skype for Business 2015 (KB3213574) 64-Bit Edition |
| KB321356 | 20170714 | Update for Microsoft Word 2013 (KB3213567) 64-Bit Edition |
| KB321355 | 20170714 | Security Update for Microsoft Office 2013 (KB3213555) 64-Bit Edition |
| KB321353 | 20170714 | Update for Microsoft Project 2013 (KB3213538) 64-Bit Edition |

| | | |
|-----------|------------|--|
| KB321353 | 20170714 | Security Update for Microsoft Excel 2013 (KB3213537) 64-Bit Edition |
| KB320348 | 20170714 | Update for Microsoft PowerPoint 2013 (KB3203487) 64-Bit Edition |
| KB320348 | 20170714 | Update for Microsoft Office 2013 (KB3203489) 64-Bit Edition |
| KB320339 | 20170714 | Security Update for Microsoft Office 2013 (KB3203392) 64-Bit Edition |
| KB3195789 | 12/13/2016 | Update |
| KB319193 | 20170714 | Security Update for Skype for Business 2015 (KB3191937) 64-Bit Edition |
| KB319187 | 20170714 | Update for Microsoft Office 2013 (KB3191874) 64-Bit Edition |
| KB319187 | 20170714 | Update for Microsoft Office 2013 (KB3191872) 64-Bit Edition |
| KB3185319 | 12/13/2016 | Security Update |
| KB3184143 | 12/13/2016 | Update |
| KB3179573 | 12/13/2016 | Update |
| KB317870 | 20170714 | Update for Microsoft Office 2013 (KB3178709) 64-Bit Edition |
| KB317864 | 20170714 | Update for Microsoft OneDrive for Business (KB3178645) 64-Bit Edition |
| KB3177467 | 12/13/2016 | Update |
| KB3175443 | 9/3/2016 | Security Update |
| KB3172605 | 12/13/2016 | Update |
| KB317254 | 20170714 | Update for Microsoft Office 2013 (KB3172545) 64-Bit Edition |
| KB317252 | 20170714 | Update for Microsoft Office 2013 (KB3172523) 64-Bit Edition |
| KB317247 | 20170714 | Update for Microsoft OneNote 2013 (KB3172477) 64-Bit Edition |

| | | |
|-----------|------------|---|
| KB316205 | 20170714 | Security Update for Microsoft Office 2013 (KB3162051) 64-Bit Edition |
| KB3161958 | 6/15/2016 | Security Update |
| KB3161949 | 6/15/2016 | Security Update |
| KB3161102 | 12/13/2016 | Update |
| KB3160005 | 6/15/2016 | Security Update |
| KB3159398 | 6/15/2016 | Security Update |
| KB3156019 | 5/13/2016 | Security Update |
| KB3156016 | 5/13/2016 | Security Update |
| KB3154070 | 5/13/2016 | Security Update |
| KB3150513 | 5/18/2016 | Update |
| KB3150220 | 5/13/2016 | Security Update |
| KB3149090 | 5/13/2016 | Security Update |
| KB3147071 | 5/13/2016 | Update |
| KB3146963 | 5/13/2016 | Security Update |
| KB3146706 | 5/13/2016 | Security Update |
| KB3145739 | 5/13/2016 | Security Update |
| KB3142042 | 5/13/2016 | Security Update |
| KB3142024 | 5/13/2016 | Security Update |
| KB3140245 | 5/18/2016 | Update |
| KB3139914 | 5/13/2016 | Security Update |
| KB3139398 | 5/13/2016 | Security Update |
| KB3138910 | 5/13/2016 | Security Update |
| KB3138612 | 5/13/2016 | Update |
| KB3138378 | 5/13/2016 | Update |
| KB3137061 | 5/13/2016 | Update |
| KB3133977 | 5/13/2016 | Update |

| | | |
|-----------|-----------|--|
| KB312791 | 20161213 | Update for Microsoft Office 2013 (KB3127916) 64-Bit Edition |
| KB3127220 | 5/13/2016 | Security Update |
| KB3126587 | 5/13/2016 | Security Update |
| KB3123479 | 5/13/2016 | Security Update |
| KB3121461 | 5/13/2016 | Security Update |
| KB3118401 | 5/13/2016 | Update |
| KB311834 | 20170714 | Update for Microsoft Access 2013 (KB3118349) 64-Bit Edition |
| KB311540 | 20161213 | Definition Update for Microsoft Office 2013 (KB3115404) 64-Bit Edition |
| KB311515 | 20161213 | Update for Microsoft Office 2013 (KB3115156) 64-Bit Edition |
| KB311515 | 20161213 | Security Update for Microsoft Office 2013 (KB3115153) 64-Bit Edition |
| KB311494 | 20161213 | Update for Microsoft InfoPath 2013 (KB3114946) 64-Bit Edition |
| KB311482 | 20161213 | Update for Microsoft Office 2013 (KB3114825) 64-Bit Edition |
| KB311481 | 20161213 | Update for Microsoft InfoPath 2013 (KB3114818) 64-Bit Edition |
| KB311449 | 20161213 | Update for Microsoft Office 2013 (KB3114499) 64-Bit Edition |
| KB311448 | 20161213 | Update for Microsoft Office 2013 (KB3114488) 64-Bit Edition |
| KB311432 | 20161213 | Update for Microsoft Publisher 2013 (KB3114329) 64-Bit Edition |
| KB3110329 | 5/13/2016 | Security Update |
| KB3109560 | 5/13/2016 | Security Update |
| KB3109103 | 5/13/2016 | Security Update |
| KB3108664 | 5/13/2016 | Security Update |

| | | |
|-----------|-----------|---|
| KB3108381 | 5/13/2016 | Security Update |
| KB3108371 | 5/13/2016 | Security Update |
| KB3107998 | 5/13/2016 | Update |
| KB3102429 | 5/18/2016 | Update |
| KB3101722 | 5/13/2016 | Security Update |
| KB310150 | 20161213 | Update for Microsoft Office 2013 (KB3101503) 64-Bit Edition |
| KB310148 | 20161213 | Update for Microsoft Office 2013 (KB3101487) 64-Bit Edition |
| KB3097989 | 5/13/2016 | Security Update |
| KB3093513 | 5/13/2016 | Security Update |
| KB3092627 | 5/13/2016 | Update |
| KB3087985 | 8/27/2015 | Hotfix |
| KB3086255 | 5/13/2016 | Security Update |
| KB308558 | 20161213 | Update for Microsoft Office 2013 (KB3085587) 64-Bit Edition |

| Update ID | Installed On | Description |
|-----------|--------------|---|
| KB308556 | 20161213 | Update for Microsoft Office 2013 (KB3085565) 64-Bit Edition |
| KB3084135 | 5/13/2016 | Security Update |
| KB3080149 | 5/13/2016 | Update |
| KB3078667 | 5/13/2016 | Update |
| KB3078601 | 8/27/2015 | Security Update |
| KB3078071 | 8/27/2015 | Security Update |
| KB3075851 | 8/27/2015 | Update |
| KB3075226 | 5/18/2016 | Security Update |
| KB3074543 | 5/13/2016 | Security Update |

| | | |
|-----------|-----------|---|
| KB3072305 | 8/27/2015 | Security Update |
| KB3071756 | 8/27/2015 | Security Update |
| KB3068708 | 8/27/2015 | Update |
| KB3067903 | 8/27/2015 | Security Update |
| KB3060716 | 8/27/2015 | Security Update |
| KB3059317 | 8/27/2015 | Security Update |
| KB3055642 | 8/27/2015 | Security Update |
| KB305500 | 20161213 | Update for Microsoft Office 2013 (KB3055007) 64-Bit Edition |
| KB305485 | 20161213 | Update for Microsoft Outlook Social Connector 2013 (KB3054854) 64-Bit Edition |
| KB305485 | 20161213 | Update for Microsoft Office 2013 (KB3054856) 64-Bit Edition |
| KB305481 | 20161213 | Update for Microsoft Office 2013 (KB3054819) 64-Bit Edition |
| KB305481 | 20161213 | Security Update for Microsoft Office 2013 (KB3054816) 64-Bit Edition |
| KB305478 | 20161213 | Update for Microsoft Office 2013 (KB3054785) 64-Bit Edition |
| KB305478 | 20161213 | Update for Microsoft Office 2013 (KB3054783) 64-Bit Edition |
| KB3054476 | 8/27/2015 | Update |
| KB3046269 | 5/11/2015 | Security Update |
| KB3046017 | 8/27/2015 | Security Update |
| KB3045685 | 5/11/2015 | Security Update |
| KB303979 | 20161213 | Update for Microsoft Office 2013 (KB3039795) 64-Bit Edition |
| KB303979 | 20161213 | Security Update for Microsoft Office 2013 (KB3039798) 64-Bit Edition |

| | | |
|-----------|-----------|---|
| KB303977 | 20161213 | Update for Microsoft Office 2013 (KB3039778) 64-Bit Edition |
| KB303976 | 20161213 | Update for Microsoft Office 2013 (KB3039766) 64-Bit Edition |
| KB303975 | 20161213 | Update for Microsoft Office 2013 (KB3039756) 64-Bit Edition |
| KB303975 | 20161213 | Update for Microsoft Office 2013 (KB3039750) 64-Bit Edition |
| KB303972 | 20161213 | Update for Microsoft Office 2013 (KB3039720) 64-Bit Edition |
| KB303971 | 20161213 | Update for Microsoft Word 2013 (KB3039719) 64-Bit Edition |
| KB303970 | 20161213 | Update for Microsoft Office 2013 (KB3039701) 64-Bit Edition |
| KB3038314 | 5/12/2015 | Security Update |
| KB3037574 | 5/11/2015 | Security Update |
| KB3035126 | 5/11/2015 | Security Update |
| KB3032655 | 8/27/2015 | Security Update |
| KB3030377 | 5/11/2015 | Security Update |
| KB3023215 | 8/27/2015 | Security Update |
| KB302305 | 20161213 | Update for Microsoft Office 2013 (KB3023052) 64-Bit Edition |
| KB302304 | 20161213 | Update for Microsoft Office 2013 (KB3023049) 64-Bit Edition |
| KB3022777 | 5/11/2015 | Security Update |
| KB3021952 | 5/12/2015 | Security Update |
| KB3021917 | 5/12/2015 | Update |
| KB3021674 | 5/11/2015 | Security Update |
| KB3020388 | 5/18/2016 | Security Update |
| KB3020370 | 8/27/2015 | Update |

| | | |
|-----------|-----------|-----------------|
| KB3020369 | 8/27/2015 | Update |
| KB3013531 | 8/27/2015 | Update |
| KB3011780 | 5/11/2015 | Security Update |
| KB3010788 | 5/11/2015 | Security Update |
| KB3006137 | 5/11/2015 | Hotfix |
| KB3006121 | 5/11/2015 | Update |
| KB3004375 | 5/11/2015 | Security Update |
| KB3004361 | 5/11/2015 | Security Update |
| KB3003743 | 5/11/2015 | Security Update |
| KB3000483 | 8/27/2015 | Security Update |
| KB2992611 | 5/11/2015 | Security Update |
| KB2991963 | 5/11/2015 | Security Update |
| KB2990214 | 5/11/2015 | Update |
| KB2985461 | 5/11/2015 | Update |
| KB2984972 | 5/11/2015 | Security Update |
| KB2978742 | 5/11/2015 | Security Update |
| KB2978120 | 5/11/2015 | Security Update |
| KB2977292 | 5/11/2015 | Security Update |
| KB2973351 | 5/11/2015 | Security Update |
| KB2973201 | 5/11/2015 | Security Update |
| KB2972211 | 5/11/2015 | Security Update |
| KB2972100 | 5/11/2015 | Security Update |
| KB2970228 | 5/12/2015 | Update |
| KB2968294 | 5/11/2015 | Security Update |
| KB2966583 | 5/11/2015 | Update |
| KB2952664 | 4/7/2018 | Update |

| | | |
|-----------|-----------|--|
| KB2943357 | 5/11/2015 | Security Update |
| KB2937610 | 5/11/2015 | Security Update |
| KB2931356 | 5/11/2015 | Security Update |
| KB2923545 | 5/18/2016 | Update |
| KB2919469 | 5/11/2015 | Update |
| KB2918077 | 5/11/2015 | Update |
| KB2912390 | 5/12/2015 | Security Update |
| KB2911501 | 5/11/2015 | Security Update |
| KB291094 | 20161213 | Security Update for Microsoft Office 2013 (KB2910941) 64-Bit Edition |
| KB2908783 | 5/11/2015 | Update |
| KB2900986 | 7/4/2014 | Security Update |
| KB289952 | 20161213 | Update for Microsoft Office 2013 (KB2899522) 64-Bit Edition |
| KB2894844 | 5/11/2015 | Security Update |
| KB2893519 | 7/4/2014 | Update |
| KB2893294 | 7/4/2014 | Security Update |
| KB2892074 | 7/4/2014 | Security Update |
| KB2891804 | 5/11/2015 | Update |
| KB288986 | 20161213 | Update for Microsoft Office 2013 (KB2889863) 64-Bit Edition |
| KB2884256 | 7/4/2014 | Security Update |
| KB288309 | 20161213 | Update for Microsoft Office 2013 (KB2883095) 64-Bit Edition |
| KB2871997 | 7/4/2014 | Security Update |
| KB2868038 | 7/4/2014 | Security Update |
| KB2864202 | 7/4/2014 | Security Update |
| KB2862973 | 7/4/2014 | Security Update |

| Update ID | Installed On | Description |
|-----------|--------------|--|
| KB2862335 | 7/4/2014 | Security Update |
| KB2862330 | 7/4/2014 | Security Update |
| KB2862152 | 7/4/2014 | Security Update |
| KB2861698 | 5/11/2015 | Security Update |
| KB2857650 | 5/18/2016 | Update |
| KB2853952 | 7/4/2014 | Update |
| KB2852386 | 7/4/2014 | Update |
| KB2849697 | 5/11/2015 | Update |
| KB2849696 | 5/11/2015 | Update |
| KB2847927 | 7/4/2014 | Security Update |
| KB2843630 | 5/11/2015 | Update |
| KB2841134 | 5/11/2015 | Update |
| KB2840631 | 5/11/2015 | Security Update |
| KB2834140 | 7/4/2014 | Update |
| KB2830477 | 5/18/2016 | Update |
| KB281744 | 20160614 | Service Pack 1 for Microsoft Visio 2013 (KB2817443) 64-Bit Edition |
| KB281743 | 20160614 | Service Pack 1 for Microsoft Office 2013 (KB2817430) 64-Bit Edition |
| KB281730 | 20161213 | Update for Microsoft Visio Viewer 2013 (KB2817301) 64-Bit Edition |
| KB2813430 | 7/4/2014 | Security Update |
| KB2813347 | 7/4/2014 | Security Update |
| KB2808679 | 7/4/2014 | Update |
| KB2807986 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|---|
| KB2800095 | 5/11/2015 | Update |
| KB2799926 | 7/4/2014 | Update |
| KB2791765 | 7/4/2014 | Update |
| KB2786081 | 7/4/2014 | Update |
| KB2773072 | 7/4/2014 | Update |
| KB2770660 | 7/4/2014 | Security Update |
| KB2763523 | 7/4/2014 | Update |
| KB2761217 | 7/4/2014 | Update |
| KB276037 | 20161213 | Update for Microsoft Office 2013 (KB2760371) 64-Bit Edition |
| KB276034 | 20161213 | Update for Microsoft Office 2013 (KB2760344) 64-Bit Edition |
| KB2750841 | 7/4/2014 | Update |
| KB2742599 | 5/11/2015 | Security Update |
| KB2736422 | 5/11/2015 | Security Update |
| KB2732487 | 7/7/2014 | Update |
| KB2732059 | 7/4/2014 | Update |
| KB2729094 | 7/4/2014 | Update |
| KB2727528 | 7/4/2014 | Security Update |
| KB2726535 | 7/4/2014 | Update |
| KB2719857 | 7/4/2014 | Update |
| KB2705219 | 7/4/2014 | Security Update |
| KB2698365 | 7/4/2014 | Security Update |
| KB2690533 | 7/4/2014 | Security Update |
| KB2685813 | 5/11/2015 | Update |
| KB2685811 | 5/11/2015 | Update |
| KB2676562 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2670838 | 5/11/2015 | Update |
| KB2667402 | 7/4/2014 | Security Update |
| KB2660075 | 7/4/2014 | Update |
| KB2654428 | 7/4/2014 | Security Update |
| KB2647753 | 7/7/2014 | Update |
| KB2640148 | 7/4/2014 | Update |
| KB2631813 | 7/4/2014 | Security Update |
| KB2621440 | 7/4/2014 | Security Update |
| KB2620704 | 7/4/2014 | Security Update |
| KB2604115 | 5/11/2015 | Security Update |
| KB2603229 | 7/4/2014 | Update |
| KB2592687 | 7/4/2014 | Update |
| KB2579686 | 7/4/2014 | Security Update |
| KB2574819 | 7/4/2014 | Update |
| KB256506 | 20161213 | KB2565063 |
| KB2564958 | 7/4/2014 | Security Update |
| KB2563227 | 7/4/2014 | Update |
| KB2560656 | 7/4/2014 | Security Update |
| KB2552343 | 7/4/2014 | Update |
| KB2547666 | 7/4/2014 | Update |
| KB2545698 | 7/4/2014 | Update |
| KB2534111 | 7/4/2014 | Hotfix |
| KB2533552 | 5/11/2015 | Update |
| KB2509553 | 7/4/2014 | Security Update |
| KB2506928 | 7/4/2014 | Update |
| KB2506212 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|--|
| KB2506014 | 5/11/2015 | Update |
| KB2491683 | 7/4/2014 | Security Update |
| KB2479943 | 7/4/2014 | Security Update |
| | 20210607 | Adobe Acrobat Reader DC (19.010.20098) |
| | 20170714 | Microsoft Silverlight 5.1.50907.0 |



Sistema Operativo

| Name | Value |
|-------------------------|---------------------------------------|
| Name | 7 |
| Edition | Professional 64-bit |
| Install Date | 11/05/2018 |
| Registered Owner | usuario |
| Registered Organization | |
| Product ID | |
| Major Version Number | 6 |
| Minor Version Number | 1 |
| Build Number | 7601 |
| Service Pack | Service Pack 1 |
| Service Pack Version | 1.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | C:\Windows\ |
| System Directory | C:\Windows\system32\ |
| Temporary Directory | C:\Users\201240~1\AppData\Local\Temp\ |

| | |
|---------------------------|---------------------|
| Operating System Language | Spanish - Argentina |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|---------------------|--|
| Mouse | 3 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |
| Display Description | W1943, 18.5" (41cm x 23cm) |
| Printer | HP LaserJet P1005 |
| Printer | Fax |
| Printer | Enviar a OneNote 2013 |
| Printer | Enviar a OneNote 16 |
| Printer | doPDF 9 |
| Printer | Brother DCP-8085DN Printer |
| Mapped Drive | m: [\\d250isinfo1\Grupos2] |
| Mapped Drive | N: [\\d030nfs01\grupos029] |
| Mapped Drive | q: [\\d030nfs01\Publica030] |
| Mapped Drive | r: [\\d030nfs01\Grupos030] |
| Network Installed | Yes |



Seguridad

Internet Software

| Type | Name | Version | Data Update? |
|---------|-----------------------|-----------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.9600.18977 | |
| E-mail | Windows Mail(TM) | 6.1.7601.17514 | |

Open Ports

TCP 0.0.0.0:135

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 896 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|---------------|-------|
| Port Protocol | TCP |

| | |
|----------------------|--------------------|
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:3389

| Item | Value |
|---------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | TCP 0.0.0.0:3389 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1468 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

TCP 0.0.0.0:5357

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5357 |
| Caption | TCP 0.0.0.0:5357 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:8501

| Item | Value |
|---------------|------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 8501 |
| Caption | TCP 0.0.0.0:8501 |
| Service Name | |

| | |
|----------------------|--------------------|
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:33221

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | TCP 0.0.0.0:33221 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49152

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | TCP 0.0.0.0:49152 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 568 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49153

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49153 |
| Caption | TCP 0.0.0.0:49153 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1012 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49154

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49154 |
| Caption | TCP 0.0.0.0:49154 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 384 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49155

| Item | Value |
|---------------|---------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Local Port | 49155 |
| Caption | TCP 0.0.0.0:49155 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 676 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49156

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49156 |
| Caption | TCP 0.0.0.0:49156 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 640 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:139

| Item | Value |
|----------------------|----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 139 |
| Caption | TCP 10.29.11.120:139 |
| Service Name | netbios-ssn |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:49378

| Item | Value |
|----------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 49378 |
| Caption | TCP 10.29.11.120:49378 |
| Service Name | |
| Remote Address | 10.29.1.15 |

| | |
|----------------------|--------------------------------------|
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:49380

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 49380 |
| Caption | TCP 10.29.11.120:49380 |
| Service Name | |
| Remote Address | 10.250.80.37 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:49518

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 49518 |
| Caption | TCP 10.29.11.120:49518 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | svchost.exe |
| Process ID | 384 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:49542

| Item | Value |
|------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 49542 |
| Caption | TCP 10.29.11.120:49542 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 135 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | lsass.exe |
| Process ID | 676 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.120:49543

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.120 |
| Local Port | 49543 |
| Caption | TCP 10.29.11.120:49543 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 49158 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | lsass.exe |
| Process ID | 676 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50001

| Item | Value |
|---------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50001 |
| Caption | TCP 127.0.0.1:50001 |

| | |
|----------------------|--------------------|
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50002

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50002 |
| Caption | TCP 127.0.0.1:50002 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50005

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50005 |
| Caption | TCP 127.0.0.1:50005 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50006

| Item | Value |
|------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50006 |
| Caption | TCP 127.0.0.1:50006 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |

| | |
|----------------------|--------------|
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:123

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 123 |
| Caption | UDP 0.0.0.0:123 |
| Service Name | ntp |
| Process Name | svchost.exe |
| Process ID | 520 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:500

| Item | Value |
|---------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |
| Service Name | isakmp |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 384 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|---------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:4500

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 384 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5355

| Item | Value |
|---------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5355 |
| Caption | UDP 0.0.0.0:5355 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1468 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:33221

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | UDP 0.0.0.0:33221 |
| Service Name | |
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:49152

| Item | Value |
|---------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | UDP 0.0.0.0:49152 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:54925

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 54925 |
| Caption | UDP 0.0.0.0:54925 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2980 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:61322

| Item | Value |
|---------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 61322 |
| Caption | UDP 0.0.0.0:61322 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | spoolsv.exe |
| Process ID | 1684 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.120:137

| Item | Value |
|----------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.120 |
| Local Port | 137 |
| Caption | UDP 10.29.11.120:137 |
| Service Name | netbios-ns |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.120:138

| Item | Value |
|---------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.120 |
| Local Port | 138 |
| Caption | UDP 10.29.11.120:138 |
| Service Name | netbios-dgm |

| | |
|----------------------|--------|
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.120:1900

| Item | Value |
|----------------------|-----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.120 |
| Local Port | 1900 |
| Caption | UDP 10.29.11.120:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.120:55174

| Item | Value |
|---------------|------------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.120 |
| Local Port | 55174 |
| Caption | UDP 10.29.11.120:55174 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:1900

| Item | Value |
|----------------------|--------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 1900 |
| Caption | UDP 127.0.0.1:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:52721

| Item | Value |
|---------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 52721 |
| Caption | UDP 127.0.0.1:52721 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1140 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:55175

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 55175 |
| Caption | UDP 127.0.0.1:55175 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1736 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:60565

| Item | Value |
|---------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 60565 |
| Caption | UDP 127.0.0.1:60565 |
| Service Name | |

| | |
|----------------------|--------------|
| Process Name | cyserver.exe |
| Process ID | 2436 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:64018

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 64018 |
| Caption | UDP 127.0.0.1:64018 |
| Service Name | |
| Process Name | lsass.exe |
| Process ID | 676 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:64020

| Item | Value |
|---------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 64020 |
| Caption | UDP 127.0.0.1:64020 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1468 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions

Brother DCP-8085DN Printer

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|----------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |

| | |
|-------------|--|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |

| | |
|-------------|-------------------------------------|
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |

| | |
|-------------|----------------------------------|
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

doPDF 9**ws60022\Administrador**

| Name | Value |
|-------------|--|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |

| | |
|-------------|----------------------------------|
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws60022\Administrador

| Name | Value |
|-------------|--|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|------------------------------|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|----------------------------------|
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 0000000000001111000000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | doPDF 9 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 16**ws60022\Administrador**

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws60022\Administrador

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|-------|
| | |

| | |
|-------------|---|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 2013**ws60022\Administrador**

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws60022\Administrador

| Name | Value |
|------|-------|
| | |

| | |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-----------------------|
| Name | Enviar a OneNote 2013 |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|--|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Fax

ws60022\Administrador

| Name | Value |
|-------------|-----------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | ws60022\Administrador |

| | |
|-------------|--|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws60022\Administrador

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ws60022\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|---------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |

| | |
|-------------|----------------------------------|
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |

| | |
|-------------|----------------------------------|
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 0000000000001111000000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

HP LaserJet P1005**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|----------------------------------|
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|------------------------------|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | HP LaserJet P1005 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Security Log

| Time Generated | Log File | Source Name | Description |
|----------------|----------|-------------|-------------|
| | | | |

| | | | |
|-----------------------------|----------|---|--|
| 02/06/2021 10:54:34 a.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20275481514 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios |
|-----------------------------|----------|---|--|

| | | | |
|--|--|--|---|
| | | | transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de |
|--|--|--|---|

| | | | |
|--------------------------|----------|--------------------------------------|---|
| | | | información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 31/05/2021 10:12:18 a.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20275481514 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2304> Estado: |

| | | | |
|--|--|--|--|
| | | | 0xc000005e Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El |
|--|--|--|--|

| | | | |
|--|--|--|---|
| | | | campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave |
|--|--|--|---|

| | | | |
|-----------------------------|----------|---|--|
| | | | de sesión. Event ID 4625 |
| 05/04/2021 10:56:53 a.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20236840469 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2309> Estado: 0xc0000224 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: <u>S-1-5-182 Paquete de</u> |
| 07/07/2021 01:01:16 p.m. | | | 166/347 |

| | | | | |
|--|--|--|--|--|
| | | | <p>autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede</p> | |
|--|--|--|--|--|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 05/04/2021 10:08:41 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20236840469 Dominio de cuenta: GOBIERNOCBA Información de error: |

| | | | | |
|--|--|--|--|--|
| | | | Motivo del error: <unknown parameter: %%2307> Estado: 0xc0000234 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como | |
|--|--|--|--|--|

Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 05/04/2021 10:07:23 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20236840469 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación |

| | | | | |
|--|--|--|---|--|
| | | | detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de <small>destinatario de trabajo no</small> | |
|--|--|--|---|--|

| | | | |
|-----------------------------|----------|---|--|
| | | | estaación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 17/03/2021 12:25:08 p.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20275481514 Dominio |

de cuenta:
GOBIERNOCBA
Información de error:
Motivo del error:
<unknown parameter:
%%2309> Estado:
0xc000006e
Subestado: S-1-5-180
Información de
proceso: Id. de
proceso del autor de la
llamada: S-1-5-188
Nombre de proceso
del autor de la
llamada: S-1-5-189
Información de red:
Nombre de estación
de trabajo: S-1-5-184
Dirección de red de
origen: WS60022\$0
Puerto de origen:
WS60022\$1
Información de
autenticación
detallada: Proceso de
inicio de sesión:
S-1-5-182 Paquete de
autenticación:
S-1-5-183 Servicios
transitados: S-1-5-185
Nombre de paquete
(sólo NTLM):
S-1-5-186 Longitud de
clave: S-1-5-187 Este
evento se genera
cuando se produce un
error en una solicitud
de inicio de sesión. Lo
genera el equipo al
que se intentó tener
acceso. Los campos
de sujeto indican la
cuenta del sistema
local que solicitó el
inicio de sesión. Suele

| | | | |
|--|--|--|--|
| | | | <p>ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los</p> |
|--|--|--|--|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | PROTOCOLOS NTLMV1. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 05/07/2018 08:02:55 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 27286560852 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: |

| | | | | |
|--|--|--|---|--|
| | | | WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud | |
|--|--|--|---|--|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 28/06/2018 08:04:08 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 |

| | | | | |
|--|--|--|---|--|
| | | | <p>Nombre de cuenta: 2728656085 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2304> Estado: 0xc0000005 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la</p> | |
|--|--|--|---|--|

| | | |
|--|--|--|
| | | cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el |
|--|--|--|

| | | | |
|--------------------------|----------|-------------------------------------|--|
| | | | subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 28/06/2018 08:01:31 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 27286560885 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2304> Estado: 0xc000005e Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación |

| | | | | |
|--|--|--|---|--|
| | | | de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la | |
|--|--|--|---|--|

| | | | |
|--------------------------|----------|--------------------------------------|--|
| | | | cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 27/06/2018 01:11:44 p.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS60022\$ Dominio de cuenta: GOBIERNOCBA Id. de |

| | | | |
|--|--|--|---|
| | | | GOBIERNOCBA inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 2728656085 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS60022\$0 Puerto de origen: WS60022\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera |
|--|--|--|---|

| | | | |
|--|--|--|--|
| | | | <p>cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de</p> |
|--|--|--|--|

| | | | |
|--|--|--|---|
| | | | Sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
|--|--|--|---|

Security Settings

| Item | Name | Setting |
|-------------------|-------------------------|------------------------|
| AutoLogon | Enabled | No |
| Screen Saver | Enabled | Yes |
| Screen Saver | Timeout | 0 Seconds |
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |
| All Accounts | Minimum Password Length | 8 Characters |
| All Accounts | Maximum Password Age | 180 Days |
| All Accounts | Historical Passwords | 5 remembered |
| All Accounts | Lockout Threshold | 5 Attempts |
| Automatic Updates | Update Status | Scheduled installation |
| Automatic Updates | Update Schedule | Every day |

| | | |
|-------------------|-----------------------|-------------|
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |
| Internet Explorer | Launch Applications | Prompt user |

Share Permissions

ADMIN\$

No Trustee

| Name | Value |
|-------------|-----------------------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

C\$

No Trustee

| Name | Value |
|------|-------|
| | |

| Name | Value |
|-------------|-----------------------------|
| Name | C\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

D\$**No Trustee**

| Name | Value |
|-------------|---------------------|
| Name | D\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT AUTHORITY\SYSTEM |

IPC\$**No Trustee**

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

print\$

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read |
| ACE Flags | |
| Access Mask | 00000000000100100000000010101001 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|-------------|----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | BUILTIN\Administradores |

System Restore

No restore points found, requires at least XP and the WMI service running.

User Privileges

| Privilege Name |
|---|
| Ajustar las cuotas de la memoria para un proceso |
| Administrador registro de seguridad y auditoría |
| Tomar posesión de archivos y otros objetos |
| Cargar y descargar controladores de dispositivo |
| Analizar el rendimiento del sistema |
| Cambiar la hora del sistema |
| Analizar un solo proceso |
| Aumentar prioridad de programación |
| Crear un archivo de paginación |
| Hacer copias de seguridad de archivos y directorios |

Restaurar archivos y directorios

Apagar el sistema

Depurar programas

Modificar valores de entorno firmware

Omitir comprobación de recorrido

Forzar cierre desde un sistema remoto

Quitar equipo de la estación de acoplamiento

Realizar tareas de mantenimiento del volumen

Suplantar a un cliente tras la autenticación

Crear objetos globales

Aumentar el espacio de trabajo de un proceso

Cambiar la zona horaria

Crear vínculos simbólicos

[Windows Firewall](#)

No information found, requires at least XP with service pack 2 and with the Firewall service running.

[Grupos y Usuarios](#)

[Local Groups](#)

Administradores

| Name | Value |
|------------|-----------------|
| Group Type | Local |
| Group Name | Administradores |

| | |
|--------------|--|
| Comment Item | Los administradores tienen acceso completo y sin restricciones al equipo o dominio |
|--------------|--|

Members

| Group Name | Member Name |
|-----------------|------------------|
| Administradores | Administrador |
| Administradores | Admins029 |
| Administradores | Domain Admins |
| Administradores | GGAdminGeneralWS |

Policy

| Group Name | Privilege Name |
|-----------------|---|
| Administradores | Administrar registro de seguridad y auditoría |
| Administradores | Hacer copias de seguridad de archivos y directorios |
| Administradores | Restaurar archivos y directorios |
| Administradores | Cambiar la hora del sistema |
| Administradores | Apagar el sistema |
| Administradores | Forzar cierre desde un sistema remoto |
| Administradores | Tomar posesión de archivos y otros objetos |
| Administradores | Depurar programas |
| Administradores | Modificar valores de entorno firmware |
| Administradores | Analizar el rendimiento del sistema |
| Administradores | Analizar un solo proceso |
| Administradores | Aumentar prioridad de programación |
| Administradores | Cargar y descargar controladores de dispositivo |

| | |
|-----------------|--|
| Administradores | Crear un archivo de paginación |
| Administradores | Ajustar las cuotas de la memoria para un proceso |
| Administradores | Omitir comprobación de recorrido |
| Administradores | Quitar equipo de la estación de acoplamiento |
| Administradores | Realizar tareas de mantenimiento del volumen |
| Administradores | Suplantar a un cliente tras la autenticación |
| Administradores | Crear objetos globales |
| Administradores | Cambiar la zona horaria |
| Administradores | Crear vínculos simbólicos |
| Administradores | SeInteractiveLogonRight |
| Administradores | SeBatchLogonRight |
| Administradores | SeRemoteInteractiveLogonRight |

Debugger Users

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Debugger Users |
| Comment Item | Debugger Users are non administrators who are allowed to use Visual Studio to debug processes, both locally and remotely. Only trusted users should be added to this group |

Members

No information found.

Policy

No information found.

Duplicadores

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Duplicadores |
| Comment Item | Pueden replicar archivos en un dominio |

Members

No information found.

Policy

No information found.

IIS_IUSRS

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | IIS_IUSRS |
| Comment Item | Grupo integrado usado por Internet Information Services. |

Members

| Group Name | Member Name |
|------------|-------------|
| | |

| | |
|-----------|------|
| IIS_IUSRS | IUSR |
|-----------|------|

Policy**No information found.****Invitados**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Invitados |
| Comment Item | De forma predeterminada, los invitados tienen el mismo acceso que los miembros del grupo Usuarios, excepto la cuenta de invitado que tiene más restricciones |

Members

| Group Name | Member Name |
|------------|-------------|
| Invitados | Invitado |

Policy**No information found.****Lectores del registro de eventos**

| Name | Value |
|------------|-------|
| Group Type | Local |

| | |
|--------------|---|
| Group Name | Lectores del registro de eventos |
| Comment Item | Los miembros de este grupo pueden leer registros de eventos del equipo local. |

Members

No information found.

Policy

No information found.

Ofrecer aplicaciones auxiliares de asistencia remota

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Ofrecer aplicaciones auxiliares de asistencia remota |
| Comment Item | Los miembros de este grupo pueden ofrecer asistencia remota a los usuarios de este equipo. |

Members

| Group Name | Member Name |
|--|--------------------|
| Ofrecer aplicaciones auxiliares de asistencia remota | GGAsistenciaRemota |

Policy

No information found

No information found.

Operadores criptográficos

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Operadores criptográficos |
| Comment Item | Los miembros tienen autorización para realizar operaciones criptográficas. |

Members

No information found.

Policy

No information found.

Operadores de configuración de red

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Operadores de configuración de red |
| Comment Item | Los miembros en este equipo pueden tener algunos privilegios administrativos para administrar la configuración de las características de la red |

Members

No information found.

Policy

No information found.

Operadores de copia de seguridad

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Operadores de copia de seguridad |
| Comment Item | Los operadores de copia de seguridad pueden invalidar restricciones de seguridad con el único propósito de hacer copias de seguridad o restaurar archivos. |

Members

No information found.

Policy

| Group Name | Privilege Name |
|----------------------------------|---|
| Operadores de copia de seguridad | Hacer copias de seguridad de archivos y directorios |
| Operadores de copia de seguridad | Restaurar archivos y directorios |
| Operadores de copia de seguridad | Apagar el sistema |
| Operadores de copia de seguridad | Omitir comprobación de recorrido |
| Operadores de copia de seguridad | SeInteractiveLogonRight |
| Operadores de copia de seguridad | SeBatchLogonRight |

Usuarios

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios |
| Comment Item | Los usuarios no pueden hacer cambios accidentales o intencionados en el sistema y pueden ejecutar la mayoría de aplicaciones |

Members

| Group Name | Member Name |
|------------|-------------------------|
| Usuarios | Domain Users |
| Usuarios | INTERACTIVE |
| Usuarios | usuario |
| Usuarios | Usuarios autentificados |

Policy

| Group Name | Privilege Name |
|------------|--|
| Usuarios | Apagar el sistema |
| Usuarios | Omitir comprobación de recorrido |
| Usuarios | Quitar equipo de la estación de acoplamiento |
| Usuarios | Aumentar el espacio de trabajo de un proceso |
| Usuarios | Cambiar la zona horaria |
| Usuarios | SelInteractiveLogonRight |

Usuarios avanzados

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios avanzados |
| Comment Item | Los usuarios avanzados se incluyen para la compatibilidad con versiones anteriores y poseen derechos administrativos limitados |

Members

No information found.

Policy

No information found.

Usuarios COM distribuidos

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios COM distribuidos |
| Comment Item | Los miembros pueden iniciar, activar y usar objetos de COM distribuido en este equipo. |

Members

No information found.

Policy**No information found.****Usuarios de escritorio remoto**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios de escritorio remoto |
| Comment Item | A los miembros de este grupo se les concede el derecho de iniciar sesión remotamente |

Members

| Group Name | Member Name |
|-------------------------------|--------------------|
| Usuarios de escritorio remoto | GGAsistenciaRemota |

Policy

| Group Name | Privilege Name |
|-------------------------------|-------------------------------|
| Usuarios de escritorio remoto | SeRemoteInteractiveLogonRight |

Usuarios del monitor de sistema

| Name | Value |
|------------|---------------------------------|
| Group Type | Local |
| Group Name | Usuarios del monitor de sistema |

| | |
|--------------|--|
| Comment Item | Los miembros de este grupo tienen acceso a los datos del contador de rendimiento de forma local y remota |
|--------------|--|

Members**No information found.****Policy****No information found.****Usuarios del registro de rendimiento**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del registro de rendimiento |
| Comment Item | Los miembros de este grupo pueden programar contadores de registro y rendimiento, habilitar proveedores de seguimiento y recopilar seguimientos de eventos localmente y a través del acceso remoto a este equipo |

Members**No information found.****Policy**

| Group Name | Privilege Name |
|--------------------------------------|-------------------|
| Usuarios del registro de rendimiento | SeBatchLogonRight |

Global Groups

None

| Name | Value |
|--------------|----------------|
| Group Type | Global |
| Group Name | None |
| Comment Item | Ordinary users |

Members

| Group Name | Member Name |
|------------|---------------|
| None | Administrador |
| None | Invitado |
| None | usuario |

Policy

No information found.

User Accounts

Administrador

| Item | Value |
|--------------|--|
| User Account | Administrador |
| Full Name | |
| Description | Cuenta integrada para la administración del equipo o dominio |

| | |
|--------------------|--------------------------|
| Account Status | Enabled, Not Locked |
| Local Groups | Administradores |
| Global Groups | None |
| Last Logon | 11/05/2018 01:11:44 a.m. |
| Last Logoff | |
| Number Of Logons | 137 |
| Bad Password Count | 0 |
| Password Age | 1153 Days |
| Password Expired | No |
| Account Expires | |

Invitado

| Item | Value |
|--------------------|---|
| User Account | Invitado |
| Full Name | |
| Description | Cuenta integrada para el acceso como invitado al equipo o dominio |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |

| | |
|------------------|----|
| Password Expired | NO |
| Account Expires | |

usuario

| Item | Value |
|--------------------|----------------------|
| User Account | usuario |
| Full Name | usuario |
| Description | usuario |
| Account Status | Disabled, Not Locked |
| Local Groups | Usuarios |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 1153 Days |
| Password Expired | Yes |
| Account Expires | |

**Red Windows****Network Files****No information found.**

Network Sessions

| Client Name | User Name | Connected | Idle |
|------------------------------|-------------|-----------|-----------|
| \[fe80::196c:9511:ea9d:a717] | 20124063109 | 0 Minutes | 0 Minutes |

Network Shares

| Share Name | Share Type | Connections | Share Path |
|------------|----------------------------------|-------------|-----------------------------------|
| ADMIN\$ | Disk Drive Admin | 1 | C:\Windows |
| C\$ | Disk Drive Admin | 1 | C:\ |
| D\$ | Disk Drive Admin | 1 | D:\ |
| IPC\$ | Interprocess Communication Admin | 1 | |
| print\$ | Disk Drive | 0 | C:\Windows\system32\spool\drivers |



Red TCP/IP

Realtek PCIe GBE Family Controller

| Item | Value |
|----------------|------------------------------------|
| Adapter Number | 1 |
| Adapter Name | Realtek PCIe GBE Family Controller |
| DNS Host Name | ws60022 |
| DNS Servers | |
| IP Address | |

| | |
|---------------------|----------------------------------|
| IP Subnet | 255.255.0.0 |
| Default IP Gateway | |
| DHCP Enabled | Yes |
| DHCP Server | 10.250.1.235 |
| DHCP IP Address | 10.29.11.120 |
| DHCP Lease Obtained | 07/07/2021 12:47:23 p.m. |
| DHCP Lease Expires | 15/07/2021 12:47:23 p.m. |
| Status Code | 0 |
| Adapter Status | This device is working properly. |
| Adapter Type | Ethernet 802.3 |
| MAC Address | 10:7B:44:A6:2D:9D |
| Connection Status | Connected |
| Connection Speed | 100 Mbps |



NetBIOS

LAN Adapter #1

| Item | Value |
|------------------|-------------------|
| Adapter Number | 1 |
| Software Release | 3.0 |
| MAC Address | 10:7b:44:a6:2d:9d |
| Adapter Type | Ethernet |
| Maximum Sessions | 16 |
| Sessions Pending | 0 |

| | |
|------------------|-------------|
| Maximum Data | 65535 Bytes |
| Maximum Datagram | 512 Bytes |



Dispositivos

Adaptadores de pantalla

NVIDIA GeForce GT 730

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | NVIDIA GeForce GT 730 |
| Manufacturer | NVIDIA |
| Location | Bus PCI 1, dispositivo 0, función 0 |
| Driver Provider | NVIDIA |
| Driver Version | 10.18.13.6472 |
| Driver Date | 3-21-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_0F02&SUBSYS_273 23842&REV_A1\4&296EB0EF&0&0008 |

Adaptadores de red

A continuación se detallan los adaptadores de red:

Adaptador asínc. de RAS

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador asínc. de RAS |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SW\{EEAB7790-C514-11D1-B42B-00805FC1270E}\ASYNCMAC |

Adaptador ISATAP de Microsoft

| Item | Value |
|-----------------|-------------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0000 |

Minipuerto WAN (IP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (IP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIP\0000 |

Minipuerto WAN (IPv6)

| Item | Value |
|-------------|--------------------|
| Device Type | Adaptadores de red |
| Device Name | |

| | |
|-----------------|--|
| Description | Minipuerto WAN (IPv6) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIPV6\0000 |

Minipuerto WAN (L2TP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (L2TP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_L2TPMINIPORT\0000 |

Minipuerto WAN (Monitor de red)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (Monitor de red) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANBH\0000 |

Minipuerto WAN (PPPOE)

| Item | Value |
|-----------------|------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPPOE) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPPOEMINIPORT\0000 |

Minipuerto WAN (PPTP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPTPMINIPORT\0000 |

Minipuerto WAN (SSTP)

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (SSTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_SSTPMINIPORT\0000 |

Realtek PCIe GBE Family Controller

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Realtek PCIe GBE Family Controller |
| Manufacturer | Realtek |
| Location | Bus PCI 3, dispositivo 0, función 0 |
| Driver Provider | Realtek |
| Driver Version | 7.92.115.2015 |
| Driver Date | 1-15-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--|
| Device ID | PCI\VEN_10EC&DEV_8168&SUBSYS_867 71043&REV_15\4&E46F62&0&00E7 |
|-----------|--|

WAN Miniport (IKEv2)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | WAN Miniport (IKEv2) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_ISATAPMINIPORT\0000 |

Adaptador ISATAP de Microsoft #2

| Item | Value |
|--------------|----------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Adaptador ISATAP de Microsoft #2 |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |

| Location | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0001 |

Teredo Tunneling Pseudo-Interface

| Item | Value |
|-----------------|---|
| Device Type | Adaptadores de red |
| Device Name | Teredo Tunneling Pseudo-Interface |
| Description | Adaptador de tunelización Teredo de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*TEREDO\0000 |

Controladoras ATA/ATAPI IDE

Intel(R) 100 Series/C230 Chipset Family SATA AHCI Controller

| Item | Value |
|-----------------|--|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Chipset Family SATA AHCI Controller |
| Manufacturer | Intel Corporation |
| Location | Bus PCI 0, dispositivo 23, función 0 |
| Driver Provider | Intel Corporation |
| Driver Version | 14.8.0.1042 |
| Driver Date | 11-4-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A102&SUBSYS_869 41043&REV_31\3&11583659&1&B8 |

Controladoras de bus serie universal**Concentrador raíz Intel(R) USB 3.0**

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz Intel(R) USB 3.0 |
| Manufacturer | Intel(R) Corporation |
| Location | |
| Driver Provider | Intel(R) Corporation |

| | |
|----------------|--|
| Driver Version | 4.0.2.42 |
| Driver Date | 9-25-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | IUSB3\ROOT_HUB30\4&20853409&0 |

Controladora de host Intel(R) USB 3.0 eXtensible

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Controladora de host Intel(R) USB 3.0 eXtensible |
| Manufacturer | Intel(R) Corporation |
| Location | Bus PCI 0, dispositivo 20, función 0 |
| Driver Provider | Intel(R) Corporation |
| Driver Version | 4.0.2.42 |
| Driver Date | 9-25-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_A12F&SUBSYS_869 41043&REV_31\3&11583659&1&A0 |

Dispositivo compuesto USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0003.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.23933 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_1A2C&PID_2D23\5&37147343&0&3 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0006.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19144 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\5&37147343&0&6 |

Controladoras de sonido y vídeo y dispositivos de juego

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_001 4&SUBSYS_10DE0101&REV_1001\5&2B2D9BA&0&0001 |

Dispositivo de High Definition Audio

| Item | Value |
|-------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |

| | |
|-----------------|---|
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_001 4&SUBSYS_10DE0101&REV_1001\5&2B2D9BA&0&0101 |

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|---|
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_001 4&SUBSYS_10DE0101&REV_1001\5&2B2D9BA&0&0201 |
|-----------|---|

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_001 4&SUBSYS_10DE0101&REV_1001\5&2B2D9BA&0&0301 |

Realtek High Definition Audio

| Item | Value |
|--------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Realtek High Definition Audio |
| Manufacturer | Realtek Semiconductor Corp. |

| | |
|-----------------|--|
| Manufacturer | Realtek |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Realtek Semiconductor Corp. |
| Driver Version | 6.0.1.7982 |
| Driver Date | 11-8-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_088 7&SUBSYS_104386C7&REV_1003\4&2817ECE8&0&0001 |

Controladores que no son Plug and Play

Administrador de punto de montaje

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de punto de montaje |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MOI\INTMGR\0000 |

Device ID

ROOT\LEGACY_VOLMGRX\0000

Administrador de volúmenes dinámicos

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de volúmenes dinámicos |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VOLMGRX\0000 |

amdkmdag

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | amdkmdag |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|-----------------|--|
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_AMDAMDAG\0000 |

Ancillary Function Driver for Winsock

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Ancillary Function Driver for Winsock |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_AFD\0000 |

AsIO

| Item | Value |
|------|-------|
| | |

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | AsIO |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_ASIO\0000 |

Beep

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Beep |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_BEEP\0000 |

Canal IDE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Canal IDE |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_ATAPI\0000 |

CNG

| Item | Value |
|--------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | CNG |
| Manufacturer | |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CNG\0000 |

Controlador ARP IPv6 de acceso remoto

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador ARP IPv6 de acceso remoto |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WANARPV6\0000 |

Controlador de archivos sin conexión

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de archivos sin conexión |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CSC\0000 |

Controlador de autorización de Firewall de Windows

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de autorización de Firewall de Windows |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MPSDRV\0000 |

Controlador de filtro de aceleración de bus de máquina virtual

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de filtro de aceleración de bus de máquina virtual |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_STORFLT\0000 |

Controlador de protocolo TCP/IP

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |

| | |
|-----------------|--|
| Device Name | |
| Description | Controlador de protocolo TCP/IP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TCPIP\0000 |

Controlador de QWAVE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de QWAVE |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_QWAVFDRV\0000 |

| | |
|-----------|-----------------------|
| Device ID | ROOT\LEGACY_NDIS\0000 |
|-----------|-----------------------|

Controlador de sistema NDIS

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de sistema NDIS |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDIS\0000 |

Controlador de soporte TDI heredado NetIO

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de soporte TDI heredado NetIO |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|-----------------|--|
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TDX\0000 |

Controlador del conmutador de la controladora de host Intel(R)

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador del conmutador de la controladora de host Intel(R) |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_IUSB3HCS\0000 |

Controlador del filtro de Cifrado de unidad BitLocker

| Item | Value |
|------|-------|
| | |

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador del filtro de Cifrado de unidad BitLocker |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_FVEVOL\0000 |

cyverak

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | cyverak |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CYVERAK\0000 |

cyvrmtgn

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | cyvrmtgn |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CYVRMTGN\0000 |

Hardware Policy Driver

| Item | Value |
|--------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Hardware Policy Driver |
| Manufacturer | |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_HWPOLICY\0000 |

HTTP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | HTTP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_HTTP\0000 |

intelide

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | intelide |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_INTELIDE\0000 |

KSecDD

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecDD |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECDD\0000 |

KSecPkg

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecPkg |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECPKG\0000 |

DDM Graphics Subsystem

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |

| | |
|-----------------|--|
| Device Name | |
| Description | LDDM Graphics Subsystem |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_DXGKRNL\0000 |

Link-Layer Topology Discovery Mapper I/O Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Mapper I/O Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_LLTDIQ\0000 |

| | |
|-----------|-------------------------|
| Device ID | ROOT\LEGACY_RSPNDR\0000 |
|-----------|-------------------------|

Link-Layer Topology Discovery Responder

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Responder |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RSPNDR\0000 |

msahci

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | msahci |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|-----------------|--|
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MSAHCI\0000 |

msisadrv

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | msisadrv |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MSISADRV\0000 |

Nal Service

| Item | Value |
|------|-------|
| | |

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Nal Service |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NAL\0000 |

NativeWiFi Filter

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NativeWiFi Filter |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NATIVEWIFIP\0000 |

NDIS Usermode I/O Protocol

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NDIS Usermode I/O Protocol |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDISUIO\0000 |

NDProxy

| Item | Value |
|--------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NDProxy |
| Manufacturer | |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDPROXY\0000 |

NETBT

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NETBT |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NETBT\0000 |

NSI proxy service driver.

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NSI proxy service driver. |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NSIPROXY\0000 |

NTIOLib_1_0_C

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NTIOLib_1_0_C |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NTIOLIB_1_0_C\0000 |

Null

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Null |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NULL\0000 |

PEAUTH

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |

| | |
|-----------------|--|
| Device Name | |
| Description | PEAUTH |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PEAUTH\0000 |

Performance Counters for Windows Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Performance Counters for Windows Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PCAW\0000 |

Device ID ROOT\LEGACY_PSCHED\0000

Programador de paquetes QoS

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Programador de paquetes QoS |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PSCHED\0000 |

RDP Encoder Mirror Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Encoder Mirror Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|-----------------|--|
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPENCDD\0000 |

RDP Winstation Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Winstation Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPWD\0000 |

RDP CDD

| Item | Value |
|------|-------|
| | |

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP CDD |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDP CDD\0000 |

Reflector Display Driver used to gain access to graphics data

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Reflector Display Driver used to gain access to graphics data |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPREFMP\0000 |

Registro común (CLFS)

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Registro común (CLFS) |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CLFS\0000 |

Remote Desktop Services Security Filter Driver

| Item | Value |
|--------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Remote Desktop Services Security Filter Driver |
| Manufacturer | |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TSSECSR\0000 |

Security Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_SECDRV\0000 |

Security Processor Loader Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Processor Loader Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_SPLDR\0000 |

Servicio de marcos de controlador en modo Kernel

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Servicio de marcos de controlador en modo Kernel |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WDF01000\0000 |

System Attribute Cache

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | System Attribute Cache |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_DISCACHE\0000 |

TCP/IP Registry Compatibility

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |

| | |
|-----------------|--|
| Description | TCP/IP Registry Compatibility |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TCPIPREG\0000 |

TDTCP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | TDTCP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TDTCP\0000 |

tedrpers-7.4.0.27237

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | tedrpers-7.4.0.27237 |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TEDRPERS-7.4.0.27237\0000 |

Terminal Server Device Redirector Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Terminal Server Device Redirector Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPDR\0000 |

User Mode Driver Frameworks Platform Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | User Mode Driver Frameworks Platform Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WUDFPF\0000 |

VgaSave

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |

| | |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | VgaSave |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VGASAVE\0000 |

Virtual WiFi Filter Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Virtual WiFi Filter Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|---------------------------|
| Device ID | ROOT\LEGACY_VWIFIFLT\0000 |
|-----------|---------------------------|

Volúmenes de almacenamiento

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Volúmenes de almacenamiento |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VOLSNAP\0000 |

WFP Lightweight Filter

| Item | Value |
|--------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | WFP Lightweight Filter |
| Manufacturer | |
| Location | |

| Location | |
|-----------------|--|
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WFPLWF\0000 |

Dispositivos de imagen

Brother DCP-8085DN LAN

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de imagen |
| Device Name | |
| Description | Brother DCP-8085DN LAN |
| Manufacturer | Brother |
| Location | |
| Driver Provider | Brother |
| Driver Version | 1.1.2.2 |
| Driver Date | 10-29-2012 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {6BDD1FC6-810F-11D0-BEC7-08002BE2092F} |
| Device ID | ROOT\IMAGE\0000 |

Dispositivos de interfaz de usuario (HID)

Dispositivo compatible con HID

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24024 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL02\7&1B54E8C1&0&0001 |

Dispositivo de control del consumidor compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de control del consumidor compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|---|
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL01\7&1B54E8C1&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.003.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24024 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_00\6&20AFA7FA&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.003.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24024 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_01\6&20AFA7FA&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Port_#0004.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24024 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_0458&PID_003A\5&37147343&0&4 |

Dispositivos del sistema

Administrador de volúmenes

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Administrador de volúmenes |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Archivar como controlador de volumen

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Archivar como controlador de volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BLBDRIVE\0000 |

Botón de característica fija ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de característica fija ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&3 |

Botón de encendido ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de encendido ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0C\2&DABA3FF&3 |

Botón de suspensión ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de suspensión ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0E\2&DABA3FF&3 |

Bus PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Bus PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0A08\0 |

Controlador BIOS de Microsoft System Management

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador BIOS de Microsoft System Management |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MSSMBIOS\0000 |

Controlador de enumerador de unidades virtuales de Microsoft

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de enumerador de unidades virtuales de Microsoft |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VDRVROOT\0000 |

Controlador de mouse de Terminal Server

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de mouse de Terminal Server |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_MOU\0000 |

Controlador de teclado de Terminal Server

| Item | Value |
|-------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de teclado de Terminal Server |

| | |
|-----------------|--|
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_KBD\0000 |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 31, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A170&SUBSYS_86C 71043&REV_31\3&11583659&1&FB |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 1, dispositivo 0, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_0BEA&SUBSYS_273 23842&REV_A1\4&296EB0EF&0&0108 |

Controladora programable de interrupciones

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora programable de interrupciones |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&B0F3ECC&0 |

Cronómetro del sistema

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Cronómetro del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&B0F3ECC&0 |

Dispositivo concentrador de firmware Intel(R) 82802

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Dispositivo concentrador de firmware Intel(R) 82802 |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT0800\4&B0F3ECC&0 |

Enumerador de bus compuesto

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus compuesto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\COMPOSITEBUS\0000 |

Enumerador de bus raíz de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus raíz de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Enumerador de dispositivos de software Plug and Play

| Item | Value |
|--------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de dispositivos de software Plug and Play |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Enumerador de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&PRINTERBUSENUMERATOR |

Enumerador de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&WPDBUSENUMROOT |

Intel(R) 100 Series/C230 Series Chipset Family LPC Controller (

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family LPC Controller (|
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 31, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A143&SUBSYS_869 41043&REV_31\3&11583659&1&F8 |

Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 28, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A114&SUBSYS_869 41043&REV_F1\3&11583659&1&E0 |

Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--|
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 28, función 7 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A117&SUBSYS_869 41043&REV_F1\3&11583659&1&E7 |

Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family PCI Express Root |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 29, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A118&SUBSYS_869 41043&REV_F1\3&11583659&1&E8 |

Intel(R) 100 Series/C230 Series Chipset Family PMC - A121

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family PMC - A121 |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 31, función 2 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A121&SUBSYS_869 41043&REV_31\3&11583659&1&FA |

Intel(R) 100 Series/C230 Series Chipset Family SMBus - A123

| Item | Value |
|-------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family SMBus - A123 |

| | |
|-----------------|--|
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 31, función 4 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A123&SUBSYS_869 41043&REV_31\3&11583659&1&FC |

Intel(R) Management Engine Interface

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Management Engine Interface |
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 22, función 0 |
| Driver Provider | Intel |
| Driver Version | 11.6.0.1032 |
| Driver Date | 9-15-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A13A&SUBSYS_869 41043&REV_31\3&11583659&1&B0 |

Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) PC

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) PC |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 1, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.13 |
| Driver Date | 10-28-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1901&SUBSYS_869 41043&REV_05\3&11583659&1&08 |

Interfaz de administración para ACPI de Microsoft Windows

| Item | Value |
|--------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz de administración para ACPI de Microsoft Windows |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C14\ASUSWMI |

Interfaz de administración para ACPI de Microsoft Windows

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz de administración para ACPI de Microsoft Windows |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C14\MXM2 |

Interfaz lógica de puerto de impresora

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz lógica de puerto de impresora |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | LPT1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | LPTENUM\MICROSOFTRAWPORT\5&301BB3D2&1&LPT1 |

Procesador de datos numéricos

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Procesador de datos numéricos |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C04\4&B0F3ECC&0 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_591F&SUBSYS_869 41043&REV_05\3&11583659&1&00 |

Recursos de la placa base

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT340E\2&DABA3FF&3 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT3F0D\4&B0F3FCC&0 |

| | |
|-----------|----------------|
| DEVICE ID | ACPI\PNP0C02\0 |
|-----------|----------------|

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\0 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\1 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\2 |

Recursos de la placa base

| Item | Value |
|------|-------|
| | |

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\5 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\IOTRAPS |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\LPC_DEV |

Recursos de la placa base

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |

| | |
|-----------------|--|
| Manufacturer | (Dispositivos de sistema estandar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\PCHRESV |

Remote Desktop Device Redirector Bus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Remote Desktop Device Redirector Bus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDPBUS\0000 |

Sistema CMOS/reloj en tiempo real

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema CMOS/reloj en tiempo real |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&B0F3ECC&0 |

Sistema Microsoft compatible con ACPI

| Item | Value |
|-----------------|---------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema Microsoft compatible con ACPI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Temporizador de eventos de alta precisión

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador de eventos de alta precisión |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\0 |

Ventilador ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\0 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\1 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\2 |

Ventilador ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\3 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\4 |

Zona térmica ACPI

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ00 |

Zona térmica ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| Item | Value |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ01 |

Dispositivos portátiles

F:\

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos portátiles |
| Device Name | F:\ |
| Description | UDisk |
| Manufacturer | General |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {EEC5AD98-8080-425F-922A-DABF3DE3F69A} |
| Device ID | WPDBUSENUMROOT\UMB\2&37C186B&C&S TORAGE#VOLUME#_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#6&16BED410&0&_0# |

Equipo

ACPI x64-based PC

| Item | Value |
|--------------------------|---------|
| 07/07/2021 01:01:16 p.m. | 297/347 |

| | |
|-----------------|--|
| Device Type | Equipo |
| Device Name | |
| Description | ACPI x64-based PC |
| Manufacturer | (Equipos estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Monitores

Monitor PnP genérico

| Item | Value |
|-----------------|----------------------------|
| Device Type | Monitores |
| Device Name | |
| Description | Monitor PnP genérico |
| Manufacturer | (Tipo de monitor estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|---|
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\GSM4BAD\5&16AB77B0&0&UID1048833 |

Mouse y otros dispositivos señaladores

Mouse compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_0458&PID_003A\6&12223FA&0&0000 |

Procesadores

Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7500_CPU @_3.40GHz_1 |

Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

| Item | Value |
|-----------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7500_CPU @_3.40GHZ\2 |

Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7500_CPU @_3.40GHZ\3 |

Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

| Item | Value |
|-------------|--------------|
| Device Type | Procesadores |

| Device Type | Procesadores |
|-----------------|--|
| Device Name | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7500_CPU @_3.40GHZ_4 |

Puertos (COM y LPT)

Puerto de comunicaciones (COM1)

| Item | Value |
|-----------------|---------------------------------|
| Device Type | Puertos (COM y LPT) |
| Device Name | Puerto de comunicaciones (COM1) |
| Description | Puerto de comunicaciones |
| Manufacturer | (Tipos de puerto estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0501\0 |

Puerto de impresora (LPT1)

| Item | Value |
|-----------------|--|
| Device Type | Puertos (COM y LPT) |
| Device Name | Puerto de impresora (LPT1) |
| Description | Puerto de impresora |
| Manufacturer | (Tipos de puerto estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0400\0 |

Teclados

Dispositivo de teclado HID

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Teclados |
| Device Name | |
| Description | Dispositivo de teclado HID |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_00\7&8825501&0&0000 |

Unidades de disco

General UDisk USB Device

| Item | Value |
|-----------------|------------------------------|
| Device Type | Unidades de disco |
| Device Name | General UDisk USB Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|---|
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\6&16BED410&0&_&0 |

WDC WD10EZEX-08WN4A0 SCSI Disk Device

| Item | Value |
|-----------------|--|
| Device Type | Unidades de disco |
| Device Name | WDC WD10EZEX-08WN4A0 SCSI Disk Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Bus Number 3, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | SCSI\DISK&VEN_WDC&PROD_WD10EZEX- 08WN4A0\4&D0AE66C&0&030000 |

Unidades de DVD o CD-ROM

HL-DT-ST DVDRAM GH24NSC0 SCSI CdRom Device

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|---|
| Device Type | Unidades de DVD o CD-ROM |
| Device Name | HL-DT-ST DVDRAM GH24NSC0 SCSI CdRom Device |
| Description | Unidad de CD-ROM |
| Manufacturer | (Unidades de CD-ROM estándar) |
| Location | Bus Number 0, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E965-E325-11CE-BFC1-08002BE10318} |
| Device ID | SCSI\CDROM&VEN_HL-DT-ST&PROD_DVD RAM_GH24NSC0\4&D0AE66C&0&000000 |

Volúmenes de almacenamiento

Volumen genérico

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#6&16BED410&0&_0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volumen genérico

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{84214C42-7A05-11E8-BA47-806E6F6E6963}\#0000000000100000 |

Volumen genérico

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|---|
| Device Type | Volumenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{84214C42-7A05-11E8-BA47-806E6F6E6963}\#0000007A12A00000 |



Características Pantalla

Display #1

Identification

| Name | Value |
|------------------|---------------------|
| Display Number | 1 |
| Display Name | W1943 |
| Manufacturer | LG Electronics Inc. |
| Manufacture Date | Week 2, Year 2010 |
| Serial Number | 16843009 |

| | |
|--------------------|------------------------------|
| Product ID | GSM4BAD |
| Display Size | 18.5" (41cm x 23cm) |
| Display Type | Analog, RGB Colour |
| Supported Features | Standby, Suspend, Active-Off |
| Display Resolution | 1360 x 768 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|---------|--------------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |
| 1 | Curve | Draw chord interiors | Yes |
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |

| | | | |
|---|---------|--|-----|
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |

| | | | |
|---|------|---|-----|
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

NVIDIA GeForce GT 730

| Item | Value |
|----------------------|-----------------------|
| Adapter Number | 1 |
| Name | NVIDIA GeForce GT 730 |
| Adapter RAM | 2048MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 60Hz |
| Video Processor | GeForce GT 730 |
| Adapter DAC Type | Integrated RAMDAC |
| Adapter ID | GeForce GT 730 |
| BIOS | Version 70.8.d5.0.32 |



Impresoras Instaladas

HP LaserJet P1005

| Item | Value |
|---------------------------|---|
| Printer Number | 1 |
| Printer Name | HP LaserJet P1005 |
| Share Name | |
| Port Name | USB001 |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | HP LaserJet P1005 |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\HP1006K.DLL |
| Driver Version | 8.0.1.20392 |
| Driver Manufacturer | Hewlett-Packard |
| Driver Description | Hewlett-Packard : Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\HP1006K.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\HP1006U.DLL |

Fax

| Item | Value |
|---------------------------|--|
| Printer Number | 2 |
| Printer Name | Fax |
| Share Name | |
| Port Name | SHRFAX: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 200 Dots Per Inch |
| Driver Name | Microsoft Shared Fax Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSDRV.DLL |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft Fax Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |

Enviar a OneNote 2013

| Item | Value |
|----------------|-----------------------|
| Printer Number | 3 |
| Printer Name | Enviar a OneNote 2013 |
| Share Name | |

| | |
|---------------------------|---|
| Port Name | nul: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 15 Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\mxdwdrv.dll |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\system32\spool\DRIVER S\x64\3\SendToOneNote.GPD |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\UniDrvUI.dll |

Enviar a OneNote 16

| Item | Value |
|------------------|---------------------|
| Printer Number | 4 |
| Printer Name | Enviar a OneNote 16 |
| Share Name | |
| Port Name | nul: |
| Location | |
| Pages Per Minute | |

| | |
|---------------------------|---|
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 16 Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\mxdwdrv.dll |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\system32\spool\DRIVER S\x64\3\SendToOneNote.GPD |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\UniDrvUI.dll |

doPDF 9

| Item | Value |
|------------------|-----------------------------|
| Printer Number | 5 |
| Printer Name | doPDF 9 |
| Share Name | doPDF 9 |
| Port Name | doPDF9 |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |

| | |
|---------------------------|---|
| Print Quality | 300 Dots Per Inch |
| Driver Name | novaPDF 9 |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\novapr9.dll |
| Driver Version | 9.2.233 |
| Driver Manufacturer | Softland |
| Driver Description | novaPDF Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\novaui9.dll |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\novaui9.dll |

Brother DCP-8085DN Printer

| Item | Value |
|------------------|--|
| Printer Number | 6 |
| Printer Name | Brother DCP-8085DN Printer |
| Share Name | |
| Port Name | BDCP8085CERTIF |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Brother DCP-8085DN Printer |
| Driver File | C:\Windows\system32\spool\DRIVER S\x64\3\BROHLA8A.DLL |
| Driver Version | 1.09 |

| | |
|---------------------------|---|
| Driver Manufacturer | Brother Industries, Ltd. |
| Driver Description | Brother Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\BP8085DN.DSI |
| Driver Configuration File | C:\Windows\system32\spool\DRIVER S\x64\3\BRUIMA8A.DLL |



Versión de BIOS

| Name | Value |
|--------------------|--|
| BIOS Version | ALASKA - 1072009 BIOS Date: 07/04/17 12:25:57 Ver: 05.0000C |
| Release Date | 07/04/17 |
| Video BIOS Version | Version 70.08.D5.00.32 Version 70.08.D5.00.32 Version 70.08.D5.00.32 |
| Video BIOS Date | 01/01/16 |



Gestión del Sistema

BIOS Details

| Item | Value |
|----------------|--------------------------|
| SMBIOS Version | 3.0 |
| BIOS Vendor | American Megatrends Inc. |
| BIOS Version | 3402 |
| Start Address | 0xF000 |

| | |
|-----------------------|------------------|
| Release Date | 07/04/2017 |
| ROM Size | 16384KB |
| BIOS Characteristics | 000000013F8B9C80 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 5 |
| System BIOS Minor | 12 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |
| PnP Support | No |
| APM Support | Yes |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |
| ROM Socketed | Yes |
| PCMCIA Boot | No |
| EDD Support | Yes |

| | |
|----------------------|-----|
| Floppy NEC 1.2MB | No |
| Floppy Toshiba 1.2MB | No |
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | Yes |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|--------------|---------------------|
| Manufacturer | |
| Product Name | System Product Name |

| | |
|---------------------|--|
| Version | System Version |
| Serial Number | System Serial Number |
| Universal Unique ID | {516AD81D-FB80-BDB5-C017-107B44A62D9D} |
| Wake-Up Type | Power Switch |
| SKU Number | SKU |
| Product Family | To be filled by O.E.M. |

Baseboard

| Item | Value |
|---------------|-----------------------|
| Board Number | 1 |
| Manufacturer | ASUSTeK COMPUTER INC. |
| Product | H110M-R |
| Version | Rev X.0x |
| Serial Number | 170705986318855 |
| Asset Tag | Default string |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|---------------|----------------|
| Manufacturer | Default string |
| Chassis Type | Desktop |
| Version | Default string |
| Serial Number | Default string |

| | |
|-----------------------|----------------|
| Asset Tag | Default string |
| Boot Up State | Safe |
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|------------------------|---|
| Processor Number | 1 |
| Socket Designation | LGA1151 |
| Processor Type | Central Processor |
| Processor Family | Unknown (code = 205) |
| Processor Manufacturer | Intel(R) Corporation |
| Processor ID | BFEBFBFF000906E9 |
| Processor Version | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Voltage | 1.000000V |
| External Clock | 100MHz |
| Maximum Speed | 8300MHz |
| Current Speed | 3400MHz |
| Status | CPU Socket Populated, Enabled |
| Processor Upgrade | Other |
| Serial Number | To Be Filled By O.E.M. |

| | |
|---------------------------|------------------------|
| Asset Tag | To Be Filled By O.E.M. |
| Part Number | To Be Filled By O.E.M. |
| Core Count | 4 |
| Core Enabled | 4 |
| Thread Count | 4 |
| Processor Characteristics | 64-bit Capable |

[Memory Controller](#)

No information found, refer to Memory Array and Memory Device sections.

[Memory Module](#)

No information found, refer to Memory Array and Memory Device sections.

[CPU Cache](#)

CPU Cache #1

| Item | Value |
|-----------------------|--|
| Cache Number | 1 |
| Socket Designation | L1 Cache |
| Cache Configuration | Level 1, Internal, Enabled, Write-Back |
| Max. Cache Size | 256KB |
| Installed Cache | 256KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Parity |

| | |
|-------------------|-----------------------|
| System Cache Type | Unified |
| Associativity | 8-way Set-Associative |

CPU Cache #2

| Item | Value |
|-----------------------|--|
| Cache Number | 2 |
| Socket Designation | L2 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 1024KB |
| Installed Cache | 1024KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Single-Bit ECC |
| System Cache Type | Unified |
| Associativity | 4-way Set-Associative |

CPU Cache #3

| Item | Value |
|---------------------|--|
| Cache Number | 3 |
| Socket Designation | L3 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 6144KB |
| Installed Cache | 6144KB |

| Installed Cache | 0144RD |
|-----------------------|--------------------|
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Unified |
| Associativity | Unknown (code = 9) |

Port Connector

Port Connector #1

| Item | Value |
|--------------------------|------------|
| Port Number | 1 |
| Internal Designation | PS/2 Mouse |
| Internal Connection Type | None |
| External Designation | PS/2 Mouse |
| External Connection Type | PS/2 |
| Port Type | Mouse Port |

Port Connector #2

| Item | Value |
|--------------------------|---------------|
| Port Number | 2 |
| Internal Designation | PS/2 Keyboard |
| Internal Connection Type | None |
| External Designation | PS/2 Keyboard |

| | |
|--------------------------|---------------|
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #3

| Item | Value |
|--------------------------|------------------|
| Port Number | 3 |
| Internal Designation | USB3_34 |
| Internal Connection Type | None |
| External Designation | USB3_34 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #4

| Item | Value |
|--------------------------|------------------|
| Port Number | 4 |
| Internal Designation | USB78 |
| Internal Connection Type | None |
| External Designation | USB78 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #5

| Item | Value |
|------|-------|
| | |

| | |
|--------------------------|--------------|
| Port Number | 5 |
| Internal Designation | LAN_USB56 |
| Internal Connection Type | None |
| External Designation | LAN_USB56 |
| External Connection Type | RJ-45 |
| Port Type | Network Port |

Port Connector #6

| Item | Value |
|--------------------------|------------|
| Port Number | 6 |
| Internal Designation | AUDIO |
| Internal Connection Type | None |
| External Designation | AUDIO |
| External Connection Type | Other |
| Port Type | Audio Port |

Port Connector #7

| Item | Value |
|--------------------------|--------------------|
| Port Number | 7 |
| Internal Designation | DVI |
| Internal Connection Type | None |
| External Designation | DVI port |
| External Connection Type | Other |
| Port Type | Other (code = 255) |

Port Connector #8

| Item | Value |
|--------------------------|--------------------|
| Port Number | 8 |
| Internal Designation | HDMI |
| Internal Connection Type | None |
| External Designation | HDMI port |
| External Connection Type | Other |
| Port Type | Other (code = 255) |

Port Connector #9

| Item | Value |
|--------------------------|--------------------|
| Port Number | 9 |
| Internal Designation | VGA |
| Internal Connection Type | None |
| External Designation | VGA port |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #10

| Item | Value |
|----------------------|----------|
| Port Number | 10 |
| Internal Designation | SATA6G_1 |

| | |
|--------------------------|---------------------|
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #11

| Item | Value |
|--------------------------|---------------------|
| Port Number | 11 |
| Internal Designation | SATA6G_2 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #12

| Item | Value |
|--------------------------|---------------------|
| Port Number | 12 |
| Internal Designation | SATA6G_3 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #13

| Item | Value |
|--------------------------|---------------------|
| Port Number | 13 |
| Internal Designation | SATA6G_4 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #14

| Item | Value |
|--------------------------|------------------|
| Port Number | 14 |
| Internal Designation | USB910 |
| Internal Connection Type | Access Bus (USB) |
| External Designation | |
| External Connection Type | None |
| Port Type | USB |

Port Connector #15

| Item | Value |
|--------------------------|------------------|
| Port Number | 15 |
| Internal Designation | USB3_12 |
| Internal Connection Type | Access Bus (USB) |

| | |
|--------------------------|------|
| External Designation | |
| External Connection Type | None |
| Port Type | USB |

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | CPU_FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|--------------------|
| Port Number | 17 |
| Internal Designation | CHA_FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #18

| Item | Value |
|--------------------------|-------------------------------|
| Port Number | 18 |
| Internal Designation | COM |
| Internal Connection Type | DB-9 pin male |
| External Designation | |
| External Connection Type | None |
| Port Type | Serial Port 16550A Compatible |

Port Connector #19

| Item | Value |
|--------------------------|------------------------|
| Port Number | 19 |
| Internal Designation | AAFP |
| Internal Connection Type | Mini-jack (headphones) |
| External Designation | |
| External Connection Type | None |
| Port Type | Audio Port |

Port Connector #20

| Item | Value |
|--------------------------|-------|
| Port Number | 20 |
| Internal Designation | PANEL |
| Internal Connection Type | Other |
| External Designation | |

| | |
|--------------------------|--------------------|
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #21

| Item | Value |
|--------------------------|--------------------|
| Port Number | 21 |
| Internal Designation | TPM |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #22

| Item | Value |
|--------------------------|--------------------|
| Port Number | 22 |
| Internal Designation | LPT |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot

System Slot #1

| Item | Value |
|------------------------|------------------------|
| Slot Number | 1 |
| Slot Designation | PCIEX16_1 |
| Slot Type | PCI Express |
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Long |
| Slot ID | 0x0000 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

| Item | Value |
|------------------------|------------------------|
| Slot Number | 2 |
| Slot Designation | PCIEX1_1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | Available |
| Slot Length | Short |
| Slot ID | 0x0001 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

System Slot #3

| Item | Value |
|------------------------|------------------------|
| Slot Number | 3 |
| Slot Designation | PCIEX1_2 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | Available |
| Slot Length | Short |
| Slot ID | 0x0002 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

Memory Array

| Item | Value |
|-------------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |
| Use Item | System memory |
| Error Correction | None |
| Error Handle | 0xFFFFE |
| Number of Devices | 2 |

Memory Device**Memory Device #1**

| Item | Value |
|--------------------|---------------------|
| Device Number | 1 |
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 8.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | DIMM_A1 |
| Bank Locator | BANK 0 |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2133MHz |
| Manufacturer | Kingston |
| Serial Number | 4E0EE90C |
| Asset Tag | 9876543210 |
| Part Number | KHX2133C14/8G |

Memory Device #2

| Item | Value |
|---------------|---------|
| Device Number | 2 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |

| | |
|--------------------|---------------|
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | DIMM_B1 |
| Bank Locator | BANK 2 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | |
| Serial Number | |
| Asset Tag | |
| Part Number | |



Procesadores

Processor #1

Basic Information

| Item | Value |
|-------------------|---|
| Processor Number | 1 |
| Name | Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz |
| Short Name | Core |
| Speed - Estimated | 3408MHz |
| Speed - Registry | 3408MHz |
| Processor Type | OEM Primary |

| | |
|------------------|------------------------|
| Processor Type | UEMI Primary |
| Manufacturer | Intel(R) Corporation |
| Serial Number | |
| APIC Physical ID | 0x00, 0x02, 0x04, 0x06 |

Detailed Information

| Item | Value |
|--------------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 4 |
| Number Cores | 2 |
| Vendor String | GenuineIntel |
| Family | 6 |
| Model | 14 |
| Stepping | 9 |
| Extended Family | 0x00 |
| Extended Model | 0x09 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |

| | |
|----------------------------------|-----|
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| PGE - Page Global Enable | Yes |
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | Yes |
| ACPI - ACPI Supported | Yes |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | Yes |
| HTT - Hyper-Threading Technology | Yes |
| TM1 - Thermal Interrupt Status | Yes |
| IA64 - 64-bit Intel | No |
| PBE - Pending Break Event | Yes |
| MMEXT - MMX+ Technology | No |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | Yes |


| | |
|---------------------------------|-----|
| CX16 - Compare Exchange 16 Byte | Yes |
|---------------------------------|-----|

Cache - TLB

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 0 |
| Code Associativity - 4K | 0 |
| Code Entries - 4M | 0 |
| Code Associativity - 4M | 0 |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | 4 |
| Data Entries - 4M | 0 |
| Data Associativity - 4M | 0 |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |
| Unified Associativity - 4M | 0 |



Memoria



| Item | Value |
|-------------------|---------|
| Total Memory | 8144MB |
| Free Memory | 6130MB |
| Maximum Swap File | 16257MB |
| Free Swap File | 14431MB |



Discos Físicos

WDC WD10EZEX-08WN4A0

| Item | Value |
|-------------|----------|
| Disk Number | 1 |
| Capacity | 953869MB |
| Disk Type | Fixed |

| | |
|-------------------|----------------------|
| Manufacturer | Western Digital |
| Model | WDC WD10EZEX-08WN4A0 |
| Serial Number | W -DCW6C3YJA9NPU |
| Firmware Revision | 02.0 |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 121601 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | OK |


General UDisk

| Item | Value |
|-------------------|---------------|
| Disk Number | 2 |
| Capacity | 7680MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | General UDisk |
| Serial Number | |
| Firmware Revision | 5.00 |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |

| Total Sectors | 255 |
|-------------------|-----|
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|--------|-------|
| Letter | C |

| | |
|----------------------|-------------|
| Drive Type | Fixed Drive |
| Percent Used | 12% |
| Used Space | 61.1GB |
| Free Space | 427GB |
| Total Space | 488GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | CCDC-1D98 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 111997274 |
| Total Clusters | 128002047 |

Drive D

| Item | Value |
|----------------------|-------------|
| Letter | D |
| Drive Type | Fixed Drive |
| Percent Used | 0% |
| Used Space | 820MB |
| Free Space | 442GB |
| Total Space | 443GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | 6CE0-AE72 |

| | |
|---------------------|-----------|
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 115977953 |
| Total Clusters | 116187903 |

Drive E

| Item | Value |
|------------|--------|
| Letter | E |
| Drive Type | CD-ROM |

Drive F

| Item | Value |
|----------------------|-----------------|
| Letter | F |
| Drive Type | Removable Drive |
| Percent Used | 20% |
| Used Space | 1.52GB |
| Free Space | 5.97GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |
| Volume Serial Number | 8C24-41F2 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1564590 |

| | |
|----------------|---------|
| Total Clusters | 1961984 |
|----------------|---------|



Programas de arranque

| Name | Settings Folder | Startup Command |
|----------------|---|--|
| BrMfcWnd | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\Brmfcmn\BrMfcWnd.exe /AUTORUN |
| ControlCenter3 | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\ControlCenter3\brctrcen.exe /autorun |
| USB3MON | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver\Application\iusb3mon.exe" |
| CryptoIDE Mon | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\CryptoIDE\CryptoIDE Mon.exe" |
| desktop.ini | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| desktop.ini | C:\Users\20124063109\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\ | |



ODBC Information

Data Sources

| DSN Type | DSN | Description |
|----------|-----|-------------|
|----------|-----|-------------|

| | | |
|------|--------------------|--|
| User | Excel Files | Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb) |
| User | MS Access Database | Microsoft Access Driver (*.mdb, *.accdb) |

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|-----------------|--|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|--------|--------------------------------|
| Driver | Microsoft dBase Driver (*.dbf) |

| | |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel(*.xls)

| Item | Value |
|-----------------|----------------------------------|
| Name | Driver do Microsoft Excel(*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |