




Computer Audit :: 7/7/2021 09:00:07

Vista General

| Item | Value |
|-----------------------|---|
| Computer Name | WS64081 |
| Domain Name | GOBIERNOCBA |
| Site Name | Supercentro |
| Roles | Workstation, Server |
| Description | |
| Operating System | Microsoft Windows 6.2 Professional 64-bit |
| Manufacturer | MSI |
| Model | MS-7A15 |
| Serial Number | Default string |
| Asset Tag | Default string |
| Number Of Processors | 1 |
| Processor Description | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Total Memory | 8160MB |
| Total Hard Drive | 931GB |
| Display | W1942, 19.1" (41cm x 26cm) |
| BIOS Version | ALASKA - 1072009 1.80 American Megatrends - 5000C |
| User Account | 20124063109 |
| System Uptime | 0 Days, 0 Hours, 5 Minutes |
| Local Time | 2021-07-07 09:00:02 |



Software instalado



Active Setup

| Name | Version | Installed |
|------------------------------------|----------------|-----------|
| .NET Framework | 2,0,50727,0 | |
| .NET Framework | 2,0,50727,1 | |
| .NET Framework | 4,0,30319,0 | |
| Active Directory Service Interface | 5,0,00,0 | Yes |
| Address Book 7 | 10,0,17763,1 | Yes |
| Browsing Enhancements | 11,652,17763,0 | Yes |
| DirectDrawEx | 4,71,1113,0 | Yes |
| Dynamic HTML Data Binding | 11,652,17763,0 | Yes |

| | | |
|-------------------------------------|------------------|-----|
| HTML Help | 10,0,17763,652 | Yes |
| Internet Explorer Core Fonts | 11,652,17763,0 | Yes |
| Internet Explorer Help | 11,652,17763,0 | Yes |
| Internet Explorer Setup Tools | 11,652,17763,0 | Yes |
| Microsoft Windows Media Player 12.0 | 12,0,10011,16384 | Yes |
| Microsoft Windows Media Player | 12,0,10011,16384 | No |
| Microsoft Windows Media Player | 12,0,10011,16384 | Yes |
| Microsoft Windows Script 5.6 | 5,6,0,8833 | Yes |
| MSN Site Access | 4,9,9,2 | Yes |
| Offline Browsing Pack | 11,652,17763,0 | Yes |

Installed Programs

7-Zip 18.05 (x64 edition)

| Item | Value |
|------------------|--|
| Name | 7-Zip 18.05 (x64 edition) |
| Vendor | Igor Pavlov |
| Version | 18.05.00.0 |
| Product Language | English |
| Install Date | 20190114 |
| Install Location | |
| Install Source | D:\INCORPORAR EN IMAGENES NUEVAS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {23170F69-40C1-2702-1805-000002000000} |
| Package Name | 7z1805-x64.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\8c6a2.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {23170F69-40C1-2702-1805-000001000000} |

ACA & MEP 2018 Object Enabler

| Item | Value |
|------------------|---|
| Name | ACA & MEP 2018 Object Enabler |
| Vendor | Autodesk |
| Version | 8.0.40.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACAOE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB9CE6BF-D203-4444-B0A9-B24FACBC55D1} |
| Package Name | ACAOE.msi |
| Local Package | C:\Windows\Installer\35fddf.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1004-0000-5102-CF3F3A09B77D} |

ACAD Private

| Item | Value |
|------------------|---|
| Name | ACAD Private |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADPRIVATE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4DB592E8-D5B1-4025-A0ED-66C21519B900} |
| Package Name | AcadPrivate.msi |
| Local Package | C:\Windows\Installer\35fde5.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-3102-CF3F3A09B77D} |

Adobe Acrobat Reader DC - Español

| Item | Value |
|--------------------|--|
| Name | Adobe Acrobat Reader DC - Español |
| Vendor | Adobe Systems Incorporated |
| Version | 21.005.20048 |
| Product Language | Spanish |
| Install Date | 20210622 |
| Install Location | C:\Program Files (x86)\Adobe\Acrobat Reader DC\ |
| Install Source | C:\ProgramData\Adobe\Setup\{AC76BA86-7AD7-1034-7B44-AC0F074E4100}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BF05C9F5-318D-4310-871C-237E64236198} |
| Package Name | AcroRead.msi |
| Local Package | C:\Windows\Installer\8c699.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-7AD7-1034-7B44-AC0F074E4100} |

Adobe Refresh Manager

| Item | Value |
|--------------------|--|
| Name | Adobe Refresh Manager |
| Vendor | Adobe Systems Incorporated |
| Version | 1.8.0 |
| Product Language | English |
| Install Date | 20210211 |
| Install Location | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\ |
| Install Source | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\Cache\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B555C9E-6840-4EB6-916B-D3D9BF3483D2} |
| Package Name | Arm_000182442176_894371264119717 4202864265739729130565.msi |
| Local Package | C:\Windows\Installer\32772cd0.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-0804-1033-1959-000182442176} |

Aplicaciones destacadas de Autodesk 2016-2018

| Item | Value |
|--------------------|---|
| Name | Aplicaciones destacadas de Autodesk 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20190621 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {384C4B74-B749-4AB6-9367-4D51A6AA9CB8} |

AutoCAD 2018 - English

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_English _LP_Win_64bit_dlm\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {67362691-3B38-4DBE-8787-E578C6B5D699} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\9d426.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-2102-CF3F3A09B77D} |

AutoCAD 2018 - Español (Spanish)

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C35A7DF9-3D16-4E3E-BF37-2E4691336774} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\35fdf4.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-2102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - Español (Spanish)

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 Language Pack - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E443672F-AB87-45B2-A2A0-A27A122C4E31} |
| Package Name | acadLP.msi |
| Local Package | C:\Windows\Installer\35fdd8.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-1102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - English

| Item | Value |
|------------------------|---|
| Name | AutoCAD 2018 Language Pack - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_English _LP_Win_64bit_dlm\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD04F6E0-F771-4D64-8B78-ACC3067C8497} |
| Package Name | AcadLP.msi |
| Local Package | C:\Windows\Installer\9d3d2.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {28B89EEF-1001-0409-1102-CF3F3A09B77D} |
|-------------|--|

AutoCAD 2018

| Item | Value |
|------------------------|--|
| Name | AutoCAD 2018 |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\acad\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5FE9B62C-FD99-4A6B-A4F0-D92DAC39D5A3} |
| Package Name | acad.msi |
| Local Package | C:\Windows\Installer\35fdd1.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-0102-CF3F3A09B77D} |

Autodesk Advanced Material Library Image Library 2018

| Item | Value |
|------------------------|--|
| Name | Autodesk Advanced Material Library Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\AIL\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {06C72DE6-C23D-4072-B9D1-B5BFC653A712} |
| Package Name | AdvancedImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\35fdcb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {177AD7F6-9C77-4E50-BA53-B7259C5F282D} |

Autodesk App Manager 2016-2018

| Item | Value |
|------------------------|---|
| Name | Autodesk App Manager 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20190621 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {20EC0CA2-346E-4660-9903-51B278DF15F6} |

Autodesk AutoCAD Performance Feedback Tool 1.2.8

| Item | Value |
|------------------------|---|
| Name | Autodesk AutoCAD Performance Feedback Tool 1.2.8 |
| Vendor | Autodesk |
| Version | 1.2.8.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Tools\PerformanceTool\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {990F46EB-8B45-4346-A3BB-02B482D25AF4} |
| Package Name | AcPerfMon.msi |
| Local Package | C:\Windows\Installer\35fe04.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {214D3370-746E-4886-8EAA-5769EB87D044} |

Autodesk Desktop App

| Item | Value |
|------------------------|--|
| Name | Autodesk Desktop App |
| Vendor | Autodesk |
| Version | 7.0.4.332 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Autodesk\Autodesk Desktop App |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Autodesk Desktop App |

Autodesk License Service (x64) - 5.1.4

| Item | Value |
|------------------------|---|
| Name | Autodesk License Service (x64) - 5.1.4 |
| Vendor | Autodesk |
| Version | 5.1.4.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\CLM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CD647FF9-B07F-4745-A6DB-84992037D809} |
| Package Name | CLIC_x64_release.msi |
| Local Package | C:\Windows\Installer\35fdea.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3609A8D9-FC0C-4C9B-9F58-0B1D1A4FE556} |

| Item | Value |
|------------------------|---|
| Name | Autodesk Material Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\CM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4CD1DC5E-2B8B-4CB9-A1B3-656441C4C692} |
| Package Name | MaterialLibrary2018.msi |
| Local Package | C:\Windows\Installer\35fdbf.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7847611E-92E9-4917-B395-71C91D523104} |

Autodesk Material Library Base Resolution Image Library 2018

| Item | Value |
|------------------------|--|
| Name | Autodesk Material Library Base Resolution Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | D:\autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\ILB\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B29DE691-C0E3-416D-AC91-C19349DB2FE6} |
| Package Name | BaselImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\35fdc5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FCDED119-A969-4E48-8A32-D21AD6B03253} |

Catalyst Control Center InstallProxy

| Item | Value |
|------------------------|--|
| Name | Catalyst Control Center InstallProxy |
| Vendor | Advanced Micro Devices, Inc. |
| Version | 2015.1104.1643.30033 |
| Product Language | English |
| Install Date | 20190114 |
| Install Location | C:\Program Files (x86)\ATI Technologies\ |
| Install Source | C:\AMD\WU-CCC2\ccc2_install\MOM-InstallProxy-Net4\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {81D1230C-AF53-4D07-8A6E-19C9FDE3B408} |
| Package Name | ccc-mom-installproxy.msi |
| Local Package | C:\Windows\Installer\50460.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D7D20EB4-BD89-05C0-05C6-33E5B762989E} |

Configuration Manager Client

| Item | Value |
|------------------------|---|
| Name | Configuration Manager Client |
| Vendor | Microsoft Corporation |
| Version | 5.00.8692.1000 |
| Product Language | English |
| Install Date | 20190926 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\{FA97697A-D4C1-4900-8F62-690808122A9C}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FA97697A-D4C1-4900-8F62-690808122A9C} |
| Package Name | client.msi |
| Local Package | C:\Windows\Installer\f761244.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {0203DB7A-DB5B-42A2-808C-66B980297314} |

Cortex XDR 7.4.0.27237

| Item | Value |
|------------------------|--|
| Name | Cortex XDR 7.4.0.27237 |
| Vendor | Palo Alto Networks, Inc. |
| Version | 7.4.0.27237 |
| Product Language | English |
| Install Date | 20210622 |
| Install Location | |
| Install Source | C:\Windows\ccmcache\r\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {16DF5260-9E42-4E14-A248-D7CBE3CAF687} |
| Package Name | Cortex XDR 7.4.0.27237_x64.msi |
| Local Package | C:\Windows\Installer\92cf3d3c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF96CC96-B7CF-4816-BB00-CF4911EC48E9} |

CryptoIDE versión 2.1.3.306

| Item | Value |
|------------------------|--|
| Name | CryptolIDE versión 2.1.3.306 |
| Vendor | Longmai Technology |
| Version | 2.1.3.306 |
| Product Language | |
| Install Date | 20191202 |
| Install Location | C:\Program Files (x86)\CryptoIDE\ |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6DB6E1D9-6BE9-42C5-89B4-2C013F3C3B91}_is1 |

Eines de correcció del Microsoft Office 2016: català

| Item | Value |
|------------------------|---|
| Name | Eines de correcció del Microsoft Office 2016: català |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Catalan |
| Install Date | 20190517 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {236125EB-7E4D-4FA8-BC67-6035A3FAF2C1} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\186928.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0403-1000-0000000FF1CE} |

Epson Customer Research Participation

| Item | Value |
|------------------------|---|
| Name | Epson Customer Research Participation |
| Vendor | Seiko Epson Corporation |
| Version | 1.83.0000 |
| Product Language | Spanish |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\EPSON\Usage Panel EAI\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {09A57DEA-33BA-4A1E-8C30-469A445B7545} |
| Package Name | EPCPSetup64.msi |
| Local Package | C:\Windows\Installer\3d2f9.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B26449A6-6007-4460-B4FE-C4776115BCEA} |

Epson Event Manager

| Item | Value |
|------------------------|---|
| Name | Epson Event Manager |
| Vendor | Seiko Epson Corporation |
| Version | 3.01.0013 |
| Product Language | Spanish |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\EPSON XP-211 214 216 Series\Common\Event Manager\MSI\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CB660C57-09AD-4E94-8BC4-BD0BADE0CA0A} |
| Package Name | EEM.msi |
| Local Package | C:\Windows\Installer\145252da.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {10144CFE-D76C-4CFA-81A1-37A1642349A3} |



EPSON Scan

| Item | Value |
|------------------------|-------------------------|
| Name | EPSON Scan |
| Vendor | Seiko Epson Corporation |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | EPSON Scanner |

EpsonNet Print

| Item | Value |
|------------------------|--|
| Name | EpsonNet Print |
| Vendor | SEIKO EPSON CORPORATION |
| Version | 2.6.0 |
| Product Language | Spanish |
| Install Date | 20190625 |
| Install Location | C:\Program Files\EpsonNet\EpsonNet Print |
| Install Source | C:\Windows\Temp_enps\ENIM56FF\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3E31400D-274E-4647-916C-2CACC3741799} |

Ferramentas de verificación de Microsoft Office 2016 - Galego

| Item | Value |
|------------------------|--|
| Name | Ferramentas de verificación de Microsoft Office 2016 - Galego |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Galician |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.g\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FDEC6C48-9629-414C-B15A-5A8C82468B10} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\18691e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0456-1000-0000000FF1CE} |



| Item | Value |
|------------------------|--|
| Name | Google Chrome |
| Vendor | Google LLC |
| Version | 91.0.4472.114 |
| Product Language | |
| Install Date | 20210622 |
| Install Location | C:\Program Files (x86)\Google\Chrome\Application |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Google Chrome |

Herramientas de corrección de Microsoft Office 2016: español

| Item | Value |
|------------------------|---|
| Name | Herramientas de corrección de Microsoft Office 2016: español |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190517 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CBBDC62-D644-4596-9AD5-7511753063BB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\186932.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0C0A-1000-0000000FF1CE} |

HP Color LaserJet CP1210 Series

| Item | Value |
|------------------------|--|
| Name | HP Color LaserJet CP1210 Series |
| Vendor | Hewlett-Packard |
| Version | 1.0.0 |
| Product Language | English |
| Install Date | 20190919 |
| Install Location | |
| Install Source | E:\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {42EB392A-B70D-4556-A514-0260F229201F} |
| Package Name | HP64CLJCP1215.msi |
| Local Package | C:\Windows\Installer\4740fca.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {54360A73-B080-4A69-BFD4-53C190DD3AB0} |

Java 8 Update 211

| Item | Value |
|------------------------|--|
| Name | Java 8 Update 211 |
| Vendor | Oracle Corporation |
| Version | 8.0.2110.12 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | C:\Program Files (x86)\Java\jre1.8.0_211\ |
| Install Source | C:\Users\27271718972\AppData\Local\Low\Oracle\Java\jre1.8.0_211\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7B3C7639-07C0-4F79-8CDF-EF5C307DD7BB} |
| Package Name | jre1.8.0_211patch.msi |
| Local Package | C:\Windows\Installer\9d42c.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {26A24AE4-039D-4CA4-87B4-2F32180211F0} |

Java Auto Updater

| Item | Value |
|------------------------|--|
| Name | Java Auto Updater |
| Vendor | Oracle Corporation |
| Version | 2.8.211.12 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\Users\27271718972\AppData\Local\Low\Oracle\Java\jre1.8.0_211\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EE0B9FBA-0776-4C38-B519-44DCF5F7F5A4} |
| Package Name | au.msi |
| Local Package | C:\Windows\Installer\9d437.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4A03706F-666A-4037-7777-5F2748764D10} |

Microsoft Access MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Access MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190517 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0015-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {57C8D614-5795-4178-9111-CE82BE6114A7} |
| Package Name | AccessMUI.msi |
| Local Package | C:\Windows\Installer\186941.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0015-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft DCF MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0090-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BAA5140F-2D04-4E9D-8BE5-7566EAEB5A19} |
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\186950.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0090-0C0A-1000-0000000FF1CE} |

Microsoft Excel MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Excel MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20191205 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0016-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB70D1F8-FB8D-42B5-B85C-D72DC92BA5D1} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\18695a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0016-0C0A-1000-000000FF1CE} |

Microsoft Groove MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Groove MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00BA-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B2085FB-D7E6-4001-B4E3-3486DB585681} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\18695f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft InfoPath MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0044-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E0B930E1-E83F-4CD6-8AEC-E8A985FF48EB} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\186964.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0044-0C0A-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office 32-bit Components 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20210630 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {227F671D-6DDF-42CE-8A67-CB1A1BD0919A} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\186988.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2E277707-D18B-4D3E-8569-9D5F84B30B46} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\18694b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office OSM UX MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E2-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {228B0510-7A69-4AD5-AD1F-CBF656ADC5D5} |
| Package Name | OSMUXMUI.msi |
| Local Package | C:\Windows\Installer\18696e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Professional Plus 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20210630 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5046E58E-C6FD-4A8C-B22D-0E0BF329EDC1} |
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\186990.msi |
| Product ID | 00339-10000-00000-AA100 |
| Registered Company | |
| Registered Owner | Usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Proofing (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B0EEB792-06AA-4223-921C-F4150F5A456D} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\18693c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2016 - English

| Item | Value |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2016 - English |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | English |
| Install Date | 20190517 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.en\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {217FB395-5F1C-40A3-87A8-9D44A396DE3B} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\186937.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20191029 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D202969B-35A4-43EA-9AFD-FE52E002B7A2} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\186955.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20191029 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-006E-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6663F1D7-65BA-4354-B799-A0315713C427} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\186919.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-006E-0C0A-1000-0000000FF1CE} |

Microsoft Office zuzenketa-tresnak 2016 - Euskara

| Item | Value |
|------------------------|---|
| Name | Microsoft Office zuzenketa-tresnak 2016 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Basque |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BBBB585A-72A3-4FC9-B8F2-F848EEA93BBB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\186923.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-042D-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft OneNote MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190114 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00A1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86486077-BFAE-4DBE-BF74-CE98BBFA18CA} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\186946.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Outlook MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001A-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9B948EF6-57EC-4642-9BB6-D7292846D74B} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\186973.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001A-0C0A-1000-0000000FF1CE} |



Microsoft Policy Platform

| Item | Value |
|------------------------|--|
| Name | Microsoft Policy Platform |
| Vendor | Microsoft Corporation |
| Version | 68.1.1010.0 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD924E8D-215C-4DDE-A661-E88575B134B7} |
| Package Name | MicrosoftPolicyPlatformSetup.msi |
| Local Package | C:\Windows\Installer\14110b6e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6549B04F-E826-4E0A-8C3F-388540F08541} |

Microsoft PowerPoint MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft PowerPoint MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0018-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5DF3F22A-6783-40CC-8BD8-539EF2C95B79} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\186978.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0018-0C0A-1000-000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Publisher MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20210630 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0019-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3571874E-2542-4DC2-82BC-52561BFBFC96} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\18697d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Silverlight

| Item | Value |
|------------------------|---|
| Name | Microsoft Silverlight |
| Vendor | Microsoft Corporation |
| Version | 5.1.50907.0 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | C:\Program Files (x86)\Microsoft Silverlight\ |
| Install Source | d:\9da1e0eae9a21fa3d90bf8ff5ff1\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8DD7B23F-7639-46ED-9AE2-87B9B8DDA902} |
| Package Name | silverlight.msi |
| Local Package | C:\Windows\Installer\14110b73.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {89F4137D-6C26-4A84-BDB8-2E5A4BB71E00} |

Microsoft Skype for Business MUI (Spanish) 2016

| Item | Value |
|------------------------|--|
| Name | Microsoft Skype for Business MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-012B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {27354C5D-2532-4E16-9F13-0C2926A70B50} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\186969.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20190114 |
| Install Location | |
| Install Source | C:\Users\Usuario\AppData\Local\Temp\IXP001.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C4724ED-EE14-4DB6-B996-8F3E8FBA675C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\22e3e6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {071c9b48-7c32-4621-a0ac-3f809523288f} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.61000 |
| Product Language | Neutral |
| Install Date | 20190114 |
| Install Location | |
| Install Source | C:\Windows\TEMP\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {015A855C-3760-46C5-A5EE-A5F06C3A019C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\2db6c6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ad8a2fa1-06e7-4b0d-927d-6e54b3d31028} |

Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | d:\b66bcc8d0a90e316a0eabadb3d8532\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {40AA714A-18B8-472E-AC39-6EB27EC4B5A0} |
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\34c56f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4B6C7001-C7D6-3710-913E-5BC23FCE91E6} |

Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | d:\5e2553a3732474ee577739232edf92\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B870907F-D8C0-4418-816F-4D2873511B28} |
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\34c56a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1F1C2DFC-2D24-3E06-BCB8-725134ADF989} |

Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20190621 |
| Install Location | |
| Install Source | d:\7d683f2821c703a32440561d3660\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {80902F2D-E1EF-43CA-B366-74496197E004} |
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\3572ff.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D8E6291-B0D5-35EC-8441-6616F567A0F7} |

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20190621 |
| Install Location | |
| Install Source | d:\3ad5ac9038dcde0d2f6d80\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {461C455E-DA40-49B3-871B-14308CC7CEFF} |
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\34c574.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0C3E5D1-1ADE-321E-8167-68EF0DE699A5} |

Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ca67548a-5ebe-413a-b50c-4b9ceb6d66c6} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610 |
| Vendor | Microsoft Corporation |
| Version | 11.0.60610.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {95716cce-fc71-413f-8ad5-56c2892d4b3a} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {33d1fd90-4274-48a1-9bc1-97e33d9c2d6f} |

Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B8F9C7-03FB-3253-8781-2517C99D7C00}\v11.0.61030\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD6B6D0F-6159-4613-9EEC-504FD63398BC} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\35fd72.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B8F9C7-03FB-3253-8781-2517C99D7C00} |

Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CF2BEA3C-26EA-32F8-AA9B-31F7E34BA97}\v11.0.61030\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C1BCEFD-6479-404B-9035-A3EE75095F6A} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\35fd56.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF2BEA3C-26EA-32F8-AA9B-331F7E34BA97} |

Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{B175520C-86A2-35A7-8619-86DC379688B9}\v11.0.61030\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4A44C12C-61E5-4883-A3D5-CB1B89DC2074} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\35fd3a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {B175520C-86A2-35A7-8619-86DC379688B9} |
|-------------|--|

Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{BD95A8CD-1D9F-35AD-981A-3E7925026EBB}\v11.0.61030\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {13B38BE3-59B9-463F-B577-B3FE71A3AD3A} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\35fd20.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {BD95A8CD-1D9F-35AD-981A-3E7925026EBB} |

Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {ef6b00ec-13e1-4c25-9064-b2f383cb8412} |
|-------------|--|

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {61087a79-ac85-455c-934d-1fa22cc64f36} |

Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{5740BD44-B58D-321A-AFC0-6D3D4556DD6C}\v12.0.40660\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B43E5DFA-2339-4405-898F-A877E05BE053} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\14110b69.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {5740BD44-B58D-321A-AFC0-6D3D4556DD6C} |
|-------------|--|

Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CB0836EC-B072-368D-82B2-D3470BF95707}\v12.0.40660\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3C8099A6-EC47-4A12-84E4-9FA4472A6395} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\14110b64.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {CB0836EC-B072-368D-82B2-D3470BF95707} |

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ECF7B346-705F-4652-9451-4A0D79480FBD} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\14110b5c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {7DAD0258-515C-3DD4-8964-BD714199E0F7} |

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32708A00-6EE9-4612-89E1-AF165165AE29} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\14110b57.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E30D8B21-D82D-3211-82CC-0F0A5D1495E8} |

Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {462f63a8-6347-4894-a1b3-dbfe3a4c981d} |

Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{844ECB74-9B63-3D5C-958C-30BD23F19EE4}\v14.0.24212\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2F389DFE-8C3B-4F06-AEED-A18D91814871} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\35fd9e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {844ECB74-9B63-3D5C-958C-30BD23F19EE4} |

Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20190621 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B55901-995A-3650-80B1-BBFD047E2911}\v14.0.24212\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADBA463F-23EE-4E9C-8A6A-775550D77195} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\35fd8b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B55901-995A-3650-80B1-BBFD047E2911} |

Microsoft Visual C++ 2017 Redistributable (x64) - 14.15.26706

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2017 Redistributable (x64) - 14.15.26706 |
| Vendor | Microsoft Corporation |
| Version | 14.15.26706.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {95ac1cfa-f4fb-4d1b-8912-7f9d5fbb140d} |

Microsoft Visual C++ 2017 x64 Additional Runtime - 14.15.26706

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2017 x64 Additional Runtime - 14.15.26706 |
| Vendor | Microsoft Corporation |
| Version | 14.15.26706 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{F106B700-BFF8-3065-B305-14D36AD40539}\v14.15.26706\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {02AF43AA-3B32-4486-B4EA-1198B5474D26} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\13b4e4ef.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F106B700-BFF8-3065-B305-14D36AD40539} |

Microsoft Visual C++ 2017 x64 Minimum Runtime - 14.15.26706

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2017 x64 Minimum Runtime - 14.15.26706 |
| Vendor | Microsoft Corporation |
| Version | 14.15.26706 |
| Product Language | English |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{C77195A4-CEB8-38EE-BDD6-C46CB459EF6E}\v14.15.26706\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {89187024-3D7C-4A10-B734-DBE020E9AB3F} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\13b4e4d9.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {C77195A4-CEB8-38EE-BDD6-C46CB459EF6E} |

Microsoft Word MUI (Spanish) 2016

| Item | Value |
|--------------------|--|
| Name | Microsoft Word MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C036EC3-F232-4409-9ED2-DEF3CCE96CCA} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\186982.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001B-0C0A-1000-0000000FF1CE} |

Revisores de Texto do Microsoft Office 2016 – Português (Brasil)

| Item | Value |
|--------------------|---|
| Name | Revisores de Texto do Microsoft Office 2016 – Português (Brasil) |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Portuguese |
| Install Date | 20190517 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-0000000FF1CE}-C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CE6CDC43-C24B-4677-826A-A325FBFF03F3} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\18692d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0416-1000-0000000FF1CE} |

Software Updater

| Item | Value |
|--------------------|--|
| Name | Software Updater |
| Vendor | SEIKO EPSON CORPORATION |
| Version | 4.2.1 |
| Product Language | Spanish |
| Install Date | 20190625 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\EPSON XP-211 214 216 Series\Common\Software Updater\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E9673CD2-8243-413B-846C-D692F79165F5} |
| Package Name | Setup.msi |
| Local Package | C:\Windows\Installer\145252d0.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6DFBE8A2-CDBF-453E-B34C-32F202FCEE4C} |

Total Commander (Remove or Repair)

| Item | Value |
|--------------------|------------------------------------|
| Name | Total Commander (Remove or Repair) |
| Vendor | Ghisler Software GmbH |
| Version | 8.0 beta 9 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|----------|
| Executable Version | |
| Executable Description | |
| Software ID | Totalcmd |

Software Updates

| Update ID | Installed On | Description |
|-----------|--------------|--|
| KB453510 | 2021-07- | 2020-01 Actualización acumulativa de .NET Framework 3.5, 4.7.2 y 4.8 para Windows 10 Version 1809 para x64 (KB4535101) |
| KB4532947 | 7/7/2021 | Update |
| KB4530715 | 2/3/2020 | Security Update |
| KB4523204 | 12/19/2019 | Security Update |
| KB452320 | 2019-12- | 2019-11 Actualización acumulativa para Windows 10 Version 1809 para sistemas basados en x64 (KB4523205) |
| KB451933 | 2019-11- | 2019-10 Actualización acumulativa para Windows 10 Version 1809 para sistemas basados en x64 (KB4519338) |
| KB4516115 | 10/8/2019 | Security Update |
| KB451460 | 2019-10- | 2019-09 Actualización acumulativa de .NET Framework 3.5, 4.7.2 y 4.8 para Windows 10 Version 1809 para x64 (KB4514601) |
| KB4512937 | 8/26/2019 | Security Update |
| KB4512577 | 10/8/2019 | Security Update |
| KB450741 | 2019-08- | 2019-07 Cumulative Update for .NET Framework 3.5, 4.7.2, 4.8 for Windows 10 Version 1809 for x64 (KB4507419) |
| KB4504369 | 6/12/2019 | Security Update |
| KB450386 | 2019-06- | 2019-06 Actualización acumulativa de .NET Framework 3.5, 4.7.2 y 4.8 para Windows 10 Version 1809 para x64 (KB4503864) |

| | | |
|-----------|-----------|--|
| KB4499728 | 5/17/2019 | Security Update |
| KB448444 | 20210630 | Security Update for Microsoft Project 2016 (KB4484441) 64-Bit Edition |
| KB448444 | 2021-06- | Actualización de seguridad para Microsoft Project 2016 (KB4484441) Edición de 64 bits |
| KB448441 | 20210630 | Security Update for Microsoft Office 2016 (KB4484417) 64-Bit Edition |
| KB448441 | 2021-06- | Actualización de seguridad para Microsoft Office 2016 (KB4484417) Edición de 64 bits |
| KB448418 | 20200203 | Security Update for Microsoft Office 2016 (KB4484180) 64-Bit Edition |
| KB448418 | 2020-02- | Actualización de seguridad para Microsoft Office 2016 (KB4484180) Edición de 64 bits |
| KB448416 | 20200203 | Security Update for Microsoft Word 2016 (KB4484169) 64-Bit Edition |
| KB448416 | 20200203 | Security Update for Microsoft PowerPoint 2016 (KB4484166) 64-Bit Edition |
| KB448416 | 2020-02- | Actualización de seguridad para Microsoft Word 2016 (KB4484169) Edición de 64 bits |
| KB448416 | 2020-02- | Actualización de seguridad para Microsoft PowerPoint 2016 (KB4484166) Edición de 64 bits |
| KB448414 | 20191205 | Security Update for Microsoft Office 2016 (KB4484148) 64-Bit Edition |
| KB448414 | 20191205 | Security Update for Microsoft Excel 2016 (KB4484144) 64-Bit Edition |
| KB448414 | 2019-12- | Actualización de seguridad para Microsoft Office 2016 (KB4484148) Edición de 64 bits |
| KB448414 | 2019-12- | Actualización de seguridad para Microsoft Excel 2016 (KB4484144) Edición de 64 bits |
| KB448411 | 2019-12- | Actualización de seguridad para Microsoft Office 2016 (KB4484113) Edición de 64 bits |
| KB448411 | 2019-11- | Actualización de seguridad para Microsoft Excel 2016 (KB4484112) Edición de 64 bits |

| | | |
|-----------|-----------|---|
| KB4480056 | 1/14/2019 | Update |
| KB447559 | 2019-10- | Actualización de seguridad para Microsoft Office 2016 (KB4475591) Edición de 64 bits |
| KB447558 | 20191029 | Security Update for Microsoft Office 2016 (KB4475583) 64-Bit Edition |
| KB447558 | 2019-10- | Actualización de seguridad para Microsoft Project 2016 (KB4475589) Edición de 64 bits |
| KB447558 | 2019-10- | Actualización de seguridad para Microsoft Office 2016 (KB4475583) Edición de 64 bits |
| KB447555 | 2019-11- | Actualización de seguridad para Microsoft Office 2016 (KB4475554) Edición de 64 bits |
| KB4470788 | 1/14/2019 | Security Update |
| KB4465065 | 6/12/2019 | Update |
| KB446458 | 20190612 | Update for Microsoft Outlook 2016 (KB4464585) 64-Bit Edition |
| KB446457 | 20190612 | Update for Skype for Business 2016 (KB4464576) 64-Bit Edition |
| KB446457 | 20190612 | Update for Microsoft Office 2016 (KB4464579) 64-Bit Edition |
| KB446453 | 20190612 | Update for Microsoft Office 2016 (KB4464539) 64-Bit Edition |
| KB446453 | 20190517 | Update for Microsoft Office 2016 (KB4464538) 64-Bit Edition |
| KB446224 | 20190517 | Update for Microsoft Office 2016 (KB4462243) 64-Bit Edition |
| KB446223 | 20190517 | Update for Microsoft Office 2016 (KB4462239) 64-Bit Edition |
| KB446219 | 20190517 | Update for Microsoft Access 2016 (KB4462192) 64-Bit Edition |
| KB446211 | 20190517 | Update for Microsoft Visio 2016 (KB4462113) 64-Bit Edition |

| | | |
|----------|----------|---|
| KB446211 | 20190517 | Update for Microsoft Office 2016 (KB4462119) 64-Bit Edition |
| KB446211 | 20190517 | Update for Microsoft Office 2016 (KB4462116) 64-Bit Edition |
| KB446147 | 20190517 | Update for Microsoft Office 2016 (KB4461477) 64-Bit Edition |
| KB446144 | 20190517 | Update for Microsoft Office 2016 (KB4461441) 64-Bit Edition |
| KB446143 | 20190114 | Update for Microsoft Office 2016 (KB4461435) 64-Bit Edition |
| KB402221 | 20190114 | Update for Microsoft OneNote 2016 (KB4022216) 64-Bit Edition |
| KB402221 | 20190114 | Update for Microsoft OneDrive for Business (KB4022219) 64-Bit Edition |
| KB402219 | 20190114 | Update for Microsoft Office 2016 (KB4022193) 64-Bit Edition |
| KB402217 | 20190114 | Security Update for Microsoft Office 2016 (KB4022176) 64-Bit Edition |
| KB402217 | 20190114 | Security Update for Microsoft Office 2016 (KB4022172) 64-Bit Edition |
| KB402216 | 20190517 | Update for Microsoft Office 2016 (KB4022161) 64-Bit Edition |
| KB402216 | 20190114 | Security Update for Microsoft Office 2016 (KB4022162) 64-Bit Edition |
| KB401838 | 20190517 | Update for Microsoft Office 2016 (KB4018380) 64-Bit Edition |
| KB401166 | 20190114 | Update for Microsoft Office 2016 (KB4011669) 64-Bit Edition |
| KB401163 | 20190114 | Update for Microsoft Office 2016 (KB4011634) 64-Bit Edition |
| KB401157 | 20190114 | Security Update for Microsoft Office 2016 (KB4011574) 64-Bit Edition |

| | | |
|----------|----------|---|
| KB401125 | 20190114 | Update for Microsoft Office 2016 (KB4011259) 64-Bit Edition |
| KB401122 | 20190114 | Update for Microsoft Office 2016 (KB4011225) 64-Bit Edition |
| KB401121 | 20190114 | Update for Microsoft Office 2016 (KB4011218) 64-Bit Edition |
| KB401109 | 20210630 | Security Update for Microsoft Publisher 2016 (KB4011097) 64-Bit Edition |
| KB401109 | 2021-06- | Actualización de seguridad para Microsoft Publisher 2016 (KB4011097) Edición de 64 bits |
| KB401103 | 20190114 | Update for Microsoft Office 2016 (KB4011035) 64-Bit Edition |
| KB321365 | 20190114 | Update for Microsoft Office 2016 (KB3213650) 64-Bit Edition |
| KB321355 | 20190114 | Security Update for Microsoft Office 2016 (KB3213551) 64-Bit Edition |
| KB319192 | 20190114 | Update for Microsoft Office 2016 (KB3191929) 64-Bit Edition |
| KB317866 | 20190114 | Update for Microsoft Office 2016 (KB3178666) 64-Bit Edition |
| KB311826 | 20190114 | Update for Microsoft Office 2016 (KB3118264) 64-Bit Edition |
| KB311826 | 20190114 | Update for Microsoft Office 2016 (KB3118263) 64-Bit Edition |
| KB311826 | 20190114 | Update for Microsoft Office 2016 (KB3118262) 64-Bit Edition |
| KB311540 | 20190114 | Definition Update for Microsoft Office 2016 (KB3115407) 64-Bit Edition |
| KB311527 | 20190114 | Update for Microsoft Office 2016 (KB3115276) 64-Bit Edition |
| KB311508 | 20190114 | Update for Microsoft Office 2016 (KB3115081) 64-Bit Edition |

| | | |
|----------|----------|--|
| KB311490 | 20190114 | Update for Microsoft Office 2016 (KB3114903) 64-Bit Edition |
| KB308553 | 20190114 | Security Update for Microsoft Office 2016 (KB3085538) 64-Bit Edition |
| KB292072 | 20190114 | Update for Microsoft Office 2016 (KB2920724) 64-Bit Edition |
| KB292072 | 20190114 | Update for Microsoft Office 2016 (KB2920720) 64-Bit Edition |
| KB292071 | 20190517 | Update for Microsoft Office 2016 (KB2920717) 64-Bit Edition |
| KB292071 | 20190114 | Update for Microsoft Office 2016 (KB2920712) 64-Bit Edition |
| KB292068 | 20190114 | Update for Microsoft Office 2016 (KB2920684) 64-Bit Edition |
| KB292067 | 20190114 | Update for Microsoft Office 2016 (KB2920678) 64-Bit Edition |
| KB291095 | 20190114 | Update for Microsoft Office 2016 (KB2910954) 64-Bit Edition |
| | 20210622 | Adobe Acrobat Reader DC (21.005.20048) |
| | 20190926 | CLP3082 |
| | 20190625 | Microsoft Silverlight 5.1.50907.0 |
| | 2019-06- | INTEL - System - 10/3/2016 12:00:00 AM - 10.1.1.38 |
| | 2019-06- | INTEL - System - 1/1/1970 12:00:00 AM - 10.1.1.42 |
| | 2019-06- | Advanced Micro Devices - MEDIA - 11/16/2017 12:00:00 AM - 10.0.1.6 |



Sistema Operativo

| Name | Value |
|------|-------|
| | |

| | |
|---------------------------|---------------------------------------|
| Name | 6.2 |
| Edition | Professional 64-bit |
| Install Date | 19/6/2019 |
| Registered Owner | Usuario |
| Registered Organization | |
| Product ID | |
| Major Version Number | 6 |
| Minor Version Number | 2 |
| Build Number | 9200 |
| Service Pack | |
| Service Pack Version | 0.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | C:\Windows\ |
| System Directory | C:\Windows\system32\ |
| Temporary Directory | C:\Users\201240~1\AppData\Local\Temp\ |
| Operating System Language | Spanish - Argentina |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|---------------------|--|
| Mouse | 3 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |
| Display Description | W1942, 19.1" (41cm x 26cm) |

| | |
|-------------------|-------------------------------|
| Printer | OneNote for Windows 10 |
| Printer | OneNote |
| Printer | Microsoft XPS Document Writer |
| Printer | Microsoft Print to PDF |
| Printer | Fax |
| Printer | EPSON XP-211 214 216 Series |
| Printer | Enviar a OneNote 16 |
| Mapped Drive | m: [\\d250isinfs01\Grupos2] |
| Mapped Drive | N: [\\d030nfs01\grupos029] |
| Mapped Drive | q: [\\d030nfs01\Publica030] |
| Mapped Drive | r: [\\d030nfs01\Grupos030] |
| Network Installed | Yes |



Seguridad

[Internet Software](#)

| Type | Name | Version | Data Update? |
|---------|-----------------------|--------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.17763.0 | |

[Open Ports](#)

TCP 0.0.0.0:135

| Item | Value |
|---------------|-------|
| Port Protocol | TCP |

| | |
|----------------------|--------------------|
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 508 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|---------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

TCP 0.0.0.0:2701

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 2701 |
| Caption | TCP 0.0.0.0:2701 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | CmRcService.exe |
| Process ID | 4216 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:2968

| Item | Value |
|---------------|------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 2968 |
| Caption | TCP 0.0.0.0:2968 |
| Service Name | |

| | |
|----------------------|--|
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | C:\Program Files (x86)\EPSON Software\Event Manager\EEEventManager.exe |
| Process ID | 7356 |
| Process Description | EEEventManager Application |
| Process Manufacturer | SEIKO EPSON CORPORATION |

TCP 0.0.0.0:3389

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | TCP 0.0.0.0:3389 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1164 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5040

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5040 |
| Caption | TCP 0.0.0.0:5040 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 6792 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5357

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5357 |
| Caption | TCP 0.0.0.0:5357 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |

| | |
|----------------------|--------|
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:33221

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | TCP 0.0.0.0:33221 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49664

| Item | Value |
|---------------|---------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Local Port | 49664 |
| Caption | TCP 0.0.0.0:49664 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 680 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49665

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49665 |
| Caption | TCP 0.0.0.0:49665 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1604 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49666

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49666 |
| Caption | TCP 0.0.0.0:49666 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2176 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49667

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49667 |
| Caption | TCP 0.0.0.0:49667 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2844 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49669

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49669 |
| Caption | TCP 0.0.0.0:49669 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2256 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49671

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49671 |
| Caption | TCP 0.0.0.0:49671 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | spoolsv.exe |
| Process ID | 3876 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49672

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49672 |
| Caption | TCP 0.0.0.0:49672 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 772 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49702

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49702 |
| Caption | TCP 0.0.0.0:49702 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 772 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49705

| Item | Value |
|---------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49705 |
| Caption | TCP 0.0.0.0:49705 |

| | |
|----------------------|--------------------|
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 752 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:139

| Item | Value |
|----------------------|----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 139 |
| Caption | TCP 10.29.11.239:139 |
| Service Name | netbios-ssn |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49748

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49748 |
| Caption | TCP 10.29.11.239:49748 |
| Service Name | |
| Remote Address | 10.250.4.30 |
| Remote Port | 80 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49755

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49755 |
| Caption | TCP 10.29.11.239:49755 |
| Service Name | |
| Remote Address | 10.250.4.30 |
| Remote Port | 10123 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | CcmExec.exe |
| Process ID | 6824 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49776

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49776 |
| Caption | TCP 10.29.11.239:49776 |
| Service Name | |
| Remote Address | 10.250.1.122 |
| Remote Port | 135 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49777

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49777 |
| Caption | TCP 10.29.11.239:49777 |
| Service Name | |
| Remote Address | 10.250.1.122 |
| Remote Port | 49156 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49782

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49782 |
| Caption | TCP 10.29.11.239:49782 |
| Service Name | |
| Remote Address | 10.250.80.35 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49786

| Item | Value |
|------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49786 |
| Caption | TCP 10.29.11.239:49786 |
| Service Name | |
| Remote Address | 10.29.1.15 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |

| | |
|----------------------|--------|
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49788

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49788 |
| Caption | TCP 10.29.11.239:49788 |
| Service Name | |
| Remote Address | 10.250.1.122 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49795

| Item | Value |
|---------------|--------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |

| | |
|------------------|------------------------|
| Local Port | 49795 |
| Caption | TCP 10.29.11.239:49795 |
| Service Name | |
| Remote Address | 10.250.4.30 |
| Remote Port | 80 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49797

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49797 |
| Caption | TCP 10.29.11.239:49797 |
| Service Name | |
| Remote Address | 10.250.1.51 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49800

| Item | Value |
|------|-------|
| | |

| | |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49800 |
| Caption | TCP 10.29.11.239:49800 |
| Service Name | |
| Remote Address | 10.250.4.30 |
| Remote Port | 80 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49804

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49804 |
| Caption | TCP 10.29.11.239:49804 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7308 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49806

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49806 |
| Caption | TCP 10.29.11.239:49806 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49808

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49808 |
| Caption | TCP 10.29.11.239:49808 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49814

| Item | Value |
|------|-------|
| | |

| | |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49814 |
| Caption | TCP 10.29.11.239:49814 |
| Service Name | |
| Remote Address | 10.250.1.122 |
| Remote Port | 135 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49815

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49815 |
| Caption | TCP 10.29.11.239:49815 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | smartscreen.exe |
| Process ID | 196 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49820

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49820 |
| Caption | TCP 10.29.11.239:49820 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49821

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49821 |
| Caption | TCP 10.29.11.239:49821 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.239:49828

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49828 |
| Caption | TCP 10.29.11.239:49828 |
| Service Name | |
| Remote Address | 142.250.65.67 |
| Remote Port | 443 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | GoogleUpdate.exe |
| Process ID | 4416 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49829

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49829 |
| Caption | TCP 10.29.11.239:49829 |
| Service Name | |
| Remote Address | 72.21.91.29 |
| Remote Port | 80 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | cyserver.exe |
| Process ID | 4656 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49832

| Item | Value |
|----------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49832 |
| Caption | TCP 10.29.11.239:49832 |
| Service Name | |
| Remote Address | 23.52.155.27 |
| Remote Port | 80 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49833

| Item | Value |
|---------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49833 |
| Caption | TCP 10.29.11.239:49833 |

| | |
|----------------------|--------------------------------------|
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7308 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49834

| Item | Value |
|----------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49834 |
| Caption | TCP 10.29.11.239:49834 |
| Service Name | |
| Remote Address | 72.21.91.29 |
| Remote Port | 80 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49835

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49835 |
| Caption | TCP 10.29.11.239:49835 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7308 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49836

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49836 |
| Caption | TCP 10.29.11.239:49836 |
| Service Name | |
| Remote Address | 104.18.21.226 |
| Remote Port | 80 |
| Connection State | Connecting (SYN-SENT) |

| | |
|----------------------|--------------|
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49837

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49837 |
| Caption | TCP 10.29.11.239:49837 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7308 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49838

| Item | Value |
|---------------|--------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |

| | |
|----------------------|--------------------------------------|
| Local Port | 49838 |
| Caption | TCP 10.29.11.239:49838 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7308 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.239:49844

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.239 |
| Local Port | 49844 |
| Caption | TCP 10.29.11.239:49844 |
| Service Name | |
| Remote Address | 10.29.2.46 |
| Remote Port | 80 |
| Connection State | Closing (TIME-WAIT) |

TCP 127.0.0.1:49809

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 49809 |
| Caption | TCP 127.0.0.1:49809 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | SCNotification.exe |
| Process ID | 8992 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50001

| Item | Value |
|------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50001 |
| Caption | TCP 127.0.0.1:50001 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 4656 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50002

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50002 |
| Caption | TCP 127.0.0.1:50002 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50005

| Item | Value |
|---------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50005 |
| Caption | TCP 127.0.0.1:50005 |

| | |
|----------------------|--------------------|
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50006

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50006 |
| Caption | TCP 127.0.0.1:50006 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:123

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 123 |
| Caption | UDP 0.0.0.0:123 |
| Service Name | ntp |
| Process Name | svchost.exe |
| Process ID | 1268 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:500

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |
| Service Name | isakmp |
| Process Name | svchost.exe |
| Process ID | 2248 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:2968

| Item | Value |
|----------------------|--|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 2968 |
| Caption | UDP 0.0.0.0:2968 |
| Service Name | |
| Process Name | C:\Program Files (x86)\EPSON Software\Event Manager\EEEventManager.exe |
| Process ID | 7356 |
| Process Description | EEEventManager Application |
| Process Manufacturer | SEIKO EPSON CORPORATION |

UDP 0.0.0.0:3389

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | UDP 0.0.0.0:3389 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1164 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | dasHost.exe |
| Process ID | 4576 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | dasHost.exe |
| Process ID | 4576 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:4500

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2248 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5050

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5050 |
| Caption | UDP 0.0.0.0:5050 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 6792 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5353

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5353 |
| Caption | UDP 0.0.0.0:5353 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1376 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5355

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5355 |
| Caption | UDP 0.0.0.0:5355 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1376 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:33221

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | UDP 0.0.0.0:33221 |
| Service Name | |
| Process Name | cyserver.exe |
| Process ID | 4656 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:64969

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 64969 |
| Caption | UDP 0.0.0.0:64969 |
| Service Name | |
| Process Name | dasHost.exe |
| Process ID | 4576 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.239:137

| Item | Value |
|----------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.239 |
| Local Port | 137 |
| Caption | UDP 10.29.11.239:137 |
| Service Name | netbios-ns |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.239:138

| Item | Value |
|----------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.239 |
| Local Port | 138 |
| Caption | UDP 10.29.11.239:138 |
| Service Name | netbios-dgm |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.239:1900

| Item | Value |
|----------------------|-----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.239 |
| Local Port | 1900 |
| Caption | UDP 10.29.11.239:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 5284 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.239:51386

| Item | Value |
|----------------------|------------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.239 |
| Local Port | 51386 |
| Caption | UDP 10.29.11.239:51386 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 5284 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:1900

| Item | Value |
|----------------------|--------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 1900 |
| Caption | UDP 127.0.0.1:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 5284 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:51387

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 51387 |
| Caption | UDP 127.0.0.1:51387 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 5284 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:51514

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 51514 |
| Caption | UDP 127.0.0.1:51514 |
| Service Name | |
| Process Name | CcmExec.exe |
| Process ID | 6824 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:54463

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 54463 |
| Caption | UDP 127.0.0.1:54463 |
| Service Name | |
| Process Name | lsass.exe |
| Process ID | 772 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:57296

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 57296 |
| Caption | UDP 127.0.0.1:57296 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2080 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:63449

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 63449 |
| Caption | UDP 127.0.0.1:63449 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1920 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions

Enviar a OneNote 16

WS64081\Usuario

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | WS64081\Usuario |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

WS64081\Usuario

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | WS64081\Usuario |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\ TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|------|-------|
| | |

| | |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|---------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |

| | |
|-------------|----------------------------------|
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

EPSON XP-211 214 216 Series**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|-----------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |

| | |
|-------------|----------------------------------|
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-----------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |

| | |
|-------------|----------------------------------|
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |

| | |
|-------------|----------------------------------|
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Fax**S-1-5-18**

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-------|
| | |

| | |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000100000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|------|-------|
| Name | Fax |

| | |
|-------------|--|
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---------|
| Name | Fax |
| Object Type | Printer |

| | |
|-------------|---|
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |

| | |
|-------------|-------------------------------------|
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Microsoft Print to PDF

S-1-5-18

| Name | Value |
|-------------|------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |

| | |
|-------------|--|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |

| | |
|-------------|----------------------------------|
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |

| | |
|-------------|------------------------------------|
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 0010000000000000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Microsoft XPS Document Writer

S-1-5-18

| Name | Value |
|-------------|--|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-------|
| | |

| | |
|-------------|--------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|-------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|--|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |

| | |
|-------------|----------------------------------|
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|---------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |

| | |
|-------------|----------------------------------|
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

OneNote**CREATOR OWNER**

| Name | Value |
|-------------|----------------------------------|
| Name | OneNote |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00000000000000010000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|----------------------------------|
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 0000000000000001000000000000000000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|------------------------------------|
| Name | OneNote |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|---|
| Name | OneNote |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 000000000000000010000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

NT AUTHORITY\SERVICIO LOCAL

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | NT AUTHORITY\SERVICIO LOCAL |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

NT AUTHORITY\SERVICIO LOCAL

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | NT AUTHORITY\SERVICIO LOCAL |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | OneNote |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

OneNote for Windows 10

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00000000000000010000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 000000000000000010000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|------------------------------------|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00000000000000010000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|------|-------|
| | |

| | |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

NT AUTHORITY\SERVICIO LOCAL

| Name | Value |
|------|------------------------|
| Name | OneNote for Windows 10 |

| | |
|-------------|--|
| Object Type | Printer |
| Trustee | NT AUTHORITY\SERVICIO LOCAL |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

NT AUTHORITY\SERVICIO LOCAL

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | NT AUTHORITY\SERVICIO LOCAL |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|------------------------|
| Name | OneNote for Windows 10 |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | OneNote for Windows 10 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

Security Settings

| Item | Name | Setting |
|--------------|---------|-----------|
| AutoLogon | Enabled | No |
| Screen Saver | Enabled | Yes |
| Screen Saver | Timeout | 0 Seconds |

| | | |
|-------------------|-------------------------|------------------------|
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |
| All Accounts | Minimum Password Length | 8 Characters |
| All Accounts | Maximum Password Age | 180 Days |
| All Accounts | Historical Passwords | 5 remembered |
| All Accounts | Lockout Threshold | 5 Attempts |
| Automatic Updates | Update Status | Scheduled installation |
| Automatic Updates | Update Schedule | Every day |
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |
| Internet Explorer | Launch Applications | Prompt user |

Share Permissions

ADMIN\$

No Trustee

| Name | Value |
|-------------|-------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |

| | |
|-------------|-----------------------------|
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

C\$**No Trustee**

| Name | Value |
|-------------|-----------------------------|
| Name | C\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

D\$**No Trustee**

| Name | Value |
|-------------|------------|
| Name | D\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |

| | |
|-------------|---------------------|
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT AUTHORITY\SYSTEM |

EPSON XP-211 214 216 Series**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Share |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-----------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |

| | |
|-------------|--------------------------------|
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Share |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-----------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |

| | |
|-------------|--------------------------------|
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------|
| Name | EPSON XP-211 214 216 Series |
| Object Type | Share |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

IPC\$**No Trustee**

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |

| | |
|-------|--|
| Owner | |
|-------|--|

print\$

Todos

| Name | Value |
|-------------|-----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read |
| ACE Flags | |
| Access Mask | 000000000000100100000000010101001 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|-------------|----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | BUILTIN\Administradores |

System Restore

No restore points found, requires at least XP and the WMI service running.

User Privileges

| Privilege Name |
|--|
| Apagar el sistema |
| Omitir comprobación de recorrido |
| Quitar equipo de la estación de acoplamiento |
| Aumentar el espacio de trabajo de un proceso |
| Cambiar la zona horaria |

Windows Firewall

| Name | Setting |
|------------------------|---------------------------------|
| Firewall Enabled | Yes |
| Authorised Application | Skype for Business UcMapi |
| Authorised Application | Skype for Business |
| Authorised Application | EEventManager.exe |
| Authorised Service | Compartir archivos e impresoras |
| Authorised Service | Detección de redes |
| Authorised Service | Escritorio remoto |

Grupos y Usuarios

Local Groups

Administradores

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Administradores |
| Comment Item | Los administradores tienen acceso completo y sin restricciones al equipo o dominio |

Members

| Group Name | Member Name |
|-----------------|------------------|
| Administradores | Administrador |
| Administradores | Admins029 |
| Administradores | Domain Admins |
| Administradores | GGAdminGeneralWS |

Global Groups

Ninguno

| Name | Value |
|--------------|------------------|
| Group Type | Global |
| Group Name | Ninguno |
| Comment Item | Usuarios comunes |

Members

| Group Name | Member Name |
|-------------------|--------------------|
| Ninguno | Administrador |
| Ninguno | DefaultAccount |
| Ninguno | Invitado |
| Ninguno | Usuario |
| Ninguno | WDAGUtilityAccount |

Policy

No information found.

User Accounts**Administrador**

| Item | Value |
|--------------------|--|
| User Account | Administrador |
| Full Name | |
| Description | Cuenta integrada para la administración del equipo o dominio |
| Account Status | Enabled, Not Locked |
| Local Groups | Administradores |
| Global Groups | Ninguno |
| Last Logon | 19/6/2019 16:47:56 |
| Last Logoff | |
| Number Of Logons | 24 |
| Bad Password Count | 0 |

| | |
|------------------|----------|
| Password Age | 748 Days |
| Password Expired | No |
| Account Expires | |

DefaultAccount

| Item | Value |
|--------------------|--|
| User Account | DefaultAccount |
| Full Name | |
| Description | Cuenta de usuario administrada por el sistema. |
| Account Status | Disabled, Not Locked |
| Local Groups | System Managed Accounts Group |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

Invitado

| Item | Value |
|--------------|----------|
| User Account | Invitado |
| Full Name | |

| | |
|--------------------|---|
| Description | Cuenta integrada para el acceso como invitado al equipo o dominio |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

Usuario

| Item | Value |
|--------------------|---------------------|
| User Account | Usuario |
| Full Name | |
| Description | |
| Account Status | Enabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |
| Last Logon | 14/1/2019 19:13:41 |
| Last Logoff | |
| Number Of Logons | 6 |
| Bad Password Count | 0 |
| Password Age | 748 Days |

| | |
|------------------|----|
| Password Expired | No |
| Account Expires | |

WDAGUtilityAccount

| Item | Value |
|--------------------|--|
| User Account | WDAGUtilityAccount |
| Full Name | |
| Description | Una cuenta de usuario que el sistema administra y usa para escenarios de Protección de aplicaciones de Windows Defender. |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 904 Days |
| Password Expired | Yes |
| Account Expires | |



Red Windows

Network Sessions

| Client Name | User Name | Connected | Idle |
|-------------|-----------|-----------|------|
| | | | |

| | | | |
|---------------|-------------|-----------|-----------|
| \10.29.11.239 | 20124063109 | 0 Minutes | 0 Minutes |
|---------------|-------------|-----------|-----------|

Network Shares

| Share Name | Share Type | Connections | Share Path |
|--------------------------------|-------------------------------------|-------------|---|
| ADMIN\$ | Disk Drive Admin | 1 | C:\Windows |
| C\$ | Disk Drive Admin | 1 | C:\ |
| D\$ | Disk Drive Admin | 1 | D:\ |
| EPSON XP-211 214 216 Series | Print Queue | 0 | EPSON XP-211 214 216 Series,LocalsplOnly |
| IPC\$ | Interprocess Communication Admin | 1 | |
| print\$ | Disk Drive | 0 | C:\Windows\system32\spool\drives |



Red TCP/IP

Realtek RTL8188CU Wireless LAN 802.11n USB 2.0 Network Adapter

| Item | Value |
|----------------|--|
| Adapter Number | 1 |
| Adapter Name | Realtek RTL8188CU Wireless LAN 802.11n USB 2.0 Network Adapter |
| DNS Host Name | ws64081 |
| DNS Servers | |
| IP Address | |
| IP Subnet | |

| | |
|--------------------|--------|
| Default IP Gateway | |
| DHCP Enabled | Yes |
| DHCP Server | |
| DHCP IP Address | |
| Adapter Status | |
| Adapter Type | |
| MAC Address | |
| Connection Status | |
| Connection Speed | 0 Mbps |

Realtek PCIe GBE Family Controller

| Item | Value |
|---------------------|------------------------------------|
| Adapter Number | 2 |
| Adapter Name | Realtek PCIe GBE Family Controller |
| DNS Host Name | ws64081 |
| DNS Servers | |
| IP Address | |
| IP Subnet | 255.255.0.0 |
| Default IP Gateway | |
| DHCP Enabled | Yes |
| DHCP Server | 10.250.1.235 |
| DHCP IP Address | 10.29.11.239 |
| DHCP Lease Obtained | 7/7/2021 08:54:45 |
| DHCP Lease Expires | 15/7/2021 08:54:45 |
| Status Code | 0 |

| | |
|-------------------|----------------------------------|
| Adapter Status | This device is working properly. |
| Adapter Type | Ethernet 802.3 |
| MAC Address | 30:9C:23:66:A5:B2 |
| Connection Status | Connected |
| Connection Speed | 100 Mbps |



NetBIOS

LAN Adapter #1

| Item | Value |
|------------------|-------------------|
| Adapter Number | 1 |
| Software Release | 3.0 |
| MAC Address | 30:9c:23:66:a5:b2 |
| Adapter Type | Ethernet |
| Maximum Sessions | 16 |
| Sessions Pending | 0 |
| Maximum Data | 65535 Bytes |
| Maximum Datagram | 512 Bytes |



Dispositivos

Adaptadores de pantalla

Radeon 550 Series

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | Radeon 550 Series |
| Manufacturer | Advanced Micro Devices, Inc. |
| Location | Bus PCI 1, dispositivo 0, función 0 |
| Driver Provider | Advanced Micro Devices, Inc. |
| Driver Version | 25.20.15012.5001 |
| Driver Date | 3-14-2019 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1002&DEV_699F&SUBSYS_8A901462&REV_C7\4&1B9710AC&0&0008 |

Adaptadores de red

Microsoft Kernel Debug Network Adapter

| Item | Value |
|-----------------|---|
| Device Type | Adaptadores de red |
| Device Name | Microsoft Kernel Debug Network Adapter |
| Description | Adaptador de red de depuración de kernel de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\KDNIC\0000 |

Realtek PCIe GBE Family Controller #2

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | Realtek PCIe GBE Family Controller #2 |
| Description | Controladora Realtek PCIe GBE Family |
| Manufacturer | Realtek |
| Location | Bus PCI 2, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 9.1.407.2015 |
| Driver Date | 4-7-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10EC&DEV_8168&SUBSYS_7A151462&REV_15\4&13A738ED&0&00E0 |

WAN Miniport (IKEv2)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IKEv2) |
| Description | Minipuerto WAN (IKEv2) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_AGILEVPNMINIPORT |

WAN Miniport (IP)

| Item | Value |
|-----------------|---------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IP) |
| Description | Minipuerto WAN (IP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANIP |

WAN Miniport (IPv6)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IPv6) |
| Description | Minipuerto WAN (IPv6) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANIPV6 |

WAN Miniport (L2TP)

| Item | Value |
|-------------|---------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (L2TP) |

| | |
|-----------------|--|
| Description | Minipuerto WAN (L2TP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_L2TPMINIPORT |

WAN Miniport (Network Monitor)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (Network Monitor) |
| Description | Minipuerto WAN (Monitor de red) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANBH |

WAN Miniport (PPPOE)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (PPPOE) |
| Description | Minipuerto WAN (PPPOE) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_PPPOEMINIPORT |

WAN Miniport (PPTP)

| Item | Value |
|-----------------|-----------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (PPTP) |
| Description | Minipuerto WAN (PPTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_PPTPMINIPORT |

WAN Miniport (SSTP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (SSTP) |
| Description | Minipuerto WAN (SSTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_SSTPMINIPORT |

Colas de impresión

Cola de impresión raíz

| Item | Value |
|-----------------|--|
| Device Type | Colas de impresión |
| Device Name | Cola de impresión raíz |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\PRINTQUEUES |

Enviar a OneNote 16

| Item | Value |
|-----------------|-------------------------|
| Device Type | Colas de impresión |
| Device Name | Enviar a OneNote 16 |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{15AF697D-F303-41F8-B145-4B51F8A2437D} |

Fax

| Item | Value |
|-----------------|--|
| Device Type | Colas de impresión |
| Device Name | Fax |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{CF0944A2-3DEF-415E-B170-38F425F03D3F} |

Microsoft Print to PDF

| Item | Value |
|-------------|------------------------|
| Device Type | Colas de impresión |
| Device Name | Microsoft Print to PDF |

| | |
|-----------------|--|
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{933BE386-2CA2-4991-ABF6-D77C616E9097} |

Microsoft XPS Document Writer

| Item | Value |
|-----------------|--|
| Device Type | Colas de impresión |
| Device Name | Microsoft XPS Document Writer |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{5E739AA8-C4FD-4144-BD93-FB4460333CEF} |

OneNote for Windows 10

| Item | Value |
|-----------------|--|
| Device Type | Colas de impresión |
| Device Name | OneNote for Windows 10 |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{AC5C3286-6699-46B2-9C31-D20804964A27} |

OneNote

| Item | Value |
|-----------------|-------------------------|
| Device Type | Colas de impresión |
| Device Name | OneNote |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{06A21F6F-5365-4226-BD1C-5A3E4149CA3F} |

Componentes de software

Componente de software genérico

| Item | Value |
|-----------------|--|
| Device Type | Componentes de software |
| Device Name | |
| Description | Componente de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {5C4C3332-344D-483C-8739-259E934C9CC8} |
| Device ID | SWD\DRIVERENUM\AMDUWP&5&1B106D80&0 |

Controladoras ATA/ATAPI IDE

Controladora SATA AHCI estándar

| Item | Value |
|-----------------|--|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | |
| Description | Controladora SATA AHCI estándar |
| Manufacturer | Controladora SATA AHCI estándar |
| Location | Bus PCI 0, dispositivo 23, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.168 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A102&SUBSYS_7A151462&REV_31\3&11583659&0&B8 |

Controladoras de almacenamiento

Controladora de espacios de almacenamiento de Microsoft

| Item | Value |
|--------------|---|
| Device Type | Controladoras de almacenamiento |
| Device Name | |
| Description | Controladora de espacios de almacenamiento de Microsoft |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.864 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SPACEPORT\0000 |

Controladoras de bus serie universal

Concentrador raíz USB (USB 3.0)

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz USB (USB 3.0) |
| Manufacturer | (Concentradores USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 9-14-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB30\4&233F764E&0&0 |

Dispositivo compuesto USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0007.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_04D9&PID_1702\5&30FEADBE&0&7 |

Dispositivo compuesto USB

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0008.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_0458&PID_0186\5&30FEADBE&0&8 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0001.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\5&30FEADBE&0&1 |

Controlador de host eXtensible Intel(R) USB 3.0 - 1.0 (Microsof

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |

| | |
|-----------------|--|
| Device Name | Controlador de host eXtensible Intel(R) USB 3.0 - 1.0 (Microsof |
| Description | Controladora de host USB genérico compatible con xHCI |
| Manufacturer | Controladora de host USB genérico xHCI |
| Location | Bus PCI 0, dispositivo 20, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.592 |
| Driver Date | 6-15-2019 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_A12F&SUBSYS_7A1 51462&REV_31\3&11583659&0&A0 |

Controladoras de sonido y vídeo y dispositivos de juego

AMD High Definition Audio Device

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | AMD High Definition Audio Device |
| Manufacturer | Advanced Micro Devices |
| Location | Internal High Definition Audio Bus |
| Driver Provider | Advanced Micro Devices |
| Driver Version | 10.0.1.6 |
| Driver Date | 11-16-2017 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&SUBSYS_00AA0100&REV_1007\5&145D7E63&0&0001 |

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Internal High Definition Audio Bus |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.737 |
| Driver Date | 9-4-2019 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_0887&SUBSYS_1462FA15&REV_1003\4&36EA4D18&0&0001 |

Dispositivos de interfaz de usuario (HID)

Controlador del sistema compatible con HID

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Controlador del sistema compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_04D9&PID_1702&MI_01&COL01\7&140DDDE2&0&0000 |

Dispositivo compatible con HID

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|---|
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_0458&PID_0186&MI_01\7&1E605B9A&0&0000 |

Dispositivo de control del consumidor compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de control del consumidor compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_04D9&PID_1702&MI_01&COL02\7&140DDDE2&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|--------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |

| | |
|-----------------|---|
| Location | 0000.0014.0000.007.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_04D9&PID_1702&MI_00\6&1D631C77&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.007.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_04D9&PID_1702&MI_01\6&1D631C77&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.008.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_0458&PID_0186&MI_00\6&28E78235&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.008.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |

| | |
|----------------|---|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_0458&PID_0186&MI_01\6&28E78235&0&0001 |

Dispositivos de software

Dispositivo de impresión genérico

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de software |
| Device Name | |
| Description | Dispositivo de impresión genérico |
| Manufacturer | Microsoft |
| Location | http://10.29.2.54:80/WebServices/Device |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\PRINTENUM\WSD-05036A86-F7C9-4AB8-B94D-E69D91F50EBD |

Brother DCP-8080DN [001ba988638c]

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos de software |
| Device Name | Brother DCP-8080DN [001ba988638c] |
| Description | Dispositivo de software genérico |
| Manufacturer | Brother |
| Location | http://10.29.2.54:80/WebServices/Device |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\DAFWSDPROVIDER\URN:UUID:E324 8000-80CE-11DB-8000-001BA988638C |

Microsoft Device Association Root Enumerator

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de software |
| Device Name | Microsoft Device Association Root Enumerator |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MSDAS\{CE958E9A-424F-4C88-86F4-11314821E75A} |

Microsoft Radio Device Enumeration Bus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de software |
| Device Name | Microsoft Radio Device Enumeration Bus |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\RADIO\{3DB5895D-CC28-44B3-AD3D-6F01A782B8D2} |

Microsoft RRAS Root Enumerator

| Item | Value |
|--------------|----------------------------------|
| Device Type | Dispositivos de software |
| Device Name | Microsoft RRAS Root Enumerator |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |

| | |
|-----------------|---|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MSRRAS\{5E259276-BC7E-40E3-B93B-8F89B5F3ABC0} |

Sintetizador por software GS de tabla de onda de

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de software |
| Device Name | Sintetizador por software GS de tabla de onda de |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MMDEVAPI\MICROSOFTGSWAVETABLESYNTH |

Dispositivos del sistema

Administrador de volúmenes

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Administrador de volúmenes |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.168 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Agregador de procesador ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Agregador de procesador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\ACPI000C\2&DABA3FF&0 |

Botón de característica fija ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de característica fija ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&0 |

Botón de inicio/apagado ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--|
| Device Name | |
| Description | Botón de inicio/apagado ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0C\2&DABA3FF&0 |

Botón de suspensión ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de suspensión ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--------------------------|
| Device ID | ACPI\PNP0C0E\2&DABA3FF&0 |
|-----------|--------------------------|

Bus del Redactor de dispositivos de Escritorio remoto

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Bus del Redactor de dispositivos de Escritorio remoto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDPBUS\0000 |

Complemento de motor de energía Intel(R)

| Item | Value |
|--------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Complemento de motor de energía Intel(R) |
| Manufacturer | Intel Corporation |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT33A1\1 |

Controlador BIOS de Microsoft System Management

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador BIOS de Microsoft System Management |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MSSMBIOS\0000 |

Controlador de infraestructura de virtualización de Microsoft H

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de infraestructura de virtualización de Microsoft H |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.864 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VID\0000 |

Controlador de pantalla básica de Microsoft

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de pantalla básica de Microsoft |
| Manufacturer | (Tipos de pantalla estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICDISPLAY\0000 |

Controlador de representación básica de Microsoft

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de representación básica de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICRENDER\0000 |

Controladora de High Definition Audio

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 31, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 9-14-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A170&SUBSYS_FA1 51462&REV_31\3&11583659&0&FB |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 1, dispositivo 0, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 9-14-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--|
| Device ID | PCI\VEN_1002&DEV_AAE0&SUBSYS_AAE 01462&REV_00\4&1B9710AC&0&0108 |
|-----------|--|

Controladora programable de interrupciones

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora programable de interrupciones |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&147A3660&0 |

Dispositivo heredado

| Item | Value |
|--------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Dispositivo heredado |
| Manufacturer | Intel |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT0800\4&147A3660&0 |

Dispositivos IR de consumo

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Dispositivos IR de consumo |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0001 |

Enumerador de adaptador de red virtual NDIS

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de adaptador de red virtual NDIS |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NDISVIRTUALBUS\0000 |

Enumerador de bus compuesto

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus compuesto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\COMPOSITEBUS\0000 |

Enumerador de bus raíz de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus raíz de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Enumerador de dispositivos de software Plug and Play

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Enumerador de dispositivos de software Plug and Play |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 9-14-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Enumerador de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TERMINPUT_BUS |

Enumerador de UMBus

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TS_USB_HUB_ENUMERATOR |

Enumerador de UMBus

| Item | Value |
|-----------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TSBUS |

Enumerador de unidades virtuales de Microsoft

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de unidades virtuales de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VDRVROOT\0000 |

Intel(R) 100 Series/C230 Series Chipset Family PMC - A121

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family PMC - A121 |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 31, función 2 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A121&SUBSYS_7A1 51462&REV_31\3&11583659&0&FA |

Intel(R) 100 Series/C230 Series Chipset Family SMBus - A123

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family SMBus - A123 |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 31, función 4 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A123&SUBSYS_7A1 51462&REV_31\3&11583659&0&FC |

Intel(R) 100 Series/C230 Series Chipset Family Thermal subsystem

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 100 Series/C230 Series Chipset Family Thermal subsystem |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 20, función 2 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.42 |
| Driver Date | 1-1-1970 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A131&SUBSYS_7A1 51462&REV_31\3&11583659&0&A2 |

Intel(R) Management Engine Interface

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Management Engine Interface |

| | |
|-----------------|--|
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 22, función 0 |
| Driver Provider | Intel |
| Driver Version | 1815.12.0.2021 |
| Driver Date | 4-11-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A13A&SUBSYS_7A1 51462&REV_31\3&11583659&0&B0 |

Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) Ga

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) Ga |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 8, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 1-1-1970 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1911&SUBSYS_7A1 51462&REV_00\3&11583659&0&40 |

Interfaz de administración para ACPI de Microsoft Windows

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz de administración para ACPI de Microsoft Windows |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C14\MFBI |

Interfaz de administración para ACPI de Microsoft Windows

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz de administración para ACPI de Microsoft Windows |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C14\MXM2 |

Pci Bus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Pci Bus |
| Manufacturer | AMD |
| Location | |
| Driver Provider | AMD |
| Driver Version | 18.45.0.0 |
| Driver Date | 8-2-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0A08\0 |

Procesador de datos numéricos

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Procesador de datos numéricos |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C04\4&147A3660&0 |

Puente PCI a PCI

| Item | Value |
|-----------------|-------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 1, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.802 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1901&SUBSYS_7A1 51462&REV_05\3&11583659&0&08 |

Puente PCI a PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 28, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.802 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A114&SUBSYS_7A1 51462&REV_F1\3&11583659&0&E0 |

Puente PCI de CPU host estándar

| Item | Value |
|-------------|---------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |

| | |
|-----------------|--|
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_591F&SUBSYS_7A1 51462&REV_05\3&11583659&0&00 |

Puente PCI ISA estándar

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI ISA estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 31, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A143&SUBSYS_7A1 51462&REV_31\3&11583659&0&F8 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT340E\2&DABA3FF&0 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT3F0D\4&147A3660&0 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\0 |

Recursos de la placa base

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\1 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\2 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\5 |

Recursos de la placa base

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\IOTRAPS |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\LPC_DEV |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\PCHRESV |

Remote Desktop USB Hub

| Item | Value |
|-----------------|---------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Remote Desktop USB Hub |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.737 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | TS_USB_HUB_ENUMERATOR\UMB\2&30D3618&0&TS_USB_HUB |

Sistema CMOS/reloj en tiempo real

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema CMOS/reloj en tiempo real |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&147A3660&0 |

Sistema compatible con Microsoft UEFI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Sistema compatible con Microsoft UEFI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.652 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\UEFI\0 |

Sistema Microsoft compatible con ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema Microsoft compatible con ACPI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.719 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Temporizador de eventos de alta precisión

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador de eventos de alta precisión |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\0 |

Temporizador del sistema

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&147A3660&0 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\0 |

Ventilador ACPI

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\1 |

Ventilador ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\2 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\3 |

Ventilador ACPI

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\4 |

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ00 |

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ01 |

Bus de cámara de escritorio remoto

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | Bus de cámara de escritorio remoto |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&RDCAMERA_BUS |

Dispositivos portátiles

F:\

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos portátiles |
| Device Name | F:\ |
| Description | UDisk |
| Manufacturer | General |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {EEC5AD98-8080-425F-922A-DABF3DE3F69A} |
| Device ID | SWD\WPDBUSENUM_\?_USBSTOR#DISK& VEN_GENERAL&PROD_UDISK&REV_5.00# 6&3AEEBA5&0&_&0#{53F56307-B6BF-1 1D0-94F2-00A0C91EFB8B} |

Entradas y salidas de audio

1 - W1942 (AMD High Definition Audio Device)

| Item | Value |
|-----------------|--|
| Device Type | Entradas y salidas de audio |
| Device Name | 1 - W1942 (AMD High Definition Audio Device) |
| Description | Extremo de audio |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 9-14-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {C166523C-FE0C-4A94-A586-F1A80CFBBF3E} |
| Device ID | SWD\MMDEVAPI\{0.0.0.00000000}.{6C39BE33-2559-472C-B6E3-F73EC42E6935} |

Equipo**Equipo basado en x64 ACPI**

| Item | Value |
|--------------|---------------------------|
| Device Type | Equipo |
| Device Name | |
| Description | Equipo basado en x64 ACPI |
| Manufacturer | (Equipos estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Firmware

Firmware de sistema

| Item | Value |
|-----------------|---|
| Device Type | Firmware |
| Device Name | |
| Description | Firmware de sistema |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {F2E7DD72-6468-4E36-B6F1-6488F42C1B52} |
| Device ID | UEFI\RES_{00000000-0000-0000-0000-000000000000}\0 |

Instantáneas de volumen de almacenamiento

Instantánea de volumen genérico

| Item | Value |
|-----------------|--|
| Device Type | Instantáneas de volumen de almacenamiento |
| Device Name | |
| Description | Instantánea de volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {533C5B84-EC70-11D2-9505-00C04F79DEAF} |
| Device ID | STORAGE\VOLUMESNAPSHOT\HARDDISKVOLUMESNAPSHOT1 |

Monitores

Monitor PnP genérico

| Item | Value |
|--------------|----------------------------|
| Device Type | Monitores |
| Device Name | |
| Description | Monitor PnP genérico |
| Manufacturer | (Tipo de monitor estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.771 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\GSM4B6F\5&1B106D80&0&UID261 |

Mouse y otros dispositivos señaladores

Mouse compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_0458&PID_0186&MI_00\7&69CCF55&0&0000 |

Mouse PS/2 de Microsoft

| Item | Value |
|-----------------|---|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse PS/2 de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 24 |
| Status Message | Code 24: This device is not present, is not working properly, or does not have all its drivers installed. |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0F03\0 |

Procesadores**Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz**

| Item | Value |
|--------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\1 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\2 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU_@_3.60GHZ_3 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|--------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\4 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\5 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU_@_3.60GHZ_6 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|--------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMI LY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\7 |

Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.503 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMI LY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I7-7700_CPU @_3.60GHZ\8 |

Proveedor de impresión WSD

Brother DCP-8080DN [001ba988638c]

| Item | Value |
|-----------------|--|
| Device Type | Proveedor de impresión WSD |
| Device Name | Brother DCP-8080DN [001ba988638c] |
| Description | Dispositivo de impresión WSD |
| Manufacturer | Brother |
| Location | http://10.29.2.54:80/WebServices/Device |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {C30ECEA0-11EF-4EF9-B02E-6AF81E6E65C0} |
| Device ID | SWD\DAFWSDPROVIDER\URN:UUID:E324 8000-80CE-11DB-8000-001BA988638C /URI:E3248000-80CE-11DB-8000-001 BA988638C/PRINTERSERVICE |

Puertos (COM y LPT)

Puerto de comunicaciones (COM1)

| Item | Value |
|-------------|---------------------|
| Device Type | Puertos (COM y LPT) |

| | |
|-----------------|--|
| Device Name | Puerto de comunicaciones (COM1) |
| Description | Puerto de comunicaciones |
| Manufacturer | (Tipos de puerto estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0501\0 |

Teclados

Dispositivo de teclado HID

| Item | Value |
|-----------------|----------------------------|
| Device Type | Teclados |
| Device Name | |
| Description | Dispositivo de teclado HID |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.348 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_04D9&PID_1702&MI_00\7&FC95FE0&0&0000 |

Teclado PS/2 estándar

| Item | Value |
|-----------------|---|
| Device Type | Teclados |
| Device Name | |
| Description | Teclado PS/2 estándar |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.348 |
| Driver Date | 6-21-2006 |
| Status Code | 24 |
| Status Message | Code 24: This device is not present, is not working properly, or does not have all its drivers installed. |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0303\0 |

Unidades de disco

General UDisk USB Device

| Item | Value |
|-------------|--------------------------|
| Device Type | Unidades de disco |
| Device Name | General UDisk USB Device |

| | |
|-----------------|--|
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\6&3AEEBA5&0&_&0 |

WDC WD10EZEX-08WN4A0

| Item | Value |
|-----------------|--|
| Device Type | Unidades de disco |
| Device Name | WDC WD10EZEX-08WN4A0 |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Bus Number 1, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|---|
| Device ID | SCSI\DISK&VEN_WDC&PROD_WD10EZEX-08WN4A0\4&36B9C3EB&0&010000 |
|-----------|---|

Unidades de DVD o CD-ROM

ASUS DRW-24B1ST j

| Item | Value |
|-----------------|--|
| Device Type | Unidades de DVD o CD-ROM |
| Device Name | ASUS DRW-24B1ST j |
| Description | Unidad de CD-ROM |
| Manufacturer | (Unidades de CD-ROM estándar) |
| Location | Bus Number 0, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E965-E325-11CE-BFC1-08002BE10318} |
| Device ID | SCSI\CDROM&VEN_ASUS&PROD_DRW-24B1ST__J\4&36B9C3EB&0&000000 |

Volúmenes de almacenamiento

Volumen

| Item | Value |
|-------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |

| | |
|-----------------|--|
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#6&3AEEBA5&0&_&0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volumen

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD94905D-92C7-11E9-BE70-806E6F6E6963}\#000000000100000 |

Volumen

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD94905D-92C7-11E9-BE70-806E6F6E6963}\#000000001F400000 |

Volumen

| Item | Value |
|-------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |

| | |
|-----------------|---|
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD94905D-92C7-11E9-BE70-806E6F6E6963}\#0000000025800000 |

Volumen

| Item | Value |
|-----------------|--|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |

| | |
|-----------|---|
| Device ID | STORAGE\VOLUME\{DD94905D-92C7-11E9-BE70-806E6F6E6963}\#0000000026800000 |
|-----------|---|

Volumen

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17763.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD94905D-92C7-11E9-BE70-806E6F6E6963}\#0000007621D00000 |



Características Pantalla

Display #1

Identification

| Name | Value |
|------|-------|
|------|-------|

| | |
|--------------------|------------------------------|
| Display Number | 1 |
| Display Name | W1942 |
| Manufacturer | LG Electronics Inc. |
| Manufacture Date | Week 1, Year 2008 |
| Serial Number | 16843009 |
| Product ID | GSM4B6F |
| Display Size | 19.1" (41cm x 26cm) |
| Display Type | Digital, RGB Colour |
| Supported Features | Standby, Suspend, Active-Off |
| Display Resolution | 1440 x 900 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|-------|--------------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |
| 1 | Curve | Draw chord interiors | Yes |
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |

| | | | |
|---|---------|---|-----|
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |

| | | | |
|---|------|---|-----|
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

Radeon 550 Series

| Item | Value |
|----------------------|--|
| Adapter Number | 1 |
| Name | Radeon 550 Series |
| Adapter RAM | 2048MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 60Hz |
| Video Processor | AMD Radeon Graphics Processor (0x699F) |

| | |
|------------------|----------------------|
| Adapter DAC Type | Internal DAC(400MHz) |
| Adapter ID | Radeon 550 Series |
| BIOS | 113-d09001-e02 |



Impresoras Instaladas

OneNote for Windows 10

| Item | Value |
|------------------|---|
| Printer Number | 1 |
| Printer Name | OneNote for Windows 10 |
| Share Name | |
| Port Name | Microsoft.Office.OneNote_16001.1 3328.20478.0_x64__8wekyb3d8bbwe_ microsoft.onenoteim_S-1-5-21-212 7433847-131552816-4547331-29949 |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 300 Dots Per Inch |
| Driver Name | Microsoft Software Printer Driver |
| Driver File | C:\Windows\System32\DriverStore\ FileRepository\ntprint.inf_amd64 _9543832f82bb474f\Amd64\mxdwdrv.dll |

| | |
|---------------------------|--|
| Driver Version | 10.0.17763.771 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\System32\DriverStore\FileRepository\prnms011.inf_amd64_4_00f46ad699672cb7\Amd64\MSAppMon.xml |
| Driver Configuration File | C:\Windows\System32\DriverStore\FileRepository\prnms003.inf_amd64_a337db27fa50b915\Amd64\PrintConfig.dll |

OneNote

| Item | Value |
|------------------|---|
| Printer Number | 2 |
| Printer Name | OneNote |
| Share Name | |
| Port Name | Microsoft.Office.OneNote_16001.1 1629.20028.0_x64__8wekyb3d8bbwe_ microsoft.onenoteim_S-1-5-21-212 7433847-131552816-4547331-29949 |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 300 Dots Per Inch |
| Driver Name | Microsoft Software Printer Driver |

| | |
|---------------------------|--|
| Driver File | C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_9543832f82bb474f\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17763.771 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\System32\DriverStore\FileRepository\prnms011.inf_amd64_00f46ad699672cb7\Amd64\MSAppMon.xml |
| Driver Configuration File | C:\Windows\System32\DriverStore\FileRepository\prnms003.inf_amd64_a337db27fa50b915\Amd64\PrintConfig.dll |

Microsoft XPS Document Writer

| Item | Value |
|------------------|----------------------------------|
| Printer Number | 3 |
| Printer Name | Microsoft XPS Document Writer |
| Share Name | |
| Port Name | PORTPROMPT: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Microsoft XPS Document Writer v4 |

| | |
|---------------------------|--|
| Driver File | C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_9543832f82bb474f\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17763.771 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\System32\DriverStore\FileRepository\prnms001.inf_amd64_f340cb58fcfd23202\MXDW.gpd |
| Driver Configuration File | C:\Windows\System32\DriverStore\FileRepository\prnms003.inf_amd64_a337db27fa50b915\Amd64\PrintConfig.dll |

Microsoft Print to PDF

| Item | Value |
|------------------|-----------------------------|
| Printer Number | 4 |
| Printer Name | Microsoft Print to PDF |
| Share Name | |
| Port Name | PORTPROMPT: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Microsoft Print To PDF |

| | |
|---------------------------|--|
| Driver File | C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_9543832f82bb474\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17763.771 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\System32\DriverStore\FileRepository\prnms009.inf_amd64_80184dcbef6775bc\MPDW-PDC.xml |
| Driver Configuration File | C:\Windows\System32\DriverStore\FileRepository\prnms003.inf_amd64_a337db27fa50b915\Amd64\PrintConfig.dll |

Fax

| Item | Value |
|------------------|-----------------------------------|
| Printer Number | 5 |
| Printer Name | Fax |
| Share Name | |
| Port Name | SHRFAX: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 200 Dots Per Inch |
| Driver Name | Microsoft Shared Fax Driver |

| | |
|---------------------------|--|
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSDRV.DLL |
| Driver Version | 10.0.17763.914 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft Fax Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |

EPSON XP-211 214 216 Series

| Item | Value |
|---------------------|---|
| Printer Number | 6 |
| Printer Name | EPSON XP-211 214 216 Series |
| Share Name | EPSON XP-211 214 216 Series |
| Port Name | USB001 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 360 Dots Per Inch |
| Driver Name | EPSON XP-211 214 216 Series |
| Driver File | C:\Windows\system32\spool\DRIVER S\x64\3\E_IMAILDE.DLL |
| Driver Version | 0. 3. 1.11 |
| Driver Manufacturer | SEIKO EPSON Corporation |

| | |
|---------------------------|---|
| Driver Description | E_GMAI31 |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\E_IVIFLDE.VIF |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\E_IUICLDE.DLL |

Enviar a OneNote 16

| Item | Value |
|---------------------|---|
| Printer Number | 7 |
| Printer Name | Enviar a OneNote 16 |
| Share Name | |
| Port Name | nul: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 16 Driver |
| Driver File | C:\Windows\System32\DriverStore\FileRepository\ntprint.inf_amd64_9543832f82bb474f\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17763.771 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |

| | |
|---------------------------|--|
| Driver Data File | C:\Windows\System32\DriverStore\FileRepository\prnms006.inf_amd64_2f92130612032712\SendToOneNote.gpd |
| Driver Configuration File | C:\Windows\System32\DriverStore\FileRepository\prnms003.inf_amd64_a337db27fa50b915\Amd64\PrintConfig.dll |



Versión de BIOS

| Name | Value |
|--------------------|---|
| BIOS Version | ALASKA - 1072009 1.80 American Megatrends - 5000C |
| Release Date | |
| Video BIOS Version | |
| Video BIOS Date | |



Gestión del Sistema

BIOS Details

| Item | Value |
|----------------|--------------------------|
| SMBIOS Version | 3.0 |
| BIOS Vendor | American Megatrends Inc. |
| BIOS Version | 1.80 |
| Start Address | 0xF000 |
| Release Date | 07/20/2017 |
| ROM Size | 8192KB |

| | |
|-----------------------|------------------|
| BIOS Characteristics | 000000013F8B9880 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 5 |
| System BIOS Minor | 12 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |
| PnP Support | No |
| APM Support | No |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |
| ROM Socketed | Yes |
| PCMCIA Boot | No |
| EDD Support | Yes |
| Floppy NEC 1.2MB | No |
| Floppy Toshiba 1.2MB | No |

| | |
|------------------|-----|
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | Yes |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|---------------|----------------|
| Manufacturer | |
| Product Name | MS-7A15 |
| Version | 1.0 |
| Serial Number | Default string |

| | |
|---------------------|--|
| Universal Unique ID | {00000000-0000-0000-0000-309C2366A5B2} |
| Wake-Up Type | Power Switch |
| SKU Number | Default string |
| Product Family | Default string |

Baseboard

| Item | Value |
|---------------|-----------------------------|
| Board Number | 1 |
| Manufacturer | MSI |
| Product | H110M PRO-VH PLUS (MS-7A15) |
| Version | 1.0 |
| Serial Number | HA16834384 |
| Asset Tag | Default string |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|---------------|----------------|
| Manufacturer | MSI |
| Chassis Type | Desktop |
| Version | 1.0 |
| Serial Number | Default string |
| Asset Tag | Default string |
| Boot Up State | Safe |

| | |
|-----------------------|------|
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|------------------------|---|
| Processor Number | 1 |
| Socket Designation | U3E1 |
| Processor Type | Central Processor |
| Processor Family | Unknown (code = 198) |
| Processor Manufacturer | Intel(R) Corporation |
| Processor ID | BFEBFBFF000906E9 |
| Processor Version | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Voltage | 1.000000V |
| External Clock | 100MHz |
| Maximum Speed | 8300MHz |
| Current Speed | 3600MHz |
| Status | CPU Socket Populated, Enabled |
| Processor Upgrade | Other |
| Serial Number | To Be Filled By O.E.M. |
| Asset Tag | To Be Filled By O.E.M. |
| Part Number | To Be Filled By O.E.M. |

| | |
|---------------------------|----------------|
| Core Count | 4 |
| Core Enabled | 4 |
| Thread Count | 8 |
| Processor Characteristics | 64-bit Capable |

[Memory Controller](#)

No information found, refer to **Memory Array** and **Memory Device** sections.

[Memory Module](#)

No information found, refer to **Memory Array** and **Memory Device** sections.

[CPU Cache](#)

CPU Cache #1

| Item | Value |
|-----------------------|--|
| Cache Number | 1 |
| Socket Designation | L1 Cache |
| Cache Configuration | Level 1, Internal, Enabled, Write-Back |
| Max. Cache Size | 256KB |
| Installed Cache | 256KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Parity |
| System Cache Type | Unified |

| | |
|---------------|-----------------------|
| Associativity | 8-way Set-Associative |
|---------------|-----------------------|

CPU Cache #2

| Item | Value |
|-----------------------|--|
| Cache Number | 2 |
| Socket Designation | L2 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 1024KB |
| Installed Cache | 1024KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Single-Bit ECC |
| System Cache Type | Unified |
| Associativity | 4-way Set-Associative |

CPU Cache #3

| Item | Value |
|---------------------|--|
| Cache Number | 3 |
| Socket Designation | L3 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 8192KB |
| Installed Cache | 8192KB |
| Supported SRAM Type | Synchronous |

| | |
|-----------------------|-----------------------|
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Unified |
| Associativity | 6-way Set-Associative |

Port Connector

Port Connector #1

| Item | Value |
|--------------------------|------------|
| Port Number | 1 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | PS2Mouse |
| External Connection Type | PS/2 |
| Port Type | Mouse Port |

Port Connector #2

| Item | Value |
|--------------------------|---------------|
| Port Number | 2 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | Keyboard |
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #3

| Item | Value |
|--------------------------|-------------------------|
| Port Number | 3 |
| Internal Designation | J2A1 |
| Internal Connection Type | None |
| External Designation | TV Out |
| External Connection Type | Mini-Centronics Type-14 |
| Port Type | Other (code = 255) |

Port Connector #4

| Item | Value |
|--------------------------|-------------------------------|
| Port Number | 4 |
| Internal Designation | J2A2A |
| Internal Connection Type | None |
| External Designation | COM A |
| External Connection Type | DB-9 pin male |
| Port Type | Serial Port 16550A Compatible |

Port Connector #5

| Item | Value |
|----------------------|-------|
| Port Number | 5 |
| Internal Designation | J2A2B |

| | |
|--------------------------|------------------|
| Internal Connection Type | None |
| External Designation | Video |
| External Connection Type | DB-15 pin female |
| Port Type | Video Port |

Port Connector #6

| Item | Value |
|--------------------------|------------------|
| Port Number | 6 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB1 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #7

| Item | Value |
|--------------------------|--------------------|
| Port Number | 7 |
| Internal Designation | J9A1 - TPM HDR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #8

| Item | Value |
|--------------------------|--------------------------|
| Port Number | 8 |
| Internal Designation | J9C1 - PCIE DOCKING CONN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #9

| Item | Value |
|--------------------------|--------------------|
| Port Number | 9 |
| Internal Designation | J2B3 - CPU FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #10

| Item | Value |
|--------------------------|-----------------|
| Port Number | 10 |
| Internal Designation | J6C2 - EXT HDMI |
| Internal Connection Type | Other |
| External Designation | |

| | |
|--------------------------|--------------------|
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #11

| Item | Value |
|--------------------------|--------------------|
| Port Number | 11 |
| Internal Designation | J3C1 - GMCH FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #12

| Item | Value |
|--------------------------|--------------------|
| Port Number | 12 |
| Internal Designation | J1D1 - ITP |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #13

| Item | Value |
|------|-------|
| | |

| | |
|--------------------------|--------------------|
| Port Number | 13 |
| Internal Designation | J9E2 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #14

| Item | Value |
|--------------------------|--------------------|
| Port Number | 14 |
| Internal Designation | J9E4 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #15

| Item | Value |
|--------------------------|------------------------|
| Port Number | 15 |
| Internal Designation | J9E3 - LPC HOT DOCKING |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | J9E1 - SCAN MATRIX |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|----------------------|
| Port Number | 17 |
| Internal Designation | J9G1 - LPC SIDE BAND |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #18

| Item | Value |
|----------------------|----------------|
| Port Number | 18 |
| Internal Designation | J8F1 - UNIFIED |

| | |
|--------------------------|--------------------|
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #19

| Item | Value |
|--------------------------|--------------------|
| Port Number | 19 |
| Internal Designation | J6F1 - LVDS |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #20

| Item | Value |
|--------------------------|--------------------|
| Port Number | 20 |
| Internal Designation | J2F1 - LAI FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #21

| Item | Value |
|--------------------------|--------------------|
| Port Number | 21 |
| Internal Designation | J2G1 - GFX VID |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #22

| Item | Value |
|--------------------------|--------------------|
| Port Number | 22 |
| Internal Designation | J1G6 - AC JACK |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot

System Slot #1

| Item | Value |
|------------------|-------------|
| Slot Number | 1 |
| Slot Designation | J6B2 |
| Slot Type | PCI Express |

| | |
|------------------------|------------------------|
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Long |
| Slot ID | 0x0000 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

| Item | Value |
|------------------------|------------------------|
| Slot Number | 2 |
| Slot Designation | J6B1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0001 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #3

| Item | Value |
|------------------|-------------|
| Slot Number | 3 |
| Slot Designation | J6D1 |
| Slot Type | PCI Express |

| | |
|------------------------|------------------------|
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0002 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #4

| Item | Value |
|------------------------|------------------------|
| Slot Number | 4 |
| Slot Designation | J7B1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0003 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #5

| Item | Value |
|------------------|-------------|
| Slot Number | 5 |
| Slot Designation | J8B4 |
| Slot Type | PCI Express |

| | |
|------------------------|------------------------|
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0004 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #6

| Item | Value |
|------------------------|------------------------|
| Slot Number | 6 |
| Slot Designation | J8D1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0005 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #7

| Item | Value |
|------------------|-------|
| Slot Number | 7 |
| Slot Designation | J8B3 |
| Slot Type | PCI |

| | |
|------------------------|------------------------|
| Data Bus Width | 32-Bit |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0006 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

[**Memory Array**](#)

| Item | Value |
|-------------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |
| Use Item | System memory |
| Error Correction | None |
| Error Handle | 0xFFFFE |
| Number of Devices | 4 |

[**Memory Device**](#)

Memory Device #1

| Item | Value |
|---------------|---------|
| Device Number | 1 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |

| | |
|--------------------|----------------|
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM0 |
| Bank Locator | BANK 0 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | |
| Serial Number | |
| Asset Tag | |
| Part Number | |

Memory Device #2

| Item | Value |
|--------------------|----------------|
| Device Number | 2 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM1 |
| Bank Locator | BANK 1 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |

| | |
|---------------|------|
| Speed | 0MHz |
| Manufacturer | |
| Serial Number | |
| Asset Tag | |
| Part Number | |

Memory Device #3

| Item | Value |
|--------------------|---------------------|
| Device Number | 3 |
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 8.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM0 |
| Bank Locator | BANK 2 |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2400MHz |
| Manufacturer | 859B |
| Serial Number | A423D421 |
| Asset Tag | 9876543210 |
| Part Number | BLS8G4D240FSEK.8FBD |

Memory Device #4

| Item | Value |
|--------------------|----------------|
| Device Number | 4 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM1 |
| Bank Locator | BANK 3 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | |
| Serial Number | |
| Asset Tag | |
| Part Number | |

**Procesadores****Processor #1****Basic Information**

| Item | Value |
|-------------------|--|
| Processor Number | 1 |
| Name | Intel(R) Core(TM) i7-7700 CPU @ 3.60GHz |
| Short Name | Core |
| Speed - Estimated | 3599MHz |
| Speed - Registry | 3600MHz |
| Processor Type | OEM Primary |
| Manufacturer | Intel(R) Corporation |
| Serial Number | |
| APIC Physical ID | 0x00, 0x01, 0x02, 0x03, 0x04, 0x05, 0x06, 0x07 |

[Detailed Information](#)

| Item | Value |
|---------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 8 |
| Number Cores | 4 |
| Vendor String | GenuineIntel |
| Family | 6 |
| Model | 14 |
| Stepping | 9 |
| Extended Family | 0x00 |
| Extended Model | 0x09 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |

| | |
|----------------------------------|-----|
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| PGE - Page Global Enable | Yes |
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | Yes |
| ACPI - ACPI Supported | Yes |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | Yes |
| HTT - Hyper-Threading Technology | Yes |

| | |
|---------------------------------|-----|
| TM1 - Thermal Interrupt Status | Yes |
| IA64 - 64-bit Intel | No |
| PBE - Pending Break Event | Yes |
| MMEXT - MMX+ Technology | No |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | Yes |
| CX16 - Compare Exchange 16 Byte | Yes |


Cache - TLB

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 0 |
| Code Associativity - 4K | 0 |
| Code Entries - 4M | 0 |
| Code Associativity - 4M | 0 |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | 4 |
| Data Entries - 4M | 0 |
| Data Associativity - 4M | 0 |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |

Unified Associativity - 4M | 0



Memoria



| Item | Value |
|-------------------|--------|
| Total Memory | 8160MB |
| Free Memory | 5331MB |
| Maximum Swap File | 9435MB |
| Free Swap File | 5906MB |



Discos Físicos

WDC WD10EZEX-08WN4A0

| Item | Value |
|-------------------|-----------------------|
| Disk Number | 1 |
| Capacity | 953867MB |
| Disk Type | Fixed hard disk media |
| Manufacturer | Western Digital |
| Model | WDC WD10EZEX-08WN4A0 |
| Serial Number | WD-WCC6Y0UDKA6L |
| Firmware Revision | |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 121601 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |


General UDisk USB Device

| Item | Value |
|-------------|--------|
| Disk Number | 2 |
| Capacity | 7679MB |

| | |
|-------------------|--------------------------|
| Disk Type | Removable Media |
| Manufacturer | |
| Model | General UDisk USB Device |
| Serial Number | |
| Firmware Revision | |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|----------------------|-------------|
| Letter | C |
| Drive Type | Fixed Drive |
| Percent Used | 15% |
| Used Space | 71.5GB |
| Free Space | 400GB |
| Total Space | 472GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | 6405-5580 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |

| | |
|----------------|-----------|
| Free Clusters | 104971372 |
| Total Clusters | 123712767 |

Drive D

| Item | Value |
|----------------------|-------------|
| Letter | D |
| Drive Type | Fixed Drive |
| Percent Used | 11% |
| Used Space | 51.9GB |
| Free Space | 407GB |
| Total Space | 459GB |
| Volume Name | Datos |
| File System | NTFS |
| Volume Serial Number | 6676-4CB6 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 106720102 |
| Total Clusters | 120319743 |

Drive E

| Item | Value |
|------------|--------|
| Letter | E |
| Drive Type | CD-ROM |

Drive F

| Item | Value |
|----------------------|-----------------|
| Letter | F |
| Drive Type | Removable Drive |
| Percent Used | 18% |
| Used Space | 1.36GB |
| Free Space | 6.13GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |
| Volume Serial Number | 8C24-41F2 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1606183 |
| Total Clusters | 1961984 |

**Programas de arranque**

| Name | Settings Folder | Startup Command |
|----------------------|--|---|
| Autodesk Desktop App | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Autodesk\Autodesk App\AutodeskDesktopAp |
| SunJavaUpdateSched | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\CFiles\Java\Java Update\ju |



| | | |
|---------------------------------|---|--|
| EEventManager | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\EventManager\EEventManager.exe" |
| CryptoIDE Mon | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\CryptoIDE\CryptoIDE.exe" |
| OneDrive | HKCU\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Users\20124063109\ca\Microsoft\OneDrive\OneDrive.exe" /background |
| EPLTarget\P00000000000000000000 | HKCU\Software\Microsoft\Windows\CurrentVersion\Run | C:\Windows\system32\spS\x64\3\E_IATILDE.EXE /M "EPLTarget\P00000000000000000000/M "XP-211 214 216 Serie" |
| desktop.ini | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| desktop.ini | C:\Users\20124063109\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\ | |



ODBC Information

Data Sources

No information found.

No ODBC data sources found.

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|------|-------|
| | |

pson
r.exe"
DEMon.exe"
AppData\Lo
neDrive.

ool\DRIVER
/EPT
0000000"
s"

[REDACTED]

| | |
|-----------------|--|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel(*.xls)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft Excel (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Paradox (*.db)

| Item | Value |
|-----------------|-------------------------------------|
| Name | Driver do Microsoft Paradox (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access Driver (*.mdb)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Access Driver (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access-Treiber (*.mdb)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Access-Treiber (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase Driver (*.dbf)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft dBase Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase-Treiber (*.dbf)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft dBase-Treiber (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel Driver (*.xls)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft Excel Driver (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel-Treiber (*.xls)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Excel-Treiber (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft ODBC for Oracle

| Item | Value |
|--------------|---------------------------|
| Name | Microsoft ODBC for Oracle |
| Company | Microsoft Corporation |
| File_Name | msorcl32.dll |
| File_Version | 10.0.17763.1 |

| | |
|-----------------|-------|
| Driver_ODBC_Ver | 02.50 |
|-----------------|-------|

Microsoft Paradox Driver (*.db)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Paradox Driver (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox-Treiber (*.db)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Microsoft Paradox-Treiber (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text Driver (*.txt; *.csv)

| Item | Value |
|-----------|--------------------------------------|
| Name | Microsoft Text Driver (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |

| | |
|-----------------|--------------|
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text-Treiber (*.txt; *.csv)

| Item | Value |
|-----------------|---------------------------------------|
| Name | Microsoft Text-Treiber (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 02.50 |

SQL Server

| Item | Value |
|-----------------|-----------------------|
| Name | SQL Server |
| Company | Microsoft Corporation |
| File_Name | SQLSRV32.dll |
| File_Version | 10.0.17763.1 |
| Driver_ODBC_Ver | 03.50 |



Names mentioned herein maybe trademarks or service marks of their respective holders.

Errors and Omissions Excepted

Generated by WinAudit Freeware v2.29

<http://www.pxserver.com>