



Computer Audit :: 07/07/2021 12:57:15 p.m.

Vista General


Item	Value
Computer Name	WS44269
Domain Name	GOBIERNOCBA
Site Name	Supercentro
Roles	Workstation, Server, Potential Browser
Description	
Operating System	Microsoft Windows 7 Professional 32-Bit
Manufacturer	To Be Filled By O.E.M.
Model	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Asset Tag	To Be Filled By O.E.M.
Number Of Processors	1
Processor Description	Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz
Total Memory	1792MB
Total Hard Drive	464GB
Display	W1943, 18.5" (41cm x 23cm)
BIOS Version	011211 - 20110112
User Account	20124063109
System Uptime	0 Days, 0 Hours, 2 Minutes

Local Time

2021-07-07 12:56:40



Software instalado



Active Setup

Name	Version	Installed
.NET Framework	2,0,50727,0	
.NET Framework	2,0,50727,1	
.NET Framework	4,0,30319,0	
.NET Framework	4,0,30319,0	

Active Directory Service Interface	5,0,00,0	Yes
Address Book 7	6,1,7601,17514	Yes
Browsing Enhancements	11,0,9600,19540	Yes
DirectDrawEx	4,71,1113,0	Yes
Disable SSL3	11,0,9600,0	Yes
Dynamic HTML Data Binding	11,0,9600,19540	Yes
Enable TLS1.1 and 1.2	11,0,9600,0	Yes
Google Chrome	43,0,0,0	Yes
HTML Help	6,3,9600,19540	Yes
Internet Explorer Core Fonts	11,0,9600,0	Yes
Internet Explorer Help	11,0,9600,19540	Yes
Internet Explorer Setup Tools	11,0,9600,19540	Yes
Internet Explorer	11,0,9600,16428	Yes
Microsoft Windows Media Player 12.0	12,0,7601,24499	Yes
Microsoft Windows Media Player	12,0,7601,24499	No
Microsoft Windows Media Player	12,0,7601,24499	Yes
Microsoft Windows Script 5.6	5,6,0,8833	Yes
Microsoft Windows	6,1,7601,17514	Yes
MSN Site Access	4,9,9,2	Yes
Offline Browsing Pack	11,0,9600,19540	Yes
RevokedRootsUpdate	5,0,2195,0	Yes
RootsUpdate	39,0,2195,0	Yes
Themes Setup	1,1,1,9	Yes
Web Platform Customizations	11,0,9600,0	Yes

Windows Desktop Update	6,1,7601,24468	Yes
------------------------	----------------	-----

Installed Programs

2007 Microsoft Office Suite Service Pack 1 (SP1)

Item	Value
Name	2007 Microsoft Office Suite Service Pack 1 (SP1)
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	{90120000-0015-0C0A-0000-0000000 FF1CE}_ENTERPRISE_{2CC8520D-6A74 -4CCA-9539-8E774E2B50D1}

Adobe Flash Player 14 ActiveX

Item	Value
Name	Adobe Flash Player 14 ActiveX
Vendor	Adobe Systems Incorporated
Version	14.0.0.125
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Adobe Flash Player ActiveX

Adobe Reader XI (11.0.06) - Español

Item	Value
Name	Adobe Reader XI (11.0.06) - Español
Vendor	Adobe Systems Incorporated
Version	11.0.06
Product Language	Spanish
Install Date	20140310
Install Location	C:\Program Files\Adobe\Reader 11.0\Reader\
Install Source	C:\ProgramData\Adobe\Setup\{AC76BA86-7AD7-1034-7B44-AB0000000001}\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D67C6141-379F-4B2A-99F6-68A447E2B146}
Package Name	AcroRead.msi
Local Package	C:\Windows\Installer\115738.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba

Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{AC76BA86-7AD7-1034-7B44-AB0000000001}

Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver

Item	Value
Name	Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver
Vendor	Atheros Communications Inc.
Version	2.1.0.7
Product Language	Spanish
Install Date	20141219
Install Location	C:\Program Files\Atheros Communications Inc.\Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver
Install Source	E:\network\atheros\
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	

Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{3108C217-BE83-42E4-AE9E-A56A2A92E549}

CCleaner

Item	Value
Name	CCleaner
Vendor	Piriform
Version	5.01
Product Language	
Install Date	
Install Location	C:\Program Files\CCleaner
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	

Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	CCleaner

Citrix Program Neighborhood

Item	Value
Name	Citrix Program Neighborhood
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	

Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Citrix Program Neighborhood

Compresor WinRAR

Item	Value
Name	Compresor WinRAR
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	

Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	WinRAR archiver

Configuration Manager Client

Item	Value
Name	Configuration Manager Client
Vendor	Microsoft Corporation
Version	5.00.8692.1000
Product Language	English
Install Date	20191001
Install Location	
Install Source	C:\Windows\ccmsetup\{4A9E3F85-A0 45-4AA6-831C-5E77BE6939B9}\
Install State	Installed
Assignment Type	Per Machine

Package Code	{4A9E3F85-A045-4AA6-831C-5E77BE6939B9}
Package Name	client.msi
Local Package	C:\Windows\Installer\7992b5.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{C27631F2-4573-4A58-9EB0-463E8D076FEA}

Cortex XDR 7.4.0.27237

Item	Value
Name	Cortex XDR 7.4.0.27237
Vendor	Palo Alto Networks, Inc.
Version	7.4.0.27237
Product Language	English
Install Date	20210616
Install Location	
Install Source	C:\Windows\ccmcache\n\
Install State	Installed

Assignment Type	Per Machine
Package Code	{45B40F86-58EB-4105-BD56-7A20FD3DC99A}
Package Name	Cortex XDR 7.4.0.27237_x86.msi
Local Package	C:\Windows\Installer\2f48f4.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{329ED10A-2575-488B-BB07-2AE8BCE520E1}

Google Update Helper

Item	Value
Name	Google Update Helper
Vendor	Google Inc.
Version	1.3.25.11
Product Language	English
Install Date	20141219
Install Location	
Install Source	C:\Program Files\Google\Update\1.3.25.11\

Install State	Installed
Assignment Type	Per Machine
Package Code	{314ABD4C-00F4-4C0F-9855-70BAB4399882}
Package Name	GoogleUpdateHelper.msi
Local Package	C:\Windows\Installer\29aee.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{A92DAB39-4E2C-4304-9AB6-BC44E68B55E2}

Google Chrome

Item	Value
Name	Google Chrome
Vendor	Google LLC
Version	91.0.4472.124
Product Language	
Install Date	20210701
Install Location	C:\Program Files\Google\Chrome\Application

Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Google Chrome

HP LaserJet Professional CP1020 Series

Item	Value
Name	HP LaserJet Professional CP1020 Series
Vendor	
Version	
Product Language	
Install Date	

Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	HP LaserJet Professional CP1020 Series

HPLJUT

Item	Value
Name	HPLJUT
Vendor	HP
Version	1.00.0012
Product Language	Neutral

Install Date	20151022
Install Location	C:\Program Files\HP\HPLJUT\
Install Source	C:\Users\201240~1\AppData\Local\Temp\7zS4AA5\ExtCap\UT\
Install State	Installed
Assignment Type	Per Machine
Package Code	{96DE6780-0926-4AAF-AE2C-FE46DE7D5F9A}
Package Name	HPLJUT.msi
Local Package	C:\Windows\Installer\6d77d.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{229D6185-BD7E-494B-A73B-C5215BE0690E}

hppcp1025LaserJetService

Item	Value
Name	hppcp1025LaserJetService
Vendor	Hewlett-Packard
Version	1.00.0000

Product Language	English
Install Date	20151022
Install Location	C:\Program Files\HP\
Install Source	C:\Users\20124063109\AppData\Local\Temp\7zS4AA5\ExtCap\hppcp1025LaserJetService\
Install State	Installed
Assignment Type	Per Machine
Package Code	{51B64642-9398-4CC6-B50B-6CC93FEAFE2C}
Package Name	hppcp1025LaserJetService.msi
Local Package	C:\Windows\Installer\6d771.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{F31BF057-0D5E-485E-ADFD-560314A27912}

hppLaserJetService

Item	Value
Name	hppLaserJetService
Vendor	Hewlett-Packard

Version	007.015.00635
Product Language	English
Install Date	20151022
Install Location	
Install Source	C:\Users\20124063109\AppData\Local\Temp\7zS4AA5\ExtCap\LJService\
Install State	Installed
Assignment Type	Per Machine
Package Code	{A7440685-96B5-41BA-AB89-DCE887559138}
Package Name	hppLaserJetService.msi
Local Package	C:\Windows\Installer\6d777.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{5093AE98-D510-4BEB-BAC1-7FC8ECE35B98}

Intel(R) Management Engine Components

Item	Value
Name	Intel(R) Management Engine Components

Vendor	Intel Corporation
Version	9.5.15.1730
Product Language	
Install Date	
Install Location	C:\Program Files\Intel\Intel(R) Management Engine Components
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{65153EA5-8B6E-43B6-857B-C6E4FC25798A}

Intel(R) USB 3.0 eXtensible Host Controller Driver

Item	Value

Name	Intel(R) USB 3.0 eXtensible Host Controller Driver
Vendor	Intel Corporation
Version	2.5.0.19
Product Language	
Install Date	
Install Location	C:\Program Files\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{240C3DDD-C5E9-4029-9DF7-95650D040CF2}

Intel® Trusted Connect Service Client

Item	Value
Name	Intel® Trusted Connect Service Client
Vendor	Intel Corporation
Version	1.31.8.1
Product Language	English
Install Date	20150210
Install Location	
Install Source	C:\Windows\Temp\IIF2\IUS\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2E780E38-7097-4965-9021-2F0F75C3EE2A}
Package Name	iclsClientInstaller_x86.msi
Local Package	C:\Windows\Installer\7013d.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{20D55630-5D12-4297-841C-D3165374ECEE}

Java 7 Update 55

Item	Value
Name	Java 7 Update 55
Vendor	Oracle
Version	7.0.550
Product Language	Neutral
Install Date	20140515
Install Location	C:\Program Files\Java\jre7\
Install Source	C:\Users\Administrador\AppData\LocalLow\Sun\Java\jre1.7.0_55\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B1FB0F83-1E4D-41A1-B8C0-02312066F915}
Package Name	jre1.7.0_55.msi
Local Package	C:\Windows\Installer\447e53.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{26A24AE4-039D-4CA4-87B4-2F83217055FF}

Java Auto Updater

Item	Value
Name	Java Auto Updater
Vendor	Sun Microsystems, Inc.
Version	2.1.9.8
Product Language	English
Install Date	20140515
Install Location	
Install Source	C:\Users\Administrador\AppData\LocalLow\Sun\Java\AU\
Install State	Installed
Assignment Type	Per Machine
Package Code	{3D7A59B0-F9B8-4443-9341-D45A0D20EF87}
Package Name	au.msi
Local Package	C:\Windows\Installer\447e63.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{4A03706F-666A-4037-7777-5F2748764D10}
-------------	--

Lenovo Power Management Driver

Item	Value
Name	Lenovo Power Management Driver
Vendor	
Version	1.66.00.22
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	Power Management Driver

Lotus Notes 8.5.2

Item	Value
Name	Lotus Notes 8.5.2
Vendor	IBM
Version	8.52.10222
Product Language	Neutral
Install Date	20130531
Install Location	
Install Source	C:\lotus notes 8\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2ED2530E-EA19-48BA-99F8-131DB81F61AD}
Package Name	Lotus Notes 8.5.2.msi
Local Package	C:\Windows\Installer\e13be.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	{E11DFB27-BAF4-46D6-AD76-D5519C0E6786}

Microsoft .NET Framework 4.5.1

Item	Value
Name	Microsoft .NET Framework 4.5.1
Vendor	Microsoft Corporation
Version	4.5.50938
Product Language	Neutral
Install Date	20141219
Install Location	
Install Source	D:\9a1c3e915e121073665387\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B3D92CBE-BDBF-4D16-9AAE-A8A612EB0EBE}
Package Name	netfx_Full_GDR_x86.msi
Local Package	C:\Windows\Installer\1f97fb.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	{4903D172-DCCB-392F-93A3-34CA9D47FE3D}

Microsoft Office Access MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Access MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0015-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{EDDCB28D-2BDA-430A-983B-3DD426565721}
Package Name	AccessMUI.msi
Local Package	C:\Windows\Installer\e1236.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0015-0C0A-0000-0000000FF1CE}

Microsoft Office Enterprise 2007

Item	Value
Name	Microsoft Office Enterprise 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Neutral
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0030-0000-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{1BC2032F-FE5E-4E20-9692-009FF989C05C}
Package Name	EnterpriseWW.msi
Local Package	C:\Windows\Installer\ee1242.msi
Product ID	89388-726-2958074-65163
Registered Company	
Registered Owner	usuario

Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0030-0000-0000-0000000FF1CE}

Microsoft Office Excel MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Excel MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0016-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{E816A5C4-12BA-4D37-940D-7A4154D3E168}
Package Name	ExcelMUI.msi
Local Package	C:\Windows\Installer\e11e4.msi
Product ID	
Registered Company	

Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0016-0C0A-0000-0000000FF1CE}

Microsoft Office Groove MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Groove MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-00BA-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{F12C7CB0-4E42-46EB-AB46-88E065C401E8}
Package Name	GrooveMUI.msi
Local Package	C:\Windows\Installer\e11f5.msi
Product ID	

Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-00BA-0C0A-0000-0000000FF1CE}

Microsoft Office InfoPath MUI (Spanish) 2007

Item	Value
Name	Microsoft Office InfoPath MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0044-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{EAE3C465-8FC4-413D-A16F-41723A0290A0}
Package Name	InfoPathMUI.msi
Local Package	C:\Windows\Installer\e11fa.msi

Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0044-0C0A-0000-0000000FF1CE}

Microsoft Office OneNote MUI (Spanish) 2007

Item	Value
Name	Microsoft Office OneNote MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-00A1-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{34A2B9E4-7D14-4806-880F-18A8819C798F}
Package Name	OneNoteMUI.msi

Local Package	C:\Windows\Installer\e123b.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-00A1-0C0A-0000-0000000FF1CE}

Microsoft Office Outlook MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Outlook MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-001A-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2ED3C0BC-A821-4B84-97AC-CCB871222940}

Package Name	OutlookMUI.msi
Local Package	C:\Windows\Installer\{e11ea.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001A-0C0A-0000-0000000FF1CE}

Microsoft Office PowerPoint MUI (Spanish) 2007

Item	Value
Name	Microsoft Office PowerPoint MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0018-0C0A-0000-0000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine

Package Code	{76348365-34DD-4AE1-8AAF-8DE38E3D0452}
Package Name	PowerPointMUI.msi
Local Package	C:\Windows\Installer\e11f0.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0018-0C0A-0000-0000000FF1CE}

Microsoft Office Proof (Basque) 2007

Item	Value
Name	Microsoft Office Proof (Basque) 2007
Vendor	Microsoft Corporation
Version	12.0.4518.1014
Product Language	Basque
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-0000000FF1CE}-C\Proof.eu\
Install State	Installed

Assignment Type	Per Machine
Package Code	{A55154C6-5494-4B27-9880-4BD9F6258E75}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\{e1204}.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-042D-0000-0000000FF1CE}

Microsoft Office Proof (Catalan) 2007

Item	Value
Name	Microsoft Office Proof (Catalan) 2007
Vendor	Microsoft Corporation
Version	12.0.6213.1000
Product Language	Catalan
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-0000000FF1CE}-C\Proof.ca\

Install State	Installed
Assignment Type	Per Machine
Package Code	{A0B3622C-90A7-4858-B028-EB7B4FD0228C}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\e1209.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-0403-0000-0000000FF1CE}

Microsoft Office Proof (English) 2007

Item	Value
Name	Microsoft Office Proof (English) 2007
Vendor	Microsoft Corporation
Version	12.0.6213.1000
Product Language	English
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\

Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\Proof.en\
Install State	Installed
Assignment Type	Per Machine
Package Code	{FCE6A278-C1AE-431F-BBCA-EA6CF34C0BCF}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\e121f.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-0409-0000-0000000FF1CE}

Microsoft Office Proof (French) 2007

Item	Value
Name	Microsoft Office Proof (French) 2007
Vendor	Microsoft Corporation
Version	12.0.6213.1000
Product Language	French
Install Date	20130531

Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\Proof.fr\
Install State	Installed
Assignment Type	Per Machine
Package Code	{A57F3989-21C1-4267-9019-088688971275}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\{e1219}.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-040C-0000-0000000FF1CE}

Microsoft Office Proof (Galician) 2007

Item	Value
Name	Microsoft Office Proof (Galician) 2007
Vendor	Microsoft Corporation
Version	12.0.4518.1014
Product Language	Galician

Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\Proof.g\
Install State	Installed
Assignment Type	Per Machine
Package Code	{51DAD7C3-06D9-4BD9-8502-FE9D9B7CCA6A}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\e11ff.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-0456-0000-0000000FF1CE}

Microsoft Office Proof (Portuguese (Brazil)) 2007

Item	Value
Name	Microsoft Office Proof (Portuguese (Brazil)) 2007
Vendor	Microsoft Corporation
Version	12.0.6213.1000

Product Language	Portuguese
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\Proof.pt-br\
Install State	Installed
Assignment Type	Per Machine
Package Code	{8B8C0E88-4DE1-4036-892B-A66400C0447C}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\e120e.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-0416-0000-0000000FF1CE}

Microsoft Office Proof (Spanish) 2007

Item	Value
Name	Microsoft Office Proof (Spanish) 2007
Vendor	Microsoft Corporation

Version	12.0.6213.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\Proof.es\
Install State	Installed
Assignment Type	Per Machine
Package Code	{6590949B-6313-4928-A555-1FEF633DAECA}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\e1213.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001F-0C0A-0000-00000000FF1CE}

Microsoft Office Proofing (Spanish) 2007

Item	Value
Name	Microsoft Office Proofing (Spanish) 2007

Vendor	Microsoft Corporation
Version	12.0.4518.1014
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-002C-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{C1D22597-F97B-4E1A-9DDB-1E7EB1F5B5D3}
Package Name	Proofing.msi
Local Package	C:\Windows\Installer\{e1224}.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-002C-0C0A-0000-00000000FF1CE}

Microsoft Office Publisher MUI (Spanish) 2007

Item	Value
------	-------

Name	Microsoft Office Publisher MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-0019-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{11A2BF28-939E-4622-8433-BD4E8A8F87B8}
Package Name	PublisherMUI.msi
Local Package	C:\Windows\Installer\e122a.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-0019-0C0A-0000-0000000FF1CE}



Microsoft Office Shared MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Shared MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-006E-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{53671F7D-A752-4948-9D58-7E36BC4BB53D}
Package Name	OfficeMUI.msi
Local Package	C:\Windows\Installer\ee11df.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-006E-0C0A-0000-0000000FF1CE}

Microsoft Office Word MUI (Spanish) 2007

Item	Value
Name	Microsoft Office Word MUI (Spanish) 2007
Vendor	Microsoft Corporation
Version	12.0.6215.1000
Product Language	Spanish
Install Date	20130531
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90120000-001B-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{127647F2-7C3E-4E48-BE33-9CDD37A59AC7}
Package Name	WordMUI.msi
Local Package	C:\Windows\Installer\{e1230}.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90120000-001B-0C0A-0000-0000000FF1CE}

Microsoft Policy Platform

Item	Value
Name	Microsoft Policy Platform
Vendor	Microsoft Corporation
Version	68.1.1010.0
Product Language	English
Install Date	20180726
Install Location	
Install Source	C:\Windows\ccmsetup\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D372F422-63E4-4B09-B878-18BACAA0FB9D}
Package Name	MicrosoftPolicyPlatformSetup.msi
Local Package	C:\Windows\Installer\28bfb.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{1067E879-BC1B-4DF3-B438-4C50C14EAF54}
-------------	--

Microsoft Silverlight

Item	Value
Name	Microsoft Silverlight
Vendor	Microsoft Corporation
Version	5.1.50907.0
Product Language	English
Install Date	20180726
Install Location	c:\Program Files\Microsoft Silverlight\
Install Source	c:\fb6b960f430446aefe2414a6\
Install State	Installed
Assignment Type	Per Machine
Package Code	{8DD7B23F-7639-46ED-9AE2-87B9B8DDA902}
Package Name	silverlight.msi
Local Package	c:\Windows\Installer\28c01.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	{89F4137D-6C26-4A84-BDB8-2E5A4BB71E00}

Microsoft Visual C++ 2005 Redistributable

Item	Value
Name	Microsoft Visual C++ 2005 Redistributable
Vendor	Microsoft Corporation
Version	8.0.56336
Product Language	Neutral
Install Date	20140515
Install Location	
Install Source	C:\Users\ADMINI~1\AppData\Local\Temp\IXP001.TMP\
Install State	Installed
Assignment Type	Per Machine
Package Code	{675C0FCE-58D9-435D-9AD8-ACDCB5808A3A}
Package Name	vcredist.msi
Local Package	C:\Windows\Installer\2a5666.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	{7299052b-02a4-4627-81f2-1818da5d550d}

Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.17

Item	Value
Name	Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.17
Vendor	Microsoft Corporation
Version	9.0.30729
Product Language	English
Install Date	20160715
Install Location	
Install Source	N:\Soft\Autodesk AutoCAD 2010\x86\support\VCRedist\2008\x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{49C9E7C6-4A9F-4E6F-AE93-9E014D1ACA93}
Package Name	vc_red.msi
Local Package	C:\Windows\Installer\9562d1.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	{9A25302D-30C0-39D9-BD6F-21E6EC160475}

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

Item	Value
Name	Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219
Vendor	Microsoft Corporation
Version	10.0.40219
Product Language	Neutral
Install Date	20150210
Install Location	
Install Source	c:\46d38d2303ab079b0f97c4c57f1ca3\
Install State	Installed
Assignment Type	Per Machine
Package Code	{461C455E-DA40-49B3-871B-14308CC7CEFF}
Package Name	vc_red.msi
Local Package	c:\Windows\Installer\6e151.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{F0C3E5D1-1ADE-321E-8167-68EF0DE699A5}

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660

Item	Value
Name	Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660.0
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	

Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{61087a79-ac85-455c-934d-1fa22cc64f36}

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660

Item	Value
Name	Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660
Product Language	English
Install Date	20180726
Install Location	
Install Source	C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{ECF7B346-705F-4652-9451-4A0D79480FBD}
Package Name	vc_runtimeAdditional_x86.msi
Local Package	C:\Windows\Installer\28bf5.msi
Product ID	
Registered Company	

Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{7DAD0258-515C-3DD4-8964-BD714199E0F7}

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660

Item	Value
Name	Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660
Product Language	English
Install Date	20180726
Install Location	
Install Source	C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{32708A00-6EE9-4612-89E1-AF165165AE29}
Package Name	vc_runtimeMinimum_x86.msi
Local Package	C:\Windows\Installer\28bef.msi
Product ID	

Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}

Mozilla Firefox 47.0.2 (x86 es-AR)

Item	Value
Name	Mozilla Firefox 47.0.2 (x86 es-AR)
Vendor	Mozilla
Version	47.0.2
Product Language	
Install Date	
Install Location	C:\Program Files\Mozilla Firefox
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	

Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Mozilla Firefox 47.0.2 (x86 es-AR)

Mozilla Maintenance Service

Item	Value
Name	Mozilla Maintenance Service
Vendor	Mozilla
Version	47.0.2.6148
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	

Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	MozillaMaintenanceService

Oracle JInitiator 1.1.7.15.1

Item	Value
Name	Oracle JInitiator 1.1.7.15.1
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	

Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Oracle JInitiator 1.1.7.15.1

Oracle JInitiator 1.1.7.27 Export

Item	Value
Name	Oracle JInitiator 1.1.7.27 Export
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	

Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Oracle JInitiator 1.1.7.27 Export

Platform

Item	Value
Name	Platform
Vendor	VIA Technologies, Inc.
Version	1.40
Product Language	English
Install Date	20150210
Install Location	C:\Program Files\VIA\Setup\
Install Source	C:\Users\ADMINI~1\AppData\Local\Temp\is-UPPF3.tmp\USetup\
Install State	Installed

Assignment Type	Per Machine
Package Code	{D55FF33F-616E-4CE7-86C5-6EF83E5EFC6A}
Package Name	Platform.msi
Local Package	C:\Windows\Installer\70147.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{20D4A895-748C-4D88-871C-FDB1695B0169}

Security Update for Microsoft .NET Framework 4.5.1 (KB2894854v2)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2894854v2)
Vendor	Microsoft Corporation
Version	2
Product Language	
Install Date	
Install Location	
Install Source	

Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2894854v2

Software Information

Security Update for Microsoft .NET Framework 4.5.1 (KB2898869)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2898869)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	

Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2898869

Security Update for Microsoft .NET Framework 4.5.1 (KB2901126)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2901126)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	

Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2901126

Security Update for Microsoft .NET Framework 4.5.1 (KB2972107)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2972107)
Vendor	Microsoft Corporation
Version	1
Product Language	

Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2972107

Security Update for Microsoft .NET Framework 4.5.1 (KB2972216)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2972216)
Vendor	Microsoft Corporation
Version	1

Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2972216

Security Update for Microsoft .NET Framework 4.5.1 (KB2978128)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2978128)
Vendor	Microsoft Corporation

Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2978128

Security Update for Microsoft .NET Framework 4.5.1 (KB2979578v2)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.5.1 (KB2979578v2)

Vendor	Microsoft Corporation
Version	2
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB2979578v2

VIA Administrador de dispositivos de plataforma

Item	Value

Name	VIA Administrador de dispositivos de plataforma
Vendor	VIA Technologies, Inc.
Version	1.40
Product Language	English
Install Date	20150210
Install Location	C:\Program Files\VIA\Setup\
Install Source	C:\Users\ADMINI~1\AppData\Local\Temp\is-UPPF3.tmp\USetup\
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	InstallShield_{20D4A895-748C-4D88-871C-FDB1695B0169}

VIA Rhine Family Fast Ethernet Adapter

Item	Value
Name	VIA Rhine Family Fast Ethernet Adapter
Vendor	VIA Technologies, Inc.
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	VN_VUIns_Rhine_VIA

Software Updates

Update ID	Installed On	Description
KB982018	6/3/2013	Update
KB976902	11/20/2010	Update
KB971033	6/3/2013	Update
KB958488	6/1/2013	Update
KB4525106	12/6/2019	Security Update
KB4519974	11/13/2019	Security Update
KB451460	2019-10-	2019-09 Paquete acumulativo de actualizaciones de calidad y seguridad de .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 en Windows 7 (KB4514602)
KB4507456	10/22/2019	Security Update
KB4507004	10/15/2019	Update
KB4503269	10/22/2019	Security Update
KB4474419	10/16/2019	Security Update
KB4019990	10/15/2019	Update
KB3025390	12/19/2014	Security Update
KB3014406	12/19/2014	Update
KB3013410	12/19/2014	Update
KB3013126	12/19/2014	Security Update
KB3011780	12/19/2014	Security Update
KB3010788	12/19/2014	Security Update
KB3009736	12/19/2014	Hotfix
KB3008923	12/19/2014	Security Update

KB3008627	12/19/2014	Update
KB3006625	12/19/2014	Update
KB3006226	12/19/2014	Security Update
KB3006121	12/19/2014	Update
KB3005607	12/19/2014	Security Update
KB3003743	12/19/2014	Security Update
KB3003057	12/19/2014	Security Update
KB3002885	12/19/2014	Security Update
KB3001554	12/19/2014	Update
KB2993958	12/19/2014	Security Update
KB2993651	12/19/2014	Update
KB2992611	12/19/2014	Security Update
KB2991963	12/19/2014	Security Update
KB2990214	5/29/2015	Update
KB2985461	12/19/2014	Update
KB2984976	12/19/2014	Security Update
KB2984972	12/19/2014	Security Update
KB2980245	12/19/2014	Update
KB2979570	12/19/2014	Security Update
KB297957	20141219	KB2979578v2
KB2978742	12/19/2014	Security Update
KB2978668	12/19/2014	Security Update
KB2978120	12/19/2014	Security Update
KB297812	20141219	KB2978128

KB2978092	12/19/2014	Update
KB2977728	12/19/2014	Hottfix
KB2977292	12/19/2014	Security Update
KB2976897	12/19/2014	Security Update
KB2976627	12/19/2014	Security Update
KB2973351	12/19/2014	Security Update
KB2973201	12/19/2014	Security Update
KB2973112	12/19/2014	Security Update
KB2972280	12/19/2014	Security Update
KB2972211	12/19/2014	Security Update
KB297221	20141219	KB2972216
KB2972100	12/19/2014	Security Update
KB297210	20141219	KB2972107
KB2971850	12/19/2014	Security Update
KB2970228	12/19/2014	Update
KB2968294	12/19/2014	Security Update
KB2966583	12/19/2014	Update
KB2965788	6/16/2014	Security Update
KB2963950	6/16/2014	Security Update
KB2961072	12/19/2014	Security Update
KB2957689	6/16/2014	Security Update
KB2957509	6/16/2014	Security Update
KB2957503	6/16/2014	Security Update
KB2957189	6/16/2014	Security Update

KB2952664	12/19/2014	Update
KB2943357	12/19/2014	Security Update
KB2939576	6/16/2014	Security Update
KB2937610	12/19/2014	Security Update
KB2931356	12/19/2014	Security Update
KB2930275	4/4/2014	Security Update
KB2929961	4/4/2014	Security Update
KB2929755	4/4/2014	Update
KB2929733	3/28/2014	Update
KB2929437	6/16/2014	Security Update
KB2928562	12/19/2014	Update
KB2926765	6/16/2014	Security Update
KB2922229	6/16/2014	Security Update
KB2919469	4/4/2014	Update
KB2918614	12/19/2014	Security Update
KB2918077	4/4/2014	Update
KB2916036	4/4/2014	Security Update
KB2913431	4/4/2014	Update
KB2913152	4/4/2014	Update
KB2912390	4/4/2014	Security Update
KB2911501	4/4/2014	Security Update
KB2909210	6/16/2014	Security Update
KB2908783	12/19/2014	Update
KB2904266	4/4/2014	Update

KB290112	20141219	KB2901126
KB2901112	4/4/2014	Security Update
KB2900986	3/6/2014	Security Update
KB289886	20141219	KB2898869
KB2898857	4/4/2014	Security Update
KB289485	20141219	KB2894854v2
KB2894844	12/19/2014	Security Update
KB2893519	3/10/2014	Update

Update ID	Installed On	Description
KB2893294	4/4/2014	Security Update
KB2892074	4/4/2014	Security Update
KB2891804	4/4/2014	Update
KB2888049	3/10/2014	Update
KB2887069	4/4/2014	Security Update
KB2884256	3/6/2014	Security Update
KB2883150	3/6/2014	Security Update
KB2882822	3/10/2014	Update
KB2876331	3/6/2014	Security Update
KB2876284	3/6/2014	Security Update
KB2872339	3/6/2014	Security Update
KB2871997	6/16/2014	Security Update
KB2868725	3/6/2014	Security Update
KB2868626	3/6/2014	Security Update

KB2868623	3/6/2014	Security Update
KB2868116	3/6/2014	Update
KB2868038	3/6/2014	Security Update
KB2864202	3/6/2014	Security Update
KB2864058	3/6/2014	Security Update
KB2863240	4/4/2014	Security Update
KB2863058	3/6/2014	Update
KB2862973	4/4/2014	Security Update
KB2862966	3/6/2014	Security Update
KB2862335	3/6/2014	Security Update
KB2862330	4/4/2014	Security Update
KB2862152	3/6/2014	Security Update
KB2861855	3/6/2014	Security Update
KB2861698	4/4/2014	Security Update
KB2861191	4/4/2014	Security Update
KB2859537	3/6/2014	Security Update
KB2853952	3/10/2014	Update
KB2852386	3/10/2014	Update
KB2849697	4/4/2014	Update
KB2849696	4/4/2014	Update
KB2849470	3/6/2014	Security Update
KB2847927	3/6/2014	Security Update
KB2847311	3/6/2014	Security Update
KB2847077	4/4/2014	Hotfix

KB2846960	3/10/2014	Update
KB2845187	3/6/2014	Security Update
KB2844286	4/4/2014	Security Update
KB2843630	4/4/2014	Update
KB2841134	4/4/2014	Update
KB2840631	4/4/2014	Security Update
KB2840149	6/1/2013	Security Update
KB2839894	3/6/2014	Security Update
KB2836943	4/4/2014	Update
KB2836942	4/4/2014	Update
KB2836502	3/10/2014	Update
KB2835364	3/6/2014	Security Update
KB2835361	3/6/2014	Security Update
KB2834886	3/6/2014	Security Update
KB2834140	3/10/2014	Update
KB2832414	4/4/2014	Security Update
KB2830290	6/1/2013	Security Update
KB2829530	6/1/2013	Security Update
KB2829361	6/1/2013	Security Update
KB2820331	6/1/2013	Update
KB2820197	6/1/2013	Security Update
KB2813956	6/1/2013	Update
KB2813430	3/6/2014	Security Update
KB2813347	6/1/2013	Security Update

KB2813170	6/1/2013	Security Update
KB2808679	3/10/2014	Update
KB2807986	6/1/2013	Security Update
KB2804579	6/1/2013	Security Update
KB2803821	3/6/2014	Security Update
KB2800095	12/19/2014	Update
KB2799926	6/1/2013	Update
KB2798162	6/1/2013	Update
KB2790655	6/1/2013	Security Update
KB2790113	6/1/2013	Security Update
KB2789645	6/1/2013	Security Update
KB2786400	6/1/2013	Update
KB2786081	6/1/2013	Update
KB2785220	6/1/2013	Security Update
KB2779562	6/1/2013	Update
KB2773072	6/1/2013	Update
KB2770660	6/1/2013	Security Update
KB2769369	6/1/2013	Security Update
KB2763523	6/1/2013	Update
KB2761217	6/1/2013	Update
KB2758857	6/1/2013	Security Update
KB2757638	6/1/2013	Security Update
KB2756921	6/1/2013	Security Update
KB2753842	6/1/2013	Security Update

KB2750841	6/1/2013	Update
KB2749655	6/1/2013	Update
KB2743555	6/1/2013	Security Update
KB2742599	6/1/2013	Security Update
KB2736422	6/1/2013	Security Update
KB2732500	6/1/2013	Update
KB2732487	6/3/2013	Update
KB2732059	6/1/2013	Update
KB2729452	6/1/2013	Security Update
KB2729094	6/1/2013	Update
KB2727528	6/1/2013	Security Update
KB2726535	6/1/2013	Update
KB2719985	6/1/2013	Security Update
KB2719857	6/1/2013	Update

Update ID	Installed On	Description
KB2718704	6/1/2013	Update
KB2712808	6/1/2013	Security Update
KB2709981	6/3/2013	Update
KB2709630	6/1/2013	Update
KB2705219	6/1/2013	Security Update
KB2699779	6/1/2013	Update
KB2698365	6/1/2013	Security Update
KB2691442	6/1/2013	Security Update

KB2690533	6/1/2013	Security Update
KB2685939	6/1/2013	Security Update
KB2685813	6/1/2013	Update
KB2685811	6/1/2013	Update
KB2676562	6/1/2013	Security Update
KB2670838	6/3/2013	Update
KB2667402	6/1/2013	Security Update
KB2661254	6/1/2013	Update
KB2660649	6/1/2013	Security Update
KB2660075	6/1/2013	Update
KB2659262	6/1/2013	Security Update
KB2658846	6/1/2013	Security Update
KB2656411	6/1/2013	Security Update
KB2656356	6/1/2013	Security Update
KB2655992	6/1/2013	Security Update
KB2654428	6/1/2013	Security Update
KB2653956	6/1/2013	Security Update
KB2647753	6/1/2013	Update
KB2644615	6/1/2013	Security Update
KB2640148	6/1/2013	Update
KB2631813	6/1/2013	Security Update
KB2621440	6/1/2013	Security Update
KB2620704	6/1/2013	Security Update
KB2619339	6/1/2013	Security Update

KB2618451	6/1/2013	Security Update
KB2604115	6/1/2013	Security Update
KB2592687	6/3/2013	Update
KB2585542	6/1/2013	Security Update
KB2584146	6/1/2013	Security Update
KB2579686	6/1/2013	Security Update
KB2574819	6/3/2013	Update
KB2570947	6/1/2013	Security Update
KB256506	20150210	KB2565063
KB2564958	6/1/2013	Security Update
KB2563227	6/1/2013	Update
KB2560656	6/1/2013	Security Update
KB2552343	6/1/2013	Update
KB2547666	6/1/2013	Update
KB2545698	6/1/2013	Update
KB2544893	6/1/2013	Security Update
KB2541014	6/1/2013	Update
KB2536276	6/1/2013	Security Update
KB2536275	6/1/2013	Security Update
KB2534111	6/1/2013	Hotfix
KB2533552	6/1/2013	Update
KB2532531	6/3/2013	Security Update
KB2529073	6/3/2013	Update
KB2515325	6/1/2013	Update

KB2511455	6/1/2013	Security Update
KB2510531	6/1/2013	Security Update
KB2509553	6/1/2013	Security Update
KB2506928	6/1/2013	Update
KB2506212	6/1/2013	Security Update
KB2503665	6/1/2013	Security Update
KB2491683	6/1/2013	Security Update
KB2479943	6/1/2013	Security Update
	20191001	CLP3082
	20180726	Microsoft Silverlight 5.1.50907.0
	20140310	Adobe Reader XI (11.0.06)
	20130531	2007 Microsoft Office Suite Service Pack 1 (SP1)



Sistema Operativo

Name	Value
Name	7
Edition	Professional
Install Date	28/05/2015
Registered Owner	Gobierno de Cordoba
Registered Organization	Gobierno de Cordoba
Product ID	55041-007-2241032-86083
Major Version Number	6

Minor Version Number	1
Build Number	7601
Service Pack	Service Pack 1
Service Pack Version	1.0
Plus! Version Number	
DirectX Version	9.0c
Windows Directory	C:\Windows\
System Directory	C:\Windows\system32\
Temporary Directory	C:\Users\201240~1\AppData\Local\Temp\
Operating System Language	Spanish - Argentina
Number Of Bits	32



Periféricos

Name	Description
Mouse	3 Button Mouse, has wheel
Keyboard	IBM enhanced (101- or 102-key), 12 function keys
Display Description	W1943, 18.5" (41cm x 23cm)
Printer	Microsoft XPS Document Writer
Printer	HP LaserJet CP 1025nw (Copiar 1)
Printer	Fax
Printer	Enviar a OneNote 2007
Printer	Brother DCP-8080DN BR-Script3 (Copiar 1)

Mapped Drive	m: [\\d250isefs01\Grupos2]
Mapped Drive	N: [\\d030nfs01\grupos029]
Mapped Drive	q: [\\d030nfs01\Publica030]
Mapped Drive	r: [\\d030nfs01\Grupos030]
Network Installed	Yes



Seguridad

Internet Software

Type	Name	Version	Data Update?
Browser	Internet Explorer(TM)	9.11.9600.19540	
Browser	Mozilla FireFox(TM)	47.0.2 (x86 es-AR)	
E-mail	Microsoft(R) Outlook	12.0.6212.1000	
E-mail	Windows Mail(TM)	6.1.7601.17514	

Open Ports

TCP 0.0.0.0:135

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	135

Caption	TCP 0.0.0.0:135
Service Name	epmap
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	776
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:445

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	445
Caption	TCP 0.0.0.0:445
Service Name	microsoft-ds
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	System
Process ID	4
Process Description	

Process Manufacturer	
----------------------	--

TCP 0.0.0.0:3389

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	3389
Caption	TCP 0.0.0.0:3389
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1380
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:33221

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	33221

Caption	TCP 0.0.0.0:33221
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

TCP 0.0.0.0:49152

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49152
Caption	TCP 0.0.0.0:49152
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\wininit.exe
Process ID	456
Process Description	Aplicación de inicio de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

TCP 0.0.0.0:49153

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49153
Caption	TCP 0.0.0.0:49153
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\System32\svchost.exe
Process ID	852
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:49154

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49154

Caption	TCP 0.0.0.0:49154
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1008
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:49155

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49155
Caption	TCP 0.0.0.0:49155
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\System32\spoolsv.exe
Process ID	1532
Process Description	Aplicación de subsistema de cola

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

TCP 0.0.0.0:49156

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49156
Caption	TCP 0.0.0.0:49156
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\lsass.exe
Process ID	576
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:49177

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49177

Caption	TCP 0.0.0.0:49177
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\services.exe
Process ID	536
Process Description	Aplicación de servicios y controlador
Process Manufacturer	Microsoft Corporation

TCP 0.0.0.0:49181

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49181
Caption	TCP 0.0.0.0:49181
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	3156
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

TCP 10.29.11.14:139

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	139
Caption	TCP 10.29.11.14:139
Service Name	netbios-ssn
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

TCP 10.29.11.14:49173

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49173

Caption	TCP 10.29.11.14:49173
Service Name	
Remote Address	10.250.80.40
Remote Port	445
Connection State	Connection established (ESTABLISHED)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

TCP 10.29.11.14:49175

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49175
Caption	TCP 10.29.11.14:49175
Service Name	
Remote Address	10.29.1.15
Remote Port	445
Connection State	Connection established (ESTABLISHED)
Process Name	System
Process ID	4
Process Description	

Process Manufacturer

TCP 10.29.11.14:49182

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49182
Caption	TCP 10.29.11.14:49182
Service Name	
Remote Address	10.250.1.199
Remote Port	135
Connection State	Closing (TIME-WAIT)

TCP 10.29.11.14:49183

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49183
Caption	TCP 10.29.11.14:49183
Service Name	
Remote Address	10.250.1.199
Remote Port	49158

Connection State	Closing (TIME-WAIT)
------------------	---------------------

TCP 10.29.11.14:49187

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49187
Caption	TCP 10.29.11.14:49187
Service Name	
Remote Address	10.250.1.199
Remote Port	135
Connection State	Closing (TIME-WAIT)

TCP 10.29.11.14:49188

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49188
Caption	TCP 10.29.11.14:49188
Service Name	
Remote Address	10.250.1.199
Remote Port	49158

Connection State	Closing (TIME-WAIT)
------------------	---------------------

TCP 10.29.11.14:49240

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49240
Caption	TCP 10.29.11.14:49240
Service Name	
Remote Address	10.250.1.199
Remote Port	135
Connection State	Connection established (ESTABLISHED)
Process Name	C:\Windows\system32\lsass.exe
Process ID	576
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

TCP 10.29.11.14:49241

Item	Value
Port Protocol	TCP
Local Address	10.29.11.14
Local Port	49241

Caption	TCP 10.29.11.14:49241
Service Name	
Remote Address	10.250.1.199
Remote Port	49158
Connection State	Connection established (ESTABLISHED)
Process Name	C:\Windows\system32\lsass.exe
Process ID	576
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

TCP 127.0.0.1:49227

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49227
Caption	TCP 127.0.0.1:49227
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49228

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49228
Caption	TCP 127.0.0.1:49228
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49229

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49229
Caption	TCP 127.0.0.1:49229
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49230

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49230
Caption	TCP 127.0.0.1:49230
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49231

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49231
Caption	TCP 127.0.0.1:49231
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49232

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49232
Caption	TCP 127.0.0.1:49232
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49233

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49233
Caption	TCP 127.0.0.1:49233
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49234

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49234
Caption	TCP 127.0.0.1:49234
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:49235

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	49235
Caption	TCP 127.0.0.1:49235
Service Name	
Remote Address	127.0.0.1
Remote Port	50001
Connection State	Closing (TIME-WAIT)

TCP 127.0.0.1:50001

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50001
Caption	TCP 127.0.0.1:50001
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

TCP 127.0.0.1:50002

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50002
Caption	TCP 127.0.0.1:50002
Service Name	
Remote Address	0.0.0.0

Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

TCP 127.0.0.1:50005

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50005
Caption	TCP 127.0.0.1:50005
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

TCP 127.0.0.1:50006

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50006
Caption	TCP 127.0.0.1:50006
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

UDP 0.0.0.0:123

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	123
Caption	UDP 0.0.0.0:123
Service Name	ntp
Process Name	C:\Windows\system32\svchost.exe

Process ID	980
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 0.0.0.0:500

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	500
Caption	UDP 0.0.0.0:500
Service Name	isakmp
Process Name	C:\Windows\system32\svchost.exe
Process ID	1008
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 0.0.0.0:4500

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	4500
Caption	UDP 0.0.0.0:4500

Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1008
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 0.0.0.0:5355

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	5355
Caption	UDP 0.0.0.0:5355
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1380
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 0.0.0.0:33221

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0

Local Port	33221
Caption	UDP 0.0.0.0:33221
Service Name	
Process Name	cyserver.exe
Process ID	2168
Process Description	
Process Manufacturer	

UDP 0.0.0.0:58230

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	58230
Caption	UDP 0.0.0.0:58230
Service Name	
Process Name	C:\Windows\System32\spoolsv.exe
Process ID	1532
Process Description	Aplicación de subsistema de cola
Process Manufacturer	Microsoft Corporation

UDP 10.29.11.14:137

Item	Value

Port Protocol	UDP
Local Address	10.29.11.14
Local Port	137
Caption	UDP 10.29.11.14:137
Service Name	netbios-ns
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

UDP 10.29.11.14:138

Item	Value
Port Protocol	UDP
Local Address	10.29.11.14
Local Port	138
Caption	UDP 10.29.11.14:138
Service Name	netbios-dgm
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

UDP 10.29.11.14:1900

Item	Value
Port Protocol	UDP
Local Address	10.29.11.14
Local Port	1900
Caption	UDP 10.29.11.14:1900
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	4048
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 10.29.11.14:64593

Item	Value
Port Protocol	UDP
Local Address	10.29.11.14
Local Port	64593
Caption	UDP 10.29.11.14:64593
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	4048
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 127.0.0.1:1900

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	1900
Caption	UDP 127.0.0.1:1900
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	4048
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 127.0.0.1:54766

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	54766
Caption	UDP 127.0.0.1:54766
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1148

Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 127.0.0.1:57768

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	57768
Caption	UDP 127.0.0.1:57768
Service Name	
Process Name	C:\Windows\system32\lsass.exe
Process ID	576
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

UDP 127.0.0.1:57770

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	57770
Caption	UDP 127.0.0.1:57770
Service Name	

Process Name	C:\Windows\system32\svchost.exe
Process ID	1380
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

UDP 127.0.0.1:64594

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	64594
Caption	UDP 127.0.0.1:64594
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	4048
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

Printer Permissions**Brother DCP-8080DN BR-Script3 (Copiar 1)****GOBIERNOCBA\20124063109**

Name	Value

Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	GOBIERNOCBA\20124063109
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

GOBIERNOCBA\20124063109

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	GOBIERNOCBA\20124063109
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	0000000000001111000000000000110000
Owner	NT AUTHORITY\SYSTEM

CREATOR OWNER

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	0000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Enviar a OneNote 2007**ws44269\Administrador**

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	ws44269\Administrador
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100

Owner	NT AUTHORITY\SYSTEM
-------	---------------------

ws44269\Administrador

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	ws44269\Administrador
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	00000000000011110000000000110000
Owner	NT AUTHORITY\SYSTEM

CREATOR OWNER

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit

Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	00000000000000100000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only

Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Enviar a OneNote 2007
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL

ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Fax**CREATOR OWNER**

Name	Value
Name	Fax
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Fax
Object Type	Printer
Trustee	Todos
ACE Type	Allow

Permissions	Read Permissions, Print
ACE Flags	
Access Mask	000000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Fax
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Fax
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow

Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	000000000000111100000000000001100
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Fax
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

HP LaserJet CP 1025nw (Copiar 1)**GOBIERNOCBA\20255816927**

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)
Object Type	Printer

Trustee	GOBIERNOCBA\20255816927
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

GOBIERNOCBA\20255816927

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)
Object Type	Printer
Trustee	GOBIERNOCBA\20255816927
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	0000000000001111000000000000110000
Owner	NT AUTHORITY\SYSTEM

CREATOR OWNER

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)

Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	000000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)

Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	HP LaserJet CP 1025nw (Copiar 1)
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value

Name	HP LaserJet CP 1025nw (Copiar 1)
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Microsoft XPS Document Writer

CREATOR OWNER

Name	Value
Name	Microsoft XPS Document Writer
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Microsoft XPS Document Writer
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	00000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Microsoft XPS Document Writer
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Microsoft XPS Document Writer
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	0000000000001111000000000000001100
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Microsoft XPS Document Writer
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

Security Log

Time Generated	Log File	Source Name	Description
----------------	----------	-------------	-------------

01/07/2021 08:41:51 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20385026014 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Puede ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son: 0x3e7: inicio de sesión de usuario. 0x3e8: inicio de sesión de servicio. 0x3e9: inicio de sesión de administrador. 0x3eb: inicio de sesión de invitado de administrador.
--------------------------	----------	-------------------------------------	---

on.

BA
de
a
:

n
or
de

de
de
te

a

to
I
ele
:

lica

on

			2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Si es 0 si no se solicitó una clave de sesión. Event ID 4625
22/06/2021 12:03:09 p.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-21-2127433847-13155281647331-29949 Nombre de cuenta: 20124063109 Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x63c4df2 Tipo de inicio de sesión: S-1-5-21-2127433847-13155281647331-299491 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: Invitado Dominio de cuenta: ws44269 Información de error: Motivo del error: <unknown parameter: %%2310> Estado: 0xc000006e Subestado:
07/07/2021 12:57:41 p.m.			132/350

os

s

n

le

re

ie

icio

d

erá

ón.

6-45

e

6-45

e

do

		S-1-5-21-2127433847-131552816 47331-299490 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-21-2127433847-131552816 47331-299498 Nombre de proceso del autor de la llamada: S-1-5-21-2127433847-131552816 47331-299499 Información de red: Nombre de estación de trabajo: S-1-5-21-2127433847-131552816 47331-299494 Dirección de red de origen: 201240631090 Puerto de origen: 201240631091 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-21-2127433847-131552816 47331-299492 Paquete de autenticación: S-1-5-21-2127433847-131552816 47331-299493 Servicios transitados: S-1-5-21-2127433847-131552816 47331-299495 Nombre de paquet (sólo NTLM): S-1-5-21-2127433847-131552816 47331-299496 Longitud de clave: S-1-5-21-2127433847-131552816 47331-299497 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intenta tener acceso. Los campos de sujetos indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos
--	--	--

6-45

de

6-45

o

6-45

l:

6-45

e

n

60

6-45

6-45

os:

6-45

e

6-45

6-45

or

1.

ntó

to

l

ele

:

lica

on

ns

			Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625
14/06/2021 09:40:24 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20385026014 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2309> Estado: 0xc0000224 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada:
07/07/2021 12:57:41 p.m.			136/350

s
n
e
re

ie
icio

d
erá

ón.

BA
de
a
>

n
or
de

		S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información c autenticación detallada: Proceso c inicio de sesión: S-1-5-182 Paquet de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Sue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los campo Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre d estación de trabajo no está siempr disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios qu participaron en esta solicitud de in
--	--	---

de
de
te

a

to
I
ele
:

lica

on
cs

:
n

re

ie
icio

			<p>de sesión. - Número de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Si 0 si no se solicitó una clave de sesión. Event ID 4625</p>
14/06/2021 09:19:46 a.m.	Security	Microsoft-Windows-Security-Auditing	<p>Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 2038502601 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local</p>

d
erá

ón.

BA
de
a
e

n
or
de

de
de
te

a
to
l

			<p>que solicitó el inicio de sesión. Sigue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se escribe 0 si no se solicitó una clave de sesión. Event ID 4625</p>
11/06/2021 01:00:45 p.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20385026014 Dominio de cuenta: GOBIERNOCBA
07/07/2021 12:57:41 p.m.			142/350

ele

e

lica

on
os

s
n

e
re

ie
icio

d
erá

ón.

BA
de
a
e

			<p>Información de error: Motivo del error: <unknown parameter: %%2307> Estado: 0xc0000234 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Sue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los</p>
--	--	--	--

n
or
de

de
de
te

a

to
I
ele
:

lica

on
os

:
n

re

			<p>campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Si 0 si no se solicitó una clave de sesión. Event ID 4625</p>
11/06/2021 12:59:27 p.m.	Security	Microsoft-Windows-Security-Auditing	<p>Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 385026014 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre del proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185</p>

ie
icio

d
erá

ón.

BA
de
a
e

n
or
de

de
de
te

			Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Su ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los campo Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios qu participaron en esta solicitud de in de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitu de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625
11/06/2021 11:38:45 a.m.	Security	Microsoft-Windows-Security-Audit ina	Error de una cuenta al iniciar sesió Sujetos: Id. de seguridad: S-1-5-18

a

to

l

ele

e

lica

on

os

s

n

e

re

ie

icio

d

erá

ón.

		Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20270797823 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del aut de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información c autenticación detallada: Proceso c inicio de sesión: S-1-5-182 Paque de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Sue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los camp Información de proceso indican la
--	--	---

BA
de

;
;

n
or
de

de
de
te

;

to
I
ele
;

lica

on
os

			cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Si es 0 si no se solicitó una clave de sesión. Event ID 4625
11/06/2021 10:43:28 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 38502601 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre del proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de conexión de trabajo:

s
n
|e
re

|e
icio

d
erá

ón.

BA
de
a
e

n
or
de

			TIPO DE ESTACIÓN DE TRABAJO. S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeción indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocalo que se usó.
--	--	--	--

de
de
te

a

to
l
ele
e

lica

on
os

s
n
e
re

ie
icio

			entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625
11/06/2021 10:43:07 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: GOBERNOCBA Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Sue

d
erá

ón.

BA
de
a
s

de

n
or
de

de
de
te

a

to
l
ele

			ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se establece a 0 si no se solicitó una clave de sesión. Event ID 4625
11/06/2021 10:41:59 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: WS44269/2038502601 Dominio de cuenta: GOBIERNOC Información de error: Motivo del
07/07/2021 12:57:41 p.m.			158/350

liza

on
os

s
n

le
re

le
icio

d
erá

ón.

BA
de
a
e

BA

		<p>error: 'unknown parameter: %%2304' Estado: 0x80090303 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Sue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de</p>
--	--	---

n
or
de

de
de
te

a

to
I
ele
:

lica

on
os

s
n
e
re

			autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625
11/06/2021 09:12:58 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: Jonathan Rebuffo Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paque de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave:
07/07/2021 12:57:41 p.m.			162/350

ie
icio

d
erá

ón.

BA
de
a
e
o

n
or
de

de
de
te

			<p>S-1-5-187 Longitud de clave.</p> <p>S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Sugerir un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Si es 0 si no se solicitó una clave de sesión. Event ID 4625</p>
26/05/2021 12:52:02 p.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-187 Nombre de cuenta: WS44269\$

a

to

I

ele

:

lica

on

os

:

n

le

re

ie

icio

d

erá

ón.

		Dominio de cuenta: GOBIERNOC Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20275481514 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del aut de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquetes de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Sue ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los campo Información de proceso indican la cuenta y el proceso en el sistema
--	--	---

BA
de
a
e

n
or
de

de
de
te

a

to
I
ele
e

lica
on
os

			<p>que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625</p>
25/02/2021 01:26:20 p.m.	Security	Microsoft-Windows-Security-Auditing	<p>Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 203901495- Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000000d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de</p>
07/07/2021 12:57:41 p.m.			168/350

s
n
e
re

ie
icio

d
erá

ón.

BA
de
a
>

n
or
de

		<p>origen: WS44269\$0 Puerto de origen: WS44269\$1 Información c autenticación detallada: Proceso c inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Su ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes so 2 (interactivo) y 3 (red). Los campo Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre d estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios qu participaron en esta solicitud de in de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. -</p>
--	--	--

de
de
te

a

to
l
ele
:

lica

on
os

:

n

re
re

re
icio

			Longitud de clave indica la longitud de la clave de sesión generada. Si 0 si no se solicitó una clave de sesión. Event ID 4625
25/02/2021 01:20:28 p.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-0-0 Nombre de cuenta: - Dominio de cuenta: - Id. de inicio de sesión: 0x Tipo de inicio de sesión: S-1-0-01 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 0xc0000133 Dominio de cuenta: <unknown parameter: %%2304> Información de error: Motivo del error: 3 Estado: 0x0 Subestado: S-1-0-00 Información del proceso: Id. de proceso del autor de la llamada: S-1-0-08 Nombre de proceso del autor de la llamada: S-1-0-09 Información de red: Nombre de estación de trabajo: S-1-0-04 Dirección de red de origen: -0 Puerto de origen: -1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-0-02 Paquete de autenticación: S-1-0-0 Servicios transitados: S-1-0-05 Nombre de paquete (sólo NTLM): S-1-0-06 Longitud de clave: S-1-0-0 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos de inicio de sesión más comunes son:

d
erá

ón.

:0

ón:
de

de
de

en:
n
so

03

-07

le
po
s
a
cio

o
icio
de
án

			<p>sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se 0 si no se solicitó una clave de sesión. Event ID 4625</p>
16/03/2020 08:42:54 a.m.	Security	Microsoft-Windows-Security-Auditing	<p>Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS44269\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20119732086 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre</p>

as

ed).

so

l

le

a.

e

.

ie

icio

d

erá

ón.

BA

de

a

;

n

or

de

		proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS44269\$0 Puerto de origen: WS44269\$1 Información c autenticación detallada: Proceso c inicio de sesión: S-1-5-182 Paquet de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de suje indican la cuenta del sistema local que solicitó el inicio de sesión. Su ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión ind la clase de inicio de sesión que se solicitó. Los tipos más comunes s 2 (interactivo) y 3 (red). Los camp Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indica dónde se originó una solicitud de inicio de sesión remota. Nombre d estación de trabajo no está siem disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios qu
--	--	--

de
de
te

a

to
l
ele
,

lica

on
os

s
n

le
re

ie

			participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Se muestra 0 si no se solicitó una clave de sesión. Event ID 4625
--	--	--	---

Security Settings

Item	Name	Setting
AutoLogon	Enabled	No
Screen Saver	Enabled	Yes
Screen Saver	Timeout	0 Seconds
Screen Saver	Password Protected	No
All Accounts	Force Network Logoff	Never
All Accounts	Minimum Password Length	8 Characters
All Accounts	Maximum Password Age	180 Days
All Accounts	Historical Passwords	5 remembered
All Accounts	Lockout Threshold	5 Attempts
Automatic Updates	Update Status	Scheduled installation
Automatic Updates	Update Schedule	Every day
Internet Explorer	Run Script	Allow
Internet Explorer	Run ActiveX	Allow
Internet Explorer	Run Java	Allow
Internet Explorer	Download Files	Allow
Internet Explorer	Install Desktop Items	Unknown

icio

d
erá

Internet Explorer	Launch Applications	Prompt user
-------------------	---------------------	-------------

Share Permissions

ADMIN\$

No Trustee

Name	Value
Name	ADMIN\$
Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	NT SERVICE\TrustedInstaller

Brother DCP-8080DN BR-Script3 (Copiar 1)

GOBIERNOCBA\20124063109

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Share
Trustee	GOBIERNOCBA\20124063109

ACE Type	Allow
Permissions	Full Control
ACE Flags	
Access Mask	000000000001111000000011111111
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Share
Trustee	Todos
ACE Type	Allow
Permissions	Full Control
ACE Flags	
Access Mask	000000000001111000000011111111
Owner	NT AUTHORITY\SYSTEM

BUILTIN\Administradores

Name	Value
Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Object Type	Share
Trustee	BUILTIN\Administradores
ACE Type	Allow

Permissions	Full Control
ACE Flags	
Access Mask	00000000000111100000011111111
Owner	NT AUTHORITY\SYSTEM

C\$**No Trustee**

Name	Value
Name	C\$
Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	NT SERVICE\TrustedInstaller

D\$**No Trustee**

Name	Value
Name	D\$
Object Type	Share

Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	NT AUTHORITY\SYSTEM

IPC\$**No Trustee**

Name	Value
Name	IPC\$
Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	

print\$**Todos**

Name	Value
Name	print\$
Object Type	Share
Trustee	Todos
ACE Type	Allow
Permissions	Read
ACE Flags	
Access Mask	0000000000010010000000010101001
Owner	BUILTIN\Administradores

BUILTIN\Administradores

Name	Value
Name	print\$
Object Type	Share
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Full Control
ACE Flags	
Access Mask	00000000000111110000000111111111
Owner	BUILTIN\Administradores

[System Restore](#)

No restore points found, requires at least XP and the WMI service running.

User Privileges

Privilege Name
Ajustar las cuotas de la memoria para un proceso
Administristrar registro de seguridad y auditoría
Tomar posesión de archivos y otros objetos
Cargar y descargar controladores de dispositivo
Analizar el rendimiento del sistema
Cambiar la hora del sistema
Analizar un solo proceso
Aumentar prioridad de programación
Crear un archivo de paginación
Hacer copias de seguridad de archivos y directorios
Restaurar archivos y directorios
Apagar el sistema
Depurar programas
Modificar valores de entorno firmware
Omitir comprobación de recorrido
Forzar cierre desde un sistema remoto
Quitar equipo de la estación de acoplamiento
Realizar tareas de mantenimiento del volumen
Suplantar a un cliente tras la autenticación
Crear objetos globales

Aumentar el espacio de trabajo de un proceso

Cambiar la zona horaria

Crear vínculos simbólicos

Windows Firewall

Name	Setting
Firewall Enabled	Yes
Authorised Service	Compartir archivos e impresoras
Authorised Service	Detección de redes
Authorised Service	Escritorio remoto

Grupos y Usuarios

Local Groups

Administradores

Name	Value
Group Type	Local
Group Name	Administradores
Comment Item	Los administradores tienen acceso completo y sin restricciones al equipo o dominio

Members

Group Name	Member Name
Administradores	Administrador
Administradores	Admins029
Administradores	Domain Admins
Administradores	GGAdminGeneralWS

Policy

Group Name	Privilege Name
Administradores	Administrar registro de seguridad y auditoría
Administradores	Hacer copias de seguridad de archivos y directorios
Administradores	Restaurar archivos y directorios
Administradores	Cambiar la hora del sistema
Administradores	Apagar el sistema
Administradores	Forzar cierre desde un sistema remoto
Administradores	Tomar posesión de archivos y otros objetos
Administradores	Depurar programas
Administradores	Modificar valores de entorno firmware
Administradores	Analizar el rendimiento del sistema
Administradores	Analizar un solo proceso
Administradores	Aumentar prioridad de programación
Administradores	Cargar y descargar controladores de dispositivo
Administradores	Crear un archivo de paginación

Administradores	Ajustar las cuotas de la memoria para un proceso
Administradores	Omitir comprobación de recorrido
Administradores	Quitar equipo de la estación de acoplamiento
Administradores	Realizar tareas de mantenimiento del volumen
Administradores	Suplantar a un cliente tras la autenticación
Administradores	Crear objetos globales
Administradores	Cambiar la zona horaria
Administradores	Crear vínculos simbólicos
Administradores	SeInteractiveLogonRight
Administradores	SeBatchLogonRight
Administradores	SeRemoteInteractiveLogonRight

Duplicadores

Name	Value
Group Type	Local
Group Name	Duplicadores
Comment Item	Pueden replicar archivos en un dominio

Members

No information found.

Policy

No information found.

IIS_IUSRS

Name	Value
Group Type	Local
Group Name	IIS_IUSRS
Comment Item	Grupo integrado usado por Internet Information Services.

Members

Group Name	Member Name
IIS_IUSRS	IUSR

Policy

No information found.

Invitados

Name	Value
Group Type	Local
Group Name	Invitados
Comment Item	De forma predeterminada, los invitados tienen el mismo acceso que los miembros del grupo Usuarios, excepto la cuenta de invitado que tiene más

restricciones

Members

Group Name	Member Name
Invitados	Invitado

Policy

No information found.

Lectores del registro de eventos

Name	Value
Group Type	Local
Group Name	Lectores del registro de eventos
Comment Item	Los miembros de este grupo pueden leer registros de eventos del equipo local.

Members

No information found.

Policy

No information found.

Ofrecer aplicaciones auxiliares de asistencia remota

Name	Value
Group Type	Local
Group Name	Ofrecer aplicaciones auxiliares de asistencia remota
Comment Item	Los miembros de este grupo pueden ofrecer asistencia remota a los usuarios de este equipo.

Members

Group Name	Member Name
Ofrecer aplicaciones auxiliares de asistencia remota	GGAsistenciaRemota

Policy

No information found.

Operadores criptográficos

Name	Value
Group Type	Local
Group Name	Operadores criptográficos
Comment Item	Los miembros tienen autorización para realizar operaciones criptográficas.

Members

No information found.

Policy

No information found.

Operadores de configuración de red

Name	Value
Group Type	Local
Group Name	Operadores de configuración de red
Comment Item	Los miembros en este equipo pueden tener algunos privilegios administrativos para administrar la configuración de las características de la red

Members

No information found.

Policy

No information found.

Operadores de copia de seguridad

Name	Value
------	-------

Name	Value
Group Type	Local
Group Name	Operadores de copia de seguridad
Comment Item	Los operadores de copia de seguridad pueden invalidar restricciones de seguridad con el único propósito de hacer copias de seguridad o restaurar archivos.

Members

No information found.

Policy

Group Name	Privilege Name
Operadores de copia de seguridad	Hacer copias de seguridad de archivos y directorios
Operadores de copia de seguridad	Restaurar archivos y directorios
Operadores de copia de seguridad	Apagar el sistema
Operadores de copia de seguridad	Omitir comprobación de recorrido
Operadores de copia de seguridad	SeInteractiveLogonRight
Operadores de copia de seguridad	SeBatchLogonRight

Usuarios

Name	Value
Group Type	Local
Group Name	Usuarios

Group Name	Usuarios
Comment Item	Los usuarios no pueden hacer cambios accidentales o intencionados en el sistema y pueden ejecutar la mayoría de aplicaciones

Members

Group Name	Member Name
Usuarios	Domain Users
Usuarios	INTERACTIVE
Usuarios	Usuarios autentificados

Policy

Group Name	Privilege Name
Usuarios	Apagar el sistema
Usuarios	Omitir comprobación de recorrido
Usuarios	Quitar equipo de la estación de acoplamiento
Usuarios	Aumentar el espacio de trabajo de un proceso
Usuarios	Cambiar la zona horaria
Usuarios	SelInteractiveLogonRight

Usuarios avanzados

Name	Value
Group Type	Local
Group Name	Usuarios avanzados
Comment Item	Los usuarios avanzados se incluyen para la compatibilidad con versiones anteriores y poseen derechos administrativos limitados

Members

No information found.

Policy

No information found.

Usuarios COM distribuidos

Name	Value
Group Type	Local
Group Name	Usuarios COM distribuidos
Comment Item	Los miembros pueden iniciar, activar y usar objetos de COM distribuido en este equipo.

Members

No information found.

Policy**No information found.****Usuarios de escritorio remoto**

Name	Value
Group Type	Local
Group Name	Usuarios de escritorio remoto
Comment Item	A los miembros de este grupo se les concede el derecho de iniciar sesión remotamente

Members

Group Name	Member Name
Usuarios de escritorio remoto	GGAsistenciaRemota

Policy

Group Name	Privilege Name
Usuarios de escritorio remoto	SeRemoteInteractiveLogonRight

Usuarios del control remoto de ConfigMgr

Name	Value
Group Type	Local

Group Name	Usuarios del control remoto de ConfigMgr
Comment Item	Los miembros de este grupo pueden ver y controlar este equipo con el control remoto de Configuration Manager

Members

Group Name	Member Name
Usuarios del control remoto de ConfigMgr	GGAdminGeneralWS
Usuarios del control remoto de ConfigMgr	usopocba

Policy

No information found.

Usuarios del monitor de sistema

Name	Value
Group Type	Local
Group Name	Usuarios del monitor de sistema
Comment Item	Los miembros de este grupo tienen acceso a los datos del contador de rendimiento de forma local y remota

Members

No information found.

Policy

No information found.

Usuarios del registro de rendimiento

Name	Value
Group Type	Local
Group Name	Usuarios del registro de rendimiento
Comment Item	Los miembros de este grupo pueden programar contadores de registro y rendimiento, habilitar proveedores de seguimiento y recopilar seguimientos de eventos localmente y a través del acceso remoto a este equipo

Members

No information found.

Policy

Group Name	Privilege Name
Usuarios del registro de rendimiento	SeBatchLogonRight

[Global Groups](#)

None

Name	Value
07/07/2021 12:57:41 p.m.	

Name	Value
Group Type	Global
Group Name	None
Comment Item	Ordinary users

Members

Group Name	Member Name
None	Administrador
None	Invitado
None	usuario

Policy

No information found.

User Accounts

Administrador

Item	Value
User Account	Administrador
Full Name	
Description	Cuenta integrada para la administración del equipo o dominio
Account Status	Enabled, Not Locked
Local Groups	Administradores

Local Groups	
Global Groups	None
Last Logon	28/05/2015 04:28:18 p.m.
Last Logoff	
Number Of Logons	72
Bad Password Count	0
Password Age	2231 Days
Password Expired	No
Account Expires	

Invitado

Item	Value
User Account	Invitado
Full Name	
Description	Cuenta integrada para el acceso como invitado al equipo o dominio
Account Status	Disabled, Not Locked
Local Groups	Invitados
Global Groups	None
Last Logon	
Last Logoff	
Number Of Logons	0
Bad Password Count	0
Password Age	0 Days

Password Expired	No
Account Expires	

usuario

Item	Value
User Account	usuario
Full Name	
Description	
Account Status	Disabled, Not Locked
Local Groups	Invitados
Global Groups	None
Last Logon	03/06/2013 07:44:41 p.m.
Last Logoff	
Number Of Logons	5
Bad Password Count	0
Password Age	2958 Days
Password Expired	Yes
Account Expires	



Red Windows

Network Files

No information found.

Network Sessions

Client Name	User Name	Connected	Idle
\[fe80::3541:cbd4:bf0:7b0e]	20124063109	0 Minutes	0 Minutes

Network Shares

Share Name	Share Type	Connections	Share Path
ADMIN\$	Disk Drive Admin	1	C:\Windows
Brother DCP-8080DN BR-Script3 (Copiar 1)	Print Queue	0	Brother DCP-8080DN BR-Script3 (Copiar 1),LocalsplOnly
C\$	Disk Drive Admin	1	C:\
D\$	Disk Drive Admin	1	D:\
IPC\$	Interprocess Communication Admin	1	
print\$	Disk Drive	0	C:\Windows\system32\spool\drivers



Red TCP/IP

Realtek PCIe FE Family Controller

Item	Value
------	-------

Adapter Number	1
Adapter Name	Realtek PCIe FE Family Controller
DNS Host Name	ws44269
DNS Servers	
IP Address	
IP Subnet	255.255.0.0
Default IP Gateway	
DHCP Enabled	Yes
DHCP Server	10.250.1.235
DHCP IP Address	10.29.11.14
DHCP Lease Obtained	07/07/2021 12:54:14 p.m.
DHCP Lease Expires	15/07/2021 12:54:14 p.m.
Status Code	0
Adapter Status	This device is working properly.
Adapter Type	Ethernet 802.3
MAC Address	00:25:22:A0:8C:AE
Connection Status	Connected
Connection Speed	100 Mbps



NetBIOS

LAN Adapter #1

Item	Value
Adapter Number	1
Software Release	3.0
MAC Address	00:25:22:a0:8c:ae
Adapter Type	Ethernet
Maximum Sessions	16
Sessions Pending	0
Maximum Data	65535 Bytes
Maximum Datagram	512 Bytes



Dispositivos

Adaptadores de pantalla

Intel(R) G41 Express Chipset (Microsoft Corporation - WDDM 1.1)

Item	Value
Device Type	Adaptadores de pantalla
Device Name	
Description	Intel(R) G41 Express Chipset (Microsoft Corporation - WDDM 1.1)
Manufacturer	Intel Corporation
Location	Bus PCI 0, dispositivo 2, función 0
Driver Provider	Intel Corporation
Driver Version	8.15.10.1749

Driver Date	5-6-2009
Status Code	0
Status Message	OK
Class GUID	{4D36E968-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_2E32&SUBSYS_2E3 21849&REV_03\3&11583659&8&10

Adaptadores de red

Adaptador asínc. de RAS

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Adaptador asínc. de RAS
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	SW\{EEAB7790-C514-11D1-B42B-00805FC1270E}\ASYNCMAC

Adaptador de tunelización Teredo de Microsoft

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Adaptador de tunelización Teredo de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT*TEREDO\0000

Adaptador ISATAP de Microsoft

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Adaptador ISATAP de Microsoft
Manufacturer	Microsoft
Location	

Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT*ISATAP\0000

Minipuerto WAN (IP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (IP)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANIP\0000

Minipuerto WAN (IPv6)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (IPv6)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANIPV6\0000

Minipuerto WAN (L2TP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (L2TP)
Manufacturer	Microsoft
Location	

Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_L2TPMINIPORT\0000

Minipuerto WAN (Monitor de red)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (Monitor de red)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANBH\0000

Minipuerto WAN (PPPOE)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (PPPOE)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_PPPOEMINIPORT\0000

Minipuerto WAN (PPTP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (PPTP)
Manufacturer	Microsoft
Location	

Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_PPTPMINIPORT\0000

Minipuerto WAN (SSTP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (SSTP)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_SSTPMINIPORT\0000

Realtek PCIe FE Family Controller

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Realtek PCIe FE Family Controller
Manufacturer	Realtek
Location	Bus PCI 1, dispositivo 0, función 0
Driver Provider	Realtek
Driver Version	7.61.612.2012
Driver Date	6-12-2012
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_10EC&DEV_8136&SUBSYS_813 61849&REV_02\4&22A5283C&0&00E1

WAN Miniport (IKEv2)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	WAN Miniport (IKEv2)
Manufacturer	Microsoft
Location	

Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_AGILEVPNMINIPORT\0000

Adaptador ISATAP de Microsoft #2

Item	Value
Device Type	Adaptadores de red
Device Name	Adaptador ISATAP de Microsoft #2
Description	Adaptador ISATAP de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT*ISATAP\0001

Baterías

Batería compuesta de Microsoft

Item	Value
Device Type	Baterías
Device Name	
Description	Batería compuesta de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{72631E54-78A4-11D0-BCF7-00AA00B7B32A}
Device ID	ROOT\COMPOSITE_BATTERY\0000

Controladoras ATA/ATAPI IDE

Controladora de almacenamiento ATA serie Intel(R) 82801GB/GR/GH

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	

Description	Controladora de almacenamiento ATA serie Intel(R) 82801GB/GR/GH
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 31, función 2
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27C0&SUBSYS_27C01849&REV_01\3&11583659&8&FA

Controladoras de almacenamiento Ultra ATA Intel(R) 82801G (fami

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	
Description	Controladoras de almacenamiento Ultra ATA Intel(R) 82801G (fami
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 31, función 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0

Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27DF&SUBSYS_27DF1849&REV_01\3&11583659&8&F9

ATA Channel 0

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 0
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 0
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&2FF37C79&0&0

ATA Channel 0

Item	Value
Device Type	Controladoras ATA/ATAPI IDE

Device Name	ATA Channel 0
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 0
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&42DA025&0&0

ATA Channel 1

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 1
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0

Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&2FF37C79&0&1

ATA Channel 1

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 1
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&42DA025&0&1

Controladoras de bus serie universal

Concentrador raíz USB

Item	Value
07/07/2021 12:57:41 p.m.	

Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB\4&1A814301&0

Concentrador raíz USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0

Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB\4&286AC39&0

Concentrador raíz USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB\4&30A926A9&0

Concentrador raíz USB

Item	Value
------	-------

Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB\4&D08F36A&0

Concentrador raíz USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB20\4&14FC3ADD&0

Controlador de host mejorado USB2 Intel(R) 82801G (familia ICH7)

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host mejorado USB2 Intel(R) 82801G (familia ICH7)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 29, función 7
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_27CC&SUBSYS_27C C1849&REV_01\3&11583659&8&EF

Controlador de host universal USB Intel(R) 82801G (familia ICH7)

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host universal USB Intel(R) 82801G (familia ICH7)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 29, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_27C8&SUBSYS_27C 81849&REV_01\3&11583659&8&E8

Controlador de host universal USB Intel(R) 82801G (familia ICH7)

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host universal USB Intel(R) 82801G (familia ICH7)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 29, función 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18328

Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_27C9&SUBSYS_27C91849&REV_01\3&11583659&8&E9

Controlador de host universal USB Intel(R) 82801G (familia ICH7)

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host universal USB Intel(R) 82801G (familia ICH7)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 29, función 2
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_27CA&SUBSYS_27CA1849&REV_01\3&11583659&8&EA

Controlador de host universal USB Intel(R) 82801G (familia ICH7)

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host universal USB Intel(R) 82801G (familia ICH7)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 29, función 3
Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_27CB&SUBSYS_27CB1849&REV_01\3&11583659&8&EB

Dispositivo compuesto USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Dispositivo compuesto USB
Manufacturer	(Controladora de host USB estándar)
Location	Port_#0001.Hub_#0002

Driver Provider	Microsoft
Driver Version	6.1.7601.18328
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\VID_04D9&PID_1603\5&544556A&0&1

Dispositivo de almacenamiento USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Dispositivo de almacenamiento USB
Manufacturer	Dispositivo de almacenamiento USB compatible
Location	Port_#0002.Hub_#0005
Driver Provider	Microsoft
Driver Version	6.1.7601.17577
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\VID_ABCD&PID_1234\5&34EED321&0&2

Controladoras de sonido y vídeo y dispositivos de juego

Dispositivo de High Definition Audio

Item	Value
Device Type	Controladoras de sonido y vídeo y dispositivos de juego
Device Name	
Description	Dispositivo de High Definition Audio
Manufacturer	Microsoft
Location	Bus interno de High Definition Audio
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	11-19-2010
Status Code	0
Status Message	OK
Class GUID	{4D36E96C-E325-11CE-BFC1-08002BE10318}
Device ID	HDAUDIO\FUNC_01&VEN_10EC&DEV_066 2&SUBSYS_18493662&REV_1001\4&1CBF3B76&0&0001

Controladores que no son Plug and Play

Administrador de punto de montaje

Item	Value
Device Type	Controladores que no son Plug and Play

Device Name	
Description	Administrador de punto de montaje
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MOUNTMGR\0000

Administrador de volúmenes dinámicos

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Administrador de volúmenes dinámicos
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VOLMGRX\0000

Ancillary Function Driver for Winsock

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Ancillary Function Driver for Winsock
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_AFD\0000

Beep

Item	Value
Device Type	Controladores que no son Plug and Play

Device Name	
Description	Beep
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_BEEP\0000

Canal IDE

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Canal IDE
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_ATAPI\0000

CNG

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	CNG
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CNG\0000

Controlador ARP IPv6 de acceso remoto

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Controlador ARP IPv6 de acceso remoto
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WANARPV6\0000

Controlador de archivos sin conexión

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de archivos sin conexión
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CSC\0000

Controlador de autorización de Firewall de Windows

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de autorización de Firewall de Windows
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MPSDRV\0000

Controlador de filtro de aceleración de bus de máquina virtual

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Controlador de filtro de aceleración de bus de máquina virtual
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_STORFLT\0000

Controlador de protocolo TCP/IP

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de protocolo TCP/IP
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TCPIP\0000

Controlador de QWAVE

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de QWAVE
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_QWAVEDRV\0000

Controlador de sistema NDIS

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Controlador de sistema NDIS
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDIS\0000

Controlador de soporte TDI heredado NetIO

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de soporte TDI heredado NetIO
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TDX\0000

Controlador del filtro de Cifrado de unidad BitLocker

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador del filtro de Cifrado de unidad BitLocker
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_FVEVOL\0000

cyverak

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	cyverak
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CYVERAK\0000

cyvrmtgn

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	cyvrmtgn
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CYVRMTGN\0000

Hardware Policy Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Hardware Policy Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_HWPOLICY\0000

HTTP

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	HTTP
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_HTTP\0000

KSecDD

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	KSecDD
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_KSECDD\0000

KSecPkg

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	KSecPkg
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_KSECPKG\0000

LDDM Graphics Subsystem

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	LDDM Graphics Subsystem
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_DXGKRNL\0000

Link-Layer Topology Discovery Mapper I/O Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Link-Layer Topology Discovery Mapper I/O Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_LLTDIO\0000

Link-Layer Topology Discovery Responder

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Link-Layer Topology Discovery Responder
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RSPNDR\0000

msisadrv

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	msisadrv
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MSISADRV\0000

NativeWiFi Filter

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NativeWiFi Filter
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NATIVEWIFIP\0000

NDIS Usermode I/O Protocol

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NDIS Usermode I/O Protocol
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDISUIO\0000

NDProxy

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	NDProxy
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDPROXY\0000

NETBT

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NETBT
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NETBT\0000

NSI proxy service driver.

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NSI proxy service driver.
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NSIPROXY\0000

Null

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Null
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NULL\0000

Parvdm

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Parvdm
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PARVDM\0000

PEAUTH

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	PEAUTH
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PEAUTH\0000

Performance Counters for Windows Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Performance Counters for Windows Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PCW\0000

Programador de paquetes QoS

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Programador de paquetes QoS
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PSCHED\0000

RDP Encoder Mirror Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	RDP Encoder Mirror Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPENCDD\0000

RDP Winstation Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	RDP Winstation Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPWD\0000

RDPCDD

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	RDPCDD
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPCDD\0000

Reflector Display Driver used to gain access to graphics data

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Reflector Display Driver used to gain access to graphics data
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPREFMP\0000

Registro común (CLFS)

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Registro común (CLFS)
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CLFS\0000

Remote Access Auto Connection Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Remote Access Auto Connection Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RASACD\0000

Remote Desktop Services Security Filter Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Remote Desktop Services Security Filter Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TSSECSR\0000

Security Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Security Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_SECDRV\0000

Security Processor Loader Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Security Processor Loader Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_SPLDR\0000

Servicio de marcos de controlador en modo Kernel

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Servicio de marcos de controlador en modo Kernel
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WDF01000\0000

SMS Process Event Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	SMS Process Event Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PREPDRV\0000

System Attribute Cache

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	System Attribute Cache
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_DISCACHE\0000

TCP/IP Registry Compatibility

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	TCP/IP Registry Compatibility
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TCPIPREG\0000

TDTCP

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	TDTCP
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TDTCP\0000

tedrpers-7.4.0.27237

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	tedrpers-7.4.0.27237
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TEDRPERS-7.4.0.27237\0000

Terminal Server Device Redirector Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Terminal Server Device Redirector Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPDR\0000

User Mode Driver Frameworks Platform Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	User Mode Driver Frameworks Platform Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WUDFPF\0000

VgaSave

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	VgaSave
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VGASAVE\0000

Virtual WiFi Filter Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Virtual WiFi Filter Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VWIFIFLT\0000

Volúmenes de almacenamiento

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Description	Volumenes de almacenamiento
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VOLSNAP\0000

WFP Lightweight Filter

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	WFP Lightweight Filter
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WFPLWF\0000

Dispositivos de interfaz de usuario (HID)

Dispositivo compatible con HID

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)
Device Name	
Description	Dispositivo compatible con HID
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.18199
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	HID\VID_04D9&PID_1603&MI_01&COL01\7&4BC0E3E&0&0000

Dispositivo de control del consumidor compatible con HID

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)

Device Type	Dispositivos de interfaz de usuario (HID)
Device Name	
Description	Dispositivo de control del consumidor compatible con HID
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	HID\VID_04D9&PID_1603&MI_01&COL02\7&4BC0E3E&0&0001

Dispositivo de entrada USB

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)
Device Name	
Description	Dispositivo de entrada USB
Manufacturer	(Dispositivos de sistema estándar)
Location	0000.001d.0001.001.000.000.000.000.000
Driver Provider	Microsoft
Driver Version	6.1.7601.18199
Driver Date	6-21-2006
Status Code	0

Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	USB\VID_04D9&PID_1603&MI_00\6&240037F4&0&0000

Dispositivo de entrada USB

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)
Device Name	
Description	Dispositivo de entrada USB
Manufacturer	(Dispositivos de sistema estándar)
Location	0000.001d.0001.001.000.000.000.000.000
Driver Provider	Microsoft
Driver Version	6.1.7601.18199
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	USB\VID_04D9&PID_1603&MI_01\6&240037F4&0&0001

Dispositivo de entrada USB

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)

Device Type	Dispositivos de interfaz de usuario (FID)
Device Name	
Description	Dispositivo de entrada USB
Manufacturer	(Dispositivos de sistema estándar)
Location	Port_#0002.Hub_#0002
Driver Provider	Microsoft
Driver Version	6.1.7601.18199
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	USB\VID_093A&PID_2510\5&544556A&0&2

Dispositivos del sistema

Administrador de volúmenes

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Administrador de volúmenes
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514

Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\VOLMGR\0000

Altavoz del sistema

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Altavoz del sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0800\4&477E9A9&0

Archivar como controlador de volumen

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Archivar como controlador de volumen
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\BLBDRIVE\0000

Botón de característica fija ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Botón de característica fija ACPI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\FIXEDBUTTON\2&DABA3FF&C

Botón de encendido ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Botón de encendido ACPI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C0C\AA

Bus PCI

Item	Value
------	-------

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Bus PCI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Intel
Driver Version	2.5.0.19
Driver Date	3-29-2013
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0A08\0

Controlador BIOS de Microsoft System Management

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador BIOS de Microsoft System Management
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MSSMBIOS\0000

Controlador de enumerador de unidades virtuales de Microsoft

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de enumerador de unidades virtuales de Microsoft
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\VDRVROOT\0000

Controlador de mouse de Terminal Server

Item	Value
------	-------

Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de mouse de Terminal Server
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDP_MOU\0000

Controlador de teclado de Terminal Server

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de teclado de Terminal Server
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDP_KBD\0000

Controladora de acceso directo a memoria

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de acceso directo a memoria
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0200\4&477E9A9&0

Controladora de High Definition Audio

Item	Value

Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de High Definition Audio
Manufacturer	Microsoft
Location	Bus PCI 0, dispositivo 27, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	11-19-2010
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27D8&SUBSYS_366 21849&REV_01\3&11583659&8&D8

Controladora de interfaz LPC de Intel(R) 82801GB/GR (familia IC)

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de interfaz LPC de Intel(R) 82801GB/GR (familia IC)
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 31, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Date	06/01/2009

Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27B8&SUBSYS_27B 81849&REV_01\3&11583659&8&F8

Controladora de procesador del chipset Intel(R) 4 Series a E/S

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de procesador del chipset Intel(R) 4 Series a E/S
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 0, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_2E30&SUBSYS_2E3 01849&REV_03\3&11583659&8&00

~~Controladora manejable de interrupciones~~

Controladora programable de interrupciones

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora programable de interrupciones
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0000\4&477E9A9&0

Controladora SMBus de Intel(R) 82801G (familia ICH7) - 27DA

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora SMBus de Intel(R) 82801G (familia ICH7) - 27DA
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 31, función 3
Driver Provider	Microsoft

Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27DA&SUBSYS_27D A1849&REV_01\3&11583659&8&FB

Cronómetro del sistema

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Cronómetro del sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0100\4&477E9A9&0

Dispositivo concentrador de firmware Intel(R) 82802

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Dispositivo concentrador de firmware Intel(R) 82802
Manufacturer	Intel
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\INT0800\4&477E9A9&0

Enumerador de bus compuesto

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de bus compuesto
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft

Driver Information	
Item	Value
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\COMPOSITEBUS\0000

Enumerador de bus raíz de UMBus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de bus raíz de UMBus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\UMBUS\0000

Enumerador de dispositivos de software Plug and Play

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de dispositivos de software Plug and Play
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\SYSTEM\0000

Enumerador de UMBus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de UMBus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft

Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	UMB\UMB\1&841921D&0&PRINTERBUSENUMERATOR

Enumerador de UMBus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de UMBus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	UMB\UMB\1&841921D&0&WPDBUSENUMROOT

Interfaz lógica de puerto de impresora

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Interfaz lógica de puerto de impresora
Manufacturer	(Dispositivos de sistema estándar)
Location	LPT1
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	LPTENUM\MICROSOFTRAWPORT\5&2568E1DF&0&LPT1

Procesador de datos numéricos

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Procesador de datos numéricos
Manufacturer	(Dispositivos de sistema estándar)
Location	

Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C04\4&477E9A9&0

Puente PCI Intel(R) 82801 - 244E

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puente PCI Intel(R) 82801 - 244E
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 30, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_244E&SUBSYS_244E1849&REV_E1\3&11583659&8&F0

Puerto raíz PCI Express de Intel(R) 82801G (familia ICH7) - 27D

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puerto raíz PCI Express de Intel(R) 82801G (familia ICH7) - 27D
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 28, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27D0&SUBSYS_27D 01849&REV_01\3&11583659&8&E0

Puerto raíz PCI Express de Intel(R) 82801G (familia ICH7) - 27D

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puerto raíz PCI Express de Intel(R) 82801G (familia ICH7) - 27D
Manufacturer	Intel

Location	Bus PCI 0, dispositivo 28, función 1
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_27D2&SUBSYS_27D 21849&REV_01\3&11583659&8&E1

Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}

Device ID	ACPI\PNP0C02\0
-----------	----------------

Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\10

Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)

Manufacturer	(Dispositivos de sistema estandar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\11

Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estandar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}

Device ID	ACPI\PNP0C02\2E
-----------	-----------------

Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\3

Remote Desktop Device Redirector Bus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Remote Desktop Device Redirector Bus

Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDPPBUS\0000

Sistema CMOS/reloj en tiempo real

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Sistema CMOS/reloj en tiempo real
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	AUDIO\HARDWARE\10_477E0A00

Device ID	ACPI\PNP0B00\4&477E9A9&0
-----------	--------------------------

Sistema Microsoft compatible con ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Sistema Microsoft compatible con ACPI
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI_HAL\PNP0C08\0

Tarjeta de sistema

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Tarjeta de sistema

Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C01\1

Tarjeta de sistema

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Tarjeta de sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}

Device ID	ACPI\PNP0C01\A
-----------	----------------

Dispositivos portátiles

F:\

Item	Value
Device Type	Dispositivos portátiles
Device Name	F:\
Description	UDisk
Manufacturer	General
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{EEC5AD98-8080-425F-922A-DABF3DE3F69A}
Device ID	WPDBUSENUMROOT\UMB\2&37C186B&9&STORAGE#VOLUME#_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#6&5E2C4C6&0&_0#

Equipo

Equipo basado en ACPI x86

Item	Value
Device Type	Equipo
Device Name	
Description	Equipo basado en ACPI x86
Manufacturer	(Equipos estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E966-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\ACPI_HAL\0000

Monitores

Monitor PnP genérico

Item	Value
Device Type	Monitores
Device Name	
Description	Monitor PnP genérico
Manufacturer	(Tipo de monitor estándar)
Location	
Driver Provider	Microsoft

Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96E-E325-11CE-BFC1-08002BE10318}
Device ID	DISPLAY\GSM4BAD\4&33A3CEAF&0&UID16843008

Mouse y otros dispositivos señaladores

Mouse compatible con HID

Item	Value
Device Type	Mouse y otros dispositivos señaladores
Device Name	
Description	Mouse compatible con HID
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96F-E325-11CE-BFC1-08002BE10318}
Device ID	HID\VID_093A&PID_2510\6&2DDCD35B&0&0000

Procesadores

Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz

Item	Value
Device Type	Procesadores
Device Name	Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz
Description	Procesador Intel
Manufacturer	Intel
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24499
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{50127DC3-0F36-415E-A6CC-4CB3BE910B65}
Device ID	ACPI\GENUINEINTEL_-_X86_FAMILY_6 _MODEL_23_-_INTEL(R)_CORE(TM)2_D UO_CPU_E7500__@_2.93GHZ_1

Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz

Item	Value
Device Type	Procesadores
Device Name	Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz

Description	Procesador Intel
Manufacturer	Intel
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24499
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{50127DC3-0F36-415E-A6CC-4CB3BE910B65}
Device ID	ACPI\GENUINEINTEL_-_X86_FAMILY_6 _MODEL_23_-_INTEL(R)_CORE(TM)2_D UO_CPU_____E7500__@_2.93GHZ\2

Puertos (COM y LPT)

Puerto de comunicaciones (COM1)

Item	Value
Device Type	Puertos (COM y LPT)
Device Name	Puerto de comunicaciones (COM1)
Description	Puerto de comunicaciones
Manufacturer	(Tipos de puerto estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385

Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E978-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0501\1

Puerto de impresora ECP (LPT1)

Item	Value
Device Type	Puertos (COM y LPT)
Device Name	Puerto de impresora ECP (LPT1)
Description	Puerto de impresora ECP
Manufacturer	(Tipos de puerto estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E978-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0401\4&477E9A9&0

Teclados

Teclados #0

Item	Value
Device Type	Teclados
Device Name	
Description	
Manufacturer	(Teclados estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96B-E325-11CE-BFC1-08002BE10318}
Device ID	HID\VID_04D9&PID_1603&MI_00\7&1C7F9A83&0&0000

Unidades de disco**General UDisk USB Device**

Item	Value
Device Type	Unidades de disco
Device Name	General UDisk USB Device
Description	Unidad de disco
Manufacturer	(Unidades de disco estándar)
Location	

Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E967-E325-11CE-BFC1-08002BE10318}
Device ID	USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\6&5E2C4C6&0&_&0

WDC WD5000AAKX-001CA0 ATA Device

Item	Value
Device Type	Unidades de disco
Device Name	WDC WD5000AAKX-001CA0 ATA Device
Description	Unidad de disco
Manufacturer	(Unidades de disco estándar)
Location	Channel 1, Target 0, Lun 0
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E967-E325-11CE-BFC1-08002BE10318}
Device ID	IDE\DISKWDCC_WD5000AAKX-001CA0_____

15.01H15\5&10C8BB43&0&1.0.0

Unidades de DVD o CD-ROM**Optiarc DVD RW AD-7260S ATA Device**

Item	Value
Device Type	Unidades de DVD o CD-ROM
Device Name	Optiarc DVD RW AD-7260S ATA Device
Description	Unidad de CD-ROM
Manufacturer	(Unidades de CD-ROM estándar)
Location	Channel 0, Target 0, Lun 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E965-E325-11CE-BFC1-08002BE10318}
Device ID	IDE\CDROMOPTIARC_DVD_RW_AD-7260S 1.03\5&1F0F562&0&0.0

Volúmenes de almacenamiento**Volumen genérico**

Item	Value

Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#6&5E2C4C6&0&_&0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B}

Volumen genérico

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006

Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\{C12A09C2-056D-11E5-BF29-806E6F6E6963}\#0000000000100000

Volumen genérico

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\{C12A09C2-056D-11E5-BF29-806E6F6E6963}\#0000000076600000

Volumen genérico

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\{C12A09C2-056D-11E5-BF29-806E6F6E6963}\#0000003F2F300000



Características Pantalla

Display #1

Identification

Name	Value
Display Number	1
Display Name	W1943
Manufacturer	LG Electronics Inc

Manufacturer	LG ELECTRONICS INC.
Manufacture Date	Week 7, Year 2011
Serial Number	23476
Product ID	GSM4BAD
Display Size	18.5" (41cm x 23cm)
Display Type	Analog, RGB Colour
Supported Features	Standby, Suspend, Active-Off
Display Resolution	1360 x 768 pixels

Capabilities

Display	Type	Description	Capable
1	Curve	Draw chord arcs	Yes
1	Curve	Draw circles	Yes
1	Curve	Draw chord ellipses	Yes
1	Curve	Draw chord interiors	Yes
1	Curve	Draw pie wedges	Yes
1	Curve	Draw rounded rectangles	Yes
1	Curve	Draw styled borders	Yes
1	Curve	Draw wide borders	Yes
1	Curve	Draw wide styled borders	Yes
1	Line	Draw a polyline	Yes
1	Line	Draw styled lines	Yes
1	Line	Draw wide lines	Yes

1	Line	Draw wide styled lines	Yes
1	Line	Draw interiors	Yes
1	Line	Draw a marker	Yes
1	Line	Draw multiple markers	Yes
1	Polygon	Draw interior polygon	Yes
1	Polygon	Draw alternate-fill polygons	Yes
1	Polygon	Draw rectangles	Yes
1	Polygon	Draw a single scanline	Yes
1	Polygon	Draw polygon styled border	Yes
1	Polygon	Draw polygon wide border	Yes
1	Polygon	Draw polygon wide styled border	Yes
1	Polygon	Draw winding-fill polygons	Yes
1	Raster	Requires banding support	No
1	Raster	Can transfer bitmaps	Yes
1	Raster	Support bitmaps over 64 KB	Yes
1	Raster	Set/get bits in DI bitmap	Yes
1	Raster	Set DI bits to device	Yes
1	Raster	Can perform flood fills	Yes
1	Raster	Specifies a palette-based device	No
1	Raster	Capable of scaling	No
1	Raster	Can copy and stretch bitmap	Yes
1	Raster	Can copy and stretch DI bitmap	Yes
1	Text	Capable of character output precision	Yes
1	Text	Capable of stroke output precision	Yes

1	Text	Capable of stroke clip precision	Yes
1	Text	Capable of 90-degree character rotation	No
1	Text	Capable of any character rotation	No
1	Text	Scale independently x and y directions	No
1	Text	Capable of doubled character for scaling	No
1	Text	Integer multiples character scaling	No
1	Text	Any multiples for exact character scaling	No
1	Text	Draw double-weight characters	No
1	Text	Able to italicize	No
1	Text	Able to underline	Yes
1	Text	Able to strikeouts	Yes
1	Text	Able to draw raster fonts	Yes
1	Text	Able to draw vector fonts	Yes
1	Text	Scroll using a bit-block transfer	No

Display Adapters

Intel(R) G41 Express Chipset (Microsoft Corporation - WDDM 1.1)

Item	Value
Adapter Number	1
Name	Intel(R) G41 Express Chipset (Microsoft Corporation - WDDM 1.1)
Adapter RAM	766MB
Colour Depth	32 bit
Vertical Resolution	96dpi

Current Refresh Rate	60Hz
Video Processor	Intel(R) 4 Series Express Chipset Family
Adapter DAC Type	Internal
Adapter ID	Intel(R) GMA 4500
BIOS	Intel Video BIOS



Impresoras Instaladas

Microsoft XPS Document Writer

Item	Value
Printer Number	1
Printer Name	Microsoft XPS Document Writer
Share Name	
Port Name	XPSPort:
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	Letter, 8 1/2- by 11-inches
Orientation	Portrait
Print Quality	600 Dots Per Inch
Driver Name	Microsoft XPS Document Writer
Driver File	C:\Windows\system32\spool\DRIVERS\FDSC1\W32Y86\3\mvdwdrv.dll

Driver File	C:\Windows\system32\spool\DRIVERS\W32X86\3\mxwdvui.dll
Driver Version	6.1.7601.17514
Driver Manufacturer	Microsoft Corporation
Driver Description	Microsoft XPS Document Writer
Driver Data File	C:\Windows\system32\spool\DRIVERS\W32X86\3\mxwdvui.gpd
Driver Configuration File	C:\Windows\system32\spool\DRIVERS\W32X86\3\unidrvui.dll

HP LaserJet CP 1025nw (Copiar 1)

Item	Value
Printer Number	2
Printer Name	HP LaserJet CP 1025nw (Copiar 1)
Share Name	
Port Name	USB002
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	A4 sheet, 210- by 297-millimeters
Orientation	Portrait
Print Quality	600 Dots Per Inch
Driver Name	HP LaserJet CP 1025nw
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\HPCP1020SD.DLL
Driver Version	6, 2, 2708, 0

Driver Manufacturer	Marvell Semiconductor, Inc.
Driver Description	HP CP 1020 SuperDriver
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\HPCP1020SD.SDD
Driver Configuration File	C:\Windows\system32\spool\DRIVER S\W32X86\3\HPCP1020SU.DLL

Fax

Item	Value
Printer Number	3
Printer Name	Fax
Share Name	
Port Name	SHRFAX:
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	Letter, 8 1/2- by 11-inches
Orientation	Portrait
Print Quality	200 Dots Per Inch
Driver Name	Microsoft Shared Fax Driver
Driver File	C:\Windows\system32\spool\DRIVERS\W32X86\3\FXSDRV.DLL
Driver Version	6.1.7601.17514
Driver Manufacturer	Microsoft Corporation

Driver Description	Microsoft Fax Printer Driver
Driver Data File	C:\Windows\system32\spool\DRIVERS\W32X86\3\FXSUI.DLL
Driver Configuration File	C:\Windows\system32\spool\DRIVERS\W32X86\3\FXSUI.DLL

Enviar a OneNote 2007

Item	Value
Printer Number	4
Printer Name	Enviar a OneNote 2007
Share Name	
Port Name	Send To Microsoft OneNote Port:
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	A4 sheet, 210- by 297-millimeters
Orientation	Portrait
Print Quality	300 Dots Per Inch
Driver Name	Send To Microsoft OneNote Driver
Driver File	C:\Windows\system32\spool\DRIVERS\W32X86\3\msonpdrv.dll
Driver Version	12.3.4518.1014
Driver Manufacturer	Microsoft Corporation
Driver Description	Microsoft Office OneNote 2007 Printer Driver
Driver Data File	C:\Windows\system32\spool\DRIVERS\W32X86\3\msonpui.dll

Driver Configuration File	C:\Windows\system32\spool\DRIVERS\W32X86\3\msonpui.dll
---------------------------	--

Brother DCP-8080DN BR-Script3 (Copiar 1)

Item	Value
Printer Number	5
Printer Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Share Name	Brother DCP-8080DN BR-Script3 (Copiar 1)
Port Name	10.29.2.54
Location	
Pages Per Minute	
Attributes	Shared, Local Printer
Printer Status	
Paper Size	Letter, 8 1/2- by 11-inches
Orientation	Portrait
Print Quality	600 Dots Per Inch
Driver Name	Brother DCP-8080DN BR-Script3
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\PSCRIPT5.DLL
Driver Version	6.1.7600.16385
Driver Manufacturer	Microsoft Corporation
Driver Description	Controlador de impresora PostScript
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\BR8080_2.PPD
Driver Configuration File	C:\Windows\system32\spool\DRIVERS\W32X86\3\PS5UI.DLL



Versión de BIOS

Name	Value
BIOS Version	011211 - 20110112
Release Date	01/12/11
Video BIOS Version	Hardware Version 0.0
Video BIOS Date	07/07/20



Gestión del Sistema

BIOS Details

Item	Value
SMBIOS Version	2.5
BIOS Vendor	American Megatrends Inc.
BIOS Version	P1.40
Start Address	0xF000
Release Date	01/12/2011
ROM Size	1024KB
BIOS Characteristics	000000017F8B9880
Ext. Characteristic 1	51

Ext. Characteristic 2	7
System BIOS Major	8
System BIOS Minor	15
Firmware Major	255
Firmware Minor	255
No Characteristics	No
ISA Support	No
MCA Support	No
EISA Support	No
PCI Support	Yes
PCMCIA Support	No
PnP Support	No
APM Support	No
BIOS Upgradeable	Yes
BIOS Shadowing	Yes
VL-VESA Support	No
ESCD Support	No
CD Boot	Yes
Selectable Boot	Yes
ROM Socketed	Yes
PCMCIA Boot	No
EDD Support	Yes
Floppy NEC 1.2MB	No
Floppy Toshiba 1.2MB	No

Floppy 360 KB	No
Floppy 1.2MB	Yes
Floppy 720KB	Yes
Floppy 2.88MB	Yes
Print Screen	Yes
Keyboard 8042	Yes
Serial Services	Yes
Printer Services	Yes
CGA-Mono Video	Yes
NEC PC-98	No
ACPI Support	Yes
USB Support	Yes
AGP Support	No
I2O Boot	No
LS-120 Boot	Yes
ATAPI ZIP Boot	Yes
Firewire Boot	No
Smart Battery	No

System

Item	Value
Manufacturer	
Product Name	To Be Filled By O.E.M.

Version	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Universal Unique ID	{03000200-0400-0500-0006-000700080009}
Wake-Up Type	Power Switch
SKU Number	To Be Filled By O.E.M.
Product Family	To Be Filled By O.E.M.

Baseboard

Item	Value
Board Number	1
Manufacturer	ASRock
Product	G41M-S3
Version	
Serial Number	
Asset Tag	
Features	Replacable
Board Type	Mother Board

Chassis

Item	Value
Manufacturer	To Be Filled By O.E.M.
Chassis Type	Desktop

Version	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Asset Tag	To Be Filled By O.E.M.
Boot Up State	Safe
Power State	Safe
Thermal State	Safe
Security Status	None
OEM Defined	
Height	
Number Of Power Cords	1

Processor

Item	Value
Processor Number	1
Socket Designation	CPUSocket
Processor Type	Central Processor
Processor Family	Unknown (code = 191)
Processor Manufacturer	Intel
Processor ID	BFEBFBFF0001067A
Processor Version	Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz
Voltage	1.300000V
External Clock	267MHz

Maximum Speed	2933MHz
Current Speed	2400MHz
Status	CPU Socket Populated, Enabled
Processor Upgrade	Other
Serial Number	To Be Filled By O.E.M.
Asset Tag	To Be Filled By O.E.M.
Part Number	To Be Filled By O.E.M.
Core Count	2
Core Enabled	2
Thread Count	2
Processor Characteristics	64-bit Capable

Memory Controller

Item	Value
Controller Number	1
Error Detecting	64-Bit ECC
Error Correcting	None
Supported Interleave	One Way Interleave
Current Interleave	One Way Interleave
Max. Memory Module	4096MB
Supported Memory Speeds	
Supported Memory Types	DIMM, SDRAM
Memory Module Voltage	3.3V

Number Memory Slots	2
---------------------	---

[Memory Module](#)

Memory Module #1

Item	Value
Module Number	1
Socket Designation	DIMM0
Bank Connection	RAS-0
Current Speed	
Current Memory Type	DIMM, SDRAM
Installed Size	Not Installed
Enabled Size	Not Installed
Error Status	None reported

Memory Module #2

Item	Value
Module Number	2
Socket Designation	DIMM1
Bank Connection	RAS-4
Current Speed	
Current Memory Type	DIMM, SDRAM
Installed Size	

Installed Size	
Enabled Size	
Error Status	None reported

CPU Cache

CPU Cache #1

Item	Value
Cache Number	1
Socket Designation	L1-Cache
Cache Configuration	Level 1, Internal, Enabled, Write-Back
Max. Cache Size	64KB
Installed Cache	64KB
Supported SRAM Type	Other
Current SRAM Type	Other
Cache Speed	
Error Correction Type	Parity
System Cache Type	Data
Associativity	8-way Set-Associative

CPU Cache #2

Item	Value
Cache Number	2

Socket Designation	L2-Cache
Cache Configuration	Level 2, Internal, Enabled, Write-Back
Max. Cache Size	3072KB
Installed Cache	3072KB
Supported SRAM Type	Other
Current SRAM Type	Other
Cache Speed	
Error Correction Type	Single-Bit ECC
System Cache Type	Unified
Associativity	Other

CPU Cache #3

Item	Value
Cache Number	3
Socket Designation	L3-Cache
Cache Configuration	Level 2, Internal, Disabled, Varies with memory access
Max. Cache Size	0KB
Installed Cache	0KB
Supported SRAM Type	Unknown
Current SRAM Type	Unknown
Cache Speed	
Error Correction Type	Unknown
System Cache Type	Unknown

Associativity	Unknown
---------------	---------

Port Connector

No information found.

System Slot

System Slot #1

Item	Value
Slot Number	1
Slot Designation	PCI1
Slot Type	PCI
Data Bus Width	32-Bit
Current Usage	Available
Slot Length	Short
Slot ID	0x0001
Slot Characteristics 1	3.3 Volts, Shared Slot
Slot Characteristics 2	Supports PME Signal

System Slot #2

Item	Value
Slot Number	2
Slot Designation	PCI2

Slot Designation	PCI2
Slot Type	PCI
Data Bus Width	32-Bit
Current Usage	Available
Slot Length	Short
Slot ID	0x0002
Slot Characteristics 1	3.3 Volts, Shared Slot
Slot Characteristics 2	Supports PME Signal

System Slot #3

Item	Value
Slot Number	3
Slot Designation	PCIE1
Slot Type	PCI Express
Data Bus Width	1x
Current Usage	Available
Slot Length	Short
Slot ID	0x0011
Slot Characteristics 1	3.3 Volts, Shared Slot
Slot Characteristics 2	Supports PME Signal

Memory Array

Item	Value
Array Number	1
Location	System board or motherboard
Use Item	System memory
Error Correction	None
Error Handle	0xFFFFE
Number of Devices	2

Memory Device

Memory Device #1

Item	Value
Device Number	1
Error Handle	0xFFFFE
Total Width	
Data Width	64 bit
Device Size	0 Bytes
Form Factor	DIMM
Device Set	Unknown
Device Locator	DIMM0
Bank Locator	BANK0
Memory Type	Unknown
Memory Type Detail	Unknown
Speed	0MHz

Manufacturer	Manufacturer00
Serial Number	SerNum00
Asset Tag	AssetTagNum0
Part Number	ModulePartNumber00

Memory Device #2

Item	Value
Device Number	2
Error Handle	0xFFFFE
Total Width	64 bit
Data Width	64 bit
Device Size	2.00GB
Form Factor	DIMM
Device Set	Unknown
Device Locator	DIMM1
Bank Locator	BANK1
Memory Type	SDRAM
Memory Type Detail	Synchronous
Speed	0MHz
Manufacturer	Manufacturer01
Serial Number	SerNum01
Asset Tag	AssetTagNum1
Part Number	ModulePartNumber01



Procesadores

Processor #1

Basic Information

Item	Value
Processor Number	1
Name	Intel(R) Core(TM)2 Duo CPU E7500 @ 2.93GHz
Short Name	P3
Speed - Estimated	2925MHz
Speed - Registry	2926MHz
Processor Type	OEM Primary
Manufacturer	Intel(R) Corporation
Serial Number	
APIC Physical ID	0x00, 0x01

Detailed Information

Item	Value
Processor Number	1
Logical Processors	2
Number Cores	2
Vendor String	GenuineIntel

Family	6
Model	7
Stepping	10
Extended Family	0x00
Extended Model	0x01
Brand ID	0x00
FPU - Floating Point Unit	Yes
VME - Virtual Mode Extensions	Yes
DE - Debugging Extensions	Yes
PSE - Page Size Extensions	Yes
TSC - Time Stamp Counter	Yes
MSR - Model Specific Registers	Yes
PAE - Physical Address Exts.	Yes
MCE - Machine Check Exceptions	Yes
CX8 - Compare Exchange 8 Byte	Yes
APIC - On Chip APIC present	Yes
SEP - Fast System Calls	Yes
MTRR - Memory Type Range Regs.	Yes
PGE - Page Global Enable	Yes
MCA - Machine Check Architecture	Yes
CMOV - Conditional Move	Yes
PAT - Page Attribute Table	Yes
PSE36 - 36bit Page Size Exts	Yes
PSN - Processor Serial Number	No
CLFL - CLFLUSH Instruction	Yes

DTES - Debug Trace EMON Store	Yes
ACPI - ACPI Supported	Yes
MMX - MMX Technology	Yes
FXFR - Fast Save/Restore	Yes
SSE - Streaming SIMD Exts.	Yes
SSE2 - Streaming SIMD Exts. 2	Yes
SS - Selfsnoop	Yes
HTT - Hyper-Threading Technology	Yes
TM1 - Thermal Interrupt Status	Yes
IA64 - 64-bit Intel	No
PBE - Pending Break Event	Yes
MMEXT - MMX+ Technology	No
NOW3D - Support 3DNow!	No
NOW3DEXT - Support 3DNow!+	No
SSE3 - Streaming SIMD Exts. 3	Yes
EST - Enhanced SpeedStep(R)	Yes
CX16 - Compare Exchange 16 Byte	Yes

Cache - Level 1

Item	Value
Cache Level	1
Processor Number	1
Unified Cache	No

Code Size	32KB
Code Width	64 Bytes
Code Associativity	8
Data Size	32KB
Data Width	64 Bytes
Data Associativity	8
Unified Size	0KB
Unified Width	0 Bytes
Unified Associativity	0


Cache - TLB

Item	Value
Processor Number	1
Unified Cache	No
Code Entries - 4K	128
Code Associativity - 4K	4
Code Entries - 4M	0
Code Associativity - 4M	0
Data Entries - 4K	0
Data Associativity - 4K	0
Data Entries - 4M	0
Data Associativity - 4M	0
Unified Entries - 4K	0

Unified Associativity - 4K	0
Unified Entries - 4M	0
Unified Associativity - 4M	0



Memoria



Item	Value
Total Memory	1792MB
Free Memory	855MB

Maximum Swap File	3578MB
Free Swap File	2591MB



Discos Físicos

WDC WD5000AAKX-001CA0


Item	Value
Disk Number	7
Capacity	476940MB
Disk Type	Fixed
Manufacturer	Western Digital
Model	WDC WD5000AAKX-001CA0
Serial Number	WD-WCAYUM382652
Firmware Revision	15.01H15
Controller Rank	Quaternary
Master/Slave	Master
Total Cylinders	60801
Total Heads	255
Sectors Per Track	63
Buffer Size	32768KB
SMART Supported	Yes
SMART Enabled	Yes
SMART Self Test	

General UDisk

Item	Value
Disk Number	2
Capacity	7680MB
Disk Type	Removeable
Manufacturer	
Model	General UDisk
Serial Number	
Firmware Revision	5.00
Controller Rank	
Master/Slave	
Total Cylinders	979
Total Heads	255
Sectors Per Track	63
Buffer Size	
SMART Supported	
SMART Enabled	
SMART Self Test	



Discos Lógicos



Drive C

Item	Value
Letter	C
Drive Type	Fixed Drive
Percent Used	21%
Used Space	54.2GB
Free Space	197GB
Total Space	251GB
Volume Name	
File System	NTFS
Volume Serial Number	E4B0-FB4E

Sectors Per Cluster	8
Bytes Per Sector	512
Free Clusters	51550272
Total Clusters	65768703

Drive D

Item	Value
Letter	D
Drive Type	Fixed Drive
Percent Used	36%
Used Space	77.6GB
Free Space	135GB
Total Space	213GB
Volume Name	Nuevo vol
File System	NTFS
Volume Serial Number	5EBD-8017
Sectors Per Cluster	8
Bytes Per Sector	512
Free Clusters	35494599
Total Clusters	55842821

Drive E

Item	Value
Letter	E
Drive Type	CD-ROM

Drive F

Item	Value
Letter	F
Drive Type	Removable Drive
Percent Used	20%
Used Space	1.50GB
Free Space	5.98GB
Total Space	7.48GB
Volume Name	
File System	FAT32
Volume Serial Number	8C24-41F2
Sectors Per Cluster	8
Bytes Per Sector	512
Free Clusters	1568635
Total Clusters	1961984



Programas de arranque

Name	Settings Folder	Startup Command
USB3MON	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver\Application\iusb3mon.exe"
GrooveMonitor	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Microsoft Office\Office12\GrooveMonitor.exe"
Adobe ARM	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Common Files\Adobe\ARM\1.0\AdobeARM.exe"
SunJavaUpdateSched	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Common Files\Java\Java Update\jusched.exe"
VIAxHCUtl	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	C:\VIA_XHCI\usb3Monitor.exe
HP CP1020 System Tray	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\HP\HP LaserJet Professional CP1020 Series\HPCP1020STRAY.EXE"
Cyvera	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	C:\Program Files\Palo Alto Networks\Traps\cytray.exe
desktop.ini	C:\ProgramData\Microsoft\Windows\Start Menu\Programs\StartUp\	
desktop.ini	C:\Users\20124063109\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\	



ODBC Information



Data Sources

DSN Type	DSN	Description
User	dBASE Files	Microsoft Access dBASE Driver (*.dbf, *.ndx, *.mdx)
User	Excel Files	Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb)
User	MS Access Database	Microsoft Access Driver (*.mdb, *.accdb)

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

Item	Value
Name	Driver da Microsoft para arquivos texto (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Driver do Microsoft Access (*.mdb)

Item	Value
Name	Driver do Microsoft Access (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632

Driver_ODBC_Ver	02.50
-----------------	-------

Driver do Microsoft dBase (*.dbf)

Item	Value
Name	Driver do Microsoft dBase (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Driver do Microsoft Excel (*.xls)

Item	Value
Name	Driver do Microsoft Excel (*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Driver do Microsoft Paradox (*.db)

Item	Value
Name	Driver do Microsoft Paradox (*.db)

Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Driver para o Microsoft Visual FoxPro

Item	Value
Name	Driver para o Microsoft Visual FoxPro
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

Microsoft Access dBASE Driver (*.dbf, *.ndx, *.mdx)

Item	Value
Name	Microsoft Access dBASE Driver (*.dbf, *.ndx, *.mdx)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	12.0.6211.1000
Driver_ODBC_Ver	02.50

Microsoft Access Driver (*.mdb)

Item	Value
Name	Microsoft Access Driver (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Access Driver (*.mdb, *.accdb)

Item	Value
Name	Microsoft Access Driver (*.mdb, *.accdb)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	12.0.6211.1000
Driver_ODBC_Ver	02.50

Microsoft Access Paradox Driver (*.db)

Item	Value
Name	Microsoft Access Paradox Driver (*.db)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	12.0.6211.1000

Driver_ODBC_Ver	02.50
-----------------	-------

Microsoft Access Text Driver (*.txt, *.csv)

Item	Value
Name	Microsoft Access Text Driver (*.txt, *.csv)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	12.0.6211.1000
Driver_ODBC_Ver	02.50

Microsoft Access-Treiber (*.mdb)

Item	Value
Name	Microsoft Access-Treiber (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft dBase Driver (*.dbf)

Item	Value

Name	Microsoft dBase Driver (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft dBase VFP Driver (*.dbf)

Item	Value
Name	Microsoft dBase VFP Driver (*.dbf)
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

Microsoft dBase-Treiber (*.dbf)

Item	Value
Name	Microsoft dBase-Treiber (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Excel Driver (*.xls)

Item	Value
Name	Microsoft Excel Driver (*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb)

Item	Value
Name	Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	12.0.6211.1000
Driver_ODBC_Ver	02.50

Microsoft Excel-Treiber (*.xls)

Item	Value
Name	Microsoft Excel-Treiber (*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll

File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft FoxPro VFP Driver (*.dbf)

Item	Value
Name	Microsoft FoxPro VFP Driver (*.dbf)
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

Microsoft ODBC for Oracle

Item	Value
Name	Microsoft ODBC for Oracle
Company	Microsoft Corporation
File_Name	msorcl32.dll
File_Version	6.1.7601.17514
Driver_ODBC_Ver	02.50

Microsoft Paradox Driver (*.db)

Item	Value

Item	Value
Name	Microsoft Paradox Driver (*.db)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Paradox-Treiber (*.db)

Item	Value
Name	Microsoft Paradox-Treiber (*.db)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Text Driver (*.txt; *.csv)

Item	Value
Name	Microsoft Text Driver (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Text-Treiber (*.txt; *.csv)

Item	Value
Name	Microsoft Text-Treiber (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

Microsoft Visual FoxPro Driver

Item	Value
Name	Microsoft Visual FoxPro Driver
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

Microsoft Visual FoxPro-Treiber

Item	Value
Name	Microsoft Visual FoxPro-Treiber
Company	Microsoft Corporation

File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

Oracle en OraClient11g_home1

Item	Value
Name	Oracle en OraClient11g_home1
Company	
File_Name	SQORA32.DLL
File_Version	
Driver_ODBC_Ver	03.51

SQL Server

Item	Value
Name	SQL Server
Company	Microsoft Corporation
File_Name	SQLSRV32.dll
File_Version	6.1.7601.17514
Driver_ODBC_Ver	03.50



Names mentioned herein maybe trademarks or service marks of their respective holders.

Errors and Omissions Excepted
Generated by WinAudit Freeware v2.29
<http://www.pxserver.com>