




Computer Audit :: 27/4/2021 12:41:37 p. m.

Vista General

| Item | Value |
|-----------------------|-------------------------------------------------------------|
| Computer Name | WS61234 |
| Domain Name | GOBIERNOCBA |
| Site Name | Supercentro |
| Roles | Workstation, Server, Potential Browser |
| Description | |
| Operating System | Microsoft Windows 6.2 Professional 64-bit |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Model | A320M-S2H |
| Serial Number | Default string |
| Asset Tag | Default string |
| Number Of Processors | 1 |
| Processor Description | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G, 3493MHz |
| Total Memory | 3968MB |
| Total Hard Drive | 1176GB |
| Display | S19D300, 18.5" (41cm x 23cm) |
| BIOS Version | ALASKA - 1072009 BIOS Date: 03/15/18 17:50:14 Ver: 05.0000D |
| User Account | 20124063109 |
| System Uptime | 0 Days, 0 Hours, 47 Minutes |
| Local Time | 2021-04-27 12:41:30 |



Software instalado



Active Setup

| Name | Version | Installed |
|------------------------------------|----------------|-----------|
| .NET Framework | 2,0,50727,0 | |
| .NET Framework | 2,0,50727,1 | |
| .NET Framework | 4,0,30319,0 | |
| Active Directory Service Interface | 5,0,00,0 | Yes |
| Address Book 7 | 10,0,17134,1 | Yes |
| Browsing Enhancements | 11,254,17134,0 | Yes |
| DirectDrawEx | 4,71,1113,0 | Yes |

| | | |
|-------------------------------------|------------------|-----|
| Dynamic HTML Data Binding | 11,254,17134,0 | Yes |
| HTML Help | 10,0,17134,254 | Yes |
| Internet Explorer Core Fonts | 11,254,17134,0 | Yes |
| Internet Explorer Help | 11,254,17134,0 | Yes |
| Internet Explorer Setup Tools | 11,254,17134,0 | Yes |
| Java (Sun) | 5,0,3802,0 | Yes |
| Microsoft Windows Media Player 12.0 | 12,0,10011,16384 | Yes |
| Microsoft Windows Media Player | 12,0,10011,16384 | No |
| Microsoft Windows Media Player | 12,0,10011,16384 | Yes |
| Microsoft Windows Script 5.6 | 5,6,0,8833 | Yes |
| MSN Site Access | 4,9,9,2 | Yes |
| Offline Browsing Pack | 11,254,17134,0 | Yes |

Installed Programs

64 Bit HP CIO Components Installer

| Item | Value |
|------------------|------------------------------------------|
| Name | 64 Bit HP CIO Components Installer |
| Vendor | Hewlett-Packard |
| Version | 8.2.2 |
| Product Language | English |
| Install Date | 20170905 |
| Install Location | |
| Install Source | C:\Windows\system32\spool\DRIVERS\x64\3\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|----------------------------------------|
| Package Code | {69378D14-3F46-4277-ABE9-CF37EFB65680} |
| Package Name | cioum64.msi |
| Local Package | C:\Windows\Installer\5f8dad6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {377672F0-6B8A-467D-8DDC-79338BCCD531} |

A360 Desktop

| Item | Value |
|------------------|------------------------------------------------------------------------------|
| Name | A360 Desktop |
| Vendor | Autodesk |
| Version | 8.2.3.1800 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\Components\Cloudsync\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {95DB060B-6825-47A2-930E-49016A718F5A} |

| | |
|------------------------|----------------------------------------|
| Package Name | AdSync.msi |
| Local Package | C:\WINDOWS\Installer\82ded.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B65CD59E-A771-4354-AA4B-C3E01B496BCD} |

ACA & MEP 2018 Object Enabler

| Item | Value |
|------------------|---------------------------------------------------------------|
| Name | ACA & MEP 2018 Object Enabler |
| Vendor | Autodesk |
| Version | 8.0.40.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACAOE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB9CE6BF-D203-4444-B0A9-B24FACBC55D1} |
| Package Name | ACAOE.msi |

| | |
|------------------------|----------------------------------------|
| Local Package | C:\WINDOWS\Installer\82db6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1004-0000-5102-CF3F3A09B77D} |

ACAD Private

| Item | Value |
|------------------|---------------------------------------------------------------------|
| Name | ACAD Private |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADPRIVATE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4DB592E8-D5B1-4025-A0ED-66C21519B900} |
| Package Name | AcadPrivate.msi |
| Local Package | C:\WINDOWS\Installer\82dbc.msi |

| | |
|------------------------|----------------------------------------|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-3102-CF3F3A09B77D} |

Adobe Acrobat Reader DC - Español

| Item | Value |
|------------------|--------------------------------------------------------------------|
| Name | Adobe Acrobat Reader DC - Español |
| Vendor | Adobe Systems Incorporated |
| Version | 21.001.20150 |
| Product Language | Spanish |
| Install Date | 20210423 |
| Install Location | C:\Program Files (x86)\Adobe\Acrobat Reader DC\ |
| Install Source | C:\ProgramData\Adobe\Setup\{AC76BA86-7AD7-1034-7B44-AC0F074E4100}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BF05C9F5-318D-4310-871C-237E64236198} |
| Package Name | AcroRead.msi |
| Local Package | C:\Windows\Installer\3d54272.msi |
| Product ID | |

| | |
|------------------------|----------------------------------------|
| Registered Company | |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-7AD7-1034-7B44-AC0F074E4100} |

Aplicaciones destacadas de Autodesk 2016-2018

| Item | Value |
|--------------------|---------------------------------------------------------------------|
| Name | Aplicaciones destacadas de Autodesk 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {DC00A387-5180-4CCE-B32E-D50F666F0328} |
| Package Name | AutodeskFeaturedApps.msi |
| Local Package | C:\WINDOWS\Installer\82de1.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |

| | |
|------------------------|----------------------------------------|
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {384C4B74-B749-4AB6-9367-4D51A6AA9CB8} |

ASUS Smart Gesture

| Item | Value |
|--------------------|----------------------------------------|
| Name | ASUS Smart Gesture |
| Vendor | ASUS |
| Version | 4.0.12 |
| Product Language | English |
| Install Date | 20160704 |
| Install Location | |
| Install Source | C:\ProgramData\SetupTPDriver\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0BA39C2A-4E19-4179-A2B3-074248F26AF6} |
| Package Name | SetupTPDriver.msi |
| Local Package | C:\Windows\Installer\142f02.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|----------------------------------------|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4D3286A6-F6AB-498A-82A4-E4F040529F3D} |

AutoCAD 2018 - English

| Item | Value |
|--------------------|-----------------------------------------------------------|
| Name | AutoCAD 2018 - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English_LP_Win_64bit_dlm\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {67362691-3B38-4DBE-8787-E578C6B5D699} |
| Package Name | AcadPS.msi |
| Local Package | C:\WINDOWS\Installer\45c4f.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |

| | |
|------------------------|----------------------------------------|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-2102-CF3F3A09B77D} |

AutoCAD 2018 - Español (Spanish)

| Item | Value |
|--------------------|---------------------------------------------------------------------------|
| Name | AutoCAD 2018 - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C35A7DF9-3D16-4E3E-BF37-2E4691336774} |
| Package Name | AcadPS.msi |
| Local Package | C:\WINDOWS\Installer\82dcb.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|----------------------------------------|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-2102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - Español (Spanish)

| Item | Value |
|--------------------|---------------------------------------------------------------------------|
| Name | AutoCAD 2018 Language Pack - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E443672F-AB87-45B2-A2A0-A27A122C4E31} |
| Package Name | acadLP.msi |
| Local Package | C:\WINDOWS\Installer\82daf.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|----------------------------------------|
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-1102-CF3F3A09B77D} |

AutoCAD 2018 Help - Español (Spanish)

| Item | Value |
|--------------------|-----------------------------------------------------------------------------------|
| Name | AutoCAD 2018 Help - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Offline _Help_Spanish_Win_32_64bit_dlm\HelpInstaller\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {034809CC-D02F-4F64-80B9-8E1E409190B9} |
| Package Name | HelpInstaller64.msi |
| Local Package | C:\WINDOWS\Installer\82df3.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|----------------------------------------|
| Executable Description | |
| Software ID | {28B89EEF-1034-040A-0100-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - English

| Item | Value |
|------------------------|---------------------------------------------------------------|
| Name | AutoCAD 2018 Language Pack - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English _LP_Win_64bit_dlm\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD04F6E0-F771-4D64-8B78-ACC3067C8497} |
| Package Name | AcadLP.msi |
| Local Package | C:\WINDOWS\Installer\45bfb.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|----------------------------------------|
| Software ID | {28B89EEF-1001-0409-1102-CF3F3A09B77D} |
|-------------|----------------------------------------|

AutoCAD 2018

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | AutoCAD 2018 |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\acad\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5FE9B62C-FD99-4A6B-A4F0-D92DAC39D5A3} |
| Package Name | acad.msi |
| Local Package | C:\WINDOWS\Installer\82da8.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-0102-CF3F3A09B77D} |

Autodesk Advanced Material Library Image Library 2018

| Item | Value |
|------------------------|------------------------------------------------------------------------------------|
| Name | Autodesk Advanced Material Library Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\AIL\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {06C72DE6-C23D-4072-B9D1-B5BFC653A712} |
| Package Name | AdvancedImageLibrary2018.msi |
| Local Package | C:\WINDOWS\Installer\82da2.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {177AD7F6-9C77-4E50-BA53-B7259C5F282D} |

Autodesk App Manager 2016-2018

| Item | Value |
|------------------------|---------------------------------------------------------------------|
| Name | Autodesk App Manager 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20181023 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {2BB07AEE-33FA-4967-A1B9-26E85ABB491E} |
| Package Name | AutodeskAppManager.msi |
| Local Package | C:\WINDOWS\Installer\82ddc.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {20EC0CA2-346E-4660-9903-51B278DF15F6} |

Autodesk AutoCAD Performance Feedback Tool 1.2.8

| Item | Value |
|------------------------|---------------------------------------------------------------------------|
| Name | Autodesk AutoCAD Performance Feedback Tool 1.2.8 |
| Vendor | Autodesk |
| Version | 1.2.8.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Tools\PerformanceTool\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {990F46EB-8B45-4346-A3BB-02B482D25AF4} |
| Package Name | AcPerfMon.msi |
| Local Package | C:\WINDOWS\Installer\82de6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {214D3370-746E-4886-8EAA-5769EB87D044} |

Autodesk Desktop App

| Item | Value |
|------------------------|------------------------------------------------------|
| Name | Autodesk Desktop App |
| Vendor | Autodesk |
| Version | 7.0.4.332 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Autodesk\Autodesk Desktop App |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Autodesk Desktop App |

Autodesk License Service (x64) - 5.1.4

| Item | Value |
|------------------------|-------------------------------------------------------------|
| Name | Autodesk License Service (x64) - 5.1.4 |
| Vendor | Autodesk |
| Version | 5.1.4.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\CLM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CD647FF9-B07F-4745-A6DB-84992037D809} |
| Package Name | CLIC_x64_release.msi |
| Local Package | C:\WINDOWS\Installer\82dc1.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3609A8D9-FC0C-4C9B-9F58-0B1D1A4FE556} |

| Item | Value |
|------------------------|-----------------------------------------------------------------------------------|
| Name | Autodesk Material Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\CM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4CD1DC5E-2B8B-4CB9-A1B3-656441C4C692} |
| Package Name | MaterialLibrary2018.msi |
| Local Package | C:\WINDOWS\Installer\82d96.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7847611E-92E9-4917-B395-71C91D523104} |

Autodesk Material Library Base Resolution Image Library 2018

| Item | Value |
|------------------------|--------------------------------------------------------------------------------|
| Name | Autodesk Material Library Base Resolution Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish_Win_64bit_dlm\Content\ADSKMaterials\2018\ILB\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B29DE691-C0E3-416D-AC91-C19349DB2FE6} |
| Package Name | BaselImageLibrary2018.msi |
| Local Package | C:\WINDOWS\Installer\82d9c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FCDED119-A969-4E48-8A32-D21AD6B03253} |

Autodesk ReCap

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Autodesk ReCap |
| Vendor | Autodesk |
| Version | 4.0.0.28 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | C:\Program Files\Autodesk\Autodesk ReCap\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\RC2018\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1D6C9B5A-4CED-46EE-ACD4-968B38028CD1} |
| Package Name | AutodeskReCap.msi |
| Local Package | C:\WINDOWS\Installer\82dd7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6ED27C84-0000-1033-0102-D4DAEFC23C2} |

Brother MFL-Pro Suite DCP-8085DN

| Item | Value |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| Name | Brother MFL-Pro Suite DCP-8085DN |
| Vendor | Brother Industries, Ltd. |
| Version | 3.0.1.0 |
| Product Language | Spanish |
| Install Date | 20181025 |
| Install Location | C:\Program Files (x86)\Brother\Brmflo8i |
| Install Source | \d029nt02\Sistemas1\Drivers\Drivers varios\Impresoras\Brother\DCP-8085 DN W10 64\mflpro\Data\Disk1\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {004B8D14-7E3A-490A-ABB3-753535E169E3} |

Catalyst Control Center InstallProxy

| Item | Value |
|------------------------|----------------------------------------------------|
| Name | Catalyst Control Center InstallProxy |
| Vendor | Advanced Micro Devices, Inc. |
| Version | 2015.1104.1643.30033 |
| Product Language | English |
| Install Date | 20171017 |
| Install Location | C:\Program Files (x86)\ATI Technologies\ |
| Install Source | C:\AMD\WU-CCC2\ccc2_install\MOM-InstallProxy-Net4\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {81D1230C-AF53-4D07-8A6E-19C9FDE3B408} |
| Package Name | ccc-mom-installproxy.msi |
| Local Package | C:\WINDOWS\Installer\37619.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D7D20EB4-BD89-05C0-05C6-33E5B762989E} |

Configuration Manager Client

| Item | Value |
|------------------------|-------------------------------------------------------------|
| Name | Configuration Manager Client |
| Vendor | Microsoft Corporation |
| Version | 5.00.8577.1000 |
| Product Language | English |
| Install Date | 20190716 |
| Install Location | |
| Install Source | C:\WINDOWS\ccmsetup\{6EF23B21-22B7-453C-A975-52723EE71ABA}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6EF23B21-22B7-453C-A975-52723EE71ABA} |
| Package Name | client.msi |
| Local Package | C:\WINDOWS\Installer\6a8890b8.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {5AB8B509-4D5A-47DA-A1D2-CDDC2A7D27E4} |

Eines de correcció del Microsoft Office 2016: català

| Item | Value |
|------------------------|-------------------------------------------------------------------------|
| Name | Eines de correcció del Microsoft Office 2016: català |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Catalan |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {236125EB-7E4D-4FA8-BC67-6035A3FAF2C1} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4aef1.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0403-1000-0000000FF1CE} |

FARO LS 1.1.600.6 (64bit)

| Item | Value |
|------------------------|--------------------------------------------------------------------------|
| Name | FARO LS 1.1.600.6 (64bit) |
| Vendor | FARO Scanner Production |
| Version | 6.0.6.5 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\3rdParty\x64\FaroSDK\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {ED1C98AF-9A2A-4615-B22F-BCA8A7C6A049} |
| Package Name | FARO.LS_6.0.6.5.msi |
| Local Package | C:\WINDOWS\Installer\82dd1.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {510A08AF-1649-4844-94E5-EAC43A023685} |

Ferramentas de verificación de Microsoft Office 2016 - Galego

| Item | Value |
|------------------------|------------------------------------------------------------------------|
| Name | Ferramentas de verificación de Microsoft Office 2016 - Galego |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Galician |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.g\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FDEC6C48-9629-414C-B15A-5A8C82468B10} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4aee5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0456-1000-0000000FF1CE} |



FortiClient

| Item | Value |
|------------------------|--------------------------------------------------------------------------------------|
| Name | FortiClient |
| Vendor | Fortinet Technologies Inc |
| Version | 6.0.9.0277 |
| Product Language | English |
| Install Date | 20210414 |
| Install Location | C:\Program Files\Fortinet\FortiClient\ |
| Install Source | C:\ProgramData\Applications\Cache\{6C0A3C5E-7725-49D8-A016-B3ADCACF61C2}\6.0.9.0277\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {35BD9E63-251E-4864-9DB3-9D34551E42CE} |
| Package Name | FortiClient.msi |
| Local Package | C:\WINDOWS\Installer\61727.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6C0A3C5E-7725-49D8-A016-B3ADCACF61C2} |

| Item | Value |
|------------------------|--------------------------------------------------|
| Name | Google Chrome |
| Vendor | Google LLC |
| Version | 90.0.4430.85 |
| Product Language | |
| Install Date | 20210421 |
| Install Location | C:\Program Files (x86)\Google\Chrome\Application |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Google Chrome |

Herramientas de corrección de Microsoft Office 2016: español

| Item | Value |
|------------------------|-------------------------------------------------------------------------|
| Name | Herramientas de corrección de Microsoft Office 2016: español |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CBBDC62-D644-4596-9AD5-7511753063BB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4aefd.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0C0A-1000-0000000FF1CE} |

Impresoras HP Designjet ePrinter de las series T120 y T520

| Item | Value |
|------------------------|-----------------------------------------------------------------------------------------------------|
| Name | Impresoras HP Designjet ePrinter de las series T120 y T520 |
| Vendor | Hewlett-Packard Co. |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | "C:\Program Files (x86)\Hewlett-Packard\Install Engines\HP Designjet T120 and T520 ePrinter Series" |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | HPAmpereXL |

Java 7 Update 67

| Item | Value |
|------------------------|------------------------------------------|
| Name | Java 7 Update 67 |
| Vendor | Oracle |
| Version | 7.0.670 |
| Product Language | Neutral |
| Install Date | 20180420 |
| Install Location | C:\Program Files (x86)\Java\jre7\ |
| Install Source | C:\Program Files (x86)\Java\jdk1.7.0_67\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {81E8A0DC-0E9B-433D-A6F9-5D71FA7CF48A} |
| Package Name | jre.msi |
| Local Package | C:\WINDOWS\Installer\7e6b9.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {26A24AE4-039D-4CA4-87B4-2F03217067FF} |

Java 8 Update 171

| Item | Value |
|------------------------|-------------------------------------------------------------------|
| Name | Java 8 Update 171 |
| Vendor | Oracle Corporation |
| Version | 8.0.1710.11 |
| Product Language | English |
| Install Date | 20180621 |
| Install Location | C:\Program Files (x86)\Java\jre1.8.0_171\ |
| Install Source | C:\Users\Administrador\AppData\LocalLow\Oracle\Java\jre1.8.0_171\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6A25927E-2882-4431-80E9-7C7914AD42BF} |
| Package Name | jre1.8.0_171patch.msi |
| Local Package | C:\WINDOWS\Installer\80433.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {26A24AE4-039D-4CA4-87B4-2F32180171F0} |

Java Auto Updater

| Item | Value |
|------------------------|-------------------------------------------------------------------|
| Name | Java Auto Updater |
| Vendor | Oracle Corporation |
| Version | 2.8.171.11 |
| Product Language | English |
| Install Date | 20180621 |
| Install Location | |
| Install Source | C:\Users\Administrador\AppData\LocalLow\Oracle\Java\jre1.8.0_171\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {50A157F4-9032-4F6F-A522-2358200FC8CF} |
| Package Name | au.msi |
| Local Package | C:\WINDOWS\Installer\8043e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4A03706F-666A-4037-7777-5F2748764D10} |

Java SE Development Kit 7 Update 67

| Item | Value |
|------------------------|---------------------------------------------------------------|
| Name | Java SE Development Kit 7 Update 67 |
| Vendor | Oracle |
| Version | 1.7.0.670 |
| Product Language | Neutral |
| Install Date | 20180420 |
| Install Location | C:\Program Files (x86)\Java\jdk1.7.0_67\ |
| Install Source | C:\Users\Administrador\AppData\LocalLow\Sun\Java\jdk1.7.0_67\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32A3A4F2-B792-11D6-A78A-00B0D0170670} |
| Package Name | jdk1.7.0_67.msi |
| Local Package | C:\WINDOWS\Installer\7e6b6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {32A3A4F4-B792-11D6-A78A-00B0D0170670} |

KB4023057

| Item | Value |
|------------------------|--------------------------------------------------------------------------------|
| Name | KB4023057 |
| Vendor | Microsoft Corporation |
| Version | 2.3.0.0 |
| Product Language | Neutral |
| Install Date | 20170908 |
| Install Location | |
| Install Source | C:\Windows\SoftwareDistribution\Download\c9458fe6dabddaba4ac08aadd39d58fe\img\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {A49A1BBD-A592-4DF1-8C43-5D7BE34260E2} |
| Package Name | windows10.0-kb4023057-x64.msi |
| Local Package | C:\Windows\Installer\2f1628.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ED06689A-33B7-4D35-8F76-36A82CD03406} |

| Item | Value |
|------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Name | Knowledge Xpert for Oracle Administration |
| Vendor | Quest Software |
| Version | 10.1.0.188 |
| Product Language | English |
| Install Date | 20170811 |
| Install Location | C:\Program Files (x86)\Quest Software\Knowledge Xpert |
| Install Source | C:\ProgramData\Quest Software\Quest Installer\UpdatesRepository\Know ledge_Xpert_(Oracle_Administration)\10_1_0_188\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CC35FC2D-42D0-44C2-A17C-B1BA12C8A182} |
| Package Name | KXOraAdmSetup.msi |
| Local Package | C:\Windows\Installer\43c3f36.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {2b104c55-547b-4545-a4ea-8192f3c901fa} |

Knowledge Xpert for PLSQL

| Item | Value |
|------------------------|------------------------------------------------------------------------------------------------------------|
| Name | Knowledge Xpert for PLSQL |
| Vendor | Quest Software |
| Version | 10.1.0.188 |
| Product Language | English |
| Install Date | 20170811 |
| Install Location | C:\Program Files (x86)\Quest Software\Knowledge Xpert |
| Install Source | C:\ProgramData\Quest Software\Quest Installer\UpdatesRepository\Know ledge_Xpert_(PLSQL)\10_1_0_188\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {127919BB-3177-4216-BA0B-CAD94830C644} |
| Package Name | KXPLSQLSetup.msi |
| Local Package | C:\Windows\Installer\43c3f3c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {5fb88c3e-b84c-4cb9-97dd-6c340da3d720} |

Knowledge Xpert Oracle Common

| Item | Value |
|------------------------|--------------------------------------------------------------------------------------------------------------------|
| Name | Knowledge Xpert Oracle Common |
| Vendor | Quest Software |
| Version | 10.1.0.188 |
| Product Language | English |
| Install Date | 20170811 |
| Install Location | C:\Program Files (x86)\Quest Software\Knowledge Xpert |
| Install Source | C:\ProgramData\Quest Software\Quest Installer\UpdatesRepository\Know ledge_Xpert_(Oracle_Common)\10_1_0_188\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {462D3E2B-994B-4D7D-B56F-38212AFB9824} |
| Package Name | KXOraCommon.msi |
| Local Package | C:\Windows\Installer\43c3f31.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {e2c0f584-41a0-4a0b-ada8-546aebee7b66} |

Knowledge Xpert

| Item | Value |
|------------------------|-------------------------------------------------------------------------------------------------------------|
| Name | Knowledge Xpert |
| Vendor | Quest Software |
| Version | 10.1.0.188 |
| Product Language | English |
| Install Date | 20170811 |
| Install Location | C:\Program Files (x86)\Quest Software\Knowledge Xpert |
| Install Source | C:\ProgramData\Quest Software\Quest Installer\UpdatesRepository\Know ledge_Xpert_(Engine)\10_1_0_188\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5CFBF6A1-043D-46FF-BB9E-0FDE3F346511} |
| Package Name | KXEngineSetup.msi |
| Local Package | C:\Windows\Installer\43c3f2c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {f34d9c22-0d2f-42ae-9780-7dbad467cc00} |

| Item | Value |
|------------------------|-----------------------------------------------------|
| Name | Lotus Notes 8.5.2 |
| Vendor | IBM |
| Version | 8.52.10222 |
| Product Language | Neutral |
| Install Date | 20160705 |
| Install Location | |
| Install Source | g:\soft\lotus 8.5\instalador cliente 8\lotus notes\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2ED2530E-EA19-48BA-99F8-131DB81F61AD} |
| Package Name | Lotus Notes 8.5.2.msi |
| Local Package | C:\Windows\Installer\27e564.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E11DFB27-BAF4-46D6-AD76-D5519C0E6786} |

Microsoft Access MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Access MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20180715 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0015-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {57C8D614-5795-4178-9111-CE82BE6114A7} |
| Package Name | AccessMUI.msi |
| Local Package | C:\Windows\Installer\4af0f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0015-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft DCF MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0090-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BAA5140F-2D04-4E9D-8BE5-7566EAEB5A19} |
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\4af21.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0090-0C0A-1000-0000000FF1CE} |

Microsoft Excel MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Excel MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190927 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0016-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB70D1F8-FB8D-42B5-B85C-D72DC92BA5D1} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\4af2d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0016-0C0A-1000-0000000FF1CE} |

Microsoft Groove MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Groove MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00BA-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B2085FB-D7E6-4001-B4E3-3486DB585681} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\4af33.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft InfoPath MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0044-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E0B930E1-E83F-4CD6-8AEC-E8A985FF48EB} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\4af39.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0044-0C0A-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office 32-bit Components 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {227F671D-6DDF-42CE-8A67-CB1A1BD0919A} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\4af64.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office OSM MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2E277707-D18B-4D3E-8569-9D5F84B30B46} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\4af1b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office OSM UX MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00E2-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {228B0510-7A69-4AD5-AD1F-CBF656ADC5D5} |
| Package Name | OSMUXMUI.msi |
| Local Package | C:\Windows\Installer\4af45.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office Professional Plus 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Neutral |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5046E58E-C6FD-4A8C-B22D-0E0BF329EDC1} |
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\4af6c.msi |
| Product ID | 00339-10000-00000-AA681 |
| Registered Company | |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office Proofing (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B0EEB792-06AA-4223-921C-F4150F5A456D} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\4af09.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2016 - English

| Item | Value |
|------------------------|-------------------------------------------------------------------------|
| Name | Microsoft Office Proofing Tools 2016 - English |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | English |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.en\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {217FB395-5F1C-40A3-87A8-9D44A396DE3B} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4af03.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190927 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D202969B-35A4-43EA-9AFD-FE52E002B7A2} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\4af27.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00C1-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Office Shared MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20190927 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-006E-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6663F1D7-65BA-4354-B799-A0315713C427} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\4aedf.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-006E-0C0A-1000-0000000FF1CE} |

Microsoft Office zuzenketa-tresnak 2016 - Euskara

| Item | Value |
|------------------------|-------------------------------------------------------------------------|
| Name | Microsoft Office zuzenketa-tresnak 2016 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Basque |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BBBB585A-72A3-4FC9-B8F2-F848EEA93BBB} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4aeeb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-042D-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft OneNote MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-00A1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86486077-BFAE-4DBE-BF74-CE98BBFA18CA} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\4af15.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Outlook MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001A-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9B948EF6-57EC-4642-9BB6-D7292846D74B} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\4af4b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001A-0C0A-1000-0000000FF1CE} |



Microsoft Policy Platform

| Item | Value |
|------------------------|----------------------------------------|
| Name | Microsoft Policy Platform |
| Vendor | Microsoft Corporation |
| Version | 68.1.1010.0 |
| Product Language | English |
| Install Date | 20181030 |
| Install Location | |
| Install Source | C:\WINDOWS\ccmsetup\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD924E8D-215C-4DDE-A661-E88575B134B7} |
| Package Name | MicrosoftPolicyPlatformSetup.msi |
| Local Package | C:\WINDOWS\Installer\198a55aa.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6549B04F-E826-4E0A-8C3F-388540F08541} |

Microsoft PowerPoint MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft PowerPoint MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0018-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5DF3F22A-6783-40CC-8BD8-539EF2C95B79} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\4af51.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0018-0C0A-1000-000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Publisher MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20170908 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-0019-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3571874E-2542-4DC2-82BC-52561BFBFC96} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\4af57.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Silverlight

| Item | Value |
|------------------------|-----------------------------------------------|
| Name | Microsoft Silverlight |
| Vendor | Microsoft Corporation |
| Version | 5.1.50907.0 |
| Product Language | English |
| Install Date | 20181030 |
| Install Location | C:\Program Files (x86)\Microsoft Silverlight\ |
| Install Source | d:\5ec0532f89497b55c081b4e22ae62e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8DD7B23F-7639-46ED-9AE2-87B9B8DDA902} |
| Package Name | silverlight.msi |
| Local Package | C:\WINDOWS\Installer\198a55af.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {89F4137D-6C26-4A84-BDB8-2E5A4BB71E00} |

Microsoft Skype for Business MUI (Spanish) 2016

| Item | Value |
|------------------------|----------------------------------------------------------------|
| Name | Microsoft Skype for Business MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-012B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {27354C5D-2532-4E16-9F13-0C2926A70B50} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\4af3f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|-------------------------------------------------------|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20180405 |
| Install Location | |
| Install Source | C:\Users\Administrador\AppData\Local\Temp\IXP001.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C4724ED-EE14-4DB6-B996-8F3E8FBA675C} |
| Package Name | vcredist.msi |
| Local Package | C:\WINDOWS\Installer\114eee.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {071c9b48-7c32-4621-a0ac-3f809523288f} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------------|-------------------------------------------------|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.61000 |
| Product Language | Neutral |
| Install Date | 20180621 |
| Install Location | |
| Install Source | C:\WINDOWS\TEMP\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {015A855C-3760-46C5-A5EE-A5F06C3A019C} |
| Package Name | vcredist.msi |
| Local Package | C:\WINDOWS\Installer\458bc9.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ad8a2fa1-06e7-4b0d-927d-6e54b3d31028} |

Microsoft Visual C++ 2005 Redistributable

| Item | Value |
|------------------------|--------------------------------------------------|
| Name | Microsoft Visual C++ 2005 Redistributable |
| Vendor | Microsoft Corporation |
| Version | 8.0.61001 |
| Product Language | Neutral |
| Install Date | 20210414 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {31076048-5B7B-4476-ABF0-15989228CB90} |
| Package Name | vcredist.msi |
| Local Package | C:\WINDOWS\Installer\2a554b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {710f4c1c-cc18-4c49-8cbf-51240c89a1a2} |

Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148

| Item | Value |
|------------------------|-------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | d:\a12ab449fa55720b9154\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {40AA714A-18B8-472E-AC39-6EB27EC4B5A0} |
| Package Name | vc_red.msi |
| Local Package | C:\WINDOWS\Installer\6fb92.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4B6C7001-C7D6-3710-913E-5BC23FCE91E6} |

Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148

| Item | Value |
|------------------------|-------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | d:\551e296def20f0398298656a061a\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B870907F-D8C0-4418-816F-4D2873511B28} |
| Package Name | vc_red.msi |
| Local Package | C:\WINDOWS\Installer\6fb8d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1F1C2DFC-2D24-3E06-BCB8-725134ADF989} |

Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219

| Item | Value |
|------------------------|------------------------------------------------------------|
| Name | Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20181023 |
| Install Location | |
| Install Source | d:\a2987c90bca7e10456f61d\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {80902F2D-E1EF-43CA-B366-74496197E004} |
| Package Name | vc_red.msi |
| Local Package | C:\WINDOWS\Installer\80f6e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D8E6291-B0D5-35EC-8441-6616F567A0F7} |

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

| Item | Value |
|------------------------|------------------------------------------------------------|
| Name | Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20181023 |
| Install Location | |
| Install Source | d:\1687efd56aeb5b4507ffacd7217c55\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {461C455E-DA40-49B3-871B-14308CC7CEFF} |
| Package Name | vc_red.msi |
| Local Package | C:\WINDOWS\Installer\6fb97.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0C3E5D1-1ADE-321E-8167-68EF0DE699A5} |

Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ca67548a-5ebe-413a-b50c-4b9ceb6d66c6} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610 |
| Vendor | Microsoft Corporation |
| Version | 11.0.60610.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {95716cce-fc71-413f-8ad5-56c2892d4b3a} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {33d1fd90-4274-48a1-9bc1-97e33d9c2d6f} |

Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030

| Item | Value |
|------------------------|---------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B8F9C7-03FB-3253-8781-2517C99D7C00}\v11.0.61030\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD6B6D0F-6159-4613-9EEC-504FD63398BC} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\WINDOWS\Installer\82d37.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B8F9C7-03FB-3253-8781-2517C99D7C00} |

Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030

| Item | Value |
|------------------------|-----------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CF2BEA3C-26EA-32F8-AA9B-31F7E34BA97}\v11.0.61030\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C1BCEFD-6479-404B-9035-A3EE75095F6A} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\WINDOWS\Installer\82d17.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF2BEA3C-26EA-32F8-AA9B-331F7E34BA97} |

Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030

| Item | Value |
|------------------------|-------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{B175520C-86A2-35A7-8619-86DC379688B9}\v11.0.61030\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4A44C12C-61E5-4883-A3D5-CB1B89DC2074} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\WINDOWS\Installer\82ceb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|----------------------------------------|
| Software ID | {B175520C-86A2-35A7-8619-86DC379688B9} |
|-------------|----------------------------------------|

Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030

| Item | Value |
|--------------------|----------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{BD95A8CD-1D9F-35AD-981A-3E7925026EBB}\v11.0.61030\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {13B38BE3-59B9-463F-B577-B3FE71A3AD3A} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\WINDOWS\Installer\82ccb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|----------------------------------------|
| Executable Description | |
| Software ID | {BD95A8CD-1D9F-35AD-981A-3E7925026EBB} |

Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.21005

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|----------------------------------------|
| Software ID | {7f51bdb9-ee21-49ee-94d6-90afc321780e} |
|-------------|----------------------------------------|

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660

| Item | Value |
|------------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {61087a79-ac85-455c-934d-1fa22cc64f36} |

Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.21005

| Item | Value |
|------------------------|---------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180405 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{929FBD26-9020-399B-9A7A-751D61F0B942}\v12.0.21005\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0990E7AB-85D7-456A-B8F8-1E1E56A29571} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\WINDOWS\Installer\5afcc.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|----------------------------------------|
| Software ID | {929FBD26-9020-399B-9A7A-751D61F0B942} |
|-------------|----------------------------------------|

Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.21005

| Item | Value |
|--------------------|------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.21005 |
| Vendor | Microsoft Corporation |
| Version | 12.0.21005 |
| Product Language | English |
| Install Date | 20180405 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{A749D8E6-B613-3BE3-8F5F-045C84EBA29B}\v12.0.21005\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FE26E34E-F44B-4B4D-A2C9-878D87759F44} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\WINDOWS\Installer\5afc5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|----------------------------------------|
| Executable Description | |
| Software ID | {A749D8E6-B613-3BE3-8F5F-045C84EBA29B} |

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660

| Item | Value |
|--------------------|-------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20181030 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ECF7B346-705F-4652-9451-4A0D79480FBD} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\WINDOWS\Installer\198a55a5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|----------------------------------------|
| Executable Version | |
| Executable Description | |
| Software ID | {7DAD0258-515C-3DD4-8964-BD714199E0F7} |

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|----------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20181030 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32708A00-6EE9-4612-89E1-AF165165AE29} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\WINDOWS\Installer\198a55a0.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|----------------------------------------|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E30D8B21-D82D-3211-82CC-0F0A5D1495E8} |

Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24215

| Item | Value |
|--------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|----------------------------------------|
| Executable Version | |
| Executable Description | |
| Software ID | {d992c12e-cab2-426f-bde3-fb8c53950b0d} |

Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212

| Item | Value |
|--------------------|--------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|----------------------------------------|
| Executable Description | |
| Software ID | {462f63a8-6347-4894-a1b3-dbfe3a4c981d} |

Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24215

| Item | Value |
|--------------------|---------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215 |
| Product Language | English |
| Install Date | 20181024 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{EF1EC6A9-17DE-3DA9-B040-686A1E8A8B04}\v14.0.24215\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2F8046B6-924A-4624-BB8F-A708F8E7DAD3} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\WINDOWS\Installer\4d74ddb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|----------------------------------------|
| Executable Version | |
| Executable Description | |
| Software ID | {EF1EC6A9-17DE-3DA9-B040-686A1E8A8B04} |

Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24215

| Item | Value |
|--------------------|------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215 |
| Product Language | English |
| Install Date | 20181024 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{50A2BC33-C9CD-3BF1-A8FF-53C10A0B183C}\v14.0.24215\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9424290F-5253-43B3-82AC-20E043295A91} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\WINDOWS\Installer\4d74dc5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|----------------------------------------|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {50A2BC33-C9CD-3BF1-A8FF-53C10A0B183C} |

Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212

| Item | Value |
|--------------------|-------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{844ECB74-9B63-3D5C-958C-30BD23F19EE4}\v14.0.24212\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2F389DFE-8C3B-4F06-AEED-A18D91814871} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\WINDOWS\Installer\82d75.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|----------------------------------------|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {844ECB74-9B63-3D5C-958C-30BD23F19EE4} |

Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212

| Item | Value |
|--------------------|-----------------------------------------------------------------------------------------------------------------------|
| Name | Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20181023 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B55901-995A-3650-80B1-B BFD047E2911}v14.0.24212\packages \vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADBA463F-23EE-4E9C-8A6A-775550D77195} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\WINDOWS\Installer\82d62.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|----------------------------------------|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B55901-995A-3650-80B1-BBFD047E2911} |

Microsoft Word MUI (Spanish) 2016

| Item | Value |
|--------------------|----------------------------------------------------------------|
| Name | Microsoft Word MUI (Spanish) 2016 |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Spanish |
| Install Date | 20200203 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C036EC3-F232-4409-9ED2-DEF3CCE96CCA} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\4af5d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|----------------------------------------|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001B-0C0A-1000-0000000FF1CE} |

NVIDIA Stereoscopic 3D Driver

| Item | Value |
|--------------------|-----------------------------------------------------|
| Name | NVIDIA Stereoscopic 3D Driver |
| Vendor | NVIDIA Corporation |
| Version | 7.17.13.7500 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\NVIDIA Corporation\3D Vision |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--------------|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | NVIDIAStereo |

Old Calculator for Windows 10

| Item | Value |
|--------------------|-----------------------------------------------------|
| Name | Old Calculator for Windows 10 |
| Vendor | http://winaero.com |
| Version | 1.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|-----------------|
| Executable Version | |
| Executable Description | |
| Software ID | OldCalcForWin10 |

Realtek Card Reader

| Item | Value |
|--------------------|---------------------------|
| Name | Realtek Card Reader |
| Vendor | Realtek Semiconduct Corp. |
| Version | 10.0.10586.31222 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|----------------------------------------|
| Executable Description | |
| Software ID | {5BC2B5AB-80DE-4E83-B8CF-426902051D0A} |

Realtek High Definition Audio Driver

| Item | Value |
|------------------------|--------------------------------------|
| Name | Realtek High Definition Audio Driver |
| Vendor | Realtek Semiconductor Corp. |
| Version | 6.0.1.8228 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files\Realtek\Audio\HDA |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|----------------------------------------|
| Software ID | {F132AF7F-7BCA-4EDE-8A7C-958108FE7DBC} |
|-------------|----------------------------------------|

Registro web de HP

| Item | Value |
|------------------------|-----------------------------------------------------------------------------|
| Name | Registro web de HP |
| Vendor | Hewlett Packard, Co. |
| Version | 1.2.0.0 |
| Product Language | Spanish |
| Install Date | 20181025 |
| Install Location | |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\HPDesignjetT520HPGL2\Web Registration\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7FE9748A-EA3A-430E-8478-C5BAAC4240DF} |
| Package Name | HP WebReg 1034.msi |
| Local Package | C:\WINDOWS\Installer\dfe33.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D2FF897E-4A99-446E-8BB4-DD99CD496838} |

Revisores de Texto do Microsoft Office 2016 – Português (Brasil)

| Item | Value |
|------------------------|----------------------------------------------------------------------------|
| Name | Revisores de Texto do Microsoft Office 2016 – Português (Brasil) |
| Vendor | Microsoft Corporation |
| Version | 16.0.4266.1001 |
| Product Language | Portuguese |
| Install Date | 20180621 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90160000-002C-0C0A-1000-000000FF1CE}-C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CE6CDC43-C24B-4677-826A-A325FBFF03F3} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\4aef7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90160000-001F-0416-1000-0000000FF1CE} |

SketchUp 2017

| Item | Value |
|------------------------|--------------------------------------------------------|
| Name | SketchUp 2017 |
| Vendor | Trimble Navigation Limited |
| Version | 17.2.2555 |
| Product Language | Spanish |
| Install Date | 20210414 |
| Install Location | C:\Program Files\SketchUp\SketchUp 2017\ |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\sketchup_install\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {975D5F5A-E08D-47F2-914D-C3CE60AF0892} |
| Package Name | SketchUp2017-x64.msi |
| Local Package | C:\WINDOWS\Installer\1e654f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {31645965-D0A5-4D0B-98C8-48A2C804AD7A} |

V-Ray for SketchUp adv

| Item | Value |
|------------------------|------------------------------------------------|
| Name | V-Ray for SketchUp adv |
| Vendor | Chaos Software, Ltd |
| Version | 2.00.26494 |
| Product Language | |
| Install Date | |
| Install Location | C:\ProgramData\SketchUp\Sketchup 2016\SketchUp |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | V-Ray for SketchUp adv 2.00.26494 |

Software Updates

| Update ID | Installed On | Description |
|-----------|--------------|---------------------------------------------------------------------------------------------------|
| KB890830 | 2018-10- | Herramienta de eliminación de software malintencionado de Windows x64, octubre de 2018 (KB890830) |
| KB4523203 | 2/3/2020 | Security Update |
| KB4516115 | 10/8/2019 | Security Update |
| KB4512576 | 10/8/2019 | Security Update |
| KB448418 | 20200203 | Security Update for Microsoft Office 2016 (KB4484180) 64-Bit Edition |
| KB448418 | 2020-02- | Actualización de seguridad para Microsoft Office 2016 (KB4484180) Edición de 64 bits |
| KB448416 | 20200203 | Security Update for Microsoft Word 2016 (KB4484169) 64-Bit Edition |
| KB448416 | 20200203 | Security Update for Microsoft PowerPoint 2016 (KB4484166) 64-Bit Edition |
| KB448416 | 2020-02- | Actualización de seguridad para Microsoft Word 2016 (KB4484169) Edición de 64 bits |
| KB448416 | 2020-02- | Actualización de seguridad para Microsoft PowerPoint 2016 (KB4484166) Edición de 64 bits |
| KB447559 | 2019-09- | Actualización de seguridad para Microsoft Office 2016 (KB4475591) Edición de 64 bits |
| KB447558 | 20190927 | Security Update for Microsoft Project 2016 (KB4475589) 64-Bit Edition |
| KB447558 | 20190927 | Security Update for Microsoft Office 2016 (KB4475583) 64-Bit Edition |
| KB447558 | 2019-09- | Actualización de seguridad para Microsoft Project 2016 (KB4475589) Edición de 64 bits |
| KB447558 | 2019-09- | Actualización de seguridad para Microsoft Office 2016 (KB4475583) Edición de 64 bits |
| KB447557 | 20190927 | Security Update for Microsoft Excel 2016 (KB4475579) 64-Bit Edition |

| | | |
|-----------|------------|------------------------------------------------------------------------------------------------------|
| KB447557 | 2019-09- | Actualización de seguridad para Microsoft Excel 2016 (KB4475579) Edición de 64 bits |
| KB446293 | 2018-10- | Actualización de Adobe Flash Player para Windows 10 Version 1803 sistemas basados en x64 (KB4462930) |
| KB4457128 | 9/12/2018 | Security Update |
| KB4456655 | 9/12/2018 | Update |
| KB4343669 | 7/15/2018 | Update |
| KB4100347 | 10/23/2018 | Update |
| KB408614 | 20190716 | ConfigMgr1710-client-KB4086143-x64 |
| KB402223 | 20180715 | Update for Microsoft Outlook 2016 (KB4022230) 64-Bit Edition |
| KB402222 | 20180715 | Update for Microsoft Office 2016 (KB4022223) 64-Bit Edition |
| KB402222 | 20180715 | Security Update for Skype for Business 2016 (KB4022221) 64-Bit Edition |
| KB402219 | 20180621 | Update for Microsoft Office 2016 (KB4022193) 64-Bit Edition |
| KB402217 | 20180715 | Security Update for Microsoft Office 2016 (KB4022176) 64-Bit Edition |
| KB402217 | 20180715 | Security Update for Microsoft Office 2016 (KB4022172) 64-Bit Edition |
| KB402217 | 20180621 | Security Update for Microsoft Office 2016 (KB4022177) 64-Bit Edition |
| KB402216 | 20180621 | Update for Microsoft OneNote 2016 (KB4022163) 64-Bit Edition |
| KB402215 | 20180621 | Update for Microsoft Office 2016 (KB4022158) 64-Bit Edition |
| KB402213 | 20180621 | Update for Microsoft Office 2016 (KB4022133) 64-Bit Edition |
| KB401833 | 20180715 | Security Update for Microsoft Access 2016 (KB4018338) 64-Bit Edition |

| | | |
|----------|----------|-----------------------------------------------------------------------|
| KB401832 | 20180715 | Update for Microsoft Visio 2016 (KB4018325) 64-Bit Edition |
| KB401832 | 20180715 | Update for Microsoft Office 2016 (KB4018324) 64-Bit Edition |
| KB401831 | 20180621 | Security Update for Microsoft Office 2016 (KB4018319) 64-Bit Edition |
| KB401166 | 20180621 | Update for Microsoft Office 2016 (KB4011667) 64-Bit Edition |
| KB401163 | 20180621 | Update for Microsoft Office 2016 (KB4011634) 64-Bit Edition |
| KB401163 | 20180621 | Update for Microsoft Office 2016 (KB4011630) 64-Bit Edition |
| KB401162 | 20180621 | Security Update for Microsoft Office 2016 (KB4011628) 64-Bit Edition |
| KB401157 | 20180621 | Security Update for Microsoft Office 2016 (KB4011574) 64-Bit Edition |
| KB401156 | 20180621 | Update for Microsoft Office 2016 (KB4011569) 64-Bit Edition |
| KB401125 | 20180621 | Update for Microsoft Office 2016 (KB4011259) 64-Bit Edition |
| KB401122 | 20180621 | Update for Microsoft Office 2016 (KB4011225) 64-Bit Edition |
| KB401121 | 20180621 | Update for Microsoft Office 2016 (KB4011218) 64-Bit Edition |
| KB401110 | 20180621 | Update for Microsoft OneDrive for Business (KB4011100) 64-Bit Edition |
| KB401103 | 20180715 | Update for Microsoft Office 2016 (KB4011035) 64-Bit Edition |
| KB321365 | 20170908 | Update for Microsoft Office 2016 (KB3213650) 64-Bit Edition |
| KB321355 | 20180621 | Security Update for Microsoft Office 2016 (KB3213551) 64-Bit Edition |

| | | |
|----------|----------|------------------------------------------------------------------------|
| KB320347 | 20180621 | Update for Microsoft Office 2016 (KB3203479) 64-Bit Edition |
| KB319192 | 20170908 | Update for Microsoft Office 2016 (KB3191929) 64-Bit Edition |
| KB319186 | 20180715 | Update for Microsoft Office 2016 (KB3191864) 64-Bit Edition |
| KB317869 | 20170908 | Update for Microsoft Publisher 2016 (KB3178696) 64-Bit Edition |
| KB317866 | 20180621 | Update for Microsoft Office 2016 (KB3178662) 64-Bit Edition |
| KB317866 | 20170908 | Update for Microsoft Office 2016 (KB3178666) 64-Bit Edition |
| KB314145 | 20170908 | Update for Microsoft Office 2016 (KB3141457) 64-Bit Edition |
| KB311826 | 20170908 | Update for Microsoft Office 2016 (KB3118264) 64-Bit Edition |
| KB311826 | 20170908 | Update for Microsoft Office 2016 (KB3118263) 64-Bit Edition |
| KB311826 | 20170908 | Update for Microsoft Office 2016 (KB3118262) 64-Bit Edition |
| KB311540 | 20170908 | Definition Update for Microsoft Office 2016 (KB3115407) 64-Bit Edition |
| KB311527 | 20170908 | Update for Microsoft Office 2016 (KB3115276) 64-Bit Edition |
| KB311513 | 20170908 | Security Update for Microsoft Office 2016 (KB3115135) 64-Bit Edition |
| KB311508 | 20170908 | Update for Microsoft Office 2016 (KB3115081) 64-Bit Edition |
| KB311490 | 20170908 | Update for Microsoft Office 2016 (KB3114903) 64-Bit Edition |
| KB308553 | 20170908 | Security Update for Microsoft Office 2016 (KB3085538) 64-Bit Edition |

| | | |
|----------|----------|-------------------------------------------------------------|
| KB292072 | 20170908 | Update for Microsoft Office 2016 (KB2920724) 64-Bit Edition |
| KB292072 | 20170908 | Update for Microsoft Office 2016 (KB2920720) 64-Bit Edition |
| KB292071 | 20170908 | Update for Microsoft Office 2016 (KB2920712) 64-Bit Edition |
| KB292068 | 20170908 | Update for Microsoft Office 2016 (KB2920684) 64-Bit Edition |
| KB292067 | 20170908 | Update for Microsoft Office 2016 (KB2920678) 64-Bit Edition |
| KB291099 | 20170908 | Update for Microsoft Office 2016 (KB2910990) 64-Bit Edition |
| KB291095 | 20170908 | Update for Microsoft Office 2016 (KB2910954) 64-Bit Edition |
| | 20210423 | Adobe Acrobat Reader DC (21.001.20150) |
| | 20190716 | CLP3082 |
| | 20181030 | Microsoft Silverlight 5.1.50907.0 |



Sistema Operativo

| Name | Value |
|-------------------------|---------------------|
| Name | 6.2 |
| Edition | Professional 64-bit |
| Install Date | 22/10/2018 |
| Registered Owner | Gobierno de Cordoba |
| Registered Organization | Gobierno de Cordoba |
| Product ID | |
| Major Version Number | 6 |

| | |
|---------------------------|---------------------------------------|
| Minor Version Number | 2 |
| Build Number | 9200 |
| Service Pack | |
| Service Pack Version | 0.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | C:\WINDOWS\ |
| System Directory | C:\WINDOWS\system32\ |
| Temporary Directory | C:\Users\201240~1\AppData\Local\Temp\ |
| Operating System Language | Spanish - Argentina |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|---------------------|--------------------------------------------------|
| Mouse | 5 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |
| Display Description | S19D300, 18.5" (41cm x 23cm) |
| Printer | Microsoft XPS Document Writer |
| Printer | Microsoft Print to PDF |
| Printer | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Printer | KONICA MINOLTA 423SeriesPCL-8 |
| Printer | HP Designjet T520 36in HPGL2 |
| Printer | HP Designjet 500 42 by HP |
| Printer | Fax |

| | |
|-------------------|-------------------------------|
| Printer | Enviar a OneNote 2013 |
| Printer | Enviar a OneNote 16 |
| Printer | Brother DCP-8085DN Printer |
| Mapped Drive | m: [\\d250nfs01\Grupos2] |
| Mapped Drive | N: [\\d030nfs01\grupos029] |
| Mapped Drive | q: [\\d030nfs01\Publica030] |
| Mapped Drive | r: [\\d030nfs01\Grupos030] |
| Network Installed | Yes |



Seguridad

[Internet Software](#)

| Type | Name | Version | Data Update? |
|---------|-----------------------|--------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.17134.0 | |

[Open Ports](#)

TCP 0.0.0.0:135

| Item | Value |
|---------------|-----------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |

| | |
|----------------------|--------------------|
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 480 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:2701

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 2701 |
| Caption | TCP 0.0.0.0:2701 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | CmRcService.exe |
| Process ID | 2700 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:3389

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | TCP 0.0.0.0:3389 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1124 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5040

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5040 |
| Caption | TCP 0.0.0.0:5040 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 76 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49664

| Item | Value |
|---------------|---------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Local Port | 49664 |
| Caption | TCP 0.0.0.0:49664 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 636 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49665

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49665 |
| Caption | TCP 0.0.0.0:49665 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1440 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49666

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49666 |
| Caption | TCP 0.0.0.0:49666 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1508 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49667

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49667 |
| Caption | TCP 0.0.0.0:49667 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2388 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49668

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49668 |
| Caption | TCP 0.0.0.0:49668 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | spoolsv.exe |
| Process ID | 3468 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49669

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49669 |
| Caption | TCP 0.0.0.0:49669 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 784 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49670

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49670 |
| Caption | TCP 0.0.0.0:49670 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 720 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49671

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49671 |
| Caption | TCP 0.0.0.0:49671 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2728 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0:49672

| Item | Value |
|---------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49672 |
| Caption | TCP 0.0.0.0:49672 |

| | |
|----------------------|--------------------|
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 784 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:139

| Item | Value |
|----------------------|----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 139 |
| Caption | TCP 10.29.11.115:139 |
| Service Name | netbios-ssn |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:49720

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 49720 |
| Caption | TCP 10.29.11.115:49720 |
| Service Name | |
| Remote Address | 10.250.1.75 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:49724

| Item | Value |
|------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 49724 |
| Caption | TCP 10.29.11.115:49724 |
| Service Name | |
| Remote Address | 10.29.1.15 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |

| | |
|----------------------|--------|
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50021

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50021 |
| Caption | TCP 10.29.11.115:50021 |
| Service Name | |
| Remote Address | 10.250.4.30 |
| Remote Port | 10123 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | CcmExec.exe |
| Process ID | 6016 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50040

| Item | Value |
|---------------|--------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |

| | |
|------------------|------------------------|
| Local Port | 50040 |
| Caption | TCP 10.29.11.115:50040 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.115:50092

| Item | Value |
|------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50092 |
| Caption | TCP 10.29.11.115:50092 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.115:50104

| Item | Value |
|---------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50104 |
| Caption | TCP 10.29.11.115:50104 |

| | |
|----------------------|-----------------------|
| Service Name | |
| Remote Address | 40.126.45.150 |
| Remote Port | 443 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | svchost.exe |
| Process ID | 5184 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50105

| Item | Value |
|----------------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50105 |
| Caption | TCP 10.29.11.115:50105 |
| Service Name | |
| Remote Address | 52.152.110.14 |
| Remote Port | 443 |
| Connection State | Connecting (SYN-SENT) |
| Process Name | svchost.exe |
| Process ID | 4196 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50106

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50106 |
| Caption | TCP 10.29.11.115:50106 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50107

| Item | Value |
|------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50107 |
| Caption | TCP 10.29.11.115:50107 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |

| | |
|----------------------|--------------|
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50108

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50108 |
| Caption | TCP 10.29.11.115:50108 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50109

| Item | Value |
|---------------|--------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |

| | |
|----------------------|--------------------------------------|
| Local Port | 50109 |
| Caption | TCP 10.29.11.115:50109 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50110

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50110 |
| Caption | TCP 10.29.11.115:50110 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50112

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50112 |
| Caption | TCP 10.29.11.115:50112 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | SearchUI.exe |
| Process ID | 7996 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.115:50113

| Item | Value |
|----------------|------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.115 |
| Local Port | 50113 |
| Caption | TCP 10.29.11.115:50113 |
| Service Name | |
| Remote Address | 10.250.1.50 |

| | |
|----------------------|--------------------------------------|
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:6396

| Item | Value |
|----------------------|------------------------------------------------------------------------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 6396 |
| Caption | TCP 127.0.0.1:6396 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | C:\Program Files (x86)\Autodesk\Autodesk Desktop App\acwebbrowser\acwebbrowser.exe |
| Process ID | 6396 |
| Process Description | Chromium host executable |
| Process Manufacturer | Autodesk |

TCP 127.0.0.1:49756

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 49756 |
| Caption | TCP 127.0.0.1:49756 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | SCNotification.exe |
| Process ID | 8388 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:123

| Item | Value |
|---------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 123 |
| Caption | UDP 0.0.0.0:123 |
| Service Name | ntp |
| Process Name | svchost.exe |
| Process ID | 1292 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:500

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |
| Service Name | isakmp |
| Process Name | svchost.exe |
| Process ID | 2748 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3389

| Item | Value |
|---------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | UDP 0.0.0.0:3389 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1124 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:4500

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2748 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5050

| Item | Value |
|---------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5050 |
| Caption | UDP 0.0.0.0:5050 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 76 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:5353

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5353 |
| Caption | UDP 0.0.0.0:5353 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1472 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5355

| Item | Value |
|---------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 5355 |
| Caption | UDP 0.0.0.0:5355 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1472 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:49667

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 49667 |
| Caption | UDP 0.0.0.0:49667 |
| Service Name | |
| Process Name | spoolsv.exe |
| Process ID | 3468 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:53625

| Item | Value |
|---------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 53625 |
| Caption | UDP 0.0.0.0:53625 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 3856 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:54925

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 54925 |
| Caption | UDP 0.0.0.0:54925 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 3856 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.115:137

| Item | Value |
|---------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.115 |
| Local Port | 137 |
| Caption | UDP 10.29.11.115:137 |
| Service Name | netbios-ns |
| Process Name | System |
| Process ID | 4 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 10.29.11.115:138

| Item | Value |
|----------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.115 |
| Local Port | 138 |
| Caption | UDP 10.29.11.115:138 |
| Service Name | netbios-dgm |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:53176

| Item | Value |
|---------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 53176 |
| Caption | UDP 127.0.0.1:53176 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1804 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 127.0.0.1:57336

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 57336 |
| Caption | UDP 127.0.0.1:57336 |
| Service Name | |
| Process Name | CcmExec.exe |
| Process ID | 6016 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:60785

| Item | Value |
|---------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 60785 |
| Caption | UDP 127.0.0.1:60785 |
| Service Name | |
| Process Name | lsass.exe |
| Process ID | 784 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 127.0.0.1:63549

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 63549 |
| Caption | UDP 127.0.0.1:63549 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 7212 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions

Brother DCP-8085DN Printer

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |

| | |
|-------------|----------------------------------|
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|----------------------------------|
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 16

S-1-5-18

| Name | Value |
|-------------|--------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|------|-------|
| | |

| | |
|-------------|--------------------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|------|---------------------|
| Name | Enviar a OneNote 16 |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |

| | |
|-------------|-------------------------------------|
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |

| | |
|-------------|----------------------------------|
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|--------------------------------------------------------------------------------------|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | Enviar a OneNote 16 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 2013

NT AUTHORITY\NETWORK

| Name | Value |
|-------------|-----------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | NT AUTHORITY\NETWORK |
| ACE Type | Deny |

| | |
|-------------|--------------------------------------------------------------------------------------|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | BUILTIN\Administradores |

NT AUTHORITY\NETWORK

| Name | Value |
|-------------|--------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | NT AUTHORITY\NETWORK |
| ACE Type | Deny |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000010000 |
| Owner | BUILTIN\Administradores |

S-1-5-32-544

| Name | Value |
|-------------|-------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | S-1-5-32-544 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |

| | |
|-------------|-------------------------------------|
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | BUILTIN\Administradores |

S-1-5-32-544

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | S-1-5-32-544 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | BUILTIN\Administradores |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |

| | |
|-------------|------------------------------------|
| Access Mask | 0000000000000001000000000000001000 |
| Owner | BUILTIN\Administradores |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | BUILTIN\Administradores |

GOBIERNOCBA\20284327528

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20284327528 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |

| | |
|-------------|----------------------------------|
| Access Mask | 00000000000011110000000000001100 |
| Owner | BUILTIN\Administradores |

GOBIERNOCBA\20284327528

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20284327528 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | Object Inherit |
| Access Mask | 00000000000011110000000000001100 |

| | |
|-------|-------------------------|
| Owner | BUILTIN\Administradores |
|-------|-------------------------|

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Read Permissions |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00000000000000010000000000000000 |
| Owner | BUILTIN\Administradores |

CREATOR OWNER

| Name | Value |
|-------------|--------------------------------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000010000 |
| Owner | BUILTIN\Administradores |

NT AUTHORITY\INTERACTIVE

| Name | Value |
|-------------|------------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | NT AUTHORITY\INTERACTIVE |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | Object Inherit |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | BUILTIN\Administradores |

Fax**S-1-5-18**

| Name | Value |
|-------------|------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|------|-------|
| | |

| | |
|-------------|------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000100000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-------|
| Name | Fax |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|---------|
| Name | Fax |
| Object Type | Printer |

| | |
|-------------|------------------------------------------------------------------------|
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|-------------------------------------------------|
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet 500 42 by HP**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |

| | |
|-------------|--------------------------------------------------------------------------------|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 000000000000111100000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |

| | |
|-------------|----------------------------------|
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |

| | |
|-------------|----------------------------------|
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet T520 36in HPGL2**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|------|-------|
| | |

| | |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\Todos los paquetes de aplicaciones |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000100000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |

| | |
|-------------|------------------------------------------------------------------------|
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\Todos los paquetes de aplicaciones |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|-------------------------------------------------|
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |

| | |
|-------------|-------------------------------------|
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

KONICA MINOLTA 423SeriesPCL-8**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |

| | |
|-------------|----------------------------------|
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|-------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|----------------------------------|
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000001000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

KONICA MINOI TA 423SeriesPCI -8 -- Taller 2

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-------|
| | |

| | |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\ TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |

| | |
|-------------|------------------------------------------------------------------------|
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 0000000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|--------------------------------------------------------------------------------------|
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |

| | |
|-------------|----------------------------------|
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |

| | |
|-------------|----------------------------------|
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Microsoft Print to PDF**S-1-5-18**

| Name | Value |
|-------------|-------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |

| | |
|-------------|------------------------------------|
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |

| | |
|-------|---------------------|
| Owner | NT AUTHORITY\SYSTEM |
|-------|---------------------|

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------------------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | Microsoft Print to PDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Microsoft XPS Document Writer

S-1-5-18

| Name | Value |
|-------------|--------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|------|-------|
| | |

| | |
|-------------|--------------------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

WS61234\Administrador

| Name | Value |
|-------------|--------------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | WS61234\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|------|-------------------------------|
| Name | Microsoft XPS Document Writer |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |

| | |
|-------------|--------------------------------------|
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |

| | |
|-------------|----------------------------------|
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000001000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|--------------------------------------------------------------------------------------|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000001001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------------|
| Name | Microsoft XPS Document Writer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Security Settings

| Item | Name | Setting |
|--------------|----------------------|-----------|
| AutoLogon | Enabled | No |
| Screen Saver | Enabled | Yes |
| Screen Saver | Timeout | 0 Seconds |
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |

| | | |
|-------------------|-------------------------|------------------------|
| All Accounts | Minimum Password Length | 8 Characters |
| All Accounts | Maximum Password Age | 180 Days |
| All Accounts | Historical Passwords | 5 remembered |
| All Accounts | Lockout Threshold | 5 Attempts |
| Automatic Updates | Update Status | Scheduled installation |
| Automatic Updates | Update Schedule | Every day |
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |
| Internet Explorer | Launch Applications | Prompt user |

Share Permissions

ADMIN\$

No Trustee

| Name | Value |
|-------------|-------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |

| | |
|-------|-----------------------------|
| Owner | NT SERVICE\TrustedInstaller |
|-------|-----------------------------|

Brother DCP-8085DN Printer**GOBIERNOCBA\20124063109**

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Share |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Share |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Share |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

C\$**No Trustee**

| Name | Value |
|-------------|-----------------------------|
| Name | C\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

D\$

No Trustee

| Name | Value |
|-------------|-------------------------|
| Name | D\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | BUILTIN\Administradores |

HP Designjet 500 42 by HP

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|--------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

IPC\$**No Trustee**

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

KONICA MINOLTA 423SeriesPCL-8

GOBIERNOCBA\20124063109

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Share |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|------------------------------------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Share |
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|-------|
| | |

| | |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 |
| Object Type | Share |
| Trustee | S-1-5-18 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

KONICA MINOLTA 423SeriesPCL-8 -- Taller 2**GOBIERNOCBA\20124063109**

| Name | Value |
|------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |

| | |
|-------------|----------------------------------|
| Object Type | Share |
| Trustee | GOBIERNOCBA\20124063109 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Share |

| | |
|-------------|------------------------------------------------------------------------|
| Trustee | ENTIDAD DE PAQUETES DE APLICACIONES\TODOS LOS PAQUETES DE APLICACIONES |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

S-1-5-18

| Name | Value |
|-------------|-------------------------------------------|
| Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Object Type | Share |
| Trustee | S-1-5-18 |

| | |
|-------------|----------------------------------|
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

print\$

Todos

| Name | Value |
|-------------|-----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read |
| ACE Flags | |
| Access Mask | 000000000000100100000000010101001 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|----------------------------------|
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | BUILTIN\Administradores |

System Restore

No restore points found, requires at least XP and the WMI service running.

User Privileges

| Privilege Name |
|----------------------------------------------|
| Apagar el sistema |
| Omitir comprobación de recorrido |
| Quitar equipo de la estación de acoplamiento |
| Aumentar el espacio de trabajo de un proceso |
| Cambiar la zona horaria |

Windows Firewall

| Name | Setting |
|------------------------|---------------------------------|
| Firewall Enabled | Yes |
| Authorised Application | Skype for Business UcMapi |
| Authorised Application | Skype for Business |
| Authorised Application | CCleaner Update |
| Authorised Application | Lexmark Install |
| Authorised Service | Compartir archivos e impresoras |

| | |
|--------------------|--------------------|
| Authorised Service | Detección de redes |
| Authorised Service | Escritorio remoto |

Grupos y Usuarios

Local Groups

Administradores

| Name | Value |
|--------------|------------------------------------------------------------------------------------|
| Group Type | Local |
| Group Name | Administradores |
| Comment Item | Los administradores tienen acceso completo y sin restricciones al equipo o dominio |

Members

| Group Name | Member Name |
|-----------------|------------------|
| Administradores | Administrador |
| Administradores | Admins029 |
| Administradores | Domain Admins |
| Administradores | GGAdminGeneralWS |

Global Groups

Ninguno

| Name | Value |
|------|-------|
| | |

| | |
|--------------|------------------|
| Group Type | Global |
| Group Name | Ninguno |
| Comment Item | Usuarios comunes |

Members

| Group Name | Member Name |
|------------|--------------------|
| Ninguno | Administrador |
| Ninguno | DefaultAccount |
| Ninguno | Invitado |
| Ninguno | usuario |
| Ninguno | WDAGUtilityAccount |

Policy

No information found.

User Accounts

Administrador

| Item | Value |
|----------------|--------------------------------------------------------------|
| User Account | Administrador |
| Full Name | |
| Description | Cuenta integrada para la administración del equipo o dominio |
| Account Status | Enabled, Not Locked |
| Local Groups | Administradores |

| | |
|--------------------|-------------------------|
| Global Groups | Ninguno |
| Last Logon | 3/2/2020 11:52:39 a. m. |
| Last Logoff | |
| Number Of Logons | 95 |
| Bad Password Count | 0 |
| Password Age | 917 Days |
| Password Expired | Yes |
| Account Expires | |

DefaultAccount

| Item | Value |
|--------------------|------------------------------------------------|
| User Account | DefaultAccount |
| Full Name | |
| Description | Cuenta de usuario administrada por el sistema. |
| Account Status | Disabled, Not Locked |
| Local Groups | System Managed Accounts Group |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

Invitado

| Item | Value |
|--------------------|-------------------------------------------------------------------|
| User Account | Invitado |
| Full Name | |
| Description | Cuenta integrada para el acceso como invitado al equipo o dominio |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

usuario

| Item | Value |
|----------------|----------------------|
| User Account | usuario |
| Full Name | |
| Description | |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |

| | |
|--------------------|-------------------------|
| Last Logon | 4/7/2016 11:08:39 a. m. |
| Last Logoff | |
| Number Of Logons | 2 |
| Bad Password Count | 0 |
| Password Age | 918 Days |
| Password Expired | No |
| Account Expires | |

WDAGUtilityAccount

| Item | Value |
|--------------------|--------------------------------------------------------------------------------------------------------------------------|
| User Account | WDAGUtilityAccount |
| Full Name | |
| Description | Una cuenta de usuario que el sistema administra y usa para escenarios de Protección de aplicaciones de Windows Defender. |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | Ninguno |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 1225 Days |
| Password Expired | Yes |
| Account Expires | |



Red Windows

Network Sessions

| Client Name | User Name | Connected | Idle |
|------------------------------|-------------|-----------|-----------|
| \[fe80::1c3a:405e:f849:3700] | 20124063109 | 0 Minutes | 0 Minutes |

Network Shares

| Share Name | Share Type | Connections | Share Path |
|-------------------------------------------|----------------------------------|-------------|--------------------------------------------------------|
| ADMIN\$ | Disk Drive Admin | 1 | C:\WINDOWS |
| Brother DCP-8085DN Printer | Print Queue | 0 | Brother DCP-8085DN Printer,LocalsplOnly |
| C\$ | Disk Drive Admin | 1 | C:\ |
| D\$ | Disk Drive Admin | 1 | D:\ |
| HP Designjet 500 42 by HP | Print Queue | 0 | HP Designjet 500 42 by HP,LocalsplOnly |
| IPC\$ | Interprocess Communication Admin | 1 | |
| KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 | Print Queue | 0 | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2,LocalsplOnly |
| KONICA MINOLTA 423SeriesPCL-8 | Print Queue | 0 | KONICA MINOLTA 423SeriesPCL-8,LocalsplOnly |
| print\$ | Disk Drive | 0 | C:\WINDOWS\system32\spool\drives |





ver

Red TCP/IP

Realtek PCIe GBE Family Controller

| Item | Value |
|---------------------|------------------------------------|
| Adapter Number | 1 |
| Adapter Name | Realtek PCIe GBE Family Controller |
| DNS Host Name | ws61234 |
| DNS Servers | |
| IP Address | |
| IP Subnet | 255.255.0.0 |
| Default IP Gateway | |
| DHCP Enabled | Yes |
| DHCP Server | 10.250.1.235 |
| DHCP IP Address | 10.29.11.115 |
| DHCP Lease Obtained | 31/12/1969 9:38:36 p. m. |
| DHCP Lease Expires | 8/1/1970 9:38:36 p. m. |
| Status Code | 0 |
| Adapter Status | This device is working properly. |
| Adapter Type | Ethernet 802.3 |
| MAC Address | E0:D5:5E:8F:4B:51 |
| Connection Status | Connected |
| Connection Speed | 1000 Mbps |



NetBIOS

LAN Adapter #1

| Item | Value |
|------------------|-------------------|
| Adapter Number | 1 |
| Software Release | 3.0 |
| MAC Address | e0:d5:5e:8f:4b:51 |
| Adapter Type | Ethernet |
| Maximum Sessions | 16 |
| Sessions Pending | 0 |
| Maximum Data | 65535 Bytes |
| Maximum Datagram | 512 Bytes |

**Dispositivos****Adaptadores de pantalla****Adaptador de pantalla básico de Microsoft**

| Item | Value |
|-----------------|-------------------------------------------|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | Adaptador de pantalla básico de Microsoft |
| Manufacturer | (Tipos de pantalla estándar) |
| Location | Bus PCI 0, dispositivo 1, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|----------------------------------------------------------------------------------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 31 |
| Status Message | Code 31: This device is not working properly because Windows cannot load the drivers required for this device. |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1002&DEV_9874&SUBSYS_D0001458&REV_E2\3&11583659&5&08 |

NVIDIA GeForce GT 710

| Item | Value |
|-----------------|----------------------------------------------------------------|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | NVIDIA GeForce GT 710 |
| Manufacturer | NVIDIA |
| Location | Bus PCI 7, dispositivo 0, función 0 |
| Driver Provider | NVIDIA |
| Driver Version | 23.21.13.8813 |
| Driver Date | 10-27-2017 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_128B&SUBSYS_8C931462&REV_A1\4&266AAADE&0&0019 |

Adaptadores de red

Fortinet SSL VPN Virtual Ethernet Adapter

| Item | Value |
|-----------------|-------------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Fortinet SSL VPN Virtual Ethernet Adapter |
| Description | Fortinet SSL VPN Virtual Ethernet Adapter |
| Manufacturer | Fortinet Inc. |
| Location | |
| Driver Provider | Fortinet |
| Driver Version | 2018.8.22.0 |
| Driver Date | 8-22-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NET\0001 |

Fortinet Virtual Ethernet Adapter (NDIS 6.30)

| Item | Value |
|-----------------|-----------------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Fortinet Virtual Ethernet Adapter (NDIS 6.30) |
| Description | Fortinet Virtual Ethernet Adapter (NDIS 6.30) |
| Manufacturer | Fortinet |
| Location | |
| Driver Provider | Fortinet |
| Driver Version | 2018.9.11.0 |
| Driver Date | 9-11-2018 |

| | |
|----------------|----------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NET\0000 |

Microsoft Kernel Debug Network Adapter

| Item | Value |
|-----------------|-------------------------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Microsoft Kernel Debug Network Adapter |
| Description | Adaptador de red de depuración de kernel de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\KDNIC\0000 |

PPPoP WAN Adapter

| Item | Value |
|-------------|--------------------|
| Device Type | Adaptadores de red |
| Device Name | PPPoP WAN Adapter |

| | |
|-----------------|----------------------------------------|
| Description | PPPoP WAN Adapter |
| Manufacturer | Fortinet Inc. |
| Location | |
| Driver Provider | Fortinet |
| Driver Version | 2016.3.22.0 |
| Driver Date | 3-22-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NET\0002 |

Realtek PCIe GBE Family Controller

| Item | Value |
|-----------------|-----------------------------------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Realtek PCIe GBE Family Controller |
| Description | Controladora Realtek PCIe GBE Family |
| Manufacturer | Realtek |
| Location | Bus PCI 6, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 9.1.406.2015 |
| Driver Date | 4-6-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10EC&DEV_8168&SUBSYS_E0001458&REV_0C\01000000684CE00000 |

WAN Miniport (IKEv2)

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IKEv2) |
| Description | Minipuerto WAN (IKEv2) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_AGILEVPNMINIPORT |

WAN Miniport (IP)

| Item | Value |
|-----------------|---------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IP) |
| Description | Minipuerto WAN (IP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|----------------------------------------|
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANIP |

WAN Miniport (IPv6)

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (IPv6) |
| Description | Minipuerto WAN (IPv6) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANIPV6 |

WAN Miniport (L2TP)

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|----------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (L2TP) |
| Description | Minipuerto WAN (L2TP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_L2TPMINIPORT |

WAN Miniport (Network Monitor)

| Item | Value |
|-----------------|---------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (Network Monitor) |
| Description | Minipuerto WAN (Monitor de red) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|----------------------------------------|
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_NDISWANBH |

WAN Miniport (PPPOE)

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (PPPOE) |
| Description | Minipuerto WAN (PPPOE) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWD\MSRRAS\MS_PPPOEMINIPORT |

WAN Miniport (PPTP)

| Item | Value |
|--------------|-----------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (PPTP) |
| Description | Minipuerto WAN (PPTP) |
| Manufacturer | Microsoft |

| | |
|-----------------|----------------------------------------|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWDMSRRAS\MS_PPTPMINIPORT |

WAN Miniport (SSTP)

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | WAN Miniport (SSTP) |
| Description | Minipuerto WAN (SSTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SWDMSRRAS\MS_SSTPMINIPORT |

Colas de impresión

Brother DCP-8085DN Printer

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | Brother DCP-8085DN Printer |
| Description | Cola de impresión local |
| Manufacturer | Brother |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{F1F22C95-B2CF-4044-90ED-A061487A1FB7} |

Cola de impresión raíz

| Item | Value |
|-----------------|-------------------------|
| Device Type | Colas de impresión |
| Device Name | Cola de impresión raíz |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|----------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\PRINTQUEUES |

Enviar a OneNote 16

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | Enviar a OneNote 16 |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{80B1EA8E-7FEA-4253-BBFE-F31C8B998A1F} |

Enviar a OneNote 2013

| Item | Value |
|-------------|--------------------|
| Device Type | Colas de impresión |

| | |
|-----------------|------------------------------------------------------|
| Device Name | Enviar a OneNote 2013 |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{0AD287F4-8C18-4B63-AD35-31A84D4FC541} |

Fax

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Colas de impresión |
| Device Name | Fax |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |

| | |
|-----------|------------------------------------------------------|
| Device ID | SWD\PRINTENUM\{59399CC3-F0FA-406F-94A4-AE86589B311A} |
|-----------|------------------------------------------------------|

HP Designjet 500 42 by HP

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | HP Designjet 500 42 by HP |
| Description | Cola de impresión local |
| Manufacturer | HP |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{9744A651-E226-40E2-94F1-9636B8CDC2CB} |

HP Designjet T520 36in HPGL2

| Item | Value |
|--------------|------------------------------|
| Device Type | Colas de impresión |
| Device Name | HP Designjet T520 36in HPGL2 |
| Description | Cola de impresión local |
| Manufacturer | HP |
| Location | |

| | |
|-----------------|------------------------------------------------------|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{B3933383-8953-4050-841A-3AF7F9B6FB03} |

KONICA MINOLTA 423SeriesPCL-8 -- Taller 2

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Description | Cola de impresión local |
| Manufacturer | KONICA MINOLTA |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{4CED1060-9DF0-4118-AC5D-FCB6F5C3EF56} |

KONICA MINOLTA 423SeriesPCL-8

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | KONICA MINOLTA 423SeriesPCL-8 |
| Description | Cola de impresión local |
| Manufacturer | KONICA MINOLTA |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{0FA84FC8-6397-4512-B74E-E1812C2F1B86} |

Microsoft Print to PDF

| Item | Value |
|-----------------|-------------------------|
| Device Type | Colas de impresión |
| Device Name | Microsoft Print to PDF |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|------------------------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{3001993A-9575-4367-9451-7AF000C2E51A} |

Microsoft XPS Document Writer

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Colas de impresión |
| Device Name | Microsoft XPS Document Writer |
| Description | Cola de impresión local |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {1ED2BBF9-11F0-4084-B21F-AD83A8E6DCDC} |
| Device ID | SWD\PRINTENUM\{9A6E7109-965D-4626-BE0F-7A625F355860} |

Controladoras ATA/ATAPI IDE

Controladora SATA AHCI estándar

| Item | Value |
|-------------|-----------------------------|
| Device Type | Controladoras ATA/ATAPI IDE |

| | |
|-----------------|------------------------------------------------------------------|
| Device Name | |
| Description | Controladora SATA AHCI estándar |
| Manufacturer | Controladora SATA AHCI estándar |
| Location | Bus PCI 0, dispositivo 17, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_7901&SUBSYS_B00 21458&REV_49\3&11583659&5&88 |

Controladora SATA AHCI estándar

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | |
| Description | Controladora SATA AHCI estándar |
| Manufacturer | Controladora SATA AHCI estándar |
| Location | Bus PCI 1, dispositivo 0, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|-------------------------------------------------------------------|
| Device ID | PCI\VEN_1022&DEV_43B8&SUBSYS_106 21B21&REV_02\4&4BF4DDB&0&0114 |
|-----------|-------------------------------------------------------------------|

Controladoras de almacenamiento

Controladora de espacios de almacenamiento de Microsoft

| Item | Value |
|-----------------|---------------------------------------------------------|
| Device Type | Controladoras de almacenamiento |
| Device Name | |
| Description | Controladora de espacios de almacenamiento de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.137 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SPACEPORT\0000 |

Controladoras de bus serie universal

Concentrador raíz USB (USB 3.0)

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |

| | |
|-----------------|----------------------------------------|
| Description | Concentrador raíz USB (USB 3.0) |
| Manufacturer | (Concentradores USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.228 |
| Driver Date | 8-2-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB30\4&34EE8CD6&0&0 |

Concentrador raíz USB (USB 3.0)

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz USB (USB 3.0) |
| Manufacturer | (Concentradores USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.228 |
| Driver Date | 8-2-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB30\5&12A7E9BA&0&0 |

Concentrador raíz USB

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB20\4&13C8A49C&0 |

Controlador de host de PCI a USB mejorado

| Item | Value |
|-----------------|-------------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Controlador de host de PCI a USB mejorado |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Bus PCI 0, dispositivo 18, función 0 |
| Driver Provider | Microsoft |

| | |
|----------------|--------------------------------------------------------------|
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_1022&DEV_7908&SUBSYS_79081022&REV_49\3&11583659&5&90 |

Dispositivo compuesto USB

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0008.Hub_#0002 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_040B&PID_2000\6&2B66804B&0&8 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|----------------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0005.Hub_#0002 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\6&2B66804B&0&5 |

Generic USB Hub

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Generic USB Hub |
| Manufacturer | (Generic USB Hub) |
| Location | Port_#0001.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|----------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_0438&PID_7900\5&1117C6EA&0&1 |

Controlador de host eXtensible AMD USB 3.0 - 1.0 (Microsoft)

| Item | Value |
|-----------------|-----------------------------------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | Controlador de host eXtensible AMD USB 3.0 - 1.0 (Microsoft) |
| Description | Controladora de host USB genérico compatible con xHCI |
| Manufacturer | Controladora de host USB genérico xHCI |
| Location | Bus PCI 0, dispositivo 16, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-10-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_1022&DEV_7914&SUBSYS_500 71458&REV_203&11583659&5&80 |

Controlador de host eXtensible AMD USB 3.10 - 1.10 (Microsoft)

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |

| | |
|-----------------|----------------------------------------------------------------|
| Device Name | Controlador de host eXtensible AMD USB 3.10 - 1.10 (Microsoft) |
| Description | Controladora de host USB genérico compatible con xHCI |
| Manufacturer | Controladora de host USB genérico xHCI |
| Location | Bus PCI 1, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-10-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_1022&DEV_43BC&SUBSYS_11421B21&REV_02\4&4BF4DDB&0&0014 |

Controladoras de sonido y vídeo y dispositivos de juego

AMD High Definition Audio Device

| Item | Value |
|-----------------|---------------------------------------------------------|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | AMD High Definition Audio Device |
| Manufacturer | Advanced Micro Devices |
| Location | Internal High Definition Audio Bus |
| Driver Provider | Advanced Micro Devices |
| Driver Version | 10.0.0.3 |
| Driver Date | 4-13-2016 |
| Status Code | 0 |

| | |
|----------------|----------------------------------------------------------------------------|
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&SUBSYS_00AA0100&REV_1007\4&9ED413&0&0001 |

NVIDIA High Definition Audio

| Item | Value |
|-----------------|------------------------------------------------------------------------------|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | NVIDIA High Definition Audio |
| Manufacturer | NVIDIA |
| Location | Internal High Definition Audio Bus |
| Driver Provider | NVIDIA Corporation |
| Driver Version | 1.3.35.1 |
| Driver Date | 10-27-2017 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_0051&SUBSYS_14628C93&REV_1001\5&1BFAB81E&0&0001 |

Realtek High Definition Audio

| Item | Value |
|-------------|---------------------------------------------------------|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |

| | |
|-----------------|----------------------------------------------------------------------------------|
| Description | Realtek High Definition Audio |
| Manufacturer | Realtek |
| Location | Internal High Definition Audio Bus |
| Driver Provider | Realtek Semiconductor Corp. |
| Driver Version | 6.0.1.8228 |
| Driver Date | 8-8-2017 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_088 7&SUBSYS_1458A182&REV_1003\4&2C83741A&0&0001 |

Dispositivos de imagen

Brother DCP-8085DN LAN

| Item | Value |
|-----------------|------------------------|
| Device Type | Dispositivos de imagen |
| Device Name | |
| Description | Brother DCP-8085DN LAN |
| Manufacturer | Brother |
| Location | |
| Driver Provider | Brother |
| Driver Version | 1.1.2.2 |
| Driver Date | 10-29-2012 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|----------------------------------------|
| Class GUID | {6BDD1FC6-810F-11D0-BEC7-08002BE2092F} |
| Device ID | ROOT\IMAGE\0000 |

Dispositivos de interfaz de usuario (HID)

Controlador del sistema compatible con HID

| Item | Value |
|-----------------|-----------------------------------------------------|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Controlador del sistema compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.112 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_040B&PID_2000&MI_01&COL01\8&35993554&0&0000 |

Dispositivo de control del consumidor compatible con HID

| Item | Value |
|-------------|----------------------------------------------------------|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de control del consumidor compatible con HID |

| | |
|-----------------|-----------------------------------------------------|
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_040B&PID_2000&MI_01&COL02\8&35993554&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|-----------------------------------------------|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0001.0000.0000.008.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.112 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_040B&PID_2000&MI_00\7&13B78609&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|-----------------------------------------------|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0001.0000.0000.008.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.112 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_040B&PID_2000&MI_01\7&13B78609&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|-------------------------------------------|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Port_#0007.Hub_#0002 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.112 |

| | |
|----------------|----------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_0458&PID_003A\6&2B66804B&0&7 |

Dispositivos de seguridad

AMD PSP 2.0 Device

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos de seguridad |
| Device Name | |
| Description | AMD PSP 2.0 Device |
| Manufacturer | Advanced Micro Devices Inc. |
| Location | Bus PCI 0, dispositivo 8, función 0 |
| Driver Provider | Advanced Micro Devices Inc. |
| Driver Version | 4.5.0.0 |
| Driver Date | 4-17-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {D94EE5D8-D189-4994-83D2-F68D7D41B0E6} |
| Device ID | PCI\VEN_1022&DEV_1578&SUBSYS_157 81022&REV_00\3&11583659&5&40 |

Dispositivos de software

Microsoft Device Association Root Enumerator

| Item | Value |
|-----------------|--------------------------------------------------|
| Device Type | Dispositivos de software |
| Device Name | Microsoft Device Association Root Enumerator |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MSDAS\{CE958E9A-424F-4C88-86F4-11314821E75A} |

Microsoft Radio Device Enumeration Bus

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos de software |
| Device Name | Microsoft Radio Device Enumeration Bus |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|--------------------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\RADIO\{3DB5895D-CC28-44B3-AD3D-6F01A782B8D2} |

Microsoft RRAS Root Enumerator

| Item | Value |
|-----------------|---------------------------------------------------|
| Device Type | Dispositivos de software |
| Device Name | Microsoft RRAS Root Enumerator |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MSRRAS\{5E259276-BC7E-40E3-B93B-8F89B5F3ABC0} |

Sintetizador por software GS de tabla de onda de

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos de software |

| | |
|-----------------|--------------------------------------------------|
| Device Name | Sintetizador por software GS de tabla de onda de |
| Description | Dispositivo de software genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MMDEVAPI\MICROSOFTGSWAVETABLESYNTH |

Dispositivos del sistema

Administrador de volúmenes

| Item | Value |
|-----------------|----------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Administrador de volúmenes |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.137 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|----------------------------------------|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Altavoz del sistema

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Altavoz del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0800\4&1EC0E185&0 |

AMD GPIO Controller

| Item | Value |
|--------------|------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | AMD GPIO Controller |
| Manufacturer | Advanced Micro Devices, Inc. |

| | |
|-----------------|----------------------------------------|
| Location | |
| Driver Provider | Advanced Micro Devices, Inc. |
| Driver Version | 2.0.1.0 |
| Driver Date | 4-17-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\AMDIF030\0 |

AMD SMBus

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | AMD SMBus |
| Manufacturer | Advanced Micro Devices, Inc |
| Location | Bus PCI 0, dispositivo 20, función 0 |
| Driver Provider | Advanced Micro Devices, Inc |
| Driver Version | 5.12.0.38 |
| Driver Date | 4-17-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_790B&SUBSYS_500 11458&REV_4A\3&11583659&5&A0 |

Botón de característica fija ACPI

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de característica fija ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&6 |

Botón de inicio/apagado ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de inicio/apagado ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|----------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0C\AA |

Bus del Redirector de dispositivos de Escritorio remoto

| Item | Value |
|-----------------|---------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Bus del Redirector de dispositivos de Escritorio remoto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDPBUS\0000 |

Complejo raíz PCI Express

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|----------------------------------------|
| Device Name | |
| Description | Complejo raíz PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0A08\0 |

Controlador BIOS de Microsoft System Management

| Item | Value |
|-----------------|-------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador BIOS de Microsoft System Management |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--------------------|
| Device ID | ROOT\MSSMBIOS\0000 |
|-----------|--------------------|

Controlador de pantalla básica de Microsoft

| Item | Value |
|-----------------|---------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de pantalla básica de Microsoft |
| Manufacturer | (Tipos de pantalla estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICDISPLAY\0000 |

Controlador de representación básica de Microsoft

| Item | Value |
|--------------|---------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de representación básica de Microsoft |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|----------------------------------------|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICRENDER\0000 |

Controladora de acceso directo a memoria

| Item | Value |
|-----------------|------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de acceso directo a memoria |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0200\4&1EC0E185&0 |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 1, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-11-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1002&DEV_9840&SUBSYS_98401002&REV_00\3&11583659&5&09 |

Controladora de High Definition Audio

| Item | Value |
|-----------------|---------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 9, función 2 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-11-2018 |

| | |
|----------------|------------------------------------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157A&SUBSYS_A18 21458&REV_00\3&11583659&5&4A |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 7, dispositivo 0, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-11-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_0E0F&SUBSYS_8C9 31462&REV_A1\4&266AAADE&0&0119 |

Controladora programable de interrupciones

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--------------------------------------------|
| Device Name | |
| Description | Controladora programable de interrupciones |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&1EC0E185&0 |

Enumerador de adaptador de red virtual NDIS

| Item | Value |
|-----------------|---------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de adaptador de red virtual NDIS |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\NDISVIRTUALBUS\0000 |
|-----------|--------------------------|

Enumerador de bus compuesto

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus compuesto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\COMPOSITEBUS\0000 |

Enumerador de bus raíz de UMBus

| Item | Value |
|--------------|---------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus raíz de UMBus |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|----------------------------------------|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Enumerador de dispositivos de software Plug and Play

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de dispositivos de software Plug and Play |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-10-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Enumerador de UMBus

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TERMINPUT_BUS |

Enumerador de UMBus

| Item | Value |
|-----------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|-------------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TS_USB_HUB_ENUMERATOR |

Enumerador de UMBus

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&TSBUS |

Enumerador de unidades virtuales de Microsoft

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|-----------------------------------------------|
| Description | Enumerador de unidades virtuales de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VDRVROOT\0000 |

Placa del sistema

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Placa del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C01\C8 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1576&SUBSYS_157 61022&REV_00\3&11583659&5&00 |

Puente PCI de CPU host estándar

| Item | Value |
|--------------|-------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 2, función 0 |

| | |
|-----------------|------------------------------------------------------------------|
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157B&SUBSYS_000 00000&REV_00\3&11583659&5&10 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1570&SUBSYS_000 00000&REV_00\3&11583659&5&C0 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1571&SUBSYS_000 00000&REV_00\3&11583659&5&C1 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 2 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |

| | |
|----------------|------------------------------------------------------------------|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1572&SUBSYS_000 00000&REV_00\3&11583659&5&C2 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1573&SUBSYS_000 00000&REV_00\3&11583659&5&C3 |

Puente PCI de CPU host estándar

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|------------------------------------------------------------------|
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 4 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_1574&SUBSYS_000 00000&REV_00\3&11583659&5&C4 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 24, función 5 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|------------------------------------------------------------------|
| Device ID | PCI\VEN_1022&DEV_1575&SUBSYS_000 00000&REV_00\3&11583659&5&C5 |
|-----------|------------------------------------------------------------------|

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 3, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157B&SUBSYS_000 00000&REV_00\3&11583659&5&18 |

Puente PCI de CPU host estándar

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |

| | |
|-----------------|--------------------------------------------------------------|
| Location | Bus PCI 0, dispositivo 9, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157D&SUBSYS_00000000&REV_00\3&11583659&5&48 |

Puente PCI ISA estándar

| Item | Value |
|-----------------|--------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI ISA estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 20, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_790E&SUBSYS_50011458&REV_11\3&11583659&5&A3 |

Puerto del conmutador de canal de bajada PCI Express

| Item | Value |
|-----------------|----------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto del conmutador de canal de bajada PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 2, dispositivo 4, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_43B4&SUBSYS_330 61B21&REV_02\5&2DA75C42&0&200214 |

Puerto del conmutador de canal de bajada PCI Express

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto del conmutador de canal de bajada PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 2, dispositivo 5, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |

| | |
|----------------|----------------------------------------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_43B4&SUBSYS_330 61B21&REV_02\5&2DA75C42&0&280214 |

Puerto del conmutador de canal de bajada PCI Express

| Item | Value |
|-----------------|----------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto del conmutador de canal de bajada PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 2, dispositivo 6, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_43B4&SUBSYS_330 61B21&REV_02\5&2DA75C42&0&300214 |

Puerto del conmutador de canal de bajada PCI Express

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|----------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto del conmutador de canal de bajada PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 2, dispositivo 7, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_43B4&SUBSYS_330 61B21&REV_02\5&2DA75C42&0&380214 |

Puerto del conmutador de canal de subida PCI Express

| Item | Value |
|-----------------|------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto del conmutador de canal de subida PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 1, dispositivo 0, función 2 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|-------------------------------------------------------------------|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_43B3&SUBSYS_020 11B21&REV_02\4&4BF4DDB&0&0214 |

Puerto raíz PCI Express

| Item | Value |
|-----------------|------------------------------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto raíz PCI Express |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 2, función 4 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157C&SUBSYS_123 41022&REV_00\3&11583659&5&14 |

Puerto raíz PCI Express

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puerto raíz PCI Express |

| | |
|-----------------|------------------------------------------------------------------|
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 3, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.254 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1022&DEV_157C&SUBSYS_123 41022&REV_00\3&11583659&5&19 |

Recursos de la placa base

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\0 |

Recursos de la placa base

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\14 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|----------------------------------------|
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\15 |

Recursos de la placa base

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\3&11583659&5 |

Recursos de la placa base

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\700 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|----------------------------------------|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\90 |

Recursos de la placa base

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\91 |

Remote Desktop USB Hub

| Item | Value |
|--------------|---------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Remote Desktop USB Hub |
| Manufacturer | (Standard system devices) |

| | |
|-----------------|-------------------------------------------------------|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | TS_USB_HUB_ENUMERATOR\UMB\2&30D3 618&10&TS_USB_HUB |

Sistema CMOS/reloj en tiempo real

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema CMOS/reloj en tiempo real |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&1EC0E185&0 |

Sistema Microsoft compatible con ACPI

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema Microsoft compatible con ACPI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Temporizador de eventos de alta precisión

| Item | Value |
|-----------------|-------------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador de eventos de alta precisión |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|----------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\2&DABA3FF&6 |

Temporizador del sistema

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&1EC0E185&0 |

Bus de cámara de escritorio remoto

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|----------------------------------------|
| Device Name | Bus de cámara de escritorio remoto |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&RDCAMERA_BUS |

Dispositivos portátiles

E:\

| Item | Value |
|-----------------|-------------------------|
| Device Type | Dispositivos portátiles |
| Device Name | E:\ |
| Description | UDisk |
| Manufacturer | General |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|-------------------------------------------------------------------------------------------------------------------------|
| Class GUID | {EEC5AD98-8080-425F-922A-DABF3DE3F69A} |
| Device ID | SWD\WPDBUSENUM_\?_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#7&20EEDEBE&0&_0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Entradas y salidas de audio

Realtek Digital Output (Realtek High Definition Audio)

| Item | Value |
|-----------------|----------------------------------------------------------------------|
| Device Type | Entradas y salidas de audio |
| Device Name | Realtek Digital Output (Realtek High Definition Audio) |
| Description | Extremo de audio |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-11-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {C166523C-FE0C-4A94-A586-F1A80CFBBF3E} |
| Device ID | SWD\MMDEVAPI\{0.0.0.00000000}.{89F3FAAE-5C7C-4470-ACE1-4EE7C9FEE71B} |

Equipo

Equipo basado en x64 ACPI

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Equipo |
| Device Name | |
| Description | Equipo basado en x64 ACPI |
| Manufacturer | (Equipos estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Monitores

Monitor PnP genérico

| Item | Value |
|-----------------|----------------------------|
| Device Type | Monitores |
| Device Name | |
| Description | Monitor PnP genérico |
| Manufacturer | (Tipo de monitor estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |

| | |
|----------------|----------------------------------------|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\SAM0B35\5&ABDE6BE&0&UID29440 |

Mouse y otros dispositivos señaladores

Mouse compatible con HID

| Item | Value |
|-----------------|-----------------------------------------------------|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_040B&PID_2000&MI_01&COL03\8&35993554&0&0002 |

Mouse compatible con HID

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|-----------------------------------------|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_0458&PID_003A\7&1A9E2735&0&0000 |

Procesadores

AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G

| Item | Value |
|-----------------|------------------------------------------------|
| Device Type | Procesadores |
| Device Name | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Description | Procesador AMD |
| Manufacturer | Advanced Micro Devices |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |

| | |
|----------------|-----------------------------------------------------------------------------------------------------------|
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\AUTHENTICAMD_-_AMD64_FAMILY _21_MODEL_101_-_AMD_A10-9700_RAD EON_R7__10 COMPUTE CORES_4C+6G_\1 |

AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G

| Item | Value |
|-----------------|-----------------------------------------------------------------------------------------------------------|
| Device Type | Procesadores |
| Device Name | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Description | Procesador AMD |
| Manufacturer | Advanced Micro Devices |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\AUTHENTICAMD_-_AMD64_FAMILY _21_MODEL_101_-_AMD_A10-9700_RAD EON_R7__10 COMPUTE CORES_4C+6G_\2 |

AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G

| Item | Value |
|-------------|--------------|
| Device Type | Procesadores |

| | |
|-----------------|-----------------------------------------------------------------------------------------------------------|
| Device Name | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Description | Procesador AMD |
| Manufacturer | Advanced Micro Devices |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPIAUTHENTICAMD_-_AMD64_FAMILY _21_MODEL_101_-_AMD_A10-9700_RAD EON_R7__10_COMPUTE_CORES_4C+6G__3 |

AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G

| Item | Value |
|-----------------|------------------------------------------------|
| Device Type | Procesadores |
| Device Name | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Description | Procesador AMD |
| Manufacturer | Advanced Micro Devices |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|------------------------------------------------------------------------------------------------------------|
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\AUTHENTICAMD_ -_ AMD64_FAMILY _21_MODEL_101_-_AMD_A10-9700_RAD EON_R7_10 COMPUTE CORES_4C+6G_\4 |

Teclados

Dispositivo de teclado HID

| Item | Value |
|-----------------|-----------------------------------------------|
| Device Type | Teclados |
| Device Name | |
| Description | Dispositivo de teclado HID |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_040B&PID_2000&MI_00\8&1DD5A90F&0&0000 |

Unidades de disco

ADATA SU630

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|----------------------------------------------------|
| Device Type | Unidades de disco |
| Device Name | ADATA SU630 |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Bus Number 5, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | SCSI\DISK&VEN_ADATA&PROD_SU630\5&10095774&0&050000 |

General UDisk USB Device

| Item | Value |
|-----------------|------------------------------|
| Device Type | Unidades de disco |
| Device Name | General UDisk USB Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|-------------------------------------------------------------------|
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\7&20EEDEBE&0&_&0 |

TOSHIBA DT01ACA100 LENOVO

| Item | Value |
|-----------------|---------------------------------------------------------------|
| Device Type | Unidades de disco |
| Device Name | TOSHIBA DT01ACA100 LENOVO |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Bus Number 4, Target Id 0, LUN 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | SCSI\DISK&VEN_TOSHIBA&PROD_DT01A CA100\5&10095774&0&040000 |

Volúmenes de almacenamiento

Volumen

| Item | Value |
|-------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |

| | |
|-----------------|-------------------------------------------------------------------------------------------------------------------------|
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#7&20EEDEBE&0&_&0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volumen

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|------------------------------------------------------------------------|
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{A2CE3B00-A75C-11EB-B4AD-806E6F6E6963}\#000000000100000 |

Volumen

| Item | Value |
|-----------------|-------------------------------------------------------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{A2CE3B00-A75C-11EB-B4AD-806E6F6E6963}\#0000006F95F00000 |

Volumen

| Item | Value |
|-------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |

| | |
|-----------------|-------------------------------------------------------------------------|
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{B3424861-D60D-11E8-B492-806E6F6E6963}\#0000000000100000 |

Volumen

| Item | Value |
|-----------------|----------------------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |

| | |
|-----------|-------------------------------------------------------------------------|
| Device ID | STORAGE\VOLUME\{B3424861-D60D-11E8-B492-806E6F6E6963}\#000000325BE00000 |
|-----------|-------------------------------------------------------------------------|

Volumen

| Item | Value |
|-----------------|-------------------------------------------------------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.17134.1 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{B3424861-D60D-11E8-B492-806E6F6E6963}\#000000E8AE800000 |



Características Pantalla

Display #1

Identification

| Name | Value |
|------|-------|
|------|-------|

| | |
|--------------------|---------------------|
| Display Number | 1 |
| Display Name | S19D300 |
| Manufacturer | Samsung |
| Manufacture Date | Week 46, Year 2013 |
| Serial Number | H1AK500000 |
| Product ID | SAM0B35 |
| Display Size | 18.5" (41cm x 23cm) |
| Display Type | Analog, RGB Colour |
| Supported Features | Active-Off |
| Display Resolution | 1366 x 768 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|-------|--------------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |
| 1 | Curve | Draw chord interiors | Yes |
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |

| | | | |
|---|---------|-----------------------------------------|-----|
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |

| | | | |
|---|------|-------------------------------------------|-----|
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

NVIDIA GeForce GT 710

| Item | Value |
|----------------------|-----------------------|
| Adapter Number | 1 |
| Name | NVIDIA GeForce GT 710 |
| Adapter RAM | 1024MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 60Hz |
| Video Processor | GeForce GT 710 |

| | |
|------------------|----------------------|
| Adapter DAC Type | Integrated RAMDAC |
| Adapter ID | GeForce GT 710 |
| BIOS | Version80.28.a6.0.35 |



Impresoras Instaladas

Microsoft XPS Document Writer

| Item | Value |
|---------------------|----------------------------------------------------------------------------------------------------|
| Printer Number | 1 |
| Printer Name | Microsoft XPS Document Writer |
| Share Name | |
| Port Name | PORTPROMPT: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Microsoft XPS Document Writer v4 |
| Driver File | C:\WINDOWS\System32\DriverStore\FileRepository\ntprint.inf_amd64_318eda08781bdd7\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17134.191 |
| Driver Manufacturer | Microsoft Corporation |

| | |
|---------------------------|----------------------------------------------------------------------------------------------------------|
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\WINDOWS\System32\DriverStore\FileRepository\prnms001.inf_amd64_4_cb0feabdd71f0e97\MXDW.gpd |
| Driver Configuration File | C:\WINDOWS\System32\DriverStore\FileRepository\prnms003.inf_amd64_995df3a27d527cea\Amd64\PrintConfig.dll |

Microsoft Print to PDF

| Item | Value |
|---------------------|----------------------------------------------------------------------------------------------------|
| Printer Number | 2 |
| Printer Name | Microsoft Print to PDF |
| Share Name | |
| Port Name | PORTPROMPT: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Microsoft Print To PDF |
| Driver File | C:\WINDOWS\System32\DriverStore\FileRepository\ntprint.inf_amd64_318eda08781bdd7\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17134.191 |
| Driver Manufacturer | Microsoft Corporation |

| | |
|---------------------------|----------------------------------------------------------------------------------------------------------|
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\WINDOWS\System32\DriverStore\FileRepository\prnms009.inf_amd64_5887f9f923285dd6\MPDW-PDC.xml |
| Driver Configuration File | C:\WINDOWS\System32\DriverStore\FileRepository\prnms003.inf_amd64_995df3a27d527cea\Amd64\PrintConfig.dll |

KONICA MINOLTA 423SeriesPCL-8 -- Taller 2

| Item | Value |
|---------------------|------------------------------------------------------|
| Printer Number | 3 |
| Printer Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Share Name | KONICA MINOLTA 423SeriesPCL-8 -- Taller 2 |
| Port Name | 10.29.2.34 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | KONICA MINOLTA 423SeriesPCL-8 |
| Driver File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\KOAYFJ_G.DLL |
| Driver Version | 1,0,0,1 |
| Driver Manufacturer | KONICA MINOLTA, INC. |
| Driver Description | Rendering Export |

| | |
|---------------------------|----------------------------------------------------------|
| Driver Data File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\KOAYFJ_G.DLL |
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\KOAYFJ_C.DLL |

KONICA MINOLTA 423SeriesPCL-8

| Item | Value |
|---------------------|----------------------------------------------------------|
| Printer Number | 4 |
| Printer Name | KONICA MINOLTA 423SeriesPCL-8 |
| Share Name | KONICA MINOLTA 423SeriesPCL-8 |
| Port Name | 10.29.2.35 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | KONICA MINOLTA 423SeriesPCL-8 |
| Driver File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\KOAYFJ_G.DLL |
| Driver Version | 1,0,0,1 |
| Driver Manufacturer | KONICA MINOLTA, INC. |
| Driver Description | Rendering Export |
| Driver Data File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\KOAYFJ_G.DLL |

| | |
|---------------------------|----------------------------------------------------------|
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\KOAYFJ_C.DLL |
|---------------------------|----------------------------------------------------------|

HP Designjet T520 36in HPGL2

| Item | Value |
|---------------------------|----------------------------------------------------------|
| Printer Number | 5 |
| Printer Name | HP Designjet T520 36in HPGL2 |
| Share Name | |
| Port Name | HPDesignjetT52036in |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Code 2058. |
| Orientation | Portrait |
| Print Quality | Low |
| Driver Name | HP Designjet T520 36in |
| Driver File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\UNIDRV.DLL |
| Driver Version | 10.0.17134.191 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Unidrv Printer Driver |
| Driver Data File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\hpi27122.gpd |
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\hpiPI125.DLL |

HP Designjet 500 42 by HP

| Item | Value |
|---------------------------|--------------------------------------------------------|
| Printer Number | 6 |
| Printer Name | HP Designjet 500 42 by HP |
| Share Name | HP Designjet 500 42 by HP |
| Port Name | 10.29.11.140 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | Medium |
| Driver Name | HP Designjet 500 42 by HP |
| Driver File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\hpltdrv7.dll |
| Driver Version | v6.08 |
| Driver Manufacturer | Hewlett-Packard Corporation, Microsoft Corporation |
| Driver Description | Printer driver for HP DesignJet printers in Windows NT |
| Driver Data File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\hpdj542.dat |
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\hpltume5.dll |

Fax

| Item | Value |
|----------------|-------|
| Printer Number | 7 |

| | |
|---------------------------|--------------------------------------------------------|
| Printer Name | Fax |
| Share Name | |
| Port Name | SHRFAX: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 200 Dots Per Inch |
| Driver Name | Microsoft Shared Fax Driver |
| Driver File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\FXSDRV.DLL |
| Driver Version | 10.0.17134.1 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft Fax Printer Driver |
| Driver Data File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\FXSUI.DLL |
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVERS\x64\3\FXSUI.DLL |

Enviar a OneNote 2013

| Item | Value |
|----------------|-----------------------|
| Printer Number | 8 |
| Printer Name | Enviar a OneNote 2013 |
| Share Name | |
| Port Name | nul: |

| | |
|---------------------------|------------------------------------------------------------------------------------------------------------------|
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 15 Driver |
| Driver File | C:\WINDOWS\System32\DriverStore\ FileRepository\ntprint.inf_amd64 _318eda08781bdd7\Amd64\mxdrv.dll |
| Driver Version | 10.0.17134.191 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\WINDOWS\System32\DriverStore\ FileRepository\prnms006.inf_amd6 4_fa19f2c75f5825fe\SendToOneNote.gpd |
| Driver Configuration File | C:\WINDOWS\System32\DriverStore\ FileRepository\prnms003.inf_amd6 4_995df3a27d527cea\Amd64\PrintConfig.dll |

Enviar a OneNote 16

| Item | Value |
|----------------|---------------------|
| Printer Number | 9 |
| Printer Name | Enviar a OneNote 16 |
| Share Name | |
| Port Name | nul: |

| | |
|---------------------------|------------------------------------------------------------------------------------------------------------------|
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 16 Driver |
| Driver File | C:\WINDOWS\System32\DriverStore\ FileRepository\ntprint.inf_amd64 _318eda08781bdd7\Amd64\mxdwdrv.dll |
| Driver Version | 10.0.17134.191 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\WINDOWS\System32\DriverStore\ FileRepository\prnms006.inf_amd6 4_2f92130612032712\SendToOneNote.gpd |
| Driver Configuration File | C:\WINDOWS\System32\DriverStore\ FileRepository\prnms003.inf_amd6 4_995df3a27d527cea\Amd64\PrintConfig.dll |

Brother DCP-8085DN Printer

| Item | Value |
|----------------|----------------------------|
| Printer Number | 10 |
| Printer Name | Brother DCP-8085DN Printer |
| Share Name | Brother DCP-8085DN Printer |
| Port Name | BDCP8085UCI |

| | |
|---------------------------|----------------------------------------------------------|
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Brother DCP-8085DN Printer |
| Driver File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\BROHLA8A.DLL |
| Driver Version | 1.09 |
| Driver Manufacturer | Brother Industries, Ltd. |
| Driver Description | Brother Printer Driver |
| Driver Data File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\BP8085DN.DSI |
| Driver Configuration File | C:\WINDOWS\system32\spool\DRIVER S\x64\3\BRUIMA8A.DLL |



Versión de BIOS

| Name | Value |
|--------------------|-------------------------------------------------------------------------|
| BIOS Version | ALASKA - 1072009 BIOS Date: 03/15/18 17:50:14 Ver: 05.0000D |
| Release Date | 03/15/18 |
| Video BIOS Version | Version 80.28.A6.00.35 Version 80.28.A6.00.35 Version 80.28.A6.00.35 |
| Video BIOS Date | 02/01/16 |



Gestión del Sistema

BIOS Details

| Item | Value |
|-----------------------|--------------------------|
| SMBIOS Version | 2.8 |
| BIOS Vendor | American Megatrends Inc. |
| BIOS Version | F22 |
| Start Address | 0xF000 |
| Release Date | 03/15/2018 |
| ROM Size | 16384KB |
| BIOS Characteristics | 00000001378B9880 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 5 |
| System BIOS Minor | 13 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |

| | |
|----------------------|-----|
| PnP Support | No |
| APM Support | No |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |
| ROM Socketed | Yes |
| PCMCIA Boot | No |
| EDD Support | Yes |
| Floppy NEC 1.2MB | No |
| Floppy Toshiba 1.2MB | No |
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | No |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |

| | |
|----------------|----|
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|---------------------|----------------------------------------|
| Manufacturer | |
| Product Name | A320M-S2H |
| Version | Default string |
| Serial Number | Default string |
| Universal Unique ID | {03D502E0-045E-058F-4B06-510700080009} |
| Wake-Up Type | Power Switch |
| SKU Number | Default string |
| Product Family | Default string |

Baseboard

| Item | Value |
|---------------|-------------------------------|
| Board Number | 1 |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Product | A320M-S2H-CF |
| Version | x.x |
| Serial Number | Default string |

| | |
|------------|----------------|
| Asset Tag | Default string |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|-----------------------|----------------|
| Manufacturer | Default string |
| Chassis Type | Desktop |
| Version | Default string |
| Serial Number | Default string |
| Asset Tag | Default string |
| Boot Up State | Safe |
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|--------------------|-------------------|
| Processor Number | 1 |
| Socket Designation | AM4 |
| Processor Type | Central Processor |

| | |
|---------------------------|---------------------------------------------------|
| Processor Family | Unknown (code = 72) |
| Processor Manufacturer | Advanced Micro Devices, Inc. |
| Processor ID | 178BFBFF00660F51 |
| Processor Version | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Voltage | 1.300000V |
| External Clock | 100MHz |
| Maximum Speed | 3500MHz |
| Current Speed | 3500MHz |
| Status | CPU Socket Populated, Enabled |
| Processor Upgrade | Unknown (code = 49) |
| Serial Number | Unknown |
| Asset Tag | Unknown |
| Part Number | Unknown |
| Core Count | 4 |
| Core Enabled | 4 |
| Thread Count | 4 |
| Processor Characteristics | 64-bit Capable |

Memory Controller

No information found, refer to Memory Array and Memory Device sections.

Memory Module

No information found, refer to Memory Array and Memory Device sections.

CPU Cache

CPU Cache #1

| Item | Value |
|-----------------------|----------------------------------------|
| Cache Number | 1 |
| Socket Designation | L1 - Cache |
| Cache Configuration | Level 1, Internal, Enabled, Write-Back |
| Max. Cache Size | 320KB |
| Installed Cache | 320KB |
| Supported SRAM Type | Pipeline Burst |
| Current SRAM Type | Pipeline Burst |
| Cache Speed | 1ns |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Unified |
| Associativity | 2-way Set-Associative |

CPU Cache #2

| Item | Value |
|---------------------|----------------------------------------|
| Cache Number | 2 |
| Socket Designation | L2 - Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 2048KB |
| Installed Cache | 2048KB |
| Supported SRAM Type | Pipeline Burst |
| Current SRAM Type | Pipeline Burst |

| | |
|-----------------------|-----------------------|
| Cache Speed | 1ns |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Unified |
| Associativity | 6-way Set-Associative |

Port Connector

Port Connector #1

| Item | Value |
|--------------------------|------------|
| Port Number | 1 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | PS2Mouse |
| External Connection Type | PS/2 |
| Port Type | Mouse Port |

Port Connector #2

| Item | Value |
|--------------------------|---------------|
| Port Number | 2 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | Keyboard |
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #3

| Item | Value |
|--------------------------|-------------------------|
| Port Number | 3 |
| Internal Designation | J2A1 |
| Internal Connection Type | None |
| External Designation | TV Out |
| External Connection Type | Mini-Centronics Type-14 |
| Port Type | Other (code = 255) |

Port Connector #4

| Item | Value |
|--------------------------|-------------------------------|
| Port Number | 4 |
| Internal Designation | J2A2A |
| Internal Connection Type | None |
| External Designation | COM A |
| External Connection Type | DB-9 pin male |
| Port Type | Serial Port 16550A Compatible |

Port Connector #5

| Item | Value |
|----------------------|-------|
| Port Number | 5 |
| Internal Designation | J2A2B |

| | |
|--------------------------|------------------|
| Internal Connection Type | None |
| External Designation | Video |
| External Connection Type | DB-15 pin female |
| Port Type | Video Port |

Port Connector #6

| Item | Value |
|--------------------------|------------------|
| Port Number | 6 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB1 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #7

| Item | Value |
|--------------------------|------------------|
| Port Number | 7 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB2 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #8

| Item | Value |
|--------------------------|------------------|
| Port Number | 8 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB3 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #9

| Item | Value |
|--------------------------|--------------------|
| Port Number | 9 |
| Internal Designation | J9A1 - TPM HDR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #10

| Item | Value |
|--------------------------|--------------------------|
| Port Number | 10 |
| Internal Designation | J9C1 - PCIE DOCKING CONN |
| Internal Connection Type | Other |
| External Designation | |

| | |
|--------------------------|--------------------|
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #11

| Item | Value |
|--------------------------|--------------------|
| Port Number | 11 |
| Internal Designation | J2B3 - CPU FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #12

| Item | Value |
|--------------------------|--------------------|
| Port Number | 12 |
| Internal Designation | J6C2 - EXT HDMI |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #13

| Item | Value |
|------|-------|
| | |

| | |
|--------------------------|--------------------|
| Port Number | 13 |
| Internal Designation | J3C1 - GMCH FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #14

| Item | Value |
|--------------------------|--------------------|
| Port Number | 14 |
| Internal Designation | J1D1 - ITP |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #15

| Item | Value |
|--------------------------|--------------------|
| Port Number | 15 |
| Internal Designation | J9E2 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | J9E4 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|------------------------|
| Port Number | 17 |
| Internal Designation | J9E3 - LPC HOT DOCKING |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #18

| Item | Value |
|----------------------|--------------------|
| Port Number | 18 |
| Internal Designation | J9E1 - SCAN MATRIX |

| | |
|--------------------------|--------------------|
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #19

| Item | Value |
|--------------------------|----------------------|
| Port Number | 19 |
| Internal Designation | J9G1 - LPC SIDE BAND |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #20

| Item | Value |
|--------------------------|--------------------|
| Port Number | 20 |
| Internal Designation | J8F1 - UNIFIED |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #21

| Item | Value |
|--------------------------|--------------------|
| Port Number | 21 |
| Internal Designation | J6F1 - LVDS |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #22

| Item | Value |
|--------------------------|--------------------|
| Port Number | 22 |
| Internal Designation | J2F1 - LAI FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #23

| Item | Value |
|--------------------------|----------------|
| Port Number | 23 |
| Internal Designation | J2G1 - GFX VID |
| Internal Connection Type | Other |
| External Designation | |

| | |
|--------------------------|--------------------|
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #24

| Item | Value |
|--------------------------|--------------------|
| Port Number | 24 |
| Internal Designation | J1G6 - AC JACK |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot

| Item | Value |
|------------------------|------------------------|
| Slot Number | 1 |
| Slot Designation | J6B2 |
| Slot Type | PCI Express |
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Long |
| Slot ID | 0x0000 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

Memory Array

| Item | Value |
|-------------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |
| Use Item | System memory |
| Error Correction | None |
| Error Handle | 0x0025 |
| Number of Devices | 4 |

Memory Device

Memory Device #1

| Item | Value |
|--------------------|---------------------|
| Device Number | 1 |
| Error Handle | 0x002B |
| Total Width | |
| Data Width | |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | DIMM 0 |
| Bank Locator | CHANNEL A |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |

| | |
|---------------|-----------|
| Manufacturer | Unknown |
| Serial Number | FFFFFFFFF |
| Asset Tag | |
| Part Number | Unknown |

Memory Device #2

| Item | Value |
|--------------------|---------------------|
| Device Number | 2 |
| Error Handle | 0x002D |
| Total Width | |
| Data Width | |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | DIMM 1 |
| Bank Locator | CHANNEL A |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | Unknown |
| Serial Number | FFFFFFFFF |
| Asset Tag | |
| Part Number | Unknown |

Memory Device #3

| Item | Value |
|--------------------|---------------------|
| Device Number | 3 |
| Error Handle | 0x002F |
| Total Width | |
| Data Width | |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | DIMM 0 |
| Bank Locator | CHANNEL B |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | Unknown |
| Serial Number | FFFFFF |
| Asset Tag | |
| Part Number | Unknown |

Memory Device #4

| Item | Value |
|---------------|--------|
| Device Number | 4 |
| Error Handle | 0x0031 |
| Total Width | 64 bit |
| Data Width | 64 bit |

| | |
|--------------------|---------------------|
| Device Size | 4.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | DIMM 1 |
| Bank Locator | CHANNEL B |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2400MHz |
| Manufacturer | Unknown |
| Serial Number | 1B67D0E7 |
| Asset Tag | |
| Part Number | CT4G4DFS824A.C8FADP |



Procesadores

Processor #1

Basic Information

| Item | Value |
|-------------------|------------------------------------------------|
| Processor Number | 1 |
| Name | AMD A10-9700 RADEON R7, 10 COMPUTE CORES 4C+6G |
| Short Name | K8 |
| Speed - Estimated | 3493MHz |
| Speed - Registry | 3493MHz |
| Processor Type | OEM Primary |

| | |
|------------------|------------------------|
| Manufacturer | Advanced Micro Devices |
| Serial Number | |
| APIC Physical ID | 0x00, 0x01, 0x02, 0x03 |

Detailed Information

| Item | Value |
|--------------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 4 |
| Number Cores | 1 |
| Vendor String | AuthenticAMD |
| Family | 15 |
| Model | 5 |
| Stepping | 1 |
| Extended Family | 0x06 |
| Extended Model | 0x06 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |

| | |
|----------------------------------|-----|
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| PGE - Page Global Enable | Yes |
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | No |
| ACPI - ACPI Supported | No |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | No |
| HTT - Hyper-Threading Technology | Yes |
| TM1 - Thermal Interrupt Status | No |
| IA64 - 64-bit Intel | No |
| PBE - Pending Break Event | No |
| MMEXT - MMX+ Technology | Yes |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | No |

| | |
|---------------------------------|-----|
| CX16 - Compare Exchange 16 Byte | Yes |
|---------------------------------|-----|

Cache - Level 1

| Item | Value |
|-----------------------|----------|
| Cache Level | 1 |
| Processor Number | 1 |
| Unified Cache | No |
| Code Size | 96KB |
| Code Width | 64 Bytes |
| Code Associativity | 3 |
| Data Size | 32KB |
| Data Width | 64 Bytes |
| Data Associativity | 8 |
| Unified Size | 0KB |
| Unified Width | 0 Bytes |
| Unified Associativity | 0 |

Cache - Level 2

| Item | Value |
|------------------|---------|
| Cache Level | 2 |
| Processor Number | 1 |
| Unified Cache | Yes |
| Code Size | 0KB |
| Code Width | 0 Bytes |


| | |
|-----------------------|----------|
| Code Associativity | 0 |
| Data Size | 0KB |
| Data Width | 0 Bytes |
| Data Associativity | 0 |
| Unified Size | 1024KB |
| Unified Width | 64 Bytes |
| Unified Associativity | 8 |

Cache - TLB

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 48 |
| Code Associativity - 4K | Fully |
| Code Entries - 4M | 24 |
| Code Associativity - 4M | Fully |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | Fully |
| Data Entries - 4M | 64 |
| Data Associativity - 4M | Fully |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |
| Unified Associativity - 4M | 0 |



Memoria



| Item | Value |
|-------------------|--------|
| Total Memory | 3968MB |
| Free Memory | 2099MB |
| Maximum Swap File | 5055MB |
| Free Swap File | 3149MB |



Discos Físicos

TOSHIBA DT01ACA100 LENOVO

| Item | Value |
|-------------------|---------------------------|
| Disk Number | 1 |
| Capacity | 953867MB |
| Disk Type | Fixed hard disk media |
| Manufacturer | |
| Model | TOSHIBA DT01ACA100 LENOVO |
| Serial Number | 483JJL0NS |
| Firmware Revision | |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 121601 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |

ADATA SU630

| Item | Value |
|--------------|-----------------------|
| Disk Number | 1 |
| Capacity | 457860MB |
| Disk Type | Fixed hard disk media |
| Manufacturer | |

| | |
|-------------------|--------------|
| Model | ADATA SU630 |
| Serial Number | 2L0529299NTF |
| Firmware Revision | |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 58369 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |


General UDisk USB Device

| Item | Value |
|-------------------|--------------------------|
| Disk Number | 3 |
| Capacity | 7679MB |
| Disk Type | Removable Media |
| Manufacturer | |
| Model | General UDisk USB Device |
| Serial Number | |
| Firmware Revision | |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |

| | |
|-------------------|-----|
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|--------|-------|
| Letter | C |

| | |
|----------------------|-------------|
| Drive Type | Fixed Drive |
| Percent Used | 11% |
| Used Space | 49.6GB |
| Free Space | 397GB |
| Total Space | 446GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | 37C6-7647 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 103991338 |
| Total Clusters | 117005823 |

Drive D

| Item | Value |
|----------------------|-------------|
| Letter | D |
| Drive Type | Fixed Drive |
| Percent Used | 2% |
| Used Space | 20.0GB |
| Free Space | 709GB |
| Total Space | 729GB |
| Volume Name | Datos |
| File System | NTFS |
| Volume Serial Number | 29C9-5960 |
| Sectors Per Cluster | 8 |

| | |
|------------------|-----------|
| Bytes Per Sector | 512 |
| Free Clusters | 185942003 |
| Total Clusters | 191179263 |

Drive E

| Item | Value |
|----------------------|-----------------|
| Letter | E |
| Drive Type | Removable Drive |
| Percent Used | 1% |
| Used Space | 93.8MB |
| Free Space | 7.39GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |
| Volume Serial Number | 8C24-41F2 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1937967 |
| Total Clusters | 1961984 |



Programas de arranque

| Name | Settings Folder | Startup Command |
|------|-----------------|-----------------|
| | | |

| | | |
|----------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| SunJavaUpdateSched | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Common Files\Java\Java Update\jusched.exe" |
| Autodesk Desktop App | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Autodesk\Autodesk Desktop App\AutodeskDesktopApp.exe"-tray |
| BrMfcWnd | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\Brmfcmon\BrMfcWnd.exe /AUTORUN |
| ControlCenter3 | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\ControlCenter3\brctrcen.exe /autorun |
| OneDrive | HKCU\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Users\20124063109\AppData\Local\Microsoft\OneDrive\OneDrive.exe" /background |
| Autodesk Sync | HKCU\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files\Autodesk\Autodesk Sync\AdSync.exe |
| desktop.ini | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| Servidor de Red.lnk | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| desktop.ini | C:\Users\20124063109\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\ | |



ODBC Information

Data Sources

No information found.



0

.

1

2

3

4

5

No ODBC data sources found.

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|-----------------|--------------------------------------------------------|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|---------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | Microsoft Corporation |

| | |
|-----------------|--------------|
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel (*.xls)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft Excel (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Paradox (*.db)

| Item | Value |
|-----------------|-------------------------------------|
| Name | Driver do Microsoft Paradox (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access Driver (*.mdb)

| Item | Value |
|------|---------------------------------|
| Name | Microsoft Access Driver (*.mdb) |

| | |
|-----------------|-----------------------|
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access-Treiber (*.mdb)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Access-Treiber (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase Driver (*.dbf)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft dBase Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase-Treiber (*.dbf)

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|---------------------------------|
| Name | Microsoft dBase-Treiber (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel Driver (*.xls)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft Excel Driver (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel-Treiber (*.xls)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Excel-Treiber (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft ODBC for Oracle

| Item | Value |
|-----------------|---------------------------|
| Name | Microsoft ODBC for Oracle |
| Company | Microsoft Corporation |
| File_Name | msorcl32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox Driver (*.db)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Paradox Driver (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox-Treiber (*.db)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Microsoft Paradox-Treiber (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text Driver (*.txt; *.csv)

| Item | Value |
|-----------------|--------------------------------------|
| Name | Microsoft Text Driver (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text-Treiber (*.txt; *.csv)

| Item | Value |
|-----------------|---------------------------------------|
| Name | Microsoft Text-Treiber (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 02.50 |

SQL Server

| Item | Value |
|-----------------|-----------------------|
| Name | SQL Server |
| Company | Microsoft Corporation |
| File_Name | SQLSRV32.dll |
| File_Version | 10.0.17134.1 |
| Driver_ODBC_Ver | 03.50 |



Names mentioned herein maybe trademarks or service marks of their respective holders.

Errors and Omissions Excepted

Generated by WinAudit Freeware v2.29

<http://www.pxserver.com>