




**Computer Audit :: 04/05/2021 09:42:16 a.m.**

### **Vista General**

Item	Value
Computer Name	WS49818
Domain Name	GOBIERNOCBA
Site Name	Supercentro
Roles	Workstation, Server, Potential Browser
Description	
Operating System	Microsoft Windows 7 Professional 32-Bit
Manufacturer	To Be Filled By O.E.M.
Model	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Asset Tag	To Be Filled By O.E.M.
Number Of Processors	1
Processor Description	Intel(R) Pentium(R) CPU G2030 @ 3.00GHz
Total Memory	1744MB
Total Hard Drive	466GB
Display	S19C300, 18.5" (41cm x 23cm)
BIOS Version	ALASKA - 1072009 BIOS Date: 09/07/12 22:02:56 Ver: 04.06.05 BIOS Date: 09/07/12 22:02:56 Ver: 04.06.05
User Account	20124063109
System Uptime	0 Days, 0 Hours, 9 Minutes
Local Time	2021-05-04 09:40:58



## Software instalado



### Active Setup

Name	Version	Installed
.NET Framework	2,0,50727,0	
.NET Framework	2,0,50727,1	
.NET Framework	4,0,30319,0	

.NET Framework	4,0,30319,0	Yes
Active Directory Service Interface	5,0,00,0	Yes
Address Book 7	6,1,7601,17514	Yes
Adobe Reader User Settings	1,2017,7,14	Yes
Browsing Enhancements	11,0,9600,19540	Yes
DirectDrawEx	4,71,1113,0	Yes
Disable SSL3	11,0,9600,0	Yes
Dynamic HTML Data Binding	11,0,9600,19540	Yes
Enable TLS1.1 and 1.2	11,0,9600,0	Yes
Google Chrome	43,0,0,0	Yes
HTML Help	6,3,9600,19540	Yes
Internet Explorer Core Fonts	11,0,9600,0	Yes
Internet Explorer Help	11,0,9600,19540	Yes
Internet Explorer Setup Tools	11,0,9600,19540	Yes
Internet Explorer	11,0,9600,16428	Yes
Microsoft Windows Media Player 12.0	12,0,7601,24499	Yes
Microsoft Windows Media Player	12,0,7601,24499	No
Microsoft Windows Media Player	12,0,7601,24499	Yes
Microsoft Windows Script 5.6	5,6,0,8833	Yes
Microsoft Windows	6,1,7601,17514	Yes
MSN Site Access	4,9,9,2	Yes
Offline Browsing Pack	11,0,9600,19540	Yes

RevokedRootsUpdate	5,0,2195,0	Yes
RootsUpdate	39,0,2195,0	Yes
Themes Setup	1,1,1,9	Yes
Web Platform Customizations	11,0,9600,0	Yes
Windows Desktop Update	6,1,7601,24468	Yes

### Installed Programs

#### Adobe Acrobat Reader DC - Español

Item	Value
Name	Adobe Acrobat Reader DC - Español
Vendor	Adobe Systems Incorporated
Version	21.001.20150
Product Language	Spanish
Install Date	20210428
Install Location	C:\Program Files\Adobe\Acrobat Reader DC\
Install Source	C:\ProgramData\Adobe\Setup\{AC76-BA86-7AD7-1034-7B44-AC0F074E4100}\
Install State	Installed
Assignment Type	Per Machine
Package Code	{BF05C9F5-318D-4310-871C-237E64236198}
Package Name	AcroRead.msi
Local Package	C:\Windows\Installer\653d9.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba

Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{AC76BA86-7AD7-1034-7B44-AC0F074E4100}

### Adobe Flash Player 14 ActiveX

Item	Value
Name	Adobe Flash Player 14 ActiveX
Vendor	Adobe Systems Incorporated
Version	14.0.0.125
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Adobe Flash Player ActiveX

### Adobe Refresh Manager

Item	Value
Name	Adobe Refresh Manager
Vendor	Adobe Systems Incorporated
Version	1.8.0
Product Language	English
Install Date	20210211
Install Location	C:\Program Files\Common Files\Adobe\ARM\1.0\
Install Source	C:\Program Files\Common Files\Adobe\ARM\1.0\Cache\
Install State	Installed
Assignment Type	Per Machine
Package Code	{5B555C9E-6840-4EB6-916B-D3D9BF3483D2}
Package Name	Arm_000182442176_551621173203746 51431682294015229888620.msi
Local Package	C:\Windows\Installer\265efd.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	{AC76BA86-0804-1033-1959-000182442176}

### Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver

Item	Value
Name	Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver
Vendor	Atheros Communications Inc.
Version	2.1.0.7
Product Language	Spanish
Install Date	20141219
Install Location	C:\Program Files\Atheros Communications Inc.\Atheros Communications Inc.(R) AR81Family Gigabit/Fast Ethernet Driver
Install Source	E:\network\atheros\
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{3108C217-BE83-42E4-AE9E-A56A2A92E549}

### CCleaner

Item	Value
Name	CCleaner
Vendor	Piriform
Version	5.01
Product Language	
Install Date	
Install Location	C:\Program Files\CCleaner
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	CCleaner

### Citrix Program Neighborhood

Item	Value
Name	Citrix Program Neighborhood
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	Citrix Program Neighborhood

### Configuration Manager Client

Item	Value
Name	Configuration Manager Client
Vendor	Microsoft Corporation
Version	5.00.8692.1000
Product Language	English
Install Date	20191001
Install Location	
Install Source	C:\Windows\ccmsetup\{4A9E3F85-A045-4AA6-831C-5E77BE6939B9}\
Install State	Installed
Assignment Type	Per Machine
Package Code	{4A9E3F85-A045-4AA6-831C-5E77BE6939B9}
Package Name	client.msi
Local Package	C:\Windows\Installer\7ebdbe.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	{C27631F2-4573-4A58-9EB0-463E8D076FEA}

**Cortex XDR 7.3.1.20981**

Item	Value
Name	Cortex XDR 7.3.1.20981
Vendor	Palo Alto Networks, Inc.
Version	7.3.1.20981
Product Language	English
Install Date	20210317
Install Location	
Install Source	C:\ProgramData\Cyvera\LocalSystem\Download\
Install State	Installed
Assignment Type	Per Machine
Package Code	{1C136E0B-4221-483C-BA64-E53EFB2C880F}
Package Name	Traps.pkg
Local Package	C:\Windows\Installer\b41c9.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{CD17159C-A3A7-4901-B41E-D33A079901A2}
-------------	--

### DWG TrueView 2018 - English

Item	Value
Name	DWG TrueView 2018 - English
Vendor	Autodesk
Version	22.0.50.0
Product Language	English
Install Date	20171219
Install Location	C:\Program Files\Autodesk\DWG TrueView 2018 - English\
Install Source	C:\Autodesk\DWGTrueView_2018_ENU_32bit\x86\dwgviewr\
Install State	Installed
Assignment Type	Per Machine
Package Code	{28B89EEF-1028-0409-0000-CF3F3A09B77D}
Package Name	dwgviewr.msi
Local Package	C:\Windows\Installer\33e2f1.msi
Product ID	0001
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{28B89EEF-1028-0409-0000-CF3F3A09B77D}

### Eines de correcció del Microsoft Office 2016: català

Item	Value
Name	Eines de correcció del Microsoft Office 2016: català
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Catalan
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\Proof.ca\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2255953D-261C-4155-AD5E-7E1066C6A31F}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd70.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-0403-0000-00000000FF1CE}

**FARO LS 1.1.406.58**

Item	Value
Name	FARO LS 1.1.406.58
Vendor	FARO Scanner Production
Version	4.6.58.2
Product Language	English
Install Date	20171219
Install Location	
Install Source	E:\3rdParty\FaroSDK\
Install State	Installed
Assignment Type	Per User
Package Code	{DA86A7C6-6959-4FFD-BC40-21BBA2552254}
Package Name	faro_ls.msi
Local Package	C:\Windows\Installer\6b58e.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{951B0F30-9F1A-4BF6-B3DA-99EB0E917B1C}

### Ferramentas de verificación de Microsoft Office 2016 - Galego

Item	Value
Name	Ferramentas de verificación de Microsoft Office 2016 - Galego
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Galician
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\Proof.g\
Install State	Installed
Assignment Type	Per Machine
Package Code	{91DA1F73-F722-4FCB-9B2F-83707EE290EB}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd62.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-0456-0000-00000000FF1CE}

Item	Value
Name	Google Update Helper
Vendor	Google Inc.
Version	1.3.25.11
Product Language	English
Install Date	20141219
Install Location	
Install Source	C:\Program Files\Google\Update\1.3.25.11\
Install State	Installed
Assignment Type	Per Machine
Package Code	{314ABD4C-00F4-4C0F-9855-70BAB4399882}
Package Name	GoogleUpdateHelper.msi
Local Package	C:\Windows\Installer\29aee.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{A92DAB39-4E2C-4304-9AB6-BC44E68B55E2}

### Google Chrome

Item	Value
Name	Google Chrome
Vendor	Google LLC
Version	90.0.4430.93
Product Language	
Install Date	20210428
Install Location	C:\Program Files\Google\Chrome\Application
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Google Chrome

---

#### Herramientas de corrección de Microsoft Office 2016: español

Item	Value
Name	Herramientas de corrección de Microsoft Office 2016: español
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\Proof.es\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B2343807-7B97-4CFA-A4D7-35C26A080CB2}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd7e.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-0C0A-0000-00000000FF1CE}

### HP Designjet Utility

Item	Value
Name	HP Designjet Utility
Vendor	Nombre de su organización
Version	1.1.7.1538
Product Language	Neutral
Install Date	20190527
Install Location	C:\Program Files\Hewlett-Packard\HP Designjet Utility\
Install Source	\D030NFS01\Grupos029\Sistemas\Drivers\Plotters\Plotters\HP DESIGNJET 520\designjet\HP Printer Tools\Designjet Utility\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D66D2A5C-2A5A-4444-8069-517AB6C6DD65}
Package Name	HP Designjet Utility.msi
Local Package	C:\Windows\Installer\1262a3d.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{AE450835-E4B8-4119-AFE0-02463B77A264}

### HP T120 and T520 series ICC Profiles

Item	Value
Name	HP T120 and T520 series ICC Profiles
Vendor	Hewlett Packard, Co.
Version	2.0.0
Product Language	English
Install Date	20190527
Install Location	
Install Source	\D030NFS01\Grupos029\Sistemas\Drivers\Plotters\Plotters\HP DESIGNJET 520\system32\spool\drivers\
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{CBBC4F6B-DD06-4A31-A485-9C3831500F94}

### Impresoras HP Designjet ePrinter de las series T120 y T520

Item	Value
Name	Impresoras HP Designjet ePrinter de las series T120 y T520
Vendor	Hewlett-Packard Co.
Version	
Product Language	
Install Date	
Install Location	"C:\Program Files\Hewlett-Packard\Install Engines\HP Designjet T120 and T520 ePrinter Series"
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	HPAmpereXL

---

#### Intel(R) Management Engine Components

Item	Value
Name	Intel(R) Management Engine Components
Vendor	Intel Corporation
Version	9.5.15.1730
Product Language	
Install Date	
Install Location	C:\Program Files\Intel\Intel(R) Management Engine Components
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{65153EA5-8B6E-43B6-857B-C6E4FC25798A}

### Intel(R) Network Connections Drivers

Item	Value
Name	Intel(R) Network Connections Drivers
Vendor	Intel
Version	21.1
Product Language	
Install Date	
Install Location	C:\Windows\system32
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	PROSet

---

#### Intel(R) USB 3.0 eXtensible Host Controller Driver

Item	Value
Name	Intel(R) USB 3.0 eXtensible Host Controller Driver
Vendor	Intel Corporation
Version	4.0.1.40
Product Language	
Install Date	
Install Location	C:\Program Files\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{240C3DDD-C5E9-4029-9DF7-95650D040CF2}



### Intel® Trusted Connect Service Client

Item	Value
Name	Intel® Trusted Connect Service Client
Vendor	Intel Corporation
Version	1.31.8.1
Product Language	English
Install Date	20150210
Install Location	
Install Source	C:\Windows\Temp\IIF2\IUS\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2E780E38-7097-4965-9021-2F0F75C3EE2A}
Package Name	iclsClient\Installer_x86.msi
Local Package	C:\Windows\Installer\7013d.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{20D55630-5D12-4297-841C-D3165374ECEE}

---

### Java 7 Update 55

Item	Value
Name	Java 7 Update 55
Vendor	Oracle
Version	7.0.550
Product Language	Neutral
Install Date	20140515
Install Location	C:\Program Files\Java\jre7\
Install Source	C:\Users\Administrador\AppData\LocalLow\Sun\Java\jre1.7.0_55\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B1FB0F83-1E4D-41A1-B8C0-02312066F915}
Package Name	jre1.7.0_55.msi
Local Package	C:\Windows\Installer\447e53.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{26A24AE4-039D-4CA4-87B4-2F83217055FF}

### Java Auto Updater

Item	Value
Name	Java Auto Updater
Vendor	Sun Microsystems, Inc.
Version	2.1.9.8
Product Language	English
Install Date	20140515
Install Location	
Install Source	C:\Users\Administrador\AppData\LocalLow\Sun\Java\AU\
Install State	Installed
Assignment Type	Per Machine
Package Code	{3D7A59B0-F9B8-4443-9341-D45A0D20EF87}
Package Name	au.msi
Local Package	C:\Windows\Installer\447e63.msi
Product ID	
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{4A03706F-666A-4037-7777-5F2748764D10}

### Lenovo Power Management Driver

Item	Value
Name	Lenovo Power Management Driver
Vendor	
Version	1.66.00.22
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Power Management Driver

**Lotus Notes 8.5.2**

Item	Value
Name	Lotus Notes 8.5.2
Vendor	IBM
Version	8.52.10222
Product Language	Neutral
Install Date	20130531
Install Location	
Install Source	C:\lotus notes 8\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2ED2530E-EA19-48BA-99F8-131DB81F61AD}
Package Name	Lotus Notes 8.5.2.msi
Local Package	C:\Windows\Installer\{e13be.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{E11DFB27-BAF4-46D6-AD76-D5519C0E6786}

---

#### Microsoft .NET Framework 4.7 (ESN)

Item	Value
Name	Microsoft .NET Framework 4.7 (ESN)
Vendor	Microsoft Corporation
Version	4.7.02053
Product Language	Spanish
Install Date	20170727
Install Location	
Install Source	F:\879a420d74b50b87d8320f4792107575\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2AF6B46D-14DB-4B99-95C9-6272E64410BB}
Package Name	netfx_FullLP_x86.msi
Local Package	C:\Windows\Installer\31f17.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{FBE743D1-96AF-3C2C-90E4-C8314B28F0ED}

### Microsoft .NET Framework 4.7 (español)

Item	Value
Name	Microsoft .NET Framework 4.7 (español)
Vendor	Microsoft Corporation
Version	4.7.02053
Product Language	
Install Date	
Install Location	C:\Windows\Microsoft.NET\Framework\v4.0.30319\SetupCache\v4.7.02053\ESN\
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132} - 3082

### Microsoft .NET Framework 4.7

Item	Value
Name	Microsoft .NET Framework 4.7
Vendor	Microsoft Corporation
Version	4.7.02053
Product Language	Neutral
Install Date	20191008
Install Location	
Install Source	D:\9183f843f758154db4ca\
Install State	Installed
Assignment Type	Per Machine
Package Code	{018424EA-0225-4790-A70E-9FBAA722466}
Package Name	netfx_Full_x86.msi
Local Package	C:\Windows\Installer\5265d.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{2A842F3F-CE6D-3DFD-9ECB-9CC3C5150A67}

---

#### Microsoft Access MUI (Spanish) 2016

Item	Value
Name	Microsoft Access MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0015-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{FD2DA135-A1C3-4481-9D1B-C1A74CDDAAD5}
Package Name	AccessMUI.msi
Local Package	C:\Windows\Installer\3cbd93.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0015-0C0A-0000-0000000FF1CE}

### Microsoft DCF MUI (Spanish) 2016

Item	Value
Name	Microsoft DCF MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0090-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{698B2014-82C9-49F9-ACFA-1E1994D21142}
Package Name	DCFMUI.msi
Local Package	C:\Windows\Installer\3cbda8.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0090-0C0A-0000-0000000FF1CE}

### Microsoft Excel MUI (Spanish) 2016

Item	Value
Name	Microsoft Excel MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20191205
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0016-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{C66CA2D3-3F73-4D63-9FD6-DBD8605A519C}
Package Name	ExcelMUI.msi
Local Package	C:\Windows\Installer\3cbdaf.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0016-0C0A-0000-0000000FF1CE}

### Microsoft Groove MUI (Spanish) 2016

Item	Value
Name	Microsoft Groove MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-00BA-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{176FC808-4314-4C36-AB70-1AC856DB0F99}
Package Name	GrooveMUI.msi
Local Package	C:\Windows\Installer\3cbdb6.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-00BA-0C0A-0000-0000000FF1CE}

### Microsoft InfoPath MUI (Spanish) 2016

Item	Value
Name	Microsoft InfoPath MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0044-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{57124666-2253-4722-9329-13A5F22B016A}
Package Name	InfoPathMUI.msi
Local Package	C:\Windows\Installer\3cbdbd.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0044-0C0A-0000-0000000FF1CE}

### Microsoft Office OSM MUI (Spanish) 2016

Item	Value
Name	Microsoft Office OSM MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-00E1-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B9E2886C-0CB2-4EE4-AE46-F755BBED976C}
Package Name	OSMMUI.msi
Local Package	C:\Windows\Installer\3cbda1.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-00E1-0C0A-0000-0000000FF1CE}

### Microsoft Office OSM UX MUI (Spanish) 2016

Item	Value
Name	Microsoft Office OSM UX MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-00E2-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{F3C47C86-6D9F-4EAC-8BC1-F793D82FE902}
Package Name	OSMUXMUI.msi
Local Package	C:\Windows\Installer\3cbdcb.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-00E2-0C0A-0000-00000000FF1CE}

### Microsoft Office Professional Plus 2016

Item	Value
Name	Microsoft Office Professional Plus 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Neutral
Install Date	20200123
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0011-0000-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{F3CA4D97-AE37-4482-A0A6-81878EA5AD04}
Package Name	ProPlusWW.msi
Local Package	C:\Windows\Installer\3cbe32.msi
Product ID	00339-10000-00000-AA622
Registered Company	Gobierno de Cordoba
Registered Owner	Gobierno de Cordoba
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-0000000FF1CE}

### Microsoft Office Proofing (Spanish) 2016

Item	Value
Name	Microsoft Office Proofing (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{E7C2A6D6-CAA1-4AC7-B255-0135D30D79C5}
Package Name	Proofing.msi
Local Package	C:\Windows\Installer\3cbd8c.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-002C-0C0A-0000-00000000FF1CE}

### Microsoft Office Proofing Tools 2016 - English

Item	Value
Name	Microsoft Office Proofing Tools 2016 - English
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	English
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\Proof.en\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D4ED07C5-32FD-4834-A24B-20898EABD562}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd85.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-0409-0000-00000000FF1CE}

### Microsoft Office Shared MUI (Spanish) 2016

Item	Value
Name	Microsoft Office Shared MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20191016
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-006E-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{77C8EF8B-526D-43FE-B19D-E8E760C0DD6E}
Package Name	OfficeMUI.msi
Local Package	C:\Windows\Installer\3cbd5b.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-006E-0C0A-0000-0000000FF1CE}

### Microsoft Office zuzenketa-tresnak 2016 - Euskara

Item	Value
Name	Microsoft Office zuzenketa-tresnak 2016 - Euskara
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Basque
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}-C\Proof.eu\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D49995A0-8EB4-4CC7-9E7B-2CEAA34F5E57}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd69.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-042D-0000-0000000FF1CE}

### Microsoft OneNote MUI (Spanish) 2016

Item	Value
Name	Microsoft OneNote MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-00A1-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D2971DDB-4A3C-446B-B2D0-746897AE6F19}
Package Name	OneNoteMUI.msi
Local Package	C:\Windows\Installer\3cbd9a.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-00A1-0C0A-0000-0000000FF1CE}

### Microsoft Outlook MUI (Spanish) 2016

Item	Value
Name	Microsoft Outlook MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20200123
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-001A-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{29515B58-FA18-4DCB-9544-8D9F0761A823}
Package Name	OutlookMUI.msi
Local Package	C:\Windows\Installer\3cbdd2.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001A-0C0A-0000-0000000FF1CE}



### Microsoft Policy Platform

Item	Value
Name	Microsoft Policy Platform
Vendor	Microsoft Corporation
Version	68.1.1010.0
Product Language	English
Install Date	20180730
Install Location	
Install Source	C:\Windows\ccmsetup\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D372F422-63E4-4B09-B878-18BACAA0FB9D}
Package Name	MicrosoftPolicyPlatformSetup.msi
Local Package	C:\Windows\Installer\11b455.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{1067E879-BC1B-4DF3-B438-4C50C14EAF54}

---

#### Microsoft PowerPoint MUI (Spanish) 2016

Item	Value
Name	Microsoft PowerPoint MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20200123
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0018-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2B440DA6-5614-4656-8F33-F95E96251382}
Package Name	PowerPointMUI.msi
Local Package	C:\Windows\Installer\3cbdd9.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0018-0C0A-0000-0000000FF1CE}

### Microsoft Publisher MUI (Spanish) 2016

Item	Value
Name	Microsoft Publisher MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-0019-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D50BB22E-133C-42BE-AB0C-37981A24668B}
Package Name	PublisherMUI.msi
Local Package	C:\Windows\Installer\3cbde0.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0019-0C0A-0000-0000000FF1CE}

### Microsoft Silverlight

Item	Value
Name	Microsoft Silverlight
Vendor	Microsoft Corporation
Version	5.1.50907.0
Product Language	English
Install Date	20170727
Install Location	C:\Program Files\Microsoft Silverlight\
Install Source	c:\c8afb25e82e3c9e662\
Install State	Installed
Assignment Type	Per Machine
Package Code	{64282852-BC62-4C77-B50D-64755C75848D}
Package Name	silverlight.msi
Local Package	c:\Windows\Installer\{a23e9}.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{89F4137D-6C26-4A84-BDB8-2E5A4BB71E00}

---

#### Microsoft Skype for Business MUI (Spanish) 2016

Item	Value
Name	Microsoft Skype for Business MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20200123
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-012B-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{22EBB31E-DBDC-4A2C-A354-39E6F9E305DD}
Package Name	LyncMUI.msi
Local Package	C:\Windows\Installer\3cbdc4.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-012B-0C0A-0000-0000000FF1CE}

#### Microsoft Visual C++ 2005 Redistributable

Item	Value
Name	Microsoft Visual C++ 2005 Redistributable
Vendor	Microsoft Corporation
Version	8.0.59193
Product Language	Neutral
Install Date	20171219
Install Location	
Install Source	C:\Users\201240~1\AppData\Local\Temp\IXP000.TMP\
Install State	Installed
Assignment Type	Per Machine
Package Code	{63820498-6F2B-40B0-9F08-C36F2D8CE412}
Package Name	vcredist.msi
Local Package	C:\Windows\Installer\490c9d.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{837b34e3-7c30-493c-8f6a-2b0f04e2912c}

### Microsoft Visual C++ 2005 Redistributable

Item	Value
Name	Microsoft Visual C++ 2005 Redistributable
Vendor	Microsoft Corporation
Version	8.0.61001
Product Language	Neutral
Install Date	20161212
Install Location	
Install Source	C:\Users\ADMINI~1.WS4\AppData\Local\Temp\IXP000.TMP\
Install State	Installed
Assignment Type	Per Machine
Package Code	{31076048-5B7B-4476-ABF0-15989228CB90}
Package Name	vcredist.msi
Local Package	C:\Windows\Installer\1e1131.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{710f4c1c-cc18-4c49-8cbf-51240c89a1a2}

---

#### **Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148**

Item	Value
Name	Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148
Vendor	Microsoft Corporation
Version	9.0.30729.4148
Product Language	English
Install Date	20171219
Install Location	
Install Source	d:\82b3657c05a539d0f01a0b\
Install State	Installed
Assignment Type	Per Machine
Package Code	{B870907F-D8C0-4418-816F-4D2873511B28}
Package Name	vc_red.msi
Local Package	C:\Windows\Installer\6a97c.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{1F1C2DFC-2D24-3E06-BCB8-725134ADF989}

**Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219**

Item	Value
Name	Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219
Vendor	Microsoft Corporation
Version	10.0.40219
Product Language	Neutral
Install Date	20161212
Install Location	
Install Source	c:\46d38d2303ab079b0f97c4c57f1ca3\
Install State	Installed
Assignment Type	Per Machine
Package Code	{461C455E-DA40-49B3-871B-14308CC7CEFF}
Package Name	vc_red.msi
Local Package	c:\Windows\Installer\6e151.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{F0C3E5D1-1ADE-321E-8167-68EF0DE699A5}

---

#### Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030

Item	Value
Name	Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030
Vendor	Microsoft Corporation
Version	11.0.61030.0
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{33d1fd90-4274-48a1-9bc1-97e33d9c2d6f}

---

**Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030**

Item	Value
Name	Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030
Vendor	Microsoft Corporation
Version	11.0.61030
Product Language	English
Install Date	20171219
Install Location	
Install Source	C:\ProgramData\Package Cache\{B175520C-86A2-35A7-8619-86DC379688B9}\v11.0.61030\packages\vcRuntimeAdditional_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{4A44C12C-61E5-4883-A3D5-CB1B89DC2074}
Package Name	vc_runtimeAdditional_x86.msi
Local Package	C:\Windows\Installer\33e2cb.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{B175520C-86A2-35A7-8619-86DC379688B9}

**Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030**

Item	Value
Name	Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030
Vendor	Microsoft Corporation
Version	11.0.61030
Product Language	English
Install Date	20171219
Install Location	
Install Source	C:\ProgramData\Package Cache\{BD95A8CD-1D9F-35AD-981A-3E7925026EBB}\v11.0.61030\packages\vcRuntimeMinimum_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{13B38BE3-59B9-463F-B577-B3FE71A3AD3A}
Package Name	vc_runtimeMinimum_x86.msi
Local Package	C:\Windows\Installer\33e2c5.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{BD95A8CD-1D9F-35AD-981A-3E7925026EBB}

**Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660**

Item	Value
Name	Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660.0
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{61087a79-ac85-455c-934d-1fa22cc64f36}

**Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660**

Item	Value
Name	Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660
Product Language	English
Install Date	20180730
Install Location	
Install Source	C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{ECF7B346-705F-4652-9451-4A0D79480FBD}
Package Name	vc_runtimeAdditional_x86.msi
Local Package	C:\Windows\Installer\11b44f.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{7DAD0258-515C-3DD4-8964-BD714199E0F7}

**Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660**

Item	Value
Name	Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660
Vendor	Microsoft Corporation
Version	12.0.40660
Product Language	English
Install Date	20180730
Install Location	
Install Source	C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{32708A00-6EE9-4612-89E1-AF165165AE29}
Package Name	vc_runtimeMinimum_x86.msi
Local Package	C:\Windows\Installer\11b449.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}
-------------	--

**Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212**

Item	Value
Name	Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212
Vendor	Microsoft Corporation
Version	14.0.24212.0
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{462f63a8-6347-4894-a1b3-dbfe3a4c981d}

**Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212**

Item	Value
Name	Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212
Vendor	Microsoft Corporation
Version	14.0.24212
Product Language	English
Install Date	20171219
Install Location	
Install Source	C:\ProgramData\Package Cache\{844ECB74-9B63-3D5C-958C-30BD23F19EE4}\v14.0.24212\packages\vcRuntimeAdditional_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2F389DFE-8C3B-4F06-AEED-A18D91814871}
Package Name	vc_runtimeAdditional_x86.msi
Local Package	C:\Windows\Installer\33e2e9.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{844ECB74-9B63-3D5C-958C-30BD23F19EE4}
-------------	--

### Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212

Item	Value
Name	Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212
Vendor	Microsoft Corporation
Version	14.0.24212
Product Language	English
Install Date	20171219
Install Location	
Install Source	C:\ProgramData\Package Cache\{37B55901-995A-3650-80B1-BF047E2911}\v14.0.24212\packages\vcRuntimeMinimum_x86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{ADBA463F-23EE-4E9C-8A6A-775550D77195}
Package Name	vc_runtimeMinimum_x86.msi
Local Package	C:\Windows\Installer\33e2d5.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	{37B55901-995A-3650-80B1-BBFD047E2911}

### Microsoft Visual Studio 2010 Tools for Office Runtime (x86) Language Pack - ESN

Item	Value
Name	Microsoft Visual Studio 2010 Tools for Office Runtime (x86) Language Pack - ESN
Vendor	Microsoft Corporation
Version	10.0.50903
Product Language	Spanish
Install Date	20161212
Install Location	c:\Program Files\Common Files\Microsoft Shared\VSTO\10.0\
Install Source	c:\3eb7329a3ec81855eca23ed097ab86\
Install State	Installed
Assignment Type	Per Machine
Package Code	{486A5A99-00F8-4EB3-ABC1-4E802569F613}
Package Name	vstor40_LP_x86_esn.msi
Local Package	c:\Windows\Installer\2714d0.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{3AE78651-4502-3970-8718-726E02058B80}
-------------	--

### Microsoft Visual Studio 2010 Tools for Office Runtime (x86)

Item	Value
Name	Microsoft Visual Studio 2010 Tools for Office Runtime (x86)
Vendor	Microsoft Corporation
Version	10.0.50908
Product Language	Neutral
Install Date	20161212
Install Location	c:\Program Files\Common Files\Microsoft Shared\VSTO\10.0\
Install Source	c:\e396505a386cdefc8cc9d1b6\
Install State	Installed
Assignment Type	Per Machine
Package Code	{987FD562-E030-4E47-99F3-7C6C576BCB76}
Package Name	vstor40_x86.msi
Local Package	c:\Windows\Installer\2714af.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{4DC59BF3-0D72-3CE8-BFEF-1E8FAF689EB0}

**Microsoft Word MUI (Spanish) 2016**

Item	Value
Name	Microsoft Word MUI (Spanish) 2016
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Spanish
Install Date	20200123
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-001B-0C0A-0000-000000FF1CE}-C\
Install State	Installed
Assignment Type	Per Machine
Package Code	{9B392926-9C64-4724-A8FE-F6B01CE996C9}
Package Name	WordMUI.msi
Local Package	C:\Windows\Installer\3cbde7.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001B-0C0A-0000-00000000FF1CE}

**Oracle JInitiator 1.1.7.15.1**

Item	Value
Name	Oracle JInitiator 1.1.7.15.1
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Oracle JInitiator 1.1.7.15.1

**Oracle JInitiator 1.1.7.27 Export**

Item	Value
Name	Oracle JInitiator 1.1.7.27 Export
Vendor	
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	Oracle JInitiator 1.1.7.27 Export

**Platform**

Item	Value
Name	Platform
Vendor	VIA Technologies, Inc.
Version	1.40
Product Language	English
Install Date	20150210
Install Location	C:\Program Files\VIA\Setup\
Install Source	C:\Users\ADMINI~1\AppData\Local\Temp\is-UPPF3.tmp\USetup\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D55FF33F-616E-4CE7-86C5-6EF83E5EFC6A}
Package Name	Platform.msi
Local Package	C:\Windows\Installer\70147.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{20D4A895-748C-4D88-871C-FDB1695B0169}

### Realtek High Definition Audio Driver

Item	Value
Name	Realtek High Definition Audio Driver
Vendor	Realtek Semiconductor Corp.
Version	6.0.1.8105
Product Language	
Install Date	
Install Location	C:\Program Files\Realtek\Audio\HDA
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{F132AF7F-7BCA-4EDE-8A7C-958108FE7DBC}

---

**Registro web de HP**

Item	Value
Name	Registro web de HP
Vendor	Hewlett Packard, Co.
Version	1.2.0.0
Product Language	Spanish
Install Date	20190527
Install Location	
Install Source	\D030NFS01\Grupos029\Sistemas\Drivers\Plotters\Plotters\HP DESIGNJET 520\Web Registration\
Install State	Installed
Assignment Type	Per Machine
Package Code	{7FE9748A-EA3A-430E-8478-C5BAAC4240DF}
Package Name	HP WebReg 1034.msi
Local Package	C:\Windows\Installer\1262a49.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{D2FF897E-4A99-446E-8BB4-DD99CD496838}

---

**Revisores de Texto do Microsoft Office 2016 – Português (Brasil)**

Item	Value
Name	Revisores de Texto do Microsoft Office 2016 – Português (Brasil)
Vendor	Microsoft Corporation
Version	16.0.4266.1001
Product Language	Portuguese
Install Date	20170815
Install Location	C:\Program Files\Microsoft Office\
Install Source	C:\MSOCache\All Users\{90160000-002C-0C0A-0000-000000FF1CE}\C\Proof.pt-br\
Install State	Installed
Assignment Type	Per Machine
Package Code	{D602E4FE-26FF-44B9-BC67-453A12C2F12A}
Package Name	Proof.msi
Local Package	C:\Windows\Installer\3cbd77.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-001F-0416-0000-00000000FF1CE}

---

#### Security Update for Microsoft .NET Framework 4.7 (KB4506963)

Item	Value
Name	Security Update for Microsoft .NET Framework 4.7 (KB4506963)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4506963

---

**Security Update for Microsoft Excel 2016 (KB4484144) 32-Bit Edition**

Item	Value
Name	Security Update for Microsoft Excel 2016 (KB4484144) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{D84FFB9 1-707D-4BDD-AD3F-1303A7B014F4}

**Security Update for Microsoft Office 2016 (KB4475583) 32-Bit Edition**

Item	Value
Name	Security Update for Microsoft Office 2016 (KB4475583) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{7015283 6-1760-4FF1-BC42-7DE6DF4BE5D0}

**Security Update for Microsoft Office 2016 (KB4484148) 32-Bit Edition**

Item	Value
Name	Security Update for Microsoft Office 2016 (KB4484148) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{7F293AB 7-139C-4FDF-8EE1-42DD741CA832}
-------------	---

### Security Update for Microsoft Office 2016 (KB4484180) 32-Bit Edition

Item	Value
Name	Security Update for Microsoft Office 2016 (KB4484180) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{F3C8C1B 9-C888-4230-A9A4-0E890A970C7B}

### Security Update for Microsoft PowerPoint 2016 (KB4484166) 32-Bit Edition

Item	Value
Name	Security Update for Microsoft PowerPoint 2016 (KB4484166) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{F5BCB53 3-BE4C-4179-9985-0F60883EBAEB}

---

#### Security Update for Microsoft Project 2016 (KB4475589) 32-Bit Edition

Item	Value
Name	Security Update for Microsoft Project 2016 (KB4475589) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{AC3C3D1 6-AE1C-4DC4-A50B-715C38CAC857}

### Security Update for Microsoft Word 2016 (KB4484169) 32-Bit Edition

Item	Value
Name	Security Update for Microsoft Word 2016 (KB4484169) 32-Bit Edition
Vendor	Microsoft
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{90160000-0011-0000-0000-00000000 FF1CE}_Office16.PROPLUS_{BFC7F42 4-5257-4456-92CC-C85264DD0B49}

### Skype™ 7.3

Item	Value
Name	Skype™ 7.3
Vendor	Skype Technologies S.A.
Version	7.3.101
Product Language	English
Install Date	20161212
Install Location	C:\Program Files\Skype\
Install Source	C:\ProgramData\Skype\{24991BA0-F 0EE-44AD-9CC8-5EC50AECF6B7}\
Install State	Installed
Assignment Type	Per Machine
Package Code	{E4F3B66C-1E32-4098-93E6-EB5DC73C2FDD}
Package Name	Skype.msi
Local Package	C:\Windows\Installer\f4463.msi
Product ID	
Registered Company	
Registered Owner	

Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{24991BA0-F0EE-44AD-9CC8-5EC50AECF6B7}

#### Update for Microsoft .NET Framework 4.7 (KB4024848)

Item	Value
Name	Update for Microsoft .NET Framework 4.7 (KB4024848)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	

Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4024848

#### Update for Microsoft .NET Framework 4.7 (KB4033990)

Item	Value
Name	Update for Microsoft .NET Framework 4.7 (KB4033990)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	

Executable Path	
Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4033990

### Update for Microsoft .NET Framework 4.7 (KB4506997)

Item	Value
Name	Update for Microsoft .NET Framework 4.7 (KB4506997)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	

Executable Version	
Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4506997

### Update for Microsoft .NET Framework 4.7 (KB4511516)

Item	Value
Name	Update for Microsoft .NET Framework 4.7 (KB4511516)
Vendor	Microsoft Corporation
Version	1
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	

Executable Description	
Software ID	{92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4511516

### VIA Administrador de dispositivos de plataforma

Item	Value
Name	VIA Administrador de dispositivos de plataforma
Vendor	VIA Technologies, Inc.
Version	1.40
Product Language	English
Install Date	20150210
Install Location	C:\Program Files\VIA\Setup\
Install Source	C:\Users\ADMINI~1\AppData\Local\Temp\is-UPPF3.tmp\USetup\
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	

Software ID	InstallShield_{20D4A895-748C-4D88-871C-FDB1695B0169}
-------------	--

### VIA Rhine Family Fast Ethernet Adapter

Item	Value
Name	VIA Rhine Family Fast Ethernet Adapter
Vendor	VIA Technologies, Inc.
Version	
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	VN_VUIns_Rhine_VIA

**Vulkan Run Time Libraries 1.0.33.0**

Item	Value
Name	Vulkan Run Time Libraries 1.0.33.0
Vendor	LunarG, Inc.
Version	1.0.33.0
Product Language	
Install Date	
Install Location	
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	VulkanRT1.0.33.0

**WinRAR 5.40 (32-bit)**

Item	Value
Name	WinRAR 5.40 (32-bit)
Vendor	win.rar GmbH
Version	5.40.0
Product Language	Neutral
Install Date	
Install Location	C:\Program Files\WinRAR\
Install Source	
Install State	
Assignment Type	
Package Code	
Package Name	
Local Package	
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	WinRAR archiver

---

**wufuc**

Item	Value
Name	wufuc
Vendor	zeffy
Version	0.7.1.81
Product Language	Spanish
Install Date	20170822
Install Location	C:\Program Files\wufuc\
Install Source	C:\Users\TEMP\Downloads\
Install State	Installed
Assignment Type	Per Machine
Package Code	{2287D68F-991E-4997-9E4F-A4B06835DA8D}
Package Name	wufuc_setup_x86.msi
Local Package	C:\Windows\Installer\29d942.msi
Product ID	
Registered Company	
Registered Owner	
Times Used	
Last Used	
Executable Path	
Executable Version	
Executable Description	
Software ID	{8F760ACC-7186-4A5E-BE22-1AE1801ACBFD}

## **Software Updates**

Update ID	Installed On	Description
KB452510	2019-12-	2019-11 Actualización de seguridad acumulativa para Internet Explorer 11, correspondiente a Windows 7, para sistemas basados en x86 (KB4525106)
KB451997	2019-11-	2019-10 Actualización de seguridad acumulativa para Internet Explorer 11, correspondiente a Windows 7, para sistemas basados en x86 (KB4519974)
KB451460	2019-10-	2019-09 Paquete acumulativo de actualizaciones de calidad y seguridad de .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 en Windows 7 (KB4514602)
KB451151	20191008	KB4511516
KB450745	2019-08-	2019 (07): Actualización de calidad solo referente a la seguridad para Windows 7 para sistemas basados en x86 (KB4507456)
KB450742	2019-08-	2019-07 Security and Quality Rollup for .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Windows 7 (KB4507420)
KB450741	2019-08-	2019-07 Security Only Update for .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Windows 7 (KB4507411)
KB450699	20190826	KB4506997
KB450696	20190826	KB4506963
KB450326	2019-07-	2019 (06): Actualización de calidad solo referente a la seguridad para Windows 7 para sistemas basados en x86 (KB4503269)
KB449917	2019-05-	2019 (05): Actualización de calidad solo referente a la seguridad para Windows 7 para sistemas basados en x86 (KB4499175)
KB448418	20200123	Security Update for Microsoft Office 2016 (KB4484180) 32-Bit Edition
KB448418	2020-01-	Actualización de seguridad para Microsoft Office 2016 (KB4484180) Edición de 32 bits

KB448416	20200123	Security Update for Microsoft Word 2016 (KB4484169) 32-Bit Edition
KB448416	20200123	Security Update for Microsoft PowerPoint 2016 (KB4484166) 32-Bit Edition
KB448416	2020-01-	Actualización de seguridad para Microsoft Word 2016 (KB4484169) Edición de 32 bits
KB448416	2020-01-	Actualización de seguridad para Microsoft PowerPoint 2016 (KB4484166) Edición de 32 bits
KB448414	20191205	Security Update for Microsoft Office 2016 (KB4484148) 32-Bit Edition
KB448414	20191205	Security Update for Microsoft Excel 2016 (KB4484144) 32-Bit Edition
KB448414	2019-12-	Actualización de seguridad para Microsoft Office 2016 (KB4484148) Edición de 32 bits
KB448414	2019-12-	Actualización de seguridad para Microsoft Excel 2016 (KB4484144) Edición de 32 bits
KB448411	2019-12-	Actualización de seguridad para Microsoft Office 2016 (KB4484113) Edición de 32 bits
KB448411	2019-11-	Actualización de seguridad para Microsoft Excel 2016 (KB4484112) Edición de 32 bits
KB447559	2019-10-	Actualización de seguridad para Microsoft Office 2016 (KB4475591) Edición de 32 bits
KB447558	20191016	Security Update for Microsoft Project 2016 (KB4475589) 32-Bit Edition
KB447558	20191016	Security Update for Microsoft Office 2016 (KB4475583) 32-Bit Edition
KB447558	2019-10-	Actualización de seguridad para Microsoft Project 2016 (KB4475589) Edición de 32 bits
KB447558	2019-10-	Actualización de seguridad para Microsoft Office 2016 (KB4475583) Edición de 32 bits
KB447557	2019-10-	Actualización de seguridad para Microsoft Excel 2016 (KB4475579) Edición de 32 bits

KB447555	2019-11-	Actualización de seguridad para Microsoft Office 2016 (KB4475554) Edición de 32 bits
KB447441	2019-10-	2019-09 Actualización de seguridad para Windows 7 para sistemas basados en x86 (KB4474419)
KB403399	20170907	KB4033990
KB402484	20170727	KB4024848
KB299922	2018-10-	Actualización para Windows (KB2999226)
KB256506	20150210	KB2565063
	20210428	Adobe Acrobat Reader DC (21.001.20150)
	20191001	CLP3082
	20170727	Microsoft Silverlight 5.1.50907.0



## Sistema Operativo

Name	Value
Name	7
Edition	Professional
Install Date	13/12/2017
Registered Owner	Gobierno de Cordoba
Registered Organization	Gobierno de Cordoba
Product ID	55041-007-3080703-86403
Major Version Number	6
Minor Version Number	1
Build Number	7601
Service Pack	Service Pack 1
Service Pack Version	1.0

Plus! Version Number	
DirectX Version	9.0c
Windows Directory	C:\Windows\
System Directory	C:\Windows\system32\
Temporary Directory	C:\Users\201240~1\AppData\Local\Temp\
Operating System Language	Spanish - Argentina
Number Of Bits	32



## Periféricos

Name	Description
Mouse	3 Button Mouse, has wheel
Keyboard	Japanese, 12 function keys
Display Description	S19C300, 18.5" (41cm x 23cm)
Printer	KONICA MINOLTA 423SeriesPCL-8
Printer	HP Designjet T520 36in HPGL2
Printer	Fax
Printer	Enviar a OneNote 16
Mapped Drive	m: [ \\d250nfs01\Grupos2 ]
Mapped Drive	q: [ \\d030nfs01\Publica030 ]
Mapped Drive	r: [ \\d030nfs01\Grupos030 ]
Network Installed	Yes



## Seguridad

### Internet Software

Type	Name	Version	Data Update?
Browser	Internet Explorer(TM)	9.11.9600.19540	
E-mail	Microsoft(R) Outlook	16.0.4266.1001	
E-mail	Windows Mail(TM)	6.1.7601.17514	

### Open Ports

#### TCP 0.0.0.0:135

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	135
Caption	TCP 0.0.0.0:135
Service Name	epmap
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	844
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:445**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	445
Caption	TCP 0.0.0.0:445
Service Name	microsoft-ds
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**TCP 0.0.0.0:2701**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	2701
Caption	TCP 0.0.0.0:2701
Service Name	
Remote Address	0.0.0.0
Remote Port	0

Connection State	Listening (LISTEN)
Process Name	C:\Windows\CCM\RemCtrl\CmRcService.exe
Process ID	3576
Process Description	Configuration Manager Remote Control Service
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:3389**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	3389
Caption	TCP 0.0.0.0:3389
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1508
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:5357**

Item	Value
Port Protocol	TCP

Local Address	0.0.0.0
Local Port	5357
Caption	TCP 0.0.0.0:5357
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**TCP 0.0.0.0:33221**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	33221
Caption	TCP 0.0.0.0:33221
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2204
Process Description	

Process Manufacturer	
----------------------	--

**TCP 0.0.0.0:49152**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49152
Caption	TCP 0.0.0.0:49152
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\wininit.exe
Process ID	524
Process Description	Aplicación de inicio de Windows
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:49153**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49153
Caption	TCP 0.0.0.0:49153
Service Name	

Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\System32\svchost.exe
Process ID	940
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:49154**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49154
Caption	TCP 0.0.0.0:49154
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:49155**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49155
Caption	TCP 0.0.0.0:49155
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\System32\spoolsv.exe
Process ID	1660
Process Description	Aplicación de subsistema de cola
Process Manufacturer	Microsoft Corporation

### TCP 0.0.0.0:49162

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49162
Caption	TCP 0.0.0.0:49162
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)

Process Name	C:\Windows\system32\lsass.exe
Process ID	644
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:49175**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0
Local Port	49175
Caption	TCP 0.0.0.0:49175
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\services.exe
Process ID	636
Process Description	Aplicación de servicios y controlador
Process Manufacturer	Microsoft Corporation

**TCP 0.0.0.0:49192**

Item	Value
Port Protocol	TCP
Local Address	0.0.0.0

Local Port	49192
Caption	TCP 0.0.0.0:49192
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	C:\Windows\system32\svchost.exe
Process ID	3120
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:139**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	139
Caption	TCP 10.29.11.118:139
Service Name	netbios-ssn
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49365**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49365
Caption	TCP 10.29.11.118:49365
Service Name	
Remote Address	10.250.1.34
Remote Port	8080
Connection State	Connection established (ESTABLISHED)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49403**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49403
Caption	TCP 10.29.11.118:49403
Service Name	
Remote Address	10.250.1.75

Remote Port	445
Connection State	Connection established (ESTABLISHED)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49428**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49428
Caption	TCP 10.29.11.118:49428
Service Name	
Remote Address	10.29.1.15
Remote Port	445
Connection State	Connection established (ESTABLISHED)
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49479**

Item	Value

Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49479
Caption	TCP 10.29.11.118:49479
Service Name	
Remote Address	10.250.4.30
Remote Port	8530
Connection State	Connection established (ESTABLISHED)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49537**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49537
Caption	TCP 10.29.11.118:49537
Service Name	
Remote Address	96.17.164.129
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204

Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49539**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49539
Caption	TCP 10.29.11.118:49539
Service Name	
Remote Address	72.247.40.210
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	C:\Windows\system32\wbem\wmiprvse.exe
Process ID	4456
Process Description	WMI Provider Host
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49540**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49540
Caption	TCP 10.29.11.118:49540

Service Name	
Remote Address	96.17.164.129
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49544**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49544
Caption	TCP 10.29.11.118:49544
Service Name	
Remote Address	96.17.164.129
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49545**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49545
Caption	TCP 10.29.11.118:49545
Service Name	
Remote Address	96.17.164.129
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

### TCP 10.29.11.118:49546

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49546
Caption	TCP 10.29.11.118:49546
Service Name	
Remote Address	10.250.4.30
Remote Port	80
Connection State	Connection established (ESTABLISHED)

Process Name	C:\Windows\CCM\CcmExec.exe
Process ID	2396
Process Description	Host Process for Microsoft Configuration Manager
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49547**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49547
Caption	TCP 10.29.11.118:49547
Service Name	
Remote Address	96.17.164.129
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49548**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118

Local Port	49548
Caption	TCP 10.29.11.118:49548
Service Name	
Remote Address	151.139.128.14
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49549**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49549
Caption	TCP 10.29.11.118:49549
Service Name	
Remote Address	104.90.17.164
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49550**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49550
Caption	TCP 10.29.11.118:49550
Service Name	
Remote Address	23.4.43.27
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 10.29.11.118:49551**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49551
Caption	TCP 10.29.11.118:49551
Service Name	
Remote Address	96.17.164.129

Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	C:\Windows\system32\wbem\wmiprvse.exe
Process ID	4456
Process Description	WMI Provider Host
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49552**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49552
Caption	TCP 10.29.11.118:49552
Service Name	
Remote Address	10.250.4.30
Remote Port	10123
Connection State	Connection established (ESTABLISHED)
Process Name	C:\Windows\CCM\CcmExec.exe
Process ID	2396
Process Description	Host Process for Microsoft Configuration Manager
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49553**

Item	Value

Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49553
Caption	TCP 10.29.11.118:49553
Service Name	
Remote Address	72.247.40.242
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**TCP 10.29.11.118:49554**

Item	Value
Port Protocol	TCP
Local Address	10.29.11.118
Local Port	49554
Caption	TCP 10.29.11.118:49554
Service Name	
Remote Address	151.139.128.14
Remote Port	80
Connection State	Connecting (SYN-SENT)
Process Name	cyserver.exe
Process ID	2204

Process Description	
Process Manufacturer	

**TCP 127.0.0.1:50001**

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50001
Caption	TCP 127.0.0.1:50001
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 127.0.0.1:50002**

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50002
Caption	TCP 127.0.0.1:50002

Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 127.0.0.1:50005**

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50005
Caption	TCP 127.0.0.1:50005
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**TCP 127.0.0.1:50006**

Item	Value
Port Protocol	TCP
Local Address	127.0.0.1
Local Port	50006
Caption	TCP 127.0.0.1:50006
Service Name	
Remote Address	0.0.0.0
Remote Port	0
Connection State	Listening (LISTEN)
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

#### UDP 0.0.0.0:123

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	123
Caption	UDP 0.0.0.0:123
Service Name	ntp
Process Name	C:\Windows\system32\svchost.exe
Process ID	1036
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 0.0.0.0:500**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	500
Caption	UDP 0.0.0.0:500
Service Name	isakmp
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 0.0.0.0:3702**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	3702
Caption	UDP 0.0.0.0:3702
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 0.0.0.0:3702**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	3702
Caption	UDP 0.0.0.0:3702
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 0.0.0.0:4500**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	4500
Caption	UDP 0.0.0.0:4500
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1068
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 0.0.0.0:5355**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	5355
Caption	UDP 0.0.0.0:5355
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1508
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 0.0.0.0:33221**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	33221
Caption	UDP 0.0.0.0:33221
Service Name	
Process Name	cyserver.exe
Process ID	2204
Process Description	

Process Manufacturer	
----------------------	--

**UDP 0.0.0.0:57712**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	57712
Caption	UDP 0.0.0.0:57712
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 0.0.0.0:57736**

Item	Value
Port Protocol	UDP
Local Address	0.0.0.0
Local Port	57736
Caption	UDP 0.0.0.0:57736
Service Name	
Process Name	C:\Windows\System32\spoolsv.exe
Process ID	1660
Process Description	Aplicación de subsistema de cola

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 10.29.11.118:137**

Item	Value
Port Protocol	UDP
Local Address	10.29.11.118
Local Port	137
Caption	UDP 10.29.11.118:137
Service Name	netbios-ns
Process Name	System
Process ID	4
Process Description	
Process Manufacturer	

**UDP 10.29.11.118:138**

Item	Value
Port Protocol	UDP
Local Address	10.29.11.118
Local Port	138
Caption	UDP 10.29.11.118:138
Service Name	netbios-dgm
Process Name	System
Process ID	4
Process Description	

Process Manufacturer	
----------------------	--

**UDP 10.29.11.118:1900**

Item	Value
Port Protocol	UDP
Local Address	10.29.11.118
Local Port	1900
Caption	UDP 10.29.11.118:1900
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 10.29.11.118:57740**

Item	Value
Port Protocol	UDP
Local Address	10.29.11.118
Local Port	57740
Caption	UDP 10.29.11.118:57740
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 127.0.0.1:1900**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	1900
Caption	UDP 127.0.0.1:1900
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows
Process Manufacturer	Microsoft Corporation

**UDP 127.0.0.1:51152**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	51152
Caption	UDP 127.0.0.1:51152
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1508
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 127.0.0.1:53253**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	53253
Caption	UDP 127.0.0.1:53253
Service Name	
Process Name	cyserver.exe
Process ID	2204
Process Description	
Process Manufacturer	

**UDP 127.0.0.1:57741**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	57741
Caption	UDP 127.0.0.1:57741
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	2020
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 127.0.0.1:58179**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	58179
Caption	UDP 127.0.0.1:58179
Service Name	
Process Name	C:\Windows\CCM\CcmExec.exe
Process ID	2396
Process Description	Host Process for Microsoft Configuration Manager
Process Manufacturer	Microsoft Corporation

**UDP 127.0.0.1:58506**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	58506
Caption	UDP 127.0.0.1:58506
Service Name	
Process Name	C:\Windows\system32\svchost.exe
Process ID	1212
Process Description	Proceso host para los servicios de Windows

Process Manufacturer	Microsoft Corporation
----------------------	-----------------------

**UDP 127.0.0.1:59272**

Item	Value
Port Protocol	UDP
Local Address	127.0.0.1
Local Port	59272
Caption	UDP 127.0.0.1:59272
Service Name	
Process Name	C:\Windows\system32\lsass.exe
Process ID	644
Process Description	Local Security Authority Process
Process Manufacturer	Microsoft Corporation

**Printer Permissions****Enviar a OneNote 16****ws49818\Administrador**

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	ws49818\Administrador
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print

ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

**ws49818\Administrador**

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	ws49818\Administrador
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	0000000000001111000000000000110000
Owner	NT AUTHORITY\SYSTEM

**CREATOR OWNER**

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit

Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

### Todos

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	00000000000000010000000000001000
Owner	NT AUTHORITY\SYSTEM

### Todos

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

**BUILTIN\Administradores**

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	0000000000001111000000000000001100
Owner	NT AUTHORITY\SYSTEM

**BUILTIN\Administradores**

Name	Value
Name	Enviar a OneNote 16
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

**Fax****CREATOR OWNER**

Name	Value
Name	Fax
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

---

**Todos**

Name	Value
Name	Fax
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	0000000000001000000000001000
Owner	NT AUTHORITY\SYSTEM

---

**Todos**

Name	Value
Name	Fax
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

### BUILTIN\Administradores

Name	Value
Name	Fax
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

### BUILTIN\Administradores

Name	Value

Name	Fax
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

**HP Designjet T520 36in HPGL2****GOBIERNOCBA\27271718972**

Name	Value
Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	GOBIERNOCBA\27271718972
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

**GOBIERNOCBA\27271718972**

Name	Value

Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	GOBIERNOCBA\27271718972
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	00000000000011110000000000110000
Owner	NT AUTHORITY\SYSTEM

#### CREATOR OWNER

Name	Value
Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

#### Todos

Name	Value
Name	HP Designjet T520 36in HPGL2

Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	000000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

Todos

Name	Value
Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only
Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

## BUILTIN\Administradores

Name	Value
Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	BUILTIN\Administradores

ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

---

### BUILTIN\Administradores

Name	Value
Name	HP Designjet T520 36in HPGL2
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

---

### KONICA MINOLTA 423SeriesPCL-8

GOBIERNOCBA\20124063109

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	GOBIERNOCBA\20124063109

ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

---

**GOBIERNOCBA\20124063109**

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	GOBIERNOCBA\20124063109
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents
ACE Flags	Inherit Only, Object Inherit
Access Mask	0000000000001111000000000000110000
Owner	NT AUTHORITY\SYSTEM

---

**CREATOR OWNER**

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	CREATOR OWNER
ACE Type	Allow

Permissions	GENERIC_ALL
ACE Flags	Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

### Todos

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	Read Permissions, Print
ACE Flags	
Access Mask	00000000000000010000000000000001000
Owner	NT AUTHORITY\SYSTEM

### Todos

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	Todos
ACE Type	Allow
Permissions	GENERIC_EXECUTE
ACE Flags	Container Inherit, Inherit Only

Access Mask	00100000000000000000000000000000
Owner	NT AUTHORITY\SYSTEM

**BUILTIN\Administradores**

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print
ACE Flags	
Access Mask	00000000000011110000000000001100
Owner	NT AUTHORITY\SYSTEM

**BUILTIN\Administradores**

Name	Value
Name	KONICA MINOLTA 423SeriesPCL-8
Object Type	Printer
Trustee	BUILTIN\Administradores
ACE Type	Allow
Permissions	GENERIC_ALL
ACE Flags	Container Inherit, Inherit Only, Object Inherit
Access Mask	00010000000000000000000000000000

Owner

NT AUTHORITY\SYSTEM

[Security Log](#)

Time Generated	Log File	Source Name	Description
----------------	----------	-------------	-------------

16/04/2021 08:07:07 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión Sujeto: Id. de seguridad: S-1-5-188 Nombre de cuenta: WS49818\$0 Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 27175349516 Dominio de cuenta: GOBIERNOCBA Información del error: Motivo del error: <unknown> parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-182 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso: autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS49818\$0 Puerto de origen: WS49818\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 País de autenticación: S-1-5-183 Servicios transitados: S-1-5-184 Nombre de paquete (sólo NTL): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. La generación del equipo al que se intenta tener acceso. Los campos de información indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos de información
04/05/2021 09:42:48 a.m.			142/309

sesión.

5-18

\$

de

el

error

iridad:

nta:

de

wn

5-180

:

a:

o del

)

le

†

:

eso de  
quete

85

.M):

era

l una

)

entó

sujeto

ocal

eso

le

de

. Los

ipos

			Información de proceso indica cuenta y el proceso en el sistema que solicitó el inicio de sesión. Campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625
08/04/2021 08:03:21 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-181 Nombre de cuenta: WS49818\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con derecho de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 271175349516 Dominio de cuenta: GOBIERNOCBA Información del error: Motivo del error: <unknown> parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-181 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen:

in la  
ma  
Los  
dican  
de  
re de  
empre  
n

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.  
ive de

sesión.  
5-18

\$

de  
e  
error  
iridad:

enta:  
de  
wn

5-180

>

a:

o del

)

e

t

		WS49818\$0 Puerto de origen: WS49818\$1 Información de autenticación detallada: Proceso inicio de sesión: S-1-5-182 País de autenticación: S-1-5-183 Servicios transitados: S-1-5-184 Nombre de paquete (sólo NTL): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. La clave genera el equipo al que se intenta tener acceso. Los campos de información indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos de información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos de información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave.
--	--	---

:  
eso de  
quete

85  
.M):

era  
n una  
o  
entó  
sujeto  
ocal

eso

le  
de  
. Los

ipos  
n la  
ma  
Los  
dican  
de  
re de  
empre  
n

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.

ve de

			sesión. Event ID 4625
15/03/2021 10:08:41 a.m.	Security	Microsoft-Windows-Security-Auditing	<p>Error de una cuenta al iniciar sesión. Event ID 4625</p> <p>Sujeto: Id. de seguridad: S-1-5-181 Cuenta con nombre de cuenta: WS49818\$0 Puerto de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con nombre de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 27175349516Orquidea64 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo de error: &lt;unknown parameter: %%2313&gt; Estado: 0xc0000006 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS49818\$0 Puerto de origen: WS49818\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 País de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTL): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. La generación de este evento indica que el equipo al que se intenta acceder no tiene acceso. Los campos de información indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó.</p>

sesión.

i-18

\$

de

o

error

iridad:

nino

el

d

ación

autor

bre de

a:

:

o:

:

o

ón de

eso de

quete

85

.M):

era

o una

o

entó

sujeto

ocal

oso

le

de

. Los

			(interactivo) y 3 (red). Los campos Información de proceso indica la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625
11/03/2021 08:48:37 a.m.	Security	Microsoft-Windows-Security-Auditing	Integridad de código determina los hash de página de un archivo. Si los hash de página no son válidos. El archivo podría firmarse de forma incorrecta. Los hash de página o resultado dañado debido a una modificación no autorizada. Los hash no válidos podrían indicar un posible error en el dispositivo de disco. Nombre del archivo: \Device\HarddiskVolume1\Windows\System32\3codeca.acm EventID: 6281
11/02/2021 10:00:28 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-20-1138888888-1000-1138888888-1000 Nombre de cuenta: WS49818-DOMINIO Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: 1
04/05/2021 09:42:48 a.m.			150/309

ipos  
in la  
ma  
Los  
dican  
de  
re de  
empre  
i

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.  
ive de

ó que  
ivo de  
ivo  
recta

ación  
lidos  
or de  
de

ndows\  
nt ID

sesión.  
-18  
\$

de  
e

		sesión: S-1-5-181 Cuenta con de inicio de sesión: Id. de seguimiento: S-1-0-0 Nombre de cuenta: 27175349516 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown> parameter: %%2309> Estado: 0xc0000224 Subestado: S-1-5-182 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS49818\$0 Puerto de origen: WS49818\$1 Información de autenticación detallada: Procedimiento de inicio de sesión: S-1-5-182 País de autenticación: S-1-5-183 Servicios transitados: S-1-5-184 Nombre de paquete (sólo NTL40): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. Lo que genera el equipo al que se intenta tener acceso. Los campos de: indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de la máquina remota: WS49818\$0 Puerto de destino: WS49818\$1
--	--	--

error  
iridad:

nta:  
de  
wn

5-180

>  
a:  
) del  
)  
le  
t

:

eso de  
quete

85  
.M):

era  
) una  
)  
entó  
sujeto  
ocal

eso

le  
de  
. Los

ipos  
in la  
ma  
Los  
dican  
de  
re de

			estación de trabajo no está sí disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625
11/02/2021 08:54:37 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-20. Nombre de cuenta: WS49818\$0. Dominio de cuenta: GOBIERNOCBA. Id. de inicio de sesión: 0x3e7. Tipo de inicio de sesión: S-1-5-181. Cuenta con derecho de inicio de sesión: Id. de seguridad: S-1-0-0. Nombre de cuenta: 27175349516. Dominio de cuenta: GOBIERNOCBA. Información del error: Motivo del error: <unknown>. parameter: %%2307. Estado: 0xc0000234. Subestado: S-1-5-182. Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188. Nombre de proceso autor de la llamada: S-1-5-189. Información de red: Nombre de estación de trabajo: S-1-5-184. Dirección de red de origen: WS49818\$0. Puerto de origen: WS49818\$1. Información de autenticación detallada: Procedimiento de inicio de sesión: S-1-5-182. Paquete de autenticación: S-1-5-183. Servicios transitados: S-1-5-184.
04/05/2021 09:42:48 a.m.			154/309

empre

1

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.

ive de

---

sesión.

5-18

\$

de

e

error  
uridad:

nta:

de

wn

5-180

>

a:

o del

)

e

{

:

eso de  
quete

85

			Nombre de paquete (sólo NTL S-1-5-186 Longitud de clave: S-1-5-187 Este evento se gen cuando se produce un error en solicitud de inicio de sesión. Lo genera el equipo al que se int tener acceso. Los campos de : indican la cuenta del sistema I que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proce local como Winlogon.exe o Services.exe. El campo Tipo d inicio de sesión indica la clase inicio de sesión que se solicitó tipos más comunes son 2 (interactivo) y 3 (red). Los cam Información de proceso indica cuenta y el proceso en el siste que solicitó el inicio de sesión. campos Información de red ind dónde se originó una solicitud inicio de sesión remota. Nomb estación de trabajo no está si disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre es solicitud de inicio de sesión específica. - Servicios transita indica los servicios intermedio participaron en esta solicitud d inicio de sesión. - Nombre de paquete indica el subprotocolo se usó entre los protocolos NT Longitud de clave indica la lon de la clave de sesión generada; Será 0 si no se solicitó una cla sesión. Event ID 4625
11/02/2021 08:20:58 a.m.	Security	Microsoft-Windows-Security-Audit ing	Error de una cuenta al iniciar s Sujeto: Id. de seguridad: S-1-5 Nombre de cuenta: WS49818@ Dominio de cuenta:

.M):  
era  
n una  
o  
entó  
sujeto  
ocal  
  
eso  
  
le  
de  
. Los  
  
ipos  
n la  
ma  
Los  
dican  
de  
re de  
empre  
n  
  
sta  
  
ados  
s que  
le  
  
o que  
LM. -  
gitud  
a.  
ive de  
  
sesión.  
-18  
\$

		GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con de inicio de sesión: Id. de seguimiento: S-1-0-0 Nombre de cuenta: WS49818 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown> parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-182 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS49818\$0 Puerto de origen: WS49818\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 País de autenticación: S-1-5-183 Servicios transitados: S-1-5-184 Nombre de paquete (sólo NTL4): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. Lo genera el equipo al que se intenta tener acceso. Los campos de información de inicio de sesión indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud.
--	--	--

de  
e  
error  
iridad:

de  
wn

5-180  
>  
a:  
) del  
)  
le  
{

:  
oso de  
quete

85  
.M):

era  
una  
)  
entó  
sujeto  
ocal

oso

le  
de  
. Los

ipos  
in la  
ma  
Los  
dican  
do

			inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave para la sesión. Event ID 4625
11/02/2021 07:34:42 a.m.	Security	Microsoft-Windows-Security-Auditing	Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-0-0. Nombre de cuenta: - Dominio cuenta: - Id. de inicio de sesión: S-1-0. Tipo de inicio de sesión: S-1-0. Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 0xc0000133 Dominio cuenta: <unknown parameter: %%2304>. Información de error: Motivo del error: 3 Estado: 0x0 Subestado: S-1-0-00 Información de proceso: Id. de proceso del autor de la llamada: S-1-0-08 Nombre del proceso del autor de la llamada: S-1-0-09 Información de red: Nombre de estación de trabajo: S-1-0-04 Dirección de red de conexión: -0 Puerto de origen: -1 Información de autenticación detallada: Proveedor de inicio de sesión: S-1-0-02 Paquete de autenticación: S-1-0-01 Servicios transitados: S-1-0-00 Nombre de paquete (sólo NTL): S-1-0-06 Longitud de clave: 0x0.0000000000000000
04/05/2021 09:42:48 a.m.			160/309

re de  
empre  
i

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.

ive de

sesión.  
0-0  
de  
n: 0x0  
-01  
sesión:  
ibre  
nio de

or:  
0  
ción  
autor  
re de  
a:

o:  
origen:  
ación  
oceso  
-0-03  
5  
.M):

		<p><b>S-1-U-07</b> Este evento se genera cuando se produce un error en la solicitud de inicio de sesión. Lo genera el equipo al que se intenta tener acceso. Los campos de informacion indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre la solicitud de inicio de sesión específica. - Servicios transitarios indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NT. Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625</p>
--	--	---

## Security Settings

Item	Name	Setting
04/05/2021 09:42:48 a.m.		162/309

ra  
n una  
o  
entó  
sujeto  
ocal

eso

le  
de  
. Los

ipos  
n la  
ma  
Los  
dican  
de  
re de  
empre

1

sta

dos  
s que  
le

o que  
LM. -  
gitud  
a.

ive de

AutoLogon	Enabled	No
Screen Saver	Enabled	Yes
Screen Saver	Timeout	0 Seconds
Screen Saver	Password Protected	No
All Accounts	Force Network Logoff	Never
All Accounts	Minimum Password Length	8 Characters
All Accounts	Maximum Password Age	180 Days
All Accounts	Historical Passwords	5 remembered
All Accounts	Lockout Threshold	5 Attempts
Automatic Updates	Update Status	Scheduled installation
Automatic Updates	Update Schedule	Every day
Internet Explorer	Run Script	Allow
Internet Explorer	Run ActiveX	Allow
Internet Explorer	Run Java	Allow
Internet Explorer	Download Files	Allow
Internet Explorer	Install Desktop Items	Unknown
Internet Explorer	Launch Applications	Prompt user

### Share Permissions

**ADMIN\$**

**No Trustee**

Name	Value
Name	ADMIN\$
Object Type	Share
Trustee	No Trustee

ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	NT SERVICE\TrustedInstaller

---

**C\$****No Trustee**

Name	Value
Name	C\$
Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	NT SERVICE\TrustedInstaller

---

**D\$****No Trustee**

Name	Value
Name	D\$
Object Type	Share
Trustee	No Trustee

ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	S-1-5-21-3034998868-2838976063-1949635112-500

**IPC\$****No Trustee**

Name	Value
Name	IPC\$
Object Type	Share
Trustee	No Trustee
ACE Type	
Permissions	No security
ACE Flags	
Access Mask	
Owner	

**System Restore**

**No restore points found, requires at least XP and the WMI service running.**

**User Privileges**

Privilege Name

- Ajustar las cuotas de la memoria para un proceso
- Administrar registro de seguridad y auditoría
- Tomar posesión de archivos y otros objetos
- Cargar y descargar controladores de dispositivo
- Analizar el rendimiento del sistema
- Cambiar la hora del sistema
- Analizar un solo proceso
- Aumentar prioridad de programación
- Crear un archivo de paginación
- Hacer copias de seguridad de archivos y directorios
- Restaurar archivos y directorios
- Apagar el sistema
- Depurar programas
- Modificar valores de entorno firmware
- Omitir comprobación de recorrido
- Forzar cierre desde un sistema remoto
- Quitar equipo de la estación de acoplamiento
- Realizar tareas de mantenimiento del volumen
- Suplantar a un cliente tras la autenticación
- Crear objetos globales
- Aumentar el espacio de trabajo de un proceso
- Cambiar la zona horaria
- Crear vínculos simbólicos

## Windows Firewall

Name	Setting
Firewall Enabled	No
Authorised Application	Skype for Business UcMapi
Authorised Application	Skype for Business
Authorised Service	Compartir archivos e impresoras
Authorised Service	Detección de redes
Authorised Service	Escritorio remoto

## Grupos y Usuarios

### Local Groups

#### **Administradores**

Name	Value
Group Type	Local
Group Name	Administradores
Comment Item	Los administradores tienen acceso completo y sin restricciones al equipo o dominio

#### **Members**

Group Name	Member Name
Administradores	Administrador
Administradores	Admins029
Administradores	Domain Admins
Administradores	GGAdminGeneralWS

## Policy

<b>Group Name</b>	<b>Privilege Name</b>
Administradores	Administrar registro de seguridad y auditoría
Administradores	Hacer copias de seguridad de archivos y directorios
Administradores	Restaurar archivos y directorios
Administradores	Cambiar la hora del sistema
Administradores	Apagar el sistema
Administradores	Forzar cierre desde un sistema remoto
Administradores	Tomar posesión de archivos y otros objetos
Administradores	Depurar programas
Administradores	Modificar valores de entorno firmware
Administradores	Analizar el rendimiento del sistema
Administradores	Analizar un solo proceso
Administradores	Aumentar prioridad de programación
Administradores	Cargar y descargar controladores de dispositivo
Administradores	Crear un archivo de paginación
Administradores	Ajustar las cuotas de la memoria para un proceso
Administradores	Omitir comprobación de recorrido
Administradores	Quitar equipo de la estación de acoplamiento
Administradores	Realizar tareas de mantenimiento del volumen
Administradores	Suplantar a un cliente tras la autenticación
Administradores	Crear objetos globales
Administradores	Cambiar la zona horaria
Administradores	Crear vínculos simbólicos

Administradores	SeInteractiveLogonRight
Administradores	SeBatchLogonRight
Administradores	SeRemoteInteractiveLogonRight

### Duplicadores

Name	Value
Group Type	Local
Group Name	Duplicadores
Comment Item	Pueden replicar archivos en un dominio

### Members

No information found.

### Policy

No information found.

### IIS\_IUSRS

Name	Value
Group Type	Local
Group Name	IIS_IUSRS
Comment Item	Grupo integrado usado por Internet Information Services.

### Members

**members**

<b>Group Name</b>	<b>Member Name</b>
IIS_IUSRS	IUSR

**Policy**

**No information found.**

**Invitados**

<b>Name</b>	<b>Value</b>
Group Type	Local
Group Name	Invitados
Comment Item	De forma predeterminada, los invitados tienen el mismo acceso que los miembros del grupo Usuarios, excepto la cuenta de invitado que tiene más restricciones

**Members**

<b>Group Name</b>	<b>Member Name</b>
Invitados	Invitado

**Policy**

**No information found.**

**Lectores del registro de eventos**

Name	Value
Group Type	Local
Group Name	Lectores del registro de eventos
Comment Item	Los miembros de este grupo pueden leer registros de eventos del equipo local.

### Members

No information found.

### Policy

No information found.

## Ofrecer aplicaciones auxiliares de asistencia remota

Name	Value
Group Type	Local
Group Name	Ofrecer aplicaciones auxiliares de asistencia remota
Comment Item	Los miembros de este grupo pueden ofrecer asistencia remota a los usuarios de este equipo.

### Members

Group Name	Member Name
Ofrecer aplicaciones auxiliares de asistencia remota	GGAsistenciaRemota

## Policy

No information found.

---

## Operadores criptográficos

Name	Value
Group Type	Local
Group Name	Operadores criptográficos
Comment Item	Los miembros tienen autorización para realizar operaciones criptográficas.

---

## Members

No information found.

---

## Policy

No information found.

---

## Operadores de configuración de red

Name	Value
Group Type	Local
Group Name	Operadores de configuración de red
Comment Item	Los miembros en este equipo pueden tener algunos privilegios administrativos para administrar la configuración de las características de la red

---

**Members****No information found.****Policy****No information found.****Operadores de copia de seguridad**

Name	Value
Group Type	Local
Group Name	Operadores de copia de seguridad
Comment Item	Los operadores de copia de seguridad pueden invalidar restricciones de seguridad con el único propósito de hacer copias de seguridad o restaurar archivos.

**Members****No information found.****Policy**

Group Name	Privilege Name
Operadores de copia de seguridad	Hacer copias de seguridad de archivos y directorios
Operadores de copia de seguridad	Restaurar archivos y directorios
Operadores de copia de seguridad	Apagar el sistema
Operadores de copia de seguridad	Omitir comprobación de recorrido

Operadores de copia de seguridad	SeInteractiveLogonRight
Operadores de copia de seguridad	SeBatchLogonRight

### Usuarios

Name	Value
Group Type	Local
Group Name	Usuarios
Comment Item	Los usuarios no pueden hacer cambios accidentales o intencionados en el sistema y pueden ejecutar la mayoría de aplicaciones

### Members

Group Name	Member Name
Usuarios	Domain Users
Usuarios	INTERACTIVE
Usuarios	Usuarios autentificados

### Policy

Group Name	Privilege Name
Usuarios	Apagar el sistema
Usuarios	Omitir comprobación de recorrido
Usuarios	Quitar equipo de la estación de acoplamiento
Usuarios	Aumentar el espacio de trabajo de un proceso
Usuarios	Cambiar la zona horaria

---

Usuarios	SelInteractiveLogonRight
----------	--------------------------

---

**Usuarios avanzados**

Name	Value
Group Type	Local
Group Name	Usuarios avanzados
Comment Item	Los usuarios avanzados se incluyen para la compatibilidad con versiones anteriores y poseen derechos administrativos limitados

---

**Members****No information found.****Policy****No information found.****Usuarios COM distribuidos**

Name	Value
Group Type	Local
Group Name	Usuarios COM distribuidos
Comment Item	Los miembros pueden iniciar, activar y usar objetos de COM distribuido en este equipo.

---

**Members**

---

No information found.

---

### Policy

No information found.

---

### Usuarios de escritorio remoto

Name	Value
Group Type	Local
Group Name	Usuarios de escritorio remoto
Comment Item	A los miembros de este grupo se les concede el derecho de iniciar sesión remotamente

---

### Members

Group Name	Member Name
Usuarios de escritorio remoto	GGAsistenciaRemota

---

### Policy

Group Name	Privilege Name
Usuarios de escritorio remoto	SeRemoteInteractiveLogonRight

---

### Usuarios del control remoto de ConfigMgr

Name	Value
Group Type	Local

Group Name	Usuarios del control remoto de ConfigMgr
Comment Item	Los miembros de este grupo pueden ver y controlar este equipo con el control remoto de Configuration Manager

### Members

Group Name	Member Name
Usuarios del control remoto de ConfigMgr	GGAdminGeneralWS
Usuarios del control remoto de ConfigMgr	usopocba

### Policy

No information found.

## Usuarios del monitor de sistema

Name	Value
Group Type	Local
Group Name	Usuarios del monitor de sistema
Comment Item	Los miembros de este grupo tienen acceso a los datos del contador de rendimiento de forma local y remota

### Members

No information found.

### Policy

No information found

---

**NO INFORMATION FOUND.**

---

**Usuarios del registro de rendimiento**

Name	Value
Group Type	Local
Group Name	Usuarios del registro de rendimiento
Comment Item	Los miembros de este grupo pueden programar contadores de registro y rendimiento, habilitar proveedores de seguimiento y recopilar seguimientos de eventos localmente y a través del acceso remoto a este equipo

---

**Members****No information found.****Policy**

Group Name	Privilege Name
Usuarios del registro de rendimiento	SeBatchLogonRight

---

**Global Groups****None**

Name	Value
Group Type	Global
Group Name	None
Comment Item	Ordinary users

---

### Members

Group Name	Member Name
None	Administrador
None	Invitado
None	usuario

### Policy

**No information found.**

### User Accounts

#### Administrador

Item	Value
User Account	Administrador
Full Name	
Description	Cuenta integrada para la administración del equipo o dominio
Account Status	Enabled, Not Locked
Local Groups	Administradores
Global Groups	None
Last Logon	13/12/2017 07:24:01 p.m.
Last Logoff	
Number Of Logons	204
Bad Password Count	0
Password Age	1237 Days

Password Expired	No
Account Expires	

**Invitado**

Item	Value
User Account	Invitado
Full Name	
Description	Cuenta integrada para el acceso como invitado al equipo o dominio
Account Status	Disabled, Not Locked
Local Groups	Invitados
Global Groups	None
Last Logon	
Last Logoff	
Number Of Logons	0
Bad Password Count	0
Password Age	0 Days
Password Expired	No
Account Expires	

**usuario**

Item	Value
User Account	usuario
Full Name	
Description	

Description	
Account Status	Disabled, Not Locked
Local Groups	Invitados
Global Groups	None
Last Logon	03/06/2013 07:44:41 p.m.
Last Logoff	
Number Of Logons	5
Bad Password Count	0
Password Age	2894 Days
Password Expired	Yes
Account Expires	



## Red Windows

### Network Files

No information found.

### Network Sessions

No information found.

### Network Shares

Share Name	Share Type	Connections	Share Path
ADMIN\$	Disk Drive Admin	0	C:\Windows
C\$	Disk Drive Admin	0	C:\
D\$	Disk Drive Admin	0	D:\

IPC\$	Interprocess Communication Admin	0
-------	----------------------------------	---



## Red TCP/IP

### Realtek PCIe GBE Family Controller

Item	Value
Adapter Number	1
Adapter Name	Realtek PCIe GBE Family Controller
DNS Host Name	ws49818
DNS Servers	
IP Address	
IP Subnet	255.255.0.0
Default IP Gateway	
DHCP Enabled	Yes
DHCP Server	10.250.1.235
DHCP IP Address	10.29.11.118
DHCP Lease Obtained	04/05/2021 09:31:58 a.m.
DHCP Lease Expires	12/05/2021 09:31:58 a.m.
Status Code	0
Adapter Status	This device is working properly.
Adapter Type	Ethernet 802.3
MAC Address	BC:5F:F4:90:9B:2C
Connection Status	Connected

Connection Speed	100 Mbps
------------------	----------



## NetBIOS

### LAN Adapter #1

Item	Value
Adapter Number	1
Software Release	3.0
MAC Address	bc:5f:f4:90:9b:2c
Adapter Type	Ethernet
Maximum Sessions	16
Sessions Pending	0
Maximum Data	65535 Bytes
Maximum Datagram	512 Bytes



## Dispositivos

### Adaptadores de pantalla

#### Intel(R) HD Graphics

Item	Value
Device Type	Adaptadores de pantalla
Device Name	
Description	Intel(R) HD Graphics

Manufacturer	Intel Corporation
Location	Bus PCI 0, dispositivo 2, función 0
Driver Provider	Intel Corporation
Driver Version	10.18.10.4425
Driver Date	4-4-2016
Status Code	0
Status Message	OK
Class GUID	{4D36E968-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_0152&SUBSYS_01521849&REV_09\3&11583659&18&10

## Adaptadores de red

### Adaptador asínc. de RAS

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Adaptador asínc. de RAS
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}

Device ID	SW\{EEAB7790-C514-11D1-B42B-00805FC1270E}\ASYNCMAC
-----------	--

### Adaptador de tunelización Teredo de Microsoft

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Adaptador de tunelización Teredo de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\TEREDO\0000

### Minipuerto WAN (IP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (IP)
Manufacturer	Microsoft
Location	

<u>Localization</u>	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANIP\0000

---

### **Minipuerto WAN (IPv6)**

<b>Item</b>	<b>Value</b>
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (IPv6)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANIPV6\0000

---

### **Minipuerto WAN (L2TP)**

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (L2TP)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_L2TPMINIPORT\0000

### Minipuerto WAN (Monitor de red)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (Monitor de red)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_NDISWANBH\0000

### Minipuerto WAN (PPPOE)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (PPPOE)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_PPPOEMINIPORT\0000

### Minipuerto WAN (PPTP)

Item	Value
Device Type	Adaptadores de red
Device Name	

Device Name	
Description	Minipuerto WAN (PPTP)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_PPTPMINIPORT\0000

### Minipuerto WAN (SSTP)

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Minipuerto WAN (SSTP)
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_SSTPMINIPORT\0000

Device ID: PCI\VEN\_10EC&amp;DEV\_8168&amp;SUBSYS\_81681849&amp;REV\_02\4&amp;14DCA238&amp;0&amp;00E2

**Realtek PCIe GBE Family Controller**

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	Realtek PCIe GBE Family Controller
Manufacturer	Realtek
Location	Bus PCI 2, dispositivo 0, función 0
Driver Provider	Realtek
Driver Version	7.61.612.2012
Driver Date	6-12-2012
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_10EC&DEV_8168&SUBSYS_81681849&REV_02\4&14DCA238&0&00E2

**WAN Miniport (IKEv2)**

Item	Value
Device Type	Adaptadores de red
Device Name	
Description	WAN Miniport (IKEv2)
Manufacturer	Microsoft
Location	

Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MS_AGILEVPNMINIPORT\0000

### Adaptador ISATAP de Microsoft #2

Item	Value
Device Type	Adaptadores de red
Device Name	Adaptador ISATAP de Microsoft #2
Description	Adaptador ISATAP de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\*ISATAP\0000

### Adaptador ISATAP de Microsoft #3

Item	Value
Device Type	Adaptadores de red
Device Name	Adaptador ISATAP de Microsoft #3
Description	Adaptador ISATAP de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E972-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\ISATAP\0001

## Baterías

### Batería compuesta de Microsoft

Item	Value
Device Type	Baterías
Device Name	
Description	Batería compuesta de Microsoft
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385

Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{72631E54-78A4-11D0-BCF7-00AA00B7B32A}
Device ID	ROOT\COMPOSITE_BATTERY\0000

## Controladoras ATA/ATAPI IDE

### Controladora estándar PCI IDE de doble canal

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	
Description	Controladora estándar PCI IDE de doble canal
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Bus PCI 0, dispositivo 31, función 2
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C00&SUBSYS_1C001849&REV_05\3&11583659&18&FA

### Controladora estándar PCI IDE de doble canal

**Controladora estándar PCI IDE de doble canal**

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	
Description	Controladora estándar PCI IDE de doble canal
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Bus PCI 0, dispositivo 31, función 5
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C08&SUBSYS_1C081849&REV_05\3&11583659&18&FD

**ATA Channel 0**

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 0
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 0
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&2D134858&0&0

---

### ATA Channel 0

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 0
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 0
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&87E6E99&0&0

---

### ATA Channel 1

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 1

Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&2D134858&0&1

### ATA Channel 1

Item	Value
Device Type	Controladoras ATA/ATAPI IDE
Device Name	ATA Channel 1
Description	Canal IDE
Manufacturer	(Tarjetas controladoras estándar IDE ATA/ATAPI)
Location	Channel 1
Driver Provider	Microsoft
Driver Version	6.1.7601.18231
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96A-E325-11CE-BFC1-08002BE10318}
Device ID	PCIIDE\IDECHANNEL\4&87E6E99&0&1

## Controladoras de bus serie universal

### Concentrador raíz USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB20\4&12C86DD7&0

### Concentrador raíz USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Concentrador raíz USB
Manufacturer	(Controladora de host USB estándar)
Location	
Driver Provider	Microsoft

Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\ROOT_HUB20\4&3B51A733&0

### Controlador de host de PCI a USB mejorado

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host de PCI a USB mejorado
Manufacturer	(Controladora de host USB estándar)
Location	Bus PCI 0, dispositivo 26, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_1C2D&SUBSYS_1C2D1849&REV_05\3&11583659&18&D0

### Controlador de host de PCI a USB mejorado

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Controlador de host de PCI a USB mejorado
Manufacturer	(Controladora de host USB estándar)
Location	Bus PCI 0, dispositivo 29, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	PCI\VEN_8086&DEV_1C26&SUBSYS_1C2 61849&REV_05\3&11583659&18&E8

### Dispositivo de almacenamiento USB

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Dispositivo de almacenamiento USB
Manufacturer	Dispositivo de almacenamiento USB compatible
Location	Port_#0004.Hub_#0004
Driver Provider	Microsoft
Driver Version	6.1.7601.17577
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\VID_ABCD&PID_1234\6&196DA410&0&4

### Generic USB Hub

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	
Description	Generic USB Hub
Manufacturer	(Generic USB Hub)
Location	Port_#0001.Hub_#0001
Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\VID_8087&PID_0024\5&1A78FEC6&0&1

### Generic USB Hub

Item	Value
Device Type	Controladoras de bus serie universal
Device Name	

Description	Generic USB Hub
Manufacturer	(Generic USB Hub)
Location	Port_#0001.Hub_#0002
Driver Provider	Microsoft
Driver Version	6.1.7601.23529
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{36FC9E60-C465-11CF-8056-444553540000}
Device ID	USB\VID_8087&PID_0024\5&2B378AF&0&1

## **Controladoras de sonido y vídeo y dispositivos de juego**

### **Realtek High Definition Audio**

Item	Value
Device Type	Controladoras de sonido y vídeo y dispositivos de juego
Device Name	
Description	Realtek High Definition Audio
Manufacturer	Realtek
Location	Bus interno de High Definition Audio
Driver Provider	Realtek Semiconductor Corp.
Driver Version	6.0.1.8105
Driver Date	3-28-2017
Status Code	0
Status Message	OK
Class GUID	{4D36E96C-E325-11CE-BFC1-08002BE10318}

Device ID	HDAUDIO\FUNC_01&VEN_10EC&DEV_066 2&SUBSYS_18493662&REV_1001\4&CE48CC5&0&0001
-----------	---

### Sonido Intel(R) para pantallas

Item	Value
Device Type	Controladoras de sonido y vídeo y dispositivos de juego
Device Name	
Description	Sonido Intel(R) para pantallas
Manufacturer	Intel(R) Corporation
Location	Bus interno de High Definition Audio
Driver Provider	Intel(R) Corporation
Driver Version	6.16.0.3154
Driver Date	9-9-2014
Status Code	0
Status Message	OK
Class GUID	{4D36E96C-E325-11CE-BFC1-08002BE10318}
Device ID	HDAUDIO\FUNC_01&VEN_8086&DEV_280 5&SUBSYS_80860101&REV_1000\4&CE48CC5&0&0301

### Controladores que no son Plug and Play

#### Administrador de punto de montaje

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Administrador de punto de montaje

Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MOUNTMGR\0000

### Administrador de volúmenes dinámicos

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Administrador de volúmenes dinámicos
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VOLMGRX\0000

### Ancillary Function Driver for Winsock

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Ancillary Function Driver for Winsock
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_AFD\0000

### Beep

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Beep
Manufacturer	
Location	
Driver Provider	
Driver Version	

Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_BEEP\0000

---

**Canal IDE**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Canal IDE
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_ATAPI\0000

---

**CNG**

Item	Value
Device Type	Controladores que no son Plug and Play

Device Type	Controladores que no son Plug and Play
Device Name	
Description	CNG
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CNG\0000

### Controlador ARP IPv6 de acceso remoto

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador ARP IPv6 de acceso remoto
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753FD1}

Device ID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WANARPV6\0000

### Controlador de archivos sin conexión

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de archivos sin conexión
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CSC\0000

### Controlador de autorización de Firewall de Windows

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de autorización de Firewall de Windows
Manufacturer	
Location	

Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MPSDRV\0000

#### Controlador de filtro de aceleración de bus de máquina virtual

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de filtro de aceleración de bus de máquina virtual
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_STORFLT\0000

#### Controlador de protocolo TCP/IP

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de protocolo TCP/IP
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TCPIP\0000

### Controlador de QWAVE

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de QWAVE
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	

Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_QWAVEDRV\0000

### Controlador de sistema NDIS

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador de sistema NDIS
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDIS\0000

### Controlador de soporte TDI heredado NetIO

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Device Name	
Description	Controlador de soporte TDI heredado NetIO
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TDX\0000

### Controlador del filtro de Cifrado de unidad BitLocker

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Controlador del filtro de Cifrado de unidad BitLocker
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_FVFVOI\0000

Device ID	ROOT\LEGACY_CYVERAK\0000
-----------	--------------------------

**cyverak**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	cyverak
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CYVERAK\0000

**cyvrmtgn**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	cyvrmtgn
Manufacturer	
Location	
Driver Provider	

Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CYVRMTGN\0000

### Hardware Policy Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Hardware Policy Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_HWPOLICY\0000

### HTTP

Item	Value

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	HTTP
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_HTTP\0000

### KSecDD

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	KSecDD
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Status Message	
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_KSECDD\0000

### KSecPkg

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	KSecPkg
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_KSECPKG\0000

### LDDM Graphics Subsystem

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	LDDM Graphics Subsystem
Manufacturer	

Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_DXGKRLN\0000

### Link-Layer Topology Discovery Mapper I/O Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Link-Layer Topology Discovery Mapper I/O Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_LLTDIO\0000

### Link-Layer Topology Discovery Responder

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Link-Layer Topology Discovery Responder
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RSPNDR\0000

### msisadrv

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	msisadrv
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	

Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_MSISADRV\0000

### NativeWiFi Filter

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NativeWiFi Filter
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NATIVEWIFIP\0000

### NDIS Usermode I/O Protocol

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Device Name	
Description	NDIS Usermode I/O Protocol
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDISUIO\0000

### NDProxy

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NDProxy
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NDPROXY\0000

Device ID	ROOT\LEGACY_NETBT\0000
-----------	------------------------

**NETBT**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NETBT
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NETBT\0000

**NSI proxy service driver.**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	NSI proxy service driver.
Manufacturer	
Location	
Driver Provider	

Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NSIPROXY\0000

**Null**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Null
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_NULL\0000

**Parvdm**

Item	Value

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Parvdm
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PARVDM\0000

### PEAUTH

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	PEAUTH
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PEAUTH\0000

### Performance Counters for Windows Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Performance Counters for Windows Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PCW\0000

### Programador de paquetes QoS

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Programador de paquetes QoS
Manufacturer	

Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PSCHED\0000

### RDP Encoder Mirror Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	RDP Encoder Mirror Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPENCDD\0000

**RDP Winstation Driver**

<b>Item</b>	<b>Value</b>
Device Type	Controladores que no son Plug and Play
Device Name	
Description	RDP Winstation Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPWD\0000

**RDPCDD**

<b>Item</b>	<b>Value</b>
Device Type	Controladores que no son Plug and Play
Device Name	
Description	RDPCDD
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	

Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDP CDD\0000

---

**Reflector Display Driver used to gain access to graphics data**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Reflector Display Driver used to gain access to graphics data
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPREFMP\0000

---

**Registro común (CLFS)**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Device Name	
Description	Registro común (CLFS)
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_CLFS\0000

### Remote Access Auto Connection Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Remote Access Auto Connection Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RASACD\0000

Device ID	ROOT\LEGACY_TSSECSRVA\0000
-----------	----------------------------

### Remote Desktop Services Security Filter Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Remote Desktop Services Security Filter Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TSSECSRVA\0000

### Security Processor Loader Driver

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Security Processor Loader Driver
Manufacturer	
Location	
Driver Provider	

Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_SPLDR\0000

### Servicio de marcos de controlador en modo Kernel

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Servicio de marcos de controlador en modo Kernel
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WDF01000\0000

### SMS Process Event Driver

Item	Value

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	SMS Process Event Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_PREPDRV\0000

### System Attribute Cache

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	System Attribute Cache
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK

Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_DISCACHE\0000

#### TCP/IP Registry Compatibility

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	TCP/IP Registry Compatibility
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TCPIPREG\0000

#### TDTCP

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	TDTCP
Manufacturer	

Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TDTCP\0000

**tedrpers-7.3.1.20981**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	tedrpers-7.3.1.20981
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_TEDRPERS-7.3.1.20981\0000

**Terminal Server Device Redirector Driver**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Terminal Server Device Redirector Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_RDPDR\0000

**User Mode Driver Frameworks Platform Driver**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	User Mode Driver Frameworks Platform Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	

Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WUDFPF\0000

**VgaSave**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	VgaSave
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VGASAVE\0000

**Virtual WiFi Filter Driver**

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	

Device Name	
Description	Virtual WiFi Filter Driver
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VWIFIFLT\0000

### Volúmenes de almacenamiento

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	Volúmenes de almacenamiento
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_VOL_SNAP\0000

DEVICE ID	ROOT\LEGACY_WFPLWF\0000
-----------	-------------------------

### WFP Lightweight Filter

Item	Value
Device Type	Controladores que no son Plug and Play
Device Name	
Description	WFP Lightweight Filter
Manufacturer	
Location	
Driver Provider	
Driver Version	
Driver Date	
Status Code	0
Status Message	OK
Class GUID	{8ECC055D-047F-11D1-A537-0000F8753ED1}
Device ID	ROOT\LEGACY_WFPLWF\0000

### Dispositivos de interfaz de usuario (HID)

#### Dispositivo de entrada USB

Item	Value
Device Type	Dispositivos de interfaz de usuario (HID)
Device Name	
Description	Dispositivo de entrada USB
Manufacturer	(Dispositivos de sistema estándar)

Location	Port_#0001.Hub_#0004
Driver Provider	Microsoft
Driver Version	6.1.7601.18199
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{745A17A0-74D3-11D0-B6FE-00A0C90F57DA}
Device ID	USB\VID_15D9&PID_0A4F\6&196DA410&0&1

## Dispositivos del sistema

### Administrador de volúmenes

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Administrador de volúmenes
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\VOLMGR\0000

### Archivar como controlador de volumen

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Archivar como controlador de volumen
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\BLBDRIVE\0000

### Botón de característica fija ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Botón de característica fija ACPI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.24111

Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\FIXEDBUTTON\2&DABA3FF&1C

### Botón de encendido ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Botón de encendido ACPI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C0C\AA

### Bus PCI

Item	Value
Device Type	Dispositivos del sistema

Device Type	Dispositivos del sistema
Device Name	
Description	Bus PCI
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Intel
Driver Version	1.0.4.225
Driver Date	3-27-2012
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0A08\0

### Controlador BIOS de Microsoft System Management

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador BIOS de Microsoft System Management
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CF-BFC1-08002RF10318}

Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\MSMBIOS\0000

#### Controlador de enumerador de unidades virtuales de Microsoft

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de enumerador de unidades virtuales de Microsoft
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\VDRVROOT\0000

#### Controlador de mouse de Terminal Server

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de mouse de Terminal Server
Manufacturer	(Dispositivos de sistema estándar)
Location	

Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDP_MOU\0000

#### **Controlador de teclado de Terminal Server**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controlador de teclado de Terminal Server
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDP_KBD\0000

#### **Controladora de acceso directo a memoria**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de acceso directo a memoria
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0200\4&36BBE913&0

### Controladora de High Definition Audio

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora de High Definition Audio
Manufacturer	Microsoft
Location	Bus PCI 0, dispositivo 27, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	11-19-2010

Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C20&SUBSYS_366 21849&REV_05\3&11583659&18&D8

### Controladora programable de interrupciones

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Controladora programable de interrupciones
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0000\4&36BBE913&0

### Cronómetro del sistema

Item	Value
Device Type	Dispositivos del sistema

Device Name	
Description	Cronómetro del sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0100\4&36BBE913&0

#### Dispositivo concentrador de firmware Intel(R) 82802

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Dispositivo concentrador de firmware Intel(R) 82802
Manufacturer	Intel
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}

Device ID	ACPI\INT0800\4&36BBE913&0
-----------	---------------------------

### Enumerador de bus compuesto

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de bus compuesto
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\COMPOSITEBUS\0000

### Enumerador de bus raíz de UMBus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de bus raíz de UMBus
Manufacturer	Microsoft
Location	

Driver Provider	MICROSOFT
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\UMBUS\0000

#### Enumerador de dispositivos de software Plug and Play

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de dispositivos de software Plug and Play
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\SYSTEM\0000

#### Enumerador de UMBus

Item	Value

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de UMBus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	UMB\UMB\1&841921D&0&PRINTERBUSENUMERATOR

### Enumerador de UMBus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Enumerador de UMBus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK

Status Message	
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	UMB\UMB\1&841921D&0&WPDBUSENUMROOT

---

**Intel(R) 6 Series/C200 Series Chipset Family SMBus Controller -**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Intel(R) 6 Series/C200 Series Chipset Family SMBus Controller -
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 31, función 3
Driver Provider	Intel
Driver Version	9.2.0.1011
Driver Date	9-10-2010
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C22&SUBSYS_1C2 21849&REV_05\3&11583659&18&FB

---

**Intel(R) Management Engine Interface**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Intel(R) Management Engine Interface

Manufacturer	Intel
Location	Bus PCI 0, dispositivo 22, función 0
Driver Provider	Intel
Driver Version	11.0.5.1189
Driver Date	3-28-2016
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C3A&SUBSYS_1C3A1849&REV_04\3&11583659&18&B0

#### Interfaz lógica de puerto de impresora

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Interfaz lógica de puerto de impresora
Manufacturer	(Dispositivos de sistema estándar)
Location	LPT1
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	LPTENUM\MICROSOFTRAWPORT\5&354357F3&0&LPT1

### Procesador de datos numéricos

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Procesador de datos numéricos
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C04\4&36BBE913&0

### Puente PCI estándar de PCI a PCI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puente PCI estándar de PCI a PCI
Manufacturer	(Dispositivos de sistema estándar)
Location	Bus PCI 0, dispositivo 28, función 0
Driver Provider	Microsoft

Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C10&SUBSYS_1C101849&REV_B5\3&11583659&18&E0

### Puente PCI estándar de PCI a PCI

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puente PCI estándar de PCI a PCI
Manufacturer	(Dispositivos de sistema estándar)
Location	Bus PCI 0, dispositivo 28, función 2
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C14&SUBSYS_1C141849&REV_B5\3&11583659&18&E2

### Puente PCI ISA estándar

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Puente PCI ISA estándar
Manufacturer	(Dispositivos de sistema estándar)
Location	Bus PCI 0, dispositivo 31, función 0
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_1C5C&SUBSYS_1C5C1849&REV_05\3&11583659&18&F8

### Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0

Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\INT3F0D\4&36BBE913&0

### Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\1

### Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base

Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\10

### Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\111

### Recursos de la placa base

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Recursos de la placa base
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C02\2

### Remote Desktop Device Redirector Bus

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Remote Desktop Device Redirector Bus
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006

Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\RDPBUS\0000

### Sistema CMOS/reloj en tiempo real

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Sistema CMOS/reloj en tiempo real
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0B00\4&36BBE913&0

### Sistema Microsoft compatible con ACPI

Item	Value
Device Type	Dispositivos del sistema
Device Name	

Device Name	
Description	Sistema Microsoft compatible con ACPI
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI_HAL\PNP0C08\0

### Tarjeta de sistema

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Tarjeta de sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C01\1

DEVICE ID

ACPI\PNP0C01\2

**Tarjeta de sistema**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Tarjeta de sistema
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0C01\2

**Temporizador de eventos de alta precisión**

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Temporizador de eventos de alta precisión
Manufacturer	(Dispositivos de sistema estándar)
Location	
Driver Provider	Microsoft

Driver Provider	MICROSOFT
Driver Version	6.1.7601.24441
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0103\0

### Xeon(R) processor E3-1200 v2/3rd Gen Core processor DRAM Controlador

Item	Value
Device Type	Dispositivos del sistema
Device Name	
Description	Xeon(R) processor E3-1200 v2/3rd Gen Core processor DRAM Controlador
Manufacturer	Intel
Location	Bus PCI 0, dispositivo 0, función 0
Driver Provider	Intel
Driver Version	9.3.0.1011
Driver Date	8-26-2011
Status Code	0
Status Message	OK
Class GUID	{4D36E97D-E325-11CE-BFC1-08002BE10318}
Device ID	PCI\VEN_8086&DEV_0150&SUBSYS_01501849&REV_09\3&11583659&18&00

### Dispositivos portátiles

~~Dispositivos portátiles~~

F:\

Item	Value
Device Type	Dispositivos portátiles
Device Name	F:\
Description	UDisk
Manufacturer	General
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{EEC5AD98-8080-425F-922A-DABF3DE3F69A}
Device ID	WPDBUSENUMROOT\UMB\2&37C186B&10& STORAGE#VOLUME#_??_USBSTOR#DISK& VEN_GENERAL&PROD_UDISK&REV_5.00#7&35E64BA&0&_0#

## Equipo

### Equipo basado en ACPI x86

Item	Value
Device Type	Equipo
Device Name	
Description	Equipo basado en ACPI x86
Manufacturer	(Equipos estándar)
Location	

Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E966-E325-11CE-BFC1-08002BE10318}
Device ID	ROOT\ACPI_HAL\0000

## Monitores

### **Monitor PnP genérico**

Item	Value
Device Type	Monitores
Device Name	
Description	Monitor PnP genérico
Manufacturer	(Tipo de monitor estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96E-E325-11CE-BFC1-08002BE10318}
Device ID	DISPLAY\SAM0A12\4&2136589B&0&UID16843008

## **Mouse y otros dispositivos señaladores**

### **Mouse compatible con HID**

<b>Item</b>	<b>Value</b>
Device Type	Mouse y otros dispositivos señaladores
Device Name	
Description	Mouse compatible con HID
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96F-E325-11CE-BFC1-08002BE10318}
Device ID	HID\VID_15D9&PID_0A4F\7&15E72EB3&0&0000

## **Procesadores**

### **Intel(R) Pentium(R) CPU G2030 @ 3.00GHz**

<b>Item</b>	<b>Value</b>
Device Type	Procesadores
Device Name	Intel(R) Pentium(R) CPU G2030 @ 3.00GHz
Description	Procesador Intel
Manufacturer	Intel

Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24499
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{50127DC3-0F36-415E-A6CC-4CB3BE910B65}
Device ID	ACPI\GENUINEINTEL_-_X86_FAMILY_6 _MODEL_58_-______INTEL(R)_PEN TIUM(R)_CPU_G2030 @_3.00GHz\1

---

### Intel(R) Pentium(R) CPU G2030 @ 3.00GHz

Item	Value
Device Type	Procesadores
Device Name	Intel(R) Pentium(R) CPU G2030 @ 3.00GHz
Description	Procesador Intel
Manufacturer	Intel
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.24499
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{50127DC3-0F36-415E-A6CC-4CB3BE910B65}
Device ID	ACPI\GENUINEINTEL_-_X86_FAMILY_6 _MODEL_58_-______INTEL(R)_PEN TIUM(R)_CPU_G2030 @_3.00GHz\1

TUM(R)\_CPU\_G2030\_@\_3.00GHz\Z

**Puertos (COM y LPT)****Puerto de comunicaciones (COM1)**

Item	Value
Device Type	Puertos (COM y LPT)
Device Name	Puerto de comunicaciones (COM1)
Description	Puerto de comunicaciones
Manufacturer	(Tipos de puerto estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E978-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0501\1

**Puerto de impresora ECP (LPT1)**

Item	Value
Device Type	Puertos (COM y LPT)
Device Name	Puerto de impresora ECP (LPT1)
Description	Puerto de impresora ECP
Manufacturer	(Tipos de puerto estándar)

Location	
Driver Provider	Microsoft
Driver Version	6.1.7600.16385
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E978-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0401\4&36BBE913&0

## Teclados

### Teclado PS/2 estándar

Item	Value
Device Type	Teclados
Device Name	
Description	Teclado PS/2 estándar
Manufacturer	(Teclados estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E96B-E325-11CE-BFC1-08002BE10318}
Device ID	ACPI\PNP0303\4&36BBE913&0

## Unidades de disco

### General UDisk USB Device

Item	Value
Device Type	Unidades de disco
Device Name	General UDisk USB Device
Description	Unidad de disco
Manufacturer	(Unidades de disco estándar)
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.19133
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E967-E325-11CE-BFC1-08002BE10318}
Device ID	USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\7&35E64BA&0&_&0

### ST500DM002-1BD142 ATA Device

Item	Value
Device Type	Unidades de disco
Device Name	ST500DM002-1BD142 ATA Device
Description	Unidad de disco
Manufacturer	(Unidades de disco estándar)
Location	Channel 0 Target 0 Lun 0

Location	Channel 0, Target 0, Lun 0
Driver Provider	Microsoft
Driver Version	6.1.7601.19133
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E967-E325-11CE-BFC1-08002BE10318}
Device ID	IDE\DISKST500DM002-1BD142_____KC45_____\5&D434A22&0&0.0.0

## **Unidades de DVD o CD-ROM**

### **ASUS DRW-24F1ST a ATA Device**

Item	Value
Device Type	Unidades de DVD o CD-ROM
Device Name	ASUS DRW-24F1ST a ATA Device
Description	Unidad de CD-ROM
Manufacturer	(Unidades de CD-ROM estándar)
Location	Channel 1, Target 0, Lun 0
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{4D36E965-E325-11CE-BFC1-08002BE10318}
Device ID	IDE\CDROMASUS_DRW-24F1ST__A_____1.00_____\5&5766683&0&1.0.0

## **Volúmenes de almacenamiento**

### **Volumen genérico**

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#7&35E64BA&0&_0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B}

### **Volumen genérico**

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico

Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\{A861A0C2-E052-11E7-9221-806E6F6E6963}\#00000000000007E00

### Volumen genérico

Item	Value
Device Type	Volúmenes de almacenamiento
Device Name	
Description	Volumen genérico
Manufacturer	Microsoft
Location	
Driver Provider	Microsoft
Driver Version	6.1.7601.17514
Driver Date	6-21-2006
Status Code	0
Status Message	OK
Class GUID	{71A27CDD-812A-11D0-BEC7-08002BE2092F}
Device ID	STORAGE\VOLUME\{A861A0C2-E052-11E7-9221-806E6F6E6963}\#00000000000007E00

E7-9221-806E6F6E6963}#0000002DC74B3E00



## Características Pantalla

### Display #1

#### Identification

Name	Value
Display Number	1
Display Name	S19C300
Manufacturer	Samsung
Manufacture Date	Week 42, Year 2012
Serial Number	H1AK500000
Product ID	SAM0A12
Display Size	18.5" (41cm x 23cm)
Display Type	Analog, RGB Colour
Supported Features	Active-Off
Display Resolution	1366 x 768 pixels

#### Capabilities

Display	Type	Description	Capable
1	Curve	Draw chord arcs	Yes
1	Curve	Draw circles	Yes
1	Curve	Draw chord ellipses	Yes
1	Curve	Draw chord interiors	Yes

1	Curve	Draw pie wedges	Yes
1	Curve	Draw rounded rectangles	Yes
1	Curve	Draw styled borders	Yes
1	Curve	Draw wide borders	Yes
1	Curve	Draw wide styled borders	Yes
1	Line	Draw a polyline	Yes
1	Line	Draw styled lines	Yes
1	Line	Draw wide lines	Yes
1	Line	Draw wide styled lines	Yes
1	Line	Draw interiors	Yes
1	Line	Draw a marker	Yes
1	Line	Draw multiple markers	Yes
1	Polygon	Draw interior polygon	Yes
1	Polygon	Draw alternate-fill polygons	Yes
1	Polygon	Draw rectangles	Yes
1	Polygon	Draw a single scanline	Yes
1	Polygon	Draw polygon styled border	Yes
1	Polygon	Draw polygon wide border	Yes
1	Polygon	Draw polygon wide styled border	Yes
1	Polygon	Draw winding-fill polygons	Yes
1	Raster	Requires banding support	No
1	Raster	Can transfer bitmaps	Yes
1	Raster	Support bitmaps over 64 KB	Yes
1	Raster	Set/get bits in DI bitmap	Yes
1	Raster	Set DI bits to device	Yes
1	Raster	Can perform flood fills	Yes

1	Raster	Specifies a palette-based device	No
1	Raster	Capable of scaling	No
1	Raster	Can copy and stretch bitmap	Yes
1	Raster	Can copy and stretch DI bitmap	Yes
1	Text	Capable of character output precision	Yes
1	Text	Capable of stroke output precision	Yes
1	Text	Capable of stroke clip precision	Yes
1	Text	Capable of 90-degree character rotation	No
1	Text	Capable of any character rotation	No
1	Text	Scale independently x and y directions	No
1	Text	Capable of doubled character for scaling	No
1	Text	Integer multiples character scaling	No
1	Text	Any multiples for exact character scaling	No
1	Text	Draw double-weight characters	No
1	Text	Able to italicize	No
1	Text	Able to underline	Yes
1	Text	Able to strikeouts	Yes
1	Text	Able to draw raster fonts	Yes
1	Text	Able to draw vector fonts	Yes
1	Text	Scroll using a bit-block transfer	No

## Display Adapters

### Intel(R) HD Graphics

Item	Value
Adapter Number	1
Name	Intel(R) HD Graphics
Adapter RAM	870MB
Colour Depth	32 bit
Vertical Resolution	96dpi
Current Refresh Rate	60Hz
Video Processor	Intel(R) HD Graphics Family
Adapter DAC Type	Internal
Adapter ID	Intel(R) HD Graphics
BIOS	Intel Video BIOS



## Impresoras Instaladas

### **KONICA MINOLTA 423SeriesPCL-8**

Item	Value
Printer Number	1
Printer Name	KONICA MINOLTA 423SeriesPCL-8
Share Name	
Port Name	10.29.2.34
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	A4 sheet 210-mm 297-millimeters

Orientation	Portrait
Print Quality	600 Dots Per Inch
Driver Name	KONICA MINOLTA 423SeriesPCL-8
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\KOAYFJ_G.DLL
Driver Version	1,0,0,1
Driver Manufacturer	KONICA MINOLTA, INC.
Driver Description	Rendering Export
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\KOAYFJ_G.DLL
Driver Configuration File	C:\Windows\system32\spool\DRIVER S\W32X86\3\KOAYFJ_C.DLL

### **HP Designjet T520 36in HPGL2**

Item	Value
Printer Number	2
Printer Name	HP Designjet T520 36in HPGL2
Share Name	
Port Name	HPDesignjetT52036in
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	Code 2058.
Orientation	Portrait
Print Quality	Low

Print Quality	LOW
Driver Name	HP Designjet T520 36in
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\UNIDRV.DLL
Driver Version	6.1.7601.17514
Driver Manufacturer	Microsoft Corporation
Driver Description	Unidrv Printer Driver
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\hpi27122.gpd
Driver Configuration File	C:\Windows\system32\spool\DRIVER S\W32X86\3\hpiPI123.DLL

### Fax

Item	Value
Printer Number	3
Printer Name	Fax
Share Name	
Port Name	SHRFAX:
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	Letter, 8 1/2- by 11-inches
Orientation	Portrait
Print Quality	200 Dots Per Inch
Driver Name	Microsoft Shared Fax Driver
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\FEXDRV.DLL

	S\W32X86\3\FXSDRV.DLL
Driver Version	6.1.7601.17514
Driver Manufacturer	Microsoft Corporation
Driver Description	Microsoft Fax Printer Driver
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\FXSUI.DLL
Driver Configuration File	C:\Windows\system32\spool\DRIVER S\W32X86\3\FXSUI.DLL

### Enviar a OneNote 16

Item	Value
Printer Number	4
Printer Name	Enviar a OneNote 16
Share Name	
Port Name	nul:
Location	
Pages Per Minute	
Attributes	Local Printer
Printer Status	
Paper Size	Letter, 8 1/2- by 11-inches
Orientation	Portrait
Print Quality	600 Dots Per Inch
Driver Name	Send to Microsoft OneNote 16 Driver
Driver File	C:\Windows\system32\spool\DRIVER S\W32X86\3\mxwdrv.dll
Driver Version	6.1.7601.17514

Driver Manufacturer	Microsoft Corporation
Driver Description	Microsoft XPS Document Writer
Driver Data File	C:\Windows\system32\spool\DRIVER S\W32X86\3\SendToOneNote.GPD
Driver Configuration File	C:\Windows\system32\spool\DRIVER S\W32X86\3\UniDrvUI.dll



## Versión de BIOS

Name	Value
BIOS Version	ALASKA - 1072009 BIOS Date: 09/07/12 22:02:56 Ver: 04.06.05 BIOS Date: 09/07/12 22:02:56 Ver: 04.06.05
Release Date	09/07/12
Video BIOS Version	Hardware Version 0.0 Date: 09/07/12 22:02:56 Ver: 04.06.05 BIOS Date: 09/07/12 22:02:56 Ver: 04.06.05 ?????????????????????????
Video BIOS Date	03/14/20



## Gestión del Sistema

### BIOS Details

Item	Value
SMBIOS Version	2.7
BIOS Vendor	American Megatrends Inc.
BIOS Version	P1.50

Start Address	0xF000
Release Date	09/07/2012
ROM Size	4096KB
BIOS Characteristics	000000013F8B9880
Ext. Characteristic 1	3
Ext. Characteristic 2	13
System BIOS Major	4
System BIOS Minor	6
Firmware Major	255
Firmware Minor	255
No Characteristics	No
ISA Support	No
MCA Support	No
EISA Support	No
PCI Support	Yes
PCMCIA Support	No
PnP Support	No
APM Support	No
BIOS Upgradeable	Yes
BIOS Shadowing	Yes
VL-VESA Support	No
ESCD Support	No
CD Boot	Yes
Selectable Boot	Yes
ROM Socketed	Yes
PCMCIA Boot	No

EDD Support	Yes
Floppy NEC 1.2MB	No
Floppy Toshiba 1.2MB	No
Floppy 360 KB	No
Floppy 1.2MB	Yes
Floppy 720KB	Yes
Floppy 2.88MB	Yes
Print Screen	Yes
Keyboard 8042	Yes
Serial Services	Yes
Printer Services	Yes
CGA-Mono Video	No
NEC PC-98	No
ACPI Support	Yes
USB Support	Yes
AGP Support	No
I2O Boot	No
LS-120 Boot	No
ATAPI ZIP Boot	No
Firewire Boot	No
Smart Battery	No

## System

Item	Value
Manufacturer	

Product Name	To Be Filled By O.E.M.
Version	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Universal Unique ID	{03000200-0400-0500-0006-000700080009}
Wake-Up Type	Power Switch
SKU Number	To Be Filled By O.E.M.
Product Family	To Be Filled By O.E.M.

### Baseboard

Item	Value
Board Number	1
Manufacturer	ASRock
Product	H61M-DGS
Version	
Serial Number	M80-2C013701491
Asset Tag	
Features	Replacable
Board Type	Mother Board

### Chassis

Item	Value
Manufacturer	To Be Filled By O.E.M.
Chassis Type	Desktop
Version	To Be Filled By O.E.M.

version	To Be Filled By O.E.M.
Serial Number	To Be Filled By O.E.M.
Asset Tag	To Be Filled By O.E.M.
Boot Up State	Safe
Power State	Safe
Thermal State	Safe
Security Status	None
OEM Defined	
Height	
Number Of Power Cords	1

### Processor

Item	Value
Processor Number	1
Socket Designation	CPUSocket
Processor Type	Central Processor
Processor Family	Pentium(R) processor Family
Processor Manufacturer	Intel(R) Corporation
Processor ID	BFEBFBFF000306A9
Processor Version	Intel(R) Pentium(R) CPU G2030 @ 3.00GHz
Voltage	2.9V, 5.0V
External Clock	100MHz
Maximum Speed	3800MHz
Current Speed	3000MHz
Status	CPU Socket Populated, Enabled

Processor Upgrade	Unknown (code = 36)
Serial Number	
Asset Tag	Fill By OEM
Part Number	Fill By OEM
Core Count	2
Core Enabled	2
Thread Count	2
Processor Characteristics	64-bit Capable

## Memory Controller

No information found, refer to Memory Array and Memory Device sections.

## Memory Module

No information found, refer to Memory Array and Memory Device sections.

## CPU Cache

### CPU Cache #1

Item	Value
Cache Number	1
Socket Designation	CPU Internal L2
Cache Configuration	Level 2, Internal, Enabled, Write-Through
Max. Cache Size	512KB
Installed Cache	512KB
Supported SRAM Type	Unknown
Current SRAM Type	Unknown

Cache Speed	
Error Correction Type	Multi-Bit ECC
System Cache Type	Unified
Associativity	8-way Set-Associative

**CPU Cache #2**

Item	Value
Cache Number	2
Socket Designation	CPU Internal L1
Cache Configuration	Level 1, Internal, Enabled, Write-Through
Max. Cache Size	128KB
Installed Cache	128KB
Supported SRAM Type	Unknown
Current SRAM Type	Unknown
Cache Speed	
Error Correction Type	Parity
System Cache Type	Data
Associativity	8-way Set-Associative

**CPU Cache #3**

Item	Value
Cache Number	3
Socket Designation	CPU Internal L3
Cache Configuration	Level 2, Internal, Enabled, Write-Back

Cache Configuration	Level 2, Internal, Enabled, Write-Back
Max. Cache Size	3072KB
Installed Cache	3072KB
Supported SRAM Type	Unknown
Current SRAM Type	Unknown
Cache Speed	
Error Correction Type	Multi-Bit ECC
System Cache Type	Unified
Associativity	Unknown (code = 9)

## Port Connector

No information found.

## System Slot

### System Slot #1

Item	Value
Slot Number	1
Slot Designation	PCIE1
Slot Type	PCI Express
Data Bus Width	16x
Current Usage	Available
Slot Length	Long
Slot ID	0x0011
Slot Characteristics 1	3.3 Volts, Shared Slot
Slot Characteristics 2	Supports PME Signal

**System Slot #2**

Item	Value
Slot Number	2
Slot Designation	PCIE2
Slot Type	PCI Express
Data Bus Width	1x
Current Usage	Available
Slot Length	Short
Slot ID	0x0012
Slot Characteristics 1	3.3 Volts, Shared Slot
Slot Characteristics 2	Supports PME Signal

**Memory Array**

Item	Value
Array Number	1
Location	System board or motherboard
Use Item	System memory
Error Correction	None
Error Handle	0xFFFFE
Number of Devices	2

**Memory Device**

**Memory Device #1**

Item	Value
Device Number	1
Error Handle	0xFFFFE
Total Width	64 bit
Data Width	64 bit
Device Size	2.00GB
Form Factor	DIMM
Device Set	Unknown
Device Locator	ChannelA-DIMM0
Bank Locator	BANK 0
Memory Type	Unknown (code = 24)
Memory Type Detail	Synchronous
Speed	1067MHz
Manufacturer	07D5
Serial Number	00000000
Asset Tag	9876543210
Part Number	JM1333KLN-2G

**Memory Device #2**

Item	Value
Device Number	2
Error Handle	0xFFFFE
Total Width	0 bit
Data Width	0 bit

Device Size	0 Bytes
Form Factor	DIMM
Device Set	Unknown
Device Locator	ChannelB-DIMM0
Bank Locator	BANK 2
Memory Type	Unknown
Memory Type Detail	Not Specified
Speed	0MHz
Manufacturer	[Empty]
Serial Number	[Empty]
Asset Tag	9876543210
Part Number	[Empty]



## Procesadores

### Processor #1

#### Basic Information

Item	Value
Processor Number	1
Name	Intel(R) Pentium(R) CPU G2030 @ 3.00GHz
Short Name	P3
Speed - Estimated	2993MHz
Speed - Registry	2993MHz
Processor Type	OEM Primary

Manufacturer	Intel(R) Corporation
Serial Number	
APIC Physical ID	0x00, 0x02

#### Detailed Information

Item	Value
Processor Number	1
Logical Processors	2
Number Cores	1
Vendor String	GenuineIntel
Family	6
Model	10
Stepping	9
Extended Family	0x00
Extended Model	0x03
Brand ID	0x00
FPU - Floating Point Unit	Yes
VME - Virtual Mode Extensions	Yes
DE - Debugging Extensions	Yes
PSE - Page Size Extensions	Yes
TSC - Time Stamp Counter	Yes
MSR - Model Specific Registers	Yes
PAE - Physical Address Exts.	Yes
MCE - Machine Check Exceptions	Yes
CX8 - Compare Exchange 8 Byte	Yes

APIC - On Chip APIC present	Yes
SEP - Fast System Calls	Yes
MTRR - Memory Type Range Regs.	Yes
PGE - Page Global Enable	Yes
MCA - Machine Check Architecture	Yes
CMOV - Conditional Move	Yes
PAT - Page Attribute Table	Yes
PSE36 - 36bit Page Size Exts	Yes
PSN - Processor Serial Number	No
CLFL - CLFLUSH Instruction	Yes
DTES - Debug Trace EMON Store	Yes
ACPI - ACPI Supported	Yes
MMX - MMX Technology	Yes
FXFR - Fast Save/Restore	Yes
SSE - Streaming SIMD Exts.	Yes
SSE2 - Streaming SIMD Exts. 2	Yes
SS - Selfsnoop	Yes
HTT - Hyper-Threading Technology	Yes
TM1 - Thermal Interrupt Status	Yes
IA64 - 64-bit Intel	No
PBE - Pending Break Event	Yes
MMEXT - MMX+ Technology	No
NOW3D - Support 3DNow!	No
NOW3DEXT - Support 3DNow!+	No
SSE3 - Streaming SIMD Exts. 3	Yes
EST - Enhanced SpeedStep(R)	Yes


CX16 - Compare Exchange 16 Byte	Yes
---------------------------------	-----

### Cache - TLB

Item	Value
Processor Number	1
Unified Cache	No
Code Entries - 4K	128
Code Associativity - 4K	4
Code Entries - 4M	0
Code Associativity - 4M	0
Data Entries - 4K	64
Data Associativity - 4K	4
Data Entries - 4M	0
Data Associativity - 4M	0
Unified Entries - 4K	0
Unified Associativity - 4K	0
Unified Entries - 4M	0
Unified Associativity - 4M	0



### Memoria



Item	Value
Total Memory	1744MB
Free Memory	500MB
Maximum Swap File	3482MB
Free Swap File	2157MB



## Discos Físicos

**ST500DM002-1BD142**

Item	Value
Disk Number	1
Capacity	476940MB
Disk Type	Fixed

Manufacturer	Seagate
Model	ST500DM002-1BD142
Serial Number	Z3TGLRRG
Firmware Revision	KC45
Controller Rank	Primary
Master/Slave	Master
Total Cylinders	60801
Total Heads	255
Sectors Per Track	63
Buffer Size	32768KB
SMART Supported	Yes
SMART Enabled	Yes
SMART Self Test	OK


### General UDisk

Item	Value
Disk Number	2
Capacity	7680MB
Disk Type	Removeable
Manufacturer	
Model	General UDisk
Serial Number	
Firmware Revision	5.00
Controller Rank	
Master/Slave	
Total Cylinders	979

Total Sectors	255
Sectors Per Track	63
Buffer Size	
SMART Supported	
SMART Enabled	
SMART Self Test	



## Discos Lógicos



### Drive C

Item	Value
Letter	C

Drive Type	Fixed Drive
Percent Used	23%
Used Space	42.5GB
Free Space	141GB
Total Space	183GB
Volume Name	
File System	NTFS
Volume Serial Number	E4B0-FB4E
Sectors Per Cluster	8
Bytes Per Sector	512
Free Clusters	36863012
Total Clusters	48002212

### Drive D

Item	Value
Letter	D
Drive Type	Fixed Drive
Percent Used	10%
Used Space	30.8GB
Free Space	252GB
Total Space	283GB
Volume Name	DATA
File System	NTFS
Volume Serial Number	8622-9F97
Sectors Per Cluster	8

SECTORS PER CLUSTER	
Bytes Per Sector	512
Free Clusters	66026956
Total Clusters	74093780

---

### Drive E

Item	Value
Letter	E
Drive Type	CD-ROM

---

### Drive F

Item	Value
Letter	F
Drive Type	Removable Drive

Percent Used	4%
Used Space	374MB
Free Space	7.12GB
Total Space	7.48GB
Volume Name	
File System	FAT32
Volume Serial Number	8C24-41F2
Sectors Per Cluster	8
Bytes Per Sector	512
Free Clusters	1866355
Total Clusters	1961984



## Programas de arranque

Name	Settings Folder	Startup Command
USB3MON	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver\Application\iusb3mon.exe"
VIAxHCUtil	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	C:\VIA_XHCI\usb3Monitor.exe
RTHDVCPL	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	"C:\Program Files\Realtek\Audio\HDA\RtHDVCpl.exe" -s
RunPUMonitor	HKLM\Software\Microsoft\Windows\CurrentVersion\Run	C:\Program Files\Hewlett-Packard\HP Designjet Utility\Designjet Utility\HPDesignjetUtility.exe -monitor
Cvvera	HKLM\Software\Microsoft\Windows\	C:\Program Files\Palo Alto

	CurrentVersion\Run	Networks\Traps\cytray.exe
desktop.ini	C:\ProgramData\Microsoft\Windows\Start Menu\Programs\StartUp\	
desktop.ini	C:\Users\20124063109\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\	



## ODBC Information

### Data Sources

No information found.

No ODBC data sources found.

### Drivers

#### Driver da Microsoft para arquivos texto (\*.txt; \*.csv)

Item	Value
Name	Driver da Microsoft para arquivos texto (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

#### Driver do Microsoft Access (\*.mdb)

Item	Value
Name	Driver do Microsoft Access (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

---

#### **Driver do Microsoft dBase (\*.dbf)**

Item	Value
Name	Driver do Microsoft dBase (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

---

#### **Driver do Microsoft Excel(\*.xls)**

Item	Value
Name	Driver do Microsoft Excel(*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

**Driver do Microsoft Paradox (\*.db )**

Item	Value
Name	Driver do Microsoft Paradox (*.db )
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

**Driver para o Microsoft Visual FoxPro**

Item	Value
Name	Driver para o Microsoft Visual FoxPro
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

**Microsoft Access dBASE Driver (\*.dbf, \*.ndx, \*.mdx)**

Item	Value
Name	Microsoft Access dBASE Driver (*.dbf, *.ndx, *.mdx)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	16.0.4684.1000
Driver_ODBC_Ver	02.50

**Microsoft Access Driver (\*.mdb)**

Item	Value
Name	Microsoft Access Driver (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

**Microsoft Access Driver (\*.mdb, \*.accdb)**

Item	Value
Name	Microsoft Access Driver (*.mdb, *.accdb)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	16.0.4684.1000
Driver_ODBC_Ver	02.50

**Microsoft Access Text Driver (\*.txt, \*.csv)**

Item	Value
Name	Microsoft Access Text Driver (*.txt, *.csv)
Company	Microsoft Corporation
File_Name	ACEODBC.DLL
File_Version	16.0.4684.1000

Driver_ODBC_Ver	02.50
-----------------	-------

**Microsoft Access-Treiber (\*.mdb)**

Item	Value
Name	Microsoft Access-Treiber (*.mdb)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

**Microsoft dBase Driver (\*.dbf)**

Item	Value
Name	Microsoft dBase Driver (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

**Microsoft dBase VFP Driver (\*.dbf)**

Item	Value
Name	Microsoft dBase VFP Driver (*.dbf)
Company	Microsoft Corporation
File_Name	vfpodbc.dll

File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

---

#### **Microsoft dBase-Treiber (\*.dbf)**

Item	Value
Name	Microsoft dBase-Treiber (*.dbf)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

---

#### **Microsoft Excel Driver (\*.xls)**

Item	Value
Name	Microsoft Excel Driver (*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

---

#### **Microsoft Excel Driver (\*.xls, \*.xlsx, \*.xlsm, \*.xlsb)**

Item	Value
Name	Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb)
Company	Microsoft Corporation

Company	MICROSOFT CORPORATION
File_Name	ACEODBC.DLL
File_Version	16.0.4684.1000
Driver_ODBC_Ver	02.50

---

#### Microsoft Excel-Treiber (\*.xls)

Item	Value
Name	Microsoft Excel-Treiber (*.xls)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

---

#### Microsoft FoxPro VFP Driver (\*.dbf)

Item	Value
Name	Microsoft FoxPro VFP Driver (*.dbf)
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

---

#### Microsoft ODBC for Oracle

Item	Value
Name	Microsoft ODBC for Oracle

Name	Microsoft ODBC for Oracle
Company	Microsoft Corporation
File_Name	msorcl32.dll
File_Version	6.1.7601.23391
Driver_ODBC_Ver	02.50

#### **Microsoft Paradox Driver (\*.db )**

Item	Value
Name	Microsoft Paradox Driver (*.db )
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

#### **Microsoft Paradox-Treiber (\*.db )**

Item	Value
Name	Microsoft Paradox-Treiber (*.db )
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

#### **Microsoft Text Driver (\*.txt; \*.csv)**

Item	Value
Name	Microsoft Text Driver (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

#### Microsoft Text-Treiber (\*.txt; \*.csv)

Item	Value
Name	Microsoft Text-Treiber (*.txt; *.csv)
Company	Microsoft Corporation
File_Name	odbcjt32.dll
File_Version	6.1.7601.17632
Driver_ODBC_Ver	02.50

#### Microsoft Visual FoxPro Driver

Item	Value
Name	Microsoft Visual FoxPro Driver
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

#### Microsoft Visual FoxPro Treiber

**MICROSOFT VISUAL FOXPRO-TREIBER**

Item	Value
Name	Microsoft Visual FoxPro-Treiber
Company	Microsoft Corporation
File_Name	vfpodbc.dll
File_Version	1, 0, 2, 0
Driver_ODBC_Ver	02.50

**Oracle en OraClient11g\_home1**

Item	Value
Name	Oracle en OraClient11g_home1
Company	Oracle Corporation
File_Name	SQORA32.DLL
File_Version	11.2.0.1.0
Driver_ODBC_Ver	03.51

**SQL Server**

Item	Value
Name	SQL Server
Company	Microsoft Corporation
File_Name	SQLSRV32.dll
File_Version	6.1.7601.17514
Driver_ODBC_Ver	03.50



---

Names mentioned herein maybe trademarks or service marks of their respective holders.

Errors and Omissions Excepted

Generated by WinAudit Freeware v2.29

<http://www.pxserver.com>