

- > Getting started
- > Customize
- > Layout
- > Content
- > Forms
- > Components
- > Helpers
- ✓ Utilities
 - API
 - Background
 - Borders
 - Colors
 - Display
 - Flex

Float

View on GitHub

Toggle floats on any element, across any breakpoint, using our responsive float utilities.

- On this page
- Overview
 - Responsive
 - Sass
 - Utilities API

Overview

These utility classes float an element to the left or right, or disable floating, based on the current viewport size using the [CSS float property](#). **!important** is included to avoid specificity issues. These use the same viewport breakpoints as our grid system. Please be aware float utilities have no effect on flex items.

Float start on all viewport sizes

Float end on all viewport sizes

Don't float on all viewport sizes

the [CSS float property](#). **!important** is included to avoid specificity issues. These use the same viewport breakpoints as our grid system. Please be aware float utilities have no effect on flex items.

Float start on all viewport sizes

Float end on all viewport sizes

Don't float on all viewport sizes

```
<div class="float-start">Float start on all viewport sizes</div><br>
<div class="float-end">Float end on all viewport sizes</div><br>
<div class="float-none">Don't float on all viewport sizes</div>
```

Copy

Responsive

Responsive variations also exist for each **float** value.

Float start on viewports sized SM (small) or wider

Float start on viewports sized MD (medium) or wider

Float start on viewports sized LG (large) or wider

Float start on viewports sized XL (extra-large) or wider

```
<div class="float-sm-start">Float start on viewports sized SM (small) or wider</div><br>
<div class="float-md-start">Float start on viewports sized MD (medium) or wider</div><br>
<div class="float-lg-start">Float start on viewports sized LG (large) or wider</div><br>
<div class="float-xl-start">Float start on viewports sized XL (extra-large) or wider</div><br>
```

Copy

Here are all the support classes:

- **.float-start**
- **.float-end**
- **.float-none**
- **.float-sm-start**
- **.float-sm-end**
- **.float-sm-none**
- **.float-md-start**
- **.float-md-end**
- **.float-md-none**
- **.float-lg-start**
- **.float-lg-end**
- **.float-lg-none**
- **.float-xl-start**
- **.float-xl-end**
- **.float-xl-none**
- **.float-xxl-start**

- `.float-xxl-end`
- `.float-xxl-none`

Sass

Utilities API

Float utilities are declared in our utilities API in `scss/_utilities.scss`. [Learn how to use the utilities API.](#)

```
"float": (  
  responsive: true,  
  property: float,  
  values: (  
    start: left,  
    end: right,  
    none: none,  
  )  
)
```

[Copy](#)

Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Links

[Home](#)

[Docs](#)

[Examples](#)

[Themes](#)

Guides

[Getting started](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)