

Getting started

- Introduction
- Download
- Contents
- Browsers & devices
- JavaScript
- Build tools
- Webpack
- Parcel
- Accessibility
- RFS
- RTL


Customize

- Layout
- Content

Contents

[View on GitHub](#)

Discover what's included in Bootstrap, including our precompiled and source code flavors.



Precompiled Bootstrap

Once downloaded, unzip the compressed folder and you'll see something like this:

```

bootstrap/
├── css/
│   ├── bootstrap-grid.css
│   ├── bootstrap-grid.css.map
│   ├── bootstrap-grid.min.css
│   ├── bootstrap-grid.min.css.map
│   ├── bootstrap-grid.rtl.css
│   ├── bootstrap-grid.rtl.css.map
│   ├── bootstrap-grid.rtl.min.css
│   ├── bootstrap-grid.rtl.min.css.map
│   ├── bootstrap-reboot.css
│   ├── bootstrap-reboot.css.map
│   ├── bootstrap-reboot.min.css
│   ├── bootstrap-reboot.min.css.map
│   ├── bootstrap-reboot.rtl.css
│   ├── bootstrap-reboot.rtl.css.map
│   ├── bootstrap-reboot.rtl.min.css
│   ├── bootstrap-reboot.rtl.min.css.map
│   ├── bootstrap-utilities.css
│   ├── bootstrap-utilities.css.map
│   ├── bootstrap-utilities.min.css
│   ├── bootstrap-utilities.min.css.map
│   ├── bootstrap-utilities.rtl.css
│   ├── bootstrap-utilities.rtl.css.map
│   ├── bootstrap-utilities.rtl.min.css
│   ├── bootstrap-utilities.rtl.min.css.map
│   ├── bootstrap.css
│   ├── bootstrap.css.map
│   ├── bootstrap.min.css
│   ├── bootstrap.min.css.map
│   ├── bootstrap.rtl.css
│   ├── bootstrap.rtl.css.map
│   ├── bootstrap.rtl.min.css
│   └── bootstrap.rtl.min.css.map
└── js/
    ├── bootstrap.bundle.js
    ├── bootstrap.bundle.js.map
    ├── bootstrap.bundle.min.js
    ├── bootstrap.bundle.min.js.map
    ├── bootstrap.esm.js
    ├── bootstrap.esm.js.map
    ├── bootstrap.esm.min.js
    ├── bootstrap.esm.min.js.map
    ├── bootstrap.js
    ├── bootstrap.js.map
    ├── bootstrap.min.js
    └── bootstrap.min.js.map
    
```

[Copy](#)

This is the most basic form of Bootstrap: precompiled files for quick drop-in usage in nearly any web project. We provide compiled CSS and JS (`bootstrap.*`), as well as compiled and minified CSS and JS (`bootstrap.min.*`). [Source maps](#) (`bootstrap.*.map`) are available for use with certain browsers' developer tools. Bundled JS files (`bootstrap.bundle.js` and minified `bootstrap.bundle.min.js`) include [Popper](#).

CSS files

Bootstrap includes a handful of options for including some or all of our compiled CSS.

CSS files	Layout	Content	Components	Utilities
<code>bootstrap.css</code> <code>bootstrap.rtl.css</code> <code>bootstrap.min.css</code> <code>bootstrap.rtl.min.css</code>	Included	Included	Included	Included
<code>bootstrap-grid.css</code> <code>bootstrap-grid.rtl.css</code> <code>bootstrap-grid.min.css</code> <code>bootstrap-grid.rtl.min.css</code>	Only grid system	—	—	Only flex utilities
<code>bootstrap-utilities.css</code> <code>bootstrap-utilities.rtl.css</code> <code>bootstrap-utilities.min.css</code> <code>bootstrap-utilities.rtl.min.css</code>	—	—	—	Included
<code>bootstrap-reboot.css</code> <code>bootstrap-reboot.rtl.css</code> <code>bootstrap-reboot.min.css</code> <code>bootstrap-reboot.rtl.min.css</code>	—	Only Reboot	—	—

JS files

Similarly, we have options for including some or all of our compiled JavaScript.

JS files	Popper
<code>bootstrap.bundle.js</code> <code>bootstrap.bundle.min.js</code>	Included
<code>bootstrap.js</code> <code>bootstrap.min.js</code>	—

Bootstrap source code

The Bootstrap source code download includes the precompiled CSS and JavaScript assets, along with source Sass, JavaScript, and documentation. More specifically, it includes the following and more:

```
bootstrap/  
├── dist/  
│   ├── css/  
│   └── js/  
├── site/  
│   ├── content/  
│   │   ├── docs/  
│   │   │   └── 5.0/  
│   │   │       └── examples/  
├── js/  
└── scss/
```

Copy

The `scss/` and `js/` are the source code for our CSS and JavaScript. The `dist/` folder includes everything listed in the precompiled download section above. The `site/docs/` folder includes the source code for our documentation, and `examples/` of Bootstrap usage. Beyond that, any other included file provides support for packages, license information, and development.

Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Links

- Home
- Docs
- Examples
- Themes
- Blog

Guides

- Getting started
- Starter template
- Webpack
- Parcel

Projects

- Bootstrap 5
- Bootstrap 4
- Icons
- RFS
- npm starter

Community

- Issues
- Discussions
- Corporate sponsors
- Open Collective
- Slack
- Stack Overflow

