# Overflow

View on GitHub

Use these shorthand utilities for quickly configuring how content overflows an element.

Adjust the `overflow` property on the fly with four default values and classes. These classes are not responsive by default.

This is an example of using `.overflow-auto` on an element with set width and height.

This is an example of using `.overflow-hidden` on an element with

This is an example of using `.overflow-visible` on an element with set width and height dimensions.

This is an example of using `.overflow-`

Copy

```
<div class="overflow-auto">...</div>
<div class="overflow-hidden">...</div>
<div class="overflow-visible">...</div>
<div class="overflow-scroll">...</div>
```

Using Sass variables, you may customize the overflow utilities by changing the `$overflows` variable in `_variables.scss`.

Sass

Utilities API

Overflow utilities are declared in our utilities API in `scss/_utilities.scss`. Learn how to use the utilities API.

Copy

```
"overflow": (
  property: overflow,
  values: auto hidden visible scroll,
),
```

B Bootstrap

Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Links
Home
Docs
Examples
Themes
Blog

Guides
Getting started
Starter template
Webpack
Parcel

Projects
Bootstrap 5
Bootstrap 4
Icons
RFS
npm starter

Community
Issues
Discussions
Corporate sponsors
Open Collective
Slack
Stack Overflow