

> Getting started

> Customize

> Layout

> Content

▼ Forms

Overview

Form control

Select

Checks & radios

Range

Input group

Floating labels

Layout

Validation

View on GitHub

On this page

Default

Sizing

Disabled

Sass

Variables

Select

Customize the native `<select>`s with custom CSS that changes the element's initial appearance.

TARA.AI

Align on scope and communicate release status clearly with Tara AI. Get started for free today.

ads via Carbon

Default

Custom `<select>` menus need only a custom class, `.form-select` to trigger the custom styles. Custom styles are limited to the `<select>`'s initial appearance and cannot modify the `<option>`s due to browser limitations.

Open this select menu

▼

```
<select class="form-select" aria-label="Default select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>
```

Copy

Sizing

You may also choose from small and large custom selects to match our similarly sized text inputs.

Open this select menu

▼

Open this select menu

▼

```
<select class="form-select form-select-lg mb-3" aria-label=".form-select-lg example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>

<select class="form-select form-select-sm" aria-label=".form-select-sm example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>
```

Copy

The `multiple` attribute is also supported:

Open this select menu

One

Two

Three

```
<select class="form-select" multiple aria-label="multiple select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
```

Copy

```

    <option value="3">Three</option>
  </select>

```

As is the `size` attribute:

Open this select menu

One
Two

```

<select class="form-select" size="3" aria-label="size 3 select example">
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>

```

Copy

Disabled

Add the `disabled` boolean attribute on a select to give it a grayed out appearance and remove pointer events.

Open this select menu

```

<select class="form-select" aria-label="Disabled select example" disabled>
  <option selected>Open this select menu</option>
  <option value="1">One</option>
  <option value="2">Two</option>
  <option value="3">Three</option>
</select>

```

Copy

Sass

Variables

```

$form-select-padding-y: $input-padding-y;
$form-select-padding-x: $input-padding-x;
$form-select-font-family: $input-font-family;
$form-select-font-size: $input-font-size;
$form-select-indicator-padding: $form-select-padding-x * 3; // Extra padding for background-image
$form-select-font-weight: $input-font-weight;
$form-select-line-height: $input-line-height;
$form-select-color: $input-color;
$form-select-bg: $input-bg;
$form-select-disabled-color: null;
$form-select-disabled-bg: $gray-200;
$form-select-disabled-border-color: $input-disabled-border-color;
$form-select-bg-position: right $form-select-padding-x center;
$form-select-bg-size: 16px 12px; // In pixels because image dimensions
$form-select-indicator-color: $gray-800;
$form-select-indicator: url("data:image/svg+xml,<svg xmlns='http://www.w3.org/2000/svg' viewbox='0 0 16 12'><path fill='gray' d='M7 6l9 0'></svg>");

$form-select-feedback-icon-padding-end: $form-select-padding-x * 2.5 + $form-select-indicator-padding;
$form-select-feedback-icon-position: center right $form-select-indicator-padding;
$form-select-feedback-icon-size: $input-height-inner-half $input-height-inner-half;

$form-select-border-width: $input-border-width;
$form-select-border-color: $input-border-color;
$form-select-border-radius: $border-radius;
$form-select-box-shadow: $box-shadow-inset;

$form-select-focus-border-color: $input-focus-border-color;
$form-select-focus-width: $input-focus-width;
$form-select-focus-box-shadow: 0 0 0 $form-select-focus-width $input-btn-focus-color;

$form-select-padding-y-sm: $input-padding-y-sm;
$form-select-padding-x-sm: $input-padding-x-sm;
$form-select-font-size-sm: $input-font-size-sm;



$form-select-padding-y-lg: $input-padding-y-lg;
$form-select-padding-x-lg: $input-padding-x-lg;
$form-select-font-size-lg: $input-font-size-lg;

```

Copy

```
#form-select-transition: $input-transition;
```

```
$form-select-transition: $input-transition;
```



Designed and built with all the love in the world by the Bootstrap team with the help of our contributors.

Code licensed MIT, docs CC BY 3.0.

Currently v5.0.2.

Links

[Home](#)

[Docs](#)

[Examples](#)

[Themes](#)

[Blog](#)

Guides

[Getting started](#)

[Starter template](#)

[Webpack](#)

[Parcel](#)

Projects

[Bootstrap 5](#)

[Bootstrap 4](#)

[Icons](#)

[RFS](#)

[npm starter](#)

Community

[Issues](#)

[Discussions](#)

[Corporate sponsors](#)

[Open Collective](#)

[Slack](#)

[Stack Overflow](#)