Harness swap demo — first live run

ResonantOS/2.0.0-alpha · dev at `6cc1e3d3` (2026-09-23) · for Andrew · full reference: `docs/addons/harness-adapter-demo.md`

Phase 1 of the harness adapter is merged. The one thing nobody has done yet is run the governed swap demo against a *real* DSH — CI only has fixture mode. This page is that run, start to finish, and what to send back.

1. Prerequisites

- Node.js **24.21.0**; repo checked out at `dev` (≥ `6cc1e3d3`); `npm ci`; `npx playwright install chromium`.
- A running, authenticated **DSH** on `http://127.0.0.1:3080` with its Augmentor action endpoint enabled. `DSH_HOME` points at the same directory the service uses (usually `~/.dsh`); the token file `$DSH_HOME/augmentor-ws-token` must be a regular, owner-only file (symlinks are refused). Never copy its contents anywhere.
- A provider key configured for provider chat (see `INSTALL.md`, "Configure provider credentials"). The DSH turn needs no provider key; the second, independently routed answer does — it invokes a real model and may incur charges.
- Port **1430** free (stop any dev server first).

2. Approve the binding (private terminal)

The manifest only *names* the binding `dsh.main`; the operator approves what it resolves to. Nothing secret enters the repo or the manifest.

```
export DSH_HOME="$HOME/.dsh"
export RESONANTOS_HARNESS_BINDINGS="$(node --input-type=module -e '
import path from "node:path";
console.log(JSON.stringify([{
  name: "dsh.main",
  addonId: "addon.deepseek-harness",
  adapterId: "dsh-typert-v1",
  authScheme: "dsh-action-token",
  endpoint: "http://127.0.0.1:3080",
  source: { file: path.join(process.env.DSH_HOME, "augmentor-ws-token") }
}]));
')"
```

3. Run it

```
node scripts/harness-swap-demo.mjs /tmp/resonantos-harness-live --headed
node scripts/harness-swap-demo.mjs --verify /tmp/resonantos-harness-
live/evidence.json
```

The evidence directory must be a **new absolute path outside the repository** with an existing parent. `--headed` shows the browser so you can watch. A pass ends with exit 0 and the verifier printing exactly:

```
Evidence is internally consistent; liveness is attested by the operator who
ran the demo and by its witnesses, not proven by this verifier
```

4. What you should see

Step	Expected
Install DSH harness	Card appears from the manifest; no capability granted yet.
Activate before granting	Denied by the host — and **no** request reaches DSH.
Grant, make primary, ask	A real DSH reply, attributed to `addon.deepseek-harness`.
Install + select `addon.provider-chat-demo`, ask	A **different** reply, attributed to the provider demo (independently routed).
Swap back to DSH, ask	Another DSH reply.
Bridge restart + React reload	Grants and ownership persist; a fresh boot epoch is shown.
Revoke consent during an accepted DSH turn	Turn cancelled, stream closed, no late answer, a new turn on the stale session refused. (If the reply finishes before revocation the run fails by design — rerun.)
Remove DSH while it owns the slot	Refused with the host's error text.
End	`evidence.json` + `governance.png` written; caches removed; services closed.

There is no revoke button in the panel yet; that step uses the operator's authenticated `/addons/grants` transaction and refreshes the projection.

5. Send back

- `evidence.json`, `governance.png`, and the terminal output of both commands.
- Check the answers and the screenshot for private content first — they contain real model output.
- Upload (no login needed): **https://www.dropbox.com/request/erd3smgbgs9momwqtwvy**

6. If it fails

The last line reads `Harness demo failed (<code>). No live certification. …` — send that line, the contents of the evidence directory, and your DSH version. Usual causes: DSH not on 3080 or action endpoint disabled; token file not owner-only; no provider key; port 1430 busy; the DSH reply finished before the revocation step (rerun).

7. Known limits of this first run

- The verifier checks internal consistency; liveness is attested by whoever ran it (host-signed receipts are Phase 2).

- DSH's browser tools, approval waterfall and plugin actions are shown read-only, not connected.
- No session-dispose yet (orphans are fenced and cleaned on removal/shutdown); a cancelled compat turn on the JSON route returns 503.
- The manifest's transitional `agent-delegation` request goes away in 2A.