



International Journal of Production Research

Articles cited 60 times or more



Article Title	Authors	Year - Volume (Issue)	Times Cited (Web of Science)	Link
CONWIP - A PULL ALTERNATIVE TO KANBAN	SPEARMAN, ML; WOODRUFF, DL; HOPP, WJ	1990 - 28(5)	522	www.tandfonline.com/10.1080/00207549008942761
A STATE-OF-THE-ART SURVEY OF DISPATCHING RULES FOR MANUFACTURING JOB SHOP OPERATIONS	BLACKSTONE, JH; PHILLIPS, DT; HOGG, GL	1982 - 20(1)	522	www.tandfonline.com/10.1080/00207548208947745
The moderating effects of institutional pressures on emergent green supply chain practices and performance	Zhu, Q; Sarkis, J	2007 - 45(18-19)	470	www.tandfonline.com/10.1080/00207540701440345
Industry 4.0: state of the art and future trends	Xu, LD; Xu, EL; Li, L	2018 - 56(8)	449	www.tandfonline.com/10.1080/00207543.2018.1444806
MACHINE-COMPONENT GROUPING IN PRODUCTION FLOW-ANALYSIS - AN APPROACH USING A RANK ORDER CLUSTERING-ALGORITHM	KING, JR	1980 - 18(2)	444	www.tandfonline.com/10.1080/00207548008919662
Past, present and future of Industry 4.0-a systematic literature review and research agenda proposal	Liao, YX; Deschamps, F; Loures, EDR; Ramos, LFP	2017 - 55(12)	407	www.tandfonline.com/10.1080/00207543.2017.1308576



International Journal of Production Research

Articles cited 60 times or more



MACHINE-COMPONENT GROUP FORMATION IN GROUP TECHNOLOGY - REVIEW AND EXTENSION	KING, JR; NAKORNCHAI, V	1982 - 20(2)	379	www.tandfonline.com/10.1080/00207548208947754
CELLULAR MANUFACTURING IN THE UNITED-STATES INDUSTRY - A SURVEY OF USERS	WEMMERLOV, U; HYER, NL	1989 - 27(9)	362	www.tandfonline.com/10.1080/00207548908942637
Resilience: the concept, a literature review and future directions	Bhamra, R; Dani, S; Burnard, K	2011 - 49(18)	358	www.tandfonline.com/10.1080/00207543.2011.563826
A COMPREHENSIVE LITERATURE-REVIEW AND ANALYSIS OF THE DESIGN, BALANCING AND SCHEDULING OF ASSEMBLY SYSTEMS	GHOSH, S; GAGNON, RJ	1989 - 27(4)	357	www.tandfonline.com/10.1080/00207548908942574
THE GENERALIZED GROUP TECHNOLOGY CONCEPT	KUSIAK, A	1987 - 25(4)	339	www.tandfonline.com/10.1080/00207548708919861
Analyzing organizational project alternatives for agile manufacturing processes: an analytical network approach	Meade, LM; Sarkis, J	1999 - 37(2)	332	www.tandfonline.com/10.1080/002075499191751
Global supplier selection: a fuzzy-AHP approach	Chan, FTS; Kumar, N; Tiwari, MK; Lau, HCW; Choy, KL	2008 - 46(14)	327	www.tandfonline.com/10.1080/00207540600787200
Supply chain risk management: a literature review	Ho, W; Zheng, T; Yildiz, H; Talluri, S	2015 - 53(16)	308	www.tandfonline.com/10.1080/00207543.2015.1030467



International Journal of Production Research

Articles cited 60 times or more



Agile manufacturing: enablers and an implementation framework	Gunasekaran, A	1998 - 36(5)	307	www.tandfonline.com/10.1080/002075498193291
Performance measures and metrics in logistics and supply chain management: a review of recent literature (1995-2004) for research and applications	Gunasekaran, A; Kobu, B	2007 - 45(12)	305	www.tandfonline.com/10.1080/00207540600806513
Product life cycle cost analysis: state of the art review	Asiedu, Y; Gu, P	1998 - 36(4)	293	www.tandfonline.com/10.1080/002075498193444
Operational methods for minimization of energy consumption of manufacturing equipment	Mouzon, G; Yildirim, MB; Twomey, J	2007 - 45(18-19)	291	www.tandfonline.com/10.1080/00207540701450013
AN IDEAL SEED NON-HIERARCHICAL CLUSTERING-ALGORITHM FOR CELLULAR MANUFACTURING	CHANDRASEKHARAN, MP; RAJAGOPALAN, R	1986 - 24(2)	284	www.tandfonline.com/10.1080/00207548608919741
Additive layered manufacturing: sectors of industrial application shown through case studies	Petrovic, V; Gonzalez, JVH; Ferrando, OJ; Gordillo, JD; Puchades, JRB; Grinan, LP	2011 - 49(4)	283	www.tandfonline.com/10.1080/00207540903479786
CHARACTERIZATION OF AUTOMATIC GUIDED VEHICLE DISPATCHING RULES	EGBELU, PJ; TANCHOCO, JMA	1984 - 22(3)	283	www.tandfonline.com/10.1080/00207548408942459
Supply-chain networks: a complex adaptive systems perspective	Surana, A; Kumara, S; Greaves, M; Raghavan, UN	2005 - 43(20)	272	www.tandfonline.com/10.1080/00207540500142274



International Journal of Production Research

Articles cited 60 times or more



Understanding supply chain management: critical research and a theoretical framework	Chen, IJ; Paulraj, A	2004 - 42(1)	271	www.tandfonline.com/10.1080/00207540310001602865
Manufacturing flexibility: a literature review	De Toni, A; Tonchia, S	1998 - 36(6)	270	www.tandfonline.com/10.1080/002075498193183
ZODIAC - AN ALGORITHM FOR CONCURRENT FORMATION OF PART-FAMILIES AND MACHINE-CELLS	CHANDRASEKHARAN, MP; RAJAGOPALAN, R	1987 - 25(6)	269	www.tandfonline.com/10.1080/00207548708919880
An empirically derived agenda of critical research issues for managing supply-chain disruptions	Blackhurst, J; Craighead, CW; Elkins, D; Handfield, RB	2005 - 43(19)	253	www.tandfonline.com/10.1080/00207540500151549
The optimal production and shipment policy for the single-vendor single-buyer integrated production-inventory problem	Hill, RM	1999 - 37(11)	250	www.tandfonline.com/10.1080/002075499190617
Green supply chain practices and the selection of environmental technologies	Vachon, S	2007 - 45(18-19)	247	www.tandfonline.com/10.1080/00207540701440303
COMPUTER-AIDED PROCESS PLANNING - THE STATE-OF-THE-ART SURVEY	ALTING, L; ZHANG, HC	1989 - 27(4)	241	www.tandfonline.com/10.1080/00207548908942569
The impacts of sharing production information on supply chain dynamics: a review of the literature	Huang, GQ; Lau, JSK; Mak, KL	2003 - 41(7)	240	www.tandfonline.com/10.1080/0020754031000069625



International Journal of Production Research

Articles cited 60 times or more



Deadlock prevention policy based on Petri nets and siphons	Huang, YS; Jeng, M; Xie, XL; Chung, SL	2001 - 39(2)	236	www.tandfonline.com/10.1080/00207540010002405
Disassembly sequencing: a survey	Lambert, AJD	2003 - 41(16)	232	www.tandfonline.com/10.1080/0020754031000120078
Lean, agile or leagile? Matching your supply chain to the marketplace	Mason-Jones, R; Naylor, B; Towill, DR	2000 - 38(17)	232	www.tandfonline.com/10.1080/00207540050204920
Concurrent product and closed-loop supply chain design with an application to refrigerators	Krikke, H; Bloemhof-Ruwaard, J; Van Wassenhove, LN	2003 - 41(16)	230	www.tandfonline.com/10.1080/0020754031000120087
Examining the effects of green supply chain management practices and their mediations on performance improvements	Zhu, QH; Sarkis, J; Lai, KH	2012 - 50(5)	229	www.tandfonline.com/10.1080/00207543.2011.571937
SCHEDULING A SINGLE BATCH PROCESSING MACHINE WITH NONIDENTICAL JOB SIZES	UZSOY, R	1994 - 32(7)	229	www.tandfonline.com/10.1080/00207549408957026
A LINEAR FORMULATION OF THE MACHINE-PART CELL-FORMATION PROBLEM	BOCTOR, FF	1991 - 29(2)	226	www.tandfonline.com/10.1080/00207549108930075
MODROC - AN EXTENSION OF RANK ORDER CLUSTERING FOR GROUP TECHNOLOGY	CHANDRASEKHARAN, MP; RAJAGOPALAN, R	1986 - 24(5)	225	www.tandfonline.com/10.1080/00207548608919798



International Journal of Production Research

Articles cited 60 times or more



Reconfigurable manufacturing systems: the state of the art	Bi, ZM; Lang, SYT; Shen, W; Wang, L	2008 - 46(4)	223	www.tandfonline.com/10.1080/00207540600905646
Environmental principles applicable to green supplier evaluation by using multi-objective decision analysis	Lu, LYY; Wu, CH; Kuo, TC	2007 - 45(18-19)	214	www.tandfonline.com/10.1080/00207540701472694
Cellular manufacturing at 46 user plants: Implementation experiences and performance improvements	Wemmerlov, U; Johnson, DJ	1997 - 35(1)	214	www.tandfonline.com/10.1080/002075497195966
Blockchain technology and its relationships to sustainable supply chain management	Saberi, S; Kouhizadeh, M; Sarkis, J; Shen, LJ	2019 - 57(7)	208	www.tandfonline.com/10.1080/00207543.2018.1533261
GROUPING EFFICACY - A QUANTITATIVE CRITERION FOR GOODNESS OF BLOCK DIAGONAL FORMS OF BINARY MATRICES IN GROUP TECHNOLOGY	KUMAR, CS; CHANDRASEKHARAN, MP	1990 - 28(2)	207	www.tandfonline.com/10.1080/00207549008942706
Smart manufacturing	Kusiak, A	2018 - 56(1-2)	206	www.tandfonline.com/10.1080/00207543.2017.1351644
An institutional theory perspective of business continuity planning for purchasing and supply management	Zsidisin, GA; Melnyk, SA; Ragatz, GL	2005 - 43(16)	206	www.tandfonline.com/10.1080/00207540500095613



International Journal of Production Research

Articles cited 60 times or more



DYNAMIC ANALYSIS OF AN INVENTORY AND ORDER BASED PRODUCTION CONTROL-SYSTEM	TOWILL, DR	1982 - 20(6)	200	www.tandfonline.com/10.1080/00207548208947797
A comprehensive review of tolerancing research	Hong, YS; Chang, TC	2002 - 40(11)	196	www.tandfonline.com/10.1080/00207540210128242
Supply chain coordination with emissions reduction incentives	Jaber, MY; Glock, CH; El Saadany, AMA	2013 - 51(1)	194	www.tandfonline.com/10.1080/00207543.2011.651656
Classification scheme for lean manufacturing tools	Pavnaskar, SJ; Gershenson, JK; Jambekar, AB	2003 - 41(13)	194	www.tandfonline.com/10.1080/0020754021000049817
LOADING AND CONTROL POLICIES FOR A FLEXIBLE MANUFACTURING SYSTEM	STECKE, KE; SOLBERG, JJ	1981 - 19(5)	189	www.tandfonline.com/10.1080/00207548108956679
The Ripple effect in supply chains: trade-off 'efficiency-flexibility-resilience' in disruption management	Ivanov, D; Sokolov, B; Dolgui, A	2014 - 52(7)	188	www.tandfonline.com/10.1080/00207543.2013.858836
SCHEDULING DISASSEMBLY	GUPTA, SM; TALEB, KN	1994 - 32(8)	186	www.tandfonline.com/10.1080/00207549408957046
A dynamic model and an algorithm for short-term supply chain scheduling in the smart factory industry 4.0	Ivanov, D; Dolgui, A; Sokolov, B; Werner, F; Ivanova, M	2016 - 54(2)	185	www.tandfonline.com/10.1080/00207543.2014.999958
Information architecture for supply chain quality management	Xu, LD	2011 - 49(1)	185	www.tandfonline.com/10.1080/00207543.2010.508944



International Journal of Production Research

Articles cited 60 times or more



Flowshop-scheduling problems with makespan criterion: a review	Hejazi, SR; Saghafian, S	2005 - 43(14)	185	www.tandfonline.com/10.1080/0020754050056417
MACHINE-COMPONENT CELL-FORMATION IN GROUP TECHNOLOGY - MACE	WAGHODEKAR, PH; SAHU, S	1984 - 22(6)	184	www.tandfonline.com/10.1080/00207548408942513
A review of production planning and control: the applicability of key concepts to the make-to-order industry	Stevenson, M; Hendry, LC; Kingsman, BG	2005 - 43(5)	183	www.tandfonline.com/10.1080/0020754042000298520
Simulation modelling for food supply chain redesign; integrated decision making on product quality, sustainability and logistics	van der Vorst, JGAJ; Tromp, SO; van der Zee, DJ	2009 - 47(23)	182	www.tandfonline.com/10.1080/00207540802356747
An improved iterative synthesis method for liveness enforcing supervisors of flexible manufacturing systems	Uzam, M; Zhou, MC	2006 - 44(10)	182	www.tandfonline.com/10.1080/00207540500431321
Rating the importance of customer needs in quality function deployment by fuzzy and entropy methods	Chan, LK; Kao, HP; Ng, A; Wu, ML	1999 - 37(11)	182	www.tandfonline.com/10.1080/002075499190635
FILTERED BEAM SEARCH IN SCHEDULING	OW, PS; MORTON, TE	1988 - 26(1)	182	www.tandfonline.com/10.1080/00207548808947840
Throughput analysis of production systems: recent advances and future topics	Li, JS; Blumenfeld, DE; Huang, NJ; Alden, JM	2009 - 47(14)	179	www.tandfonline.com/10.1080/00207540701829752



International Journal of Production Research

Articles cited 60 times or more



ADDRESSING THE GAP IN SCHEDULING RESEARCH - A REVIEW OF OPTIMIZATION AND HEURISTIC METHODS IN PRODUCTION SCHEDULING	MACCARTHY, BL; LIU, JY	1993 - 31(1)	178	www.tandfonline.com/10.1080/00207549308956713
GROUPABILITY - AN ANALYSIS OF THE PROPERTIES OF BINARY DATA MATRICES FOR GROUP TECHNOLOGY	CHANDRASEKHARAN, MP; RAJAGOPALAN, R	1989 - 27(6)	178	www.tandfonline.com/10.1080/00207548908942606
Interactive selection model for supplier selection process: an analytical hierarchy process approach	Chan, FTS	2003 - 41(15)	176	www.tandfonline.com/10.1080/0020754031000138358
Scheduling and routing algorithms for AGVs: a survey	Qiu, L; Hsu, WJ; Huang, SY; Wang, H	2002 - 40(3)	172	www.tandfonline.com/10.1080/00207540110091712
The industrial management of SMEs in the era of Industry 4.0	Moeuf, A; Pellerin, R; Lamouri, S; Tamayo-Giraldo, S; Barbaray, R	2018 - 56(3)	171	www.tandfonline.com/10.1080/00207543.2017.1372647
Does sustainable supplier co-operation affect performance? Examining implications for the triple bottom line	Hollos, D; Blome, C; Foerstl, K	2012 - 50(11)	171	www.tandfonline.com/10.1080/00207543.2011.582184
Characteristics of the research on reverse logistics (1995-2005)	Rubio, S; Chamorro, A; Miranda, FJ	2008 - 46(4)	171	www.tandfonline.com/10.1080/00207540600943977
Lean production: literature review and trends	Jasti, NVK; Kodali, R	2015 - 53(3)	169	www.tandfonline.com/10.1080/00207543.2014.937508



International Journal of Production Research

Articles cited 60 times or more



DESIGN AND ANALYSIS OF PULL SYSTEM, A METHOD OF MULTISTAGE PRODUCTION CONTROL	KIMURA, O; TERADA, H	1981 - 19(3)	169	www.tandfonline.com/10.1080/00207548108956651
BALANCING 2-SIDED ASSEMBLY LINES - A CASE-STUDY	BARTHOLDI, JJ	1993 - 31(10)	168	www.tandfonline.com/10.1080/00207549308956868
A discrete transfer function model to determine the dynamic stability of a vendor managed inventory supply chain	Disney, SM; Towill, DR	2002 - 40(1)	167	www.tandfonline.com/10.1080/00207540110072975
A FUZZY MULTICRITERIA DECISION-MAKING METHOD FOR FACILITY SITE SELECTION	LIANG, GS; WANG, MJJ	1991 - 29(11)	167	www.tandfonline.com/10.1080/00207549108948085
Modeling industrial lot sizing problems: a review	Jans, R; Degraeve, Z	2008 - 46(6)	165	www.tandfonline.com/10.1080/00207540600902262
Robust and reactive project scheduling: a review and classification of procedures	Herroelen, W; Leus, R	2004 - 42(8)	164	www.tandfonline.com/10.1080/00207540310001638055
Supply chain resilience: definition, review and theoretical foundations for further study	Tukamuhabwa, BR; Stevenson, M; Busby, J; Zorzini, M	2015 - 53(18)	162	www.tandfonline.com/10.1080/00207543.2015.1037934
Performance measurement using overall equipment effectiveness (OEE): literature review and practical application discussion	Muchiri, P; Pintelon, L	2008 - 46(13)	162	www.tandfonline.com/10.1080/00207540601142645
X-CHART WITH ADAPTIVE SAMPLE SIZES	PRABHU, SS; RUNGER, GC; KEATS, JB	1993 - 31(12)	162	www.tandfonline.com/10.1080/00207549308956906



International Journal of Production Research

Articles cited 60 times or more



Antecedents and enablers of supply chain agility and its effect on performance: a dynamic capabilities perspective	Blome, C; Schoenherr, T; Rexhausen, D	2013 - 51(4)	161	www.tandfonline.com/10.1080/00207543.2012.728011
Supply chain performance measurement: a literature review	Akyuz, GA; Erkan, TE	2010 - 48(17)	160	www.tandfonline.com/10.1080/00207540903089536
A fuzzy ANP-based approach to R&D project selection: a case study	Mohanty, RP; Agarwal, R; Choudhury, AK; Tiwari, MK	2005 - 43(24)	160	www.tandfonline.com/10.1080/00207540500219031
AN ASSIGNMENT MODEL FOR THE PART-FAMILIES PROBLEM IN GROUP TECHNOLOGY	SRINIVASAN, G; NARENDRAN, TT; MAHADEVAN, B	1990 - 28(1)	160	www.tandfonline.com/10.1080/00207549008942689
HMMs for diagnostics and prognostics in machining processes	Baruah, P; Chinnam, RB	2005 - 43(6)	158	www.tandfonline.com/10.1080/00207540412331327727
A FRAMEWORK FOR THE DESIGN OF CELLULAR MANUFACTURING SYSTEMS	CHOOBINEH, F	1988 - 26(7)	158	www.tandfonline.com/10.1080/00207548808947932
A WITHIN-CELL UTILIZATION BASED HEURISTIC FOR DESIGNING CELLULAR MANUFACTURING SYSTEMS	BALLAKUR, A; STEUDEL, HJ	1987 - 25(5)	158	www.tandfonline.com/10.1080/00207548708919868
Use of genetic algorithms to solve production and operations management problems: a review	Aytug, H; Khouja, M; Vergara, FE	2003 - 41(17)	157	www.tandfonline.com/10.1080/00207540310001626319
A COST-BASED HEURISTIC FOR GROUP TECHNOLOGY CONFIGURATION	ASKIN, RG; SUBRAMANIAN, SP	1987 - 25(1)	157	www.tandfonline.com/



International Journal of Production Research

Articles cited 60 times or more



Internet of things and supply chain management: a literature review	Ben-Daya, M; Hassini, E; Bahrour, Z	2019 - 57(15-16)	156	www.tandfonline.com/10.1080/00207543.2017.1402140
STEP-compliant NC research: the search for intelligent CAD/CAPP/CAM CNC integration	Xu, XW; Wang, H; Mao, J; Newman, ST; Kramer, TR; Proctor, FM; Michaloski, JL	2005 - 43(17)	156	www.tandfonline.com/10.1080/00207540500137530
Routing methods for warehouses with multiple cross aisles	Roodbergen, KJ; De Koster, RA	2001 - 39(9)	156	www.tandfonline.com/10.1080/00207540110028128
The role of stakeholder pressure and managerial values in the implementation of environmental logistics practices	Gonzalez-Benito, J; Gonzalez-Benito, O	2006 - 44(7)	155	www.tandfonline.com/10.1080/00207540500435199
A fuzzy goal programming approach for green supply chain optimisation under activity-based costing and performance evaluation with a value-chain structure	Tsai, WH; Hung, SJ	2009 - 47(18)	154	www.tandfonline.com/10.1080/00207540801932498
Disassembly line in product recovery	Gungor, A; Gupta, SM	2002 - 40(11)	153	www.tandfonline.com/10.1080/00207540210135622
The impact of digital technology and Industry 4.0 on the ripple effect and supply chain risk analytics	Ivanov, D; Dolgui, A; Sokolov, B	2019 - 57(3)	152	www.tandfonline.com/10.1080/00207543.2018.1488086
Agile manufacturing: a taxonomy of strategic and technological imperatives	Gunasekaran, A; Yusuf, YY	2002 - 40(6)	152	www.tandfonline.com/10.1080/00207540110118370



International Journal of Production Research

Articles cited 60 times or more



Empirical research on supply chain management: a critical review and recommendations	Ho, DCK; Au, KF; Newton, E	2002 - 40(17)	151	www.tandfonline.com/10.1080/00207540210157204
THEORY AND PRACTICE OF LOAD-ORIENTED MANUFACTURING CONTROL	BECHTE, W	1988 - 26(3)	151	www.tandfonline.com/10.1080/00207548808947871
Comparison of production-line control mechanisms	Bonvik, AM; Couch, CE; Gershwin, SB	1997 - 35(3)	150	www.tandfonline.com/10.1080/002075497195713
Adoption of green supply chain management practices and their impact on performance: an exploratory study of Indian manufacturing firms	Mitra, S; Datta, PP	2014 - 52(7)	149	www.tandfonline.com/10.1080/00207543.2013.849014
Steel-making process scheduling using Lagrangian relaxation	Tang, LX; Luh, PB; Liu, JY; Fang, L	2002 - 40(1)	149	www.tandfonline.com/10.1080/00207540110073000
Literature review on disruption recovery in the supply chain	Ivanov, D; Dolgui, A; Sokolov, B; Ivanova, M	2017 - 55(20)	148	www.tandfonline.com/10.1080/00207543.2017.1330572
Supply-chain uncertainty: a review and theoretical foundation for future research	Simangunsong, E; Hendry, LC; Stevenson, M	2012 - 50(16)	148	www.tandfonline.com/10.1080/00207543.2011.613864
Framework of a fuzzy quality function deployment system	Khoo, LP; Ho, NC	1996 - 34(2)	148	www.tandfonline.com/10.1080/00207549608904904



International Journal of Production Research

Articles cited 60 times or more



Sustainable supplier selection and order lot-sizing: an integrated multi-objective decision-making process	Azadnia, AH; Saman, MZM; Wong, KY	2015 - 53(2)	147	www.tandfonline.com/10.1080/00207543.2014.935827
A study of an integrated inventory with controllable lead time	Pan, JCH; Yang, JS	2002 - 40(5)	147	www.tandfonline.com/10.1080/00207540110105680
AN EFFICIENT HEURISTIC IN MANUFACTURING CELL-FORMATION FOR GROUP TECHNOLOGY APPLICATIONS	HARHALAKIS, G; NAGI, R; PROTH, JM	1990 - 28(1)	147	www.tandfonline.com/10.1080/00207549008942692
GRAFICS - A NONHIERARCHICAL CLUSTERING-ALGORITHM FOR GROUP TECHNOLOGY	SRINIVASAN, G; NARENDRAN, TT	1991 - 29(3)	146	www.tandfonline.com/10.1080/00207549108930083
OPTIMAL INVENTORY POLICIES WHEN STOCKOUTS RESULT FROM DEFECTIVE PRODUCTS	SHIH, W	1980 - 18(6)	146	www.tandfonline.com/10.1080/00207548008919699
Supply chain collaboration: conceptualisation and instrument development	Cao, M; Vonderembse, MA; Zhang, QY; Ragu-Nathan, TS	2010 - 48(22)	145	www.tandfonline.com/10.1080/00207540903349039
The impact of lean methods and tools on the operational performance of manufacturing organisations	Belekoukias, I; Garza-Reyes, JA; Kumar, V	2014 - 52(18)	144	www.tandfonline.com/10.1080/00207543.2014.903348



International Journal of Production Research

Articles cited 60 times or more



Flexible fixture design and automation: Review, issues and future directions	Bi, ZM; Zhang, WJ	2001 - 39(13)	144	www.tandfonline.com/10.1080/00207540110054579
ORDER REVIEW RELEASE - RESEARCH ISSUES AND PERSPECTIVES	MELNYK, SA; RAGATZ, GL	1989 - 27(7)	144	www.tandfonline.com/10.1080/00207548908942609
Synergies between supply chain management and quality management: emerging implications	Flynn, BB; Flynn, EJ	2005 - 43(16)	143	www.tandfonline.com/10.1080/00207540500118076
Minimizing makespan on a single batch processing machine with dynamic job arrivals	Lee, CY; Uzsoy, R	1999 - 37(1)	143	www.tandfonline.com/10.1080/002075499192020
MINIMIZING TOTAL COMPLETION-TIME ON BATCH PROCESSING MACHINES	CHANDRU, V; LEE, CY; UZSOY, R	1993 - 31(9)	143	www.tandfonline.com/10.1080/00207549308956847
A review of agile manufacturing systems	Sanchez, LM; Nagi, R	2001 - 39(16)	142	www.tandfonline.com/10.1080/00207540110068790
An integrated approach for production and distribution planning in supply chain management	Park, YB	2005 - 43(6)	141	www.tandfonline.com/10.1080/00207540412331327718
PRODUCTION DATA BASED SIMILARITY COEFFICIENT FOR MACHINE-COMPONENT GROUPING DECISIONS IN THE DESIGN OF A CELLULAR MANUFACTURING SYSTEM	GUPTA, T; SEIFODDINI, H	1990 - 28(7)	141	www.tandfonline.com/10.1080/00207549008942791



International Journal of Production Research

Articles cited 60 times or more



Green procurement and green supplier development: antecedents and effects on supplier performance	Blome, C; Hollos, D; Paulraj, A	2014 - 52(1)	140	www.tandfonline.com/10.1080/00207543.2013.825748
Production planning for closed-loop supply chains with product recovery and reuse: an analytical approach	Jayaraman, V	2006 - 44(5)	140	www.tandfonline.com/10.1080/00207540500250507
An intelligent hybrid system for customer requirements analysis and product attribute targets determination	Fung, RYK; Popplewell, K; Xie, J	1998 - 36(1)	139	www.tandfonline.com/10.1080/002075498193912
In pursuit of implementation patterns: the context of Lean and Six Sigma	Shah, R; Chandrasekaran, A; Linderman, K	2008 - 46(23)	138	www.tandfonline.com/10.1080/00207540802230504
ISSUES IN DEVELOPING A PERFORMANCE CRITERIA SYSTEM FOR AN ORGANIZATION	GLOBERSON, S	1985 - 23(4)	138	www.tandfonline.com/10.1080/00207548508904734
Joint decisions on inventory replenishment and emission reduction investment under different emission regulations	Toptal, A; Ozlu, H; Konur, D	2014 - 52(1)	137	www.tandfonline.com/10.1080/00207543.2013.836615
A new value stream mapping approach for complex production systems	Braglia, M; Carmignani, G; Zammori, F	2006 - 44(18-19)	137	www.tandfonline.com/10.1080/00207540600690545
Order review and release strategies in a job shop environment: A review and a classification	Bergamaschi, D; Cigolini, R; Perona, M; Portioli, A	1997 - 35(2)	137	www.tandfonline.com/10.1080/002075497195821



International Journal of Production Research

Articles cited 60 times or more



ANALYSIS OF SCHEDULING RULES FOR AN FMS	MONTAZERI, M; VANWASSENHOVE, LN	1990 - 28(4)	137	www.tandfonline.com/10.1080/00207549008942754
OPTIMIZATION OF MACHINING CONDITIONS WITH PRACTICAL CONSTRAINTS	SHIN, YC; JOO, YS	1992 - 30(12)	136	www.tandfonline.com/10.1080/00207549208948198
Fuzzy outranking approach to prioritize design requirements in quality function deployment	Wang, J	1999 - 37(4)	135	www.tandfonline.com/10.1080/002075499191599
Critical elements for a successful enterprise resource planning implementation in small- and medium-sized enterprises	Loh, TC; Koh, SCL	2004 - 42(17)	134	www.tandfonline.com/10.1080/00207540410001671679
Rescheduling job shops under random disruptions	Abumaizar, RJ; Svestka, JA	1997 - 35(7)	134	www.tandfonline.com/10.1080/002075497195074
Implications of postponement for the supply chain	Yang, B; Burns, N	2003 - 41(9)	133	www.tandfonline.com/10.1080/00207544031000077284
SCHEDULING BATCH PROCESSING MACHINES WITH INCOMPATIBLE JOB FAMILIES	UZSOY, R	1995 - 33(10)	133	www.tandfonline.com/10.1080/00207549508904839
Ripple effect in the supply chain: an analysis and recent literature	Dolgui, A; Ivanov, D; Sokolov, B	2018 - 56(1-2)	132	www.tandfonline.com/10.1080/00207543.2017.1387680



International Journal of Production Research

Articles cited 60 times or more



Incorporating human factors in order picking planning models: framework and research opportunities	Grosse, EH; Glock, CH; Jaber, MY; Neumann, WP	2015 - 53(3)	132	www.tandfonline.com/10.1080/00207543.2014.919424
MetaMorph: an adaptive agent-based architecture for intelligent manufacturing	Maturana, F; Shen, W; Norrie, DH	1999 - 37(10)	132	www.tandfonline.com/10.1080/002075499190699
The tool TINA - Construction of abstract state spaces for Petri nets and Time Petri	Berthomieu, B; Ribet, PO; Vernadat, F	2004 - 42(14)	131	www.tandfonline.com/10.1080/00207540412331312688
Organisational resilience: development of a conceptual framework for organisational responses	Burnard, K; Bhamra, R	2011 - 49(18)	130	www.tandfonline.com/10.1080/00207543.2011.563827
Supply chain management and environmental technologies: the role of integration	Vachon, S; Klassen, RD	2007 - 45(2)	130	www.tandfonline.com/10.1080/00207540600597781
Additive manufacturing technologies: state of the art and trends	Gardan, J	2016 - 54(10)	129	www.tandfonline.com/10.1080/00207543.2015.1115909
New hybrid COPRAS-G MADM Model for improving and selecting suppliers in green supply chain management	Liou, JJH; Tamosaitiene, J; Zavadskas, EK; Tzeng, GH	2016 - 54(1)	129	www.tandfonline.com/10.1080/00207543.2015.1010747
A survey on dynamic and stochastic vehicle routing problems	Ritzinger, U; Puchinger, J; Hartl, RF	2016 - 54(1)	128	www.tandfonline.com/10.1080/00207543.2015.1043403



International Journal of Production Research

Articles cited 60 times or more



Quantifying benefits of conversion to lean manufacturing with discrete event simulation: a case study	Detty, RB; Yingling, JC	2000 - 38(2)	128	www.tandfonline.com/10.1080/002075400189509
Optimal disassembly of complex products	Lambert, AJD	1997 - 35(9)	128	www.tandfonline.com/10.1080/002075497194633
Hybrid genetic algorithm and simulated annealing approach for the optimization of process plans for prismatic parts	Li, WD; Ong, SK; Nee, AYC	2002 - 40(8)	127	www.tandfonline.com/10.1080/00207540110119991
Enterprise risk management: a DEA VaR approach in vendor selection	Wu, DD; Olson, D	2010 - 48(16)	126	www.tandfonline.com/10.1080/00207540903051684
Augmented reality applications in manufacturing: a survey	Ong, SK; Yuan, ML; Nee, AYC	2008 - 46(10)	126	www.tandfonline.com/10.1080/00207540601064773
An application of data envelopment analytic hierarchy process for supplier selection: a case study of BEKO in Turkey	Sevkli, M; Koh, SCL; Zaim, S; Demirbag, M; Tatoglu, E	2007 - 45(9)	126	www.tandfonline.com/10.1080/00207540600957399
Methodology for supply chain disruption analysis	Wu, T; Blackhurst, J; O'Grady, P	2007 - 45(7)	126	www.tandfonline.com/10.1080/00207540500362138
A framework for evaluating ERP projects	Teltumbde, A	2000 - 38(17)	126	www.tandfonline.com/10.1080/00207540050205262
Using simulated annealing to solve a multiobjective assembly line balancing problem with parallel workstations	McMullen, PR; Frazier, GV	1998 - 36(10)	126	www.tandfonline.com/10.1080/002075498192454



International Journal of Production Research

Articles cited 60 times or more



OPTIMAL LEVELS OF PROCESS PARAMETERS FOR PRODUCTS WITH MULTIPLE CHARACTERISTICS	ELSAIED, EA; CHEN, A	1993 - 31(5)	126	www.tandfonline.com/10.1080/00207549308956778
Implementing lean production systems: research areas and opportunities for future studies	Marodin, GA; Saurin, TA	2013 - 51(22)	125	www.tandfonline.com/10.1080/00207543.2013.826831
Value chain flexibility: a dichotomy of competence and capability	Zhang, QY; Voderembse, MA; Lim, JS	2002 - 40(3)	124	www.tandfonline.com/10.1080/00207540110091695
A Fuzzy Quality Function Deployment (FQFD) model for deriving optimum targets	Vanegas, LV; Labib, AW	2001 - 39(1)	124	www.tandfonline.com/10.1080/00207540010005079
CONFLICT-FREE SHORTEST-TIME BIDIRECTIONAL AGV ROUTEING	KIM, CW; TANCHOCO, JMA	1991 - 29(12)	124	www.tandfonline.com/10.1080/00207549108948090
ANALYSIS AND OPTIMIZATION OF PARAMETER COMBINATIONS IN WIRE ELECTRICAL-DISCHARGE MACHINING	SCOTT, D; BOYINA, S; RAJURKAR, KP	1991 - 29(11)	124	www.tandfonline.com/10.1080/00207549108948078
FLOW PATH DESIGN FOR AUTOMATED GUIDED VEHICLE SYSTEMS	GASKINS, RJ; TANCHOCO, JMA	1987 - 25(5)	124	www.tandfonline.com/10.1080/00207548708919869
A decision-making model for Lean, Agile, Resilient and Green supply chain management	Cabral, I; Grilo, A; Cruz-Machado, V	2012 - 50(17)	123	www.tandfonline.com/10.1080/00207543.2012.657970
Material and design considerations for Rapid Manufacturing	Hague, R; Mansour, S; Saleh, N	2004 - 42(22)	123	www.tandfonline.com/10.1080/00207840410001733940



International Journal of Production Research

Articles cited 60 times or more



Efficient orderbatching methods in warehouses	de Koster, MBM; van der Poort, ES; Wolters, M	1999 - 37(7)	123	www.tandfonline.com/10.1080/002075499191094
HEURISTICS FOR FLOWSHOP SCHEDULING	KING, JR; SPACHIS, AS	1980 - 18(3)	123	www.tandfonline.com/10.1080/00207548008919673
Examination and comparison of the critical factors of total quality management (TQM) across countries	Sila, I; Ebrahimpour, M	2003 - 41(2)	122	www.tandfonline.com/10.1080/0020754021000022212
APPLICATIONS OF NEURAL NETWORKS IN MANUFACTURING - A STATE-OF-THE-ART SURVEY	ZHANG, HC; HUANG, SH	1995 - 33(3)	122	www.tandfonline.com/10.1080/00207549508930175
A LOADING AND DISPATCHING PROBLEM IN A RANDOM FLEXIBLE MANUFACTURING SYSTEM	SHANKER, K; TZEN, YJJ	1985 - 23(3)	122	www.tandfonline.com/10.1080/00207548508904730
Supply chain operational risk mitigation: a collaborative approach	Chen, J; Sohal, AS; Prajogo, DI	2013 - 51(7)	121	www.tandfonline.com/10.1080/00207543.2012.727490
A strategic framework for the design and implementation of remanufacturing operations in reverse logistics	Dowlatshahi, S	2005 - 43(16)	121	www.tandfonline.com/10.1080/00207540500118118
On a medium term product recovery and disposal strategy for durable assembly products	Krikke, HR; van Harten, A; Schuur, PC	1998 - 36(1)	121	www.tandfonline.com/10.1080/002075498193967



International Journal of Production Research

Articles cited 60 times or more



RESEARCH ISSUES IN CELLULAR MANUFACTURING	WEMMERLOV, U; HYER, NL	1987 - 25(3)	121	www.tandfonline.com/10.1080/00207548708919850
A neural network approach for the analysis of control chart patterns	Cheng, CS	1997 - 35(3)	120	www.tandfonline.com/10.1080/002075497195650
AN APPLICATION OF DISCRETE-EVENT SIMULATION TO ONLINE CONTROL AND SCHEDULING IN FLEXIBLE MANUFACTURING	WU, SYD; WYSK, RA	1989 - 27(9)	120	www.tandfonline.com/10.1080/00207548908942642
A green supply chain is a requirement for profitability	Kumar, S; Teichman, S; Timpernagel, T	2012 - 50(5)	119	www.tandfonline.com/10.1080/00207543.2011.571924
Quantitative models for inventory and production planning in closed-loop supply chains	Akcali, E; Cetinkaya, S	2011 - 49(8)	119	www.tandfonline.com/10.1080/00207541003692021
Profit-oriented disassembly-line balancing	Altekin, FT; Kandiller, L; Ozdemirel, NE	2008 - 46(10)	119	www.tandfonline.com/10.1080/00207540601137207
Optimization of machining parameters of Wire-EDM based on Grey relational and statistical analyses	Huang, JT; Liao, YS	2003 - 41(8)	119	www.tandfonline.com/10.1080/01352816031000074973
Cumulative quantity control charts for monitoring production processes	Chan, LY; Xie, M; Goh, TN	2000 - 38(2)	119	www.tandfonline.com/10.1080/002075400189482



International Journal of Production Research

Articles cited 60 times or more



SIMILARITY COEFFICIENT ALGORITHMS FOR SOLVING THE GROUP TECHNOLOGY PROBLEM	KUSIAK, A; CHO, M	1992 - 30(11)	119	www.tandfonline.com/10.1080/00207549208948181
JUSTIFICATION TECHNIQUES FOR ADVANCED MANUFACTURING TECHNOLOGIES	MEREDITH, JR; SURESH, NC	1986 - 24(5)	119	www.tandfonline.com/
A CLOSE NEIGHBOR ALGORITHM FOR DESIGNING CELLULAR MANUFACTURING SYSTEMS	BOE, WJ; CHENG, CH	1991 - 29(10)	118	www.tandfonline.com/10.1080/00207549108948069
Sustainable supplier management - a review of models supporting sustainable supplier selection, monitoring and development	Zimmer, K; Frohling, M; Schultmann, F	2016 - 54(5)	117	www.tandfonline.com/10.1080/00207543.2015.1079340
Quantifying risks in a supply chain through integration of fuzzy AHP and fuzzy TOPSIS	Samvedi, A; Jain, V; Chan, FTS	2013 - 51(8)	117	www.tandfonline.com/10.1080/00207543.2012.741330
A control engineering approach to the assessment of supply chain resilience	Spiegler, VLM; Naim, MM; Wikner, J	2012 - 50(21)	117	www.tandfonline.com/10.1080/00207543.2012.710764
Research on the supplier selection of a supply chain based on entropy weight and improved ELECTRE-III method	Liu, PD; Zhang, X	2011 - 49(3)	117	www.tandfonline.com/10.1080/00207540903490171
Control theory applications to the production-inventory problem: a review	Ortega, M; Lin, L	2004 - 42(11)	117	www.tandfonline.com/10.1080/00207540410001666260



International Journal of Production Research

Articles cited 60 times or more



A two-stage heuristic method for balancing mixed-model assembly lines with parallel workstations	Vilarinho, PM; Simaria, AS	2002 - 40(6)	117	www.tandfonline.com/10.1080/00207540110116273
FLOWSHOP SEQUENCING PROBLEMS WITH LIMITED BUFFER STORAGE	LEISTEN, R	1990 - 28(11)	117	www.tandfonline.com/10.1080/00207549008942855
Impact of Malcolm Baldrige National Quality Award Criteria on organizational quality performance	Lee, SM; Rho, BH; Lee, SG	2003 - 41(9)	116	www.tandfonline.com/10.1080/0020754031000077329
A STRUCTURED APPROACH TO DEADLOCK DETECTION, AVOIDANCE AND RESOLUTION IN FLEXIBLE MANUFACTURING SYSTEMS	KUMARAN, TK; CHANG, W; CHO, H; WYSK, RA	1994 - 32(10)	116	www.tandfonline.com/10.1080/00207549408957073
OPTIMAL ASSIGNMENT OF DUE-DATES FOR A SINGLE PROCESSOR SCHEDULING PROBLEM	SEIDMANN, A; PANWALKAR, SS; SMITH, ML	1981 - 19(4)	116	www.tandfonline.com/10.1080/00207548108956667
Risk adjusted multicriteria supplier selection models with applications	Ravindran, AR; Bilsel, RU; Wadhwa, V; Yang, T	2010 - 48(2)	115	www.tandfonline.com/10.1080/00207540903174940
Efficient statistical tolerance analysis for general distributions using three-point information	Seo, HS; Kwak, BM	2002 - 40(4)	115	www.tandfonline.com/10.1080/00207540110095709
Engineering design management: an information structure approach	Yassine, A; Falkenburg, D; Chelst, K	1999 - 37(13)	115	www.tandfonline.com/10.1080/002075499190374



International Journal of Production Research

Articles cited 60 times or more



Implementation of Industry 4.0 and lean production in Brazilian manufacturing companies	Tortorella, GL; Fettermann, D	2018 - 56(8)	114	www.tandfonline.com/10.1080/00207543.2017.1391420
A collaborative ant colony algorithm to stochastic mixed-model U-shaped disassembly line balancing and sequencing problem	Agrawal, S; Tiwari, MK	2008 - 46(6)	114	www.tandfonline.com/10.1080/00207540600943985
A SIMULATED ANNEALING ALGORITHM FOR ALLOCATING SPACE TO MANUFACTURING CELLS	TAM, KY	1992 - 30(1)	114	www.tandfonline.com/10.1080/00207549208942878
THE JUST-IN-TIME PHILOSOPHY - A LITERATURE-REVIEW	GOLHAR, DY; STAMM, CL	1991 - 29(4)	114	www.tandfonline.com/10.1080/00207549108930094
STRATEGIC SUBCONTRACTING FOR EFFICIENT DISAGGREGATED MANUFACTURING	KUMAR, KR; VANNELLI, A	1987 - 25(12)	114	www.tandfonline.com/
The performance impact of supply chain agility and supply chain adaptability: the moderating effect of product complexity	Eckstein, D; Goellner, M; Blome, C; Henke, M	2015 - 53(10)	113	www.tandfonline.com/10.1080/00207543.2014.970707
The evolution of production systems from Industry 2.0 through Industry 4.0	Yin, Y; Steckel, KE; Li, DN	2018 - 56(1-2)	112	www.tandfonline.com/10.1080/00207543.2017.1403664



International Journal of Production Research

Articles cited 60 times or more



Big Data Analytics for Physical Internet-based intelligent manufacturing shop floors	Zhong, RY; Xu, C; Chen, C; Huang, GQ	2017 - 55(9)	112	www.tandfonline.com/10.1080/00207543.2015.1086037
Resilience and competitiveness of small and medium size enterprises: an empirical research	Gunasekaran, A; Rai, BK; Griffin, M	2011 - 49(18)	112	www.tandfonline.com/10.1080/00207543.2011.563831
Facility layout optimization using simulation and genetic algorithms	Azadivar, F; Wang, J	2000 - 38(17)	112	www.tandfonline.com/10.1080/00207540050205154
Validating the Malcolm Baldrige National Quality Award Framework through structural equation modelling	Curkovic, S; Melnyk, S; Calantone, R; Handfield, R	2000 - 38(4)	112	www.tandfonline.com/10.1080/002075400189149
An approach for estimating the end-of-life product disassembly effort and cost	Das, SK; Yedlarajiah, P; Narendra, R	2000 - 38(3)	112	www.tandfonline.com/10.1080/002075400189356
Balancing and sequencing manual mixed-model assembly lines	Merengo, C; Nava, F; Pozzetti, A	1999 - 37(12)	112	www.tandfonline.com/10.1080/002075499190545
AN ANALYTIC FRAMEWORK FOR SEQUENCING MIXED MODEL ASSEMBLY LINES	BARD, JF; DAREL, E; SHTUB, A	1992 - 30(1)	112	www.tandfonline.com/10.1080/00207549208942876
THE MACHINE LOADING AND TOOL ALLOCATION PROBLEM IN A FLEXIBLE MANUFACTURING SYSTEM	SARIN, SC; CHEN, CS	1987 - 25(7)	112	www.tandfonline.com/10.1080/00207548708919897



International Journal of Production Research

Articles cited 60 times or more



From closed-loop to sustainable supply chains: the WEEE case	Neto, JQF; Walther, G; Bloemhof, J; van Nunen, JAEE; Spengler, T	2010 - 48(15)	110	www.tandfonline.com/10.1080/00207540902906151
A strategic sustainability justification methodology for organizational decisions: a reverse logistics illustration	Presley, A; Meade, L; Sarkis, J	2007 - 45(18-19)	110	www.tandfonline.com/10.1080/00207540701440220
A solution approach to the disassembly line balancing problem in the presence of task failures	Gungor, A; Gupta, SM	2001 - 39(7)	110	www.tandfonline.com/10.1080/00207540110052157
A genetic algorithm-based approach to cell composition and layout design problems	Gupta, Y; Gupta, M; Kumar, A; Sundaram, C	1996 - 34(2)	110	www.tandfonline.com/10.1080/00207549608904913
Performance evaluation of two methods for online monitoring of linear calibration profiles	Gupta, S; Montgomery, DC; Woodall, WH	2006 - 44(10)	109	www.tandfonline.com/10.1080/00207540500409855
A kernel-distance-based multivariate control chart using support vector methods	Sun, RX; Tsung, F	2003 - 41(13)	109	www.tandfonline.com/10.1080/1352816031000075224
PLANNING PRODUCT DISASSEMBLY FOR MATERIAL RECOVERY OPPORTUNITIES	JOHNSON, MR; WANG, MH	1995 - 33(11)	109	www.tandfonline.com/10.1080/00207549508904864
Critical success factors for implementing lean production: the effect of contingencies	Netland, TH	2016 - 54(8)	108	www.tandfonline.com/10.1080/00207543.2015.1096976



International Journal of Production Research

Articles cited 60 times or more



Robust closed-loop supply chain network design for perishable goods in agile manufacturing under uncertainty	Hasani, A; Zegordi, SH; Nikbakhsh, E	2012 - 50(16)	108	www.tandfonline.com/10.1080/00207543.2011.625051
An application of the fuzzy ELECTRE method for supplier selection	Sevkli, M	2010 - 48(12)	108	www.tandfonline.com/10.1080/00207540902814355
Dynamic lot sizing with product returns and remanufacturing	Teunter, RH; Bayindir, ZP; Van Den Heuvel, W	2006 - 44(20)	108	www.tandfonline.com/10.1080/00207540600693564
Analysis of closed loop supply chain using genetic algorithm and particle swarm optimisation	Kannan, G; Haq, AN; Devika, M	2009 - 47(5)	107	www.tandfonline.com/10.1080/00207540701543585
A market-driven approach to product family design	Kumar, D; Chen, W; Simpson, TW	2009 - 47(1)	107	www.tandfonline.com/10.1080/00207540701393171
Modelling an industrial strategy for inventory management in supply chains: the 'Consignment Stock' case	Braglia, M; Zavanella, L	2003 - 41(16)	107	www.tandfonline.com/10.1080/0020754031000138330
A design strategy for reconfigurable manufacturing systems (RMSs) using analytical hierarchical process (AHP): a case study	Abdi, MR; Labib, AW	2003 - 41(10)	107	www.tandfonline.com/10.1080/0020754031000077266
HEURISTICS FOR SCHEDULING PROJECTS WITH RESOURCE	BOCTOR, FF	1993 - 31(11)	107	www.tandfonline.com/10.1080/00207549308956882



International Journal of Production Research

Articles cited 60 times or more



RESTRICTIONS AND SEVERAL RESOURCE-DURATION MODES				
Selective maintenance scheduling under stochastic maintenance quality with multiple maintenance actions	Duan, CQ; Deng, C; Gharaei, A; Wu, J; Wang, BR	2018 - 56(23)	106	www.tandfonline.com/10.1080/00207543.2018.1436789
A four-phase AHP-QFD approach for supplier assessment: a sustainability perspective	Dai, J; Blackhurst, J	2012 - 50(19)	106	www.tandfonline.com/10.1080/00207543.2011.639396
Sustainable benchmarking of supply chains: the case of the food industry	Yakovleva, N; Sarkis, J; Sloan, T	2012 - 50(5)	106	www.tandfonline.com/10.1080/00207543.2011.571926
Analysis of interactions of criteria and sub-criteria for the selection of supplier in the built-in-order supply chain environment	Kannan, G; Haq, AN	2007 - 45(17)	106	www.tandfonline.com/10.1080/00207540600676676
Fuzzy regression-based mathematical programming model for quality function deployment	Chen, Y; Tang, J; Fung, RYK; Ren, Z	2004 - 42(5)	106	www.tandfonline.com/10.1080/00207540310001619623
A comparative study of lean and agile manufacturing with a related survey of current practices in the UK	Yusuf, YY; Adeleye, EO	2002 - 40(17)	106	www.tandfonline.com/10.1080/00207540210157141
Determination of a disassembly strategy	Penev, KD; deRon, AJ	1996 - 34(2)	106	www.tandfonline.com/10.1080/00207549608904915



International Journal of Production Research

Articles cited 60 times or more



ROLLING HORIZON ALGORITHMS FOR A SINGLE-MACHINE DYNAMIC SCHEDULING PROBLEM WITH SEQUENCE-DEPENDENT SETUP TIMES	OVACIK, IM; UZSOY, R	1994 - 32(6)	106	www.tandfonline.com/10.1080/00207549408956998
An event-driven manufacturing information system architecture for Industry 4.0	Theorin, A; Bengtsson, K; Provost, J; Lieder, M; Johnsson, C; Lundholm, T; Lennartson, B	2017 - 55(5)	105	www.tandfonline.com/10.1080/00207543.2016.1201604
Management of uncertainty through postponement	Yang, B; Burns, ND; Backhouse, CJ	2004 - 42(6)	105	www.tandfonline.com/10.1080/00207540310001631601
A model to determine the optimal critical level and the monitoring intervals in condition-based maintenance	Wang, W	2000 - 38(6)	105	www.tandfonline.com/10.1080/002075400188933
ULINO: Optimally balancing U-shaped JIT assembly lines	Scholl, A; Klein, R	1999 - 37(4)	105	www.tandfonline.com/10.1080/002075499191481
Resource-constrained project scheduling by simulated annealing	Boctor, FF	1996 - 34(8)	105	www.tandfonline.com/10.1080/00207549608905028
Research opportunities in purchasing and supply management	Schoenherr, T; Modi, SB; Benton, WC; Carter, CR; Choi, TY; Larson, PD; Leenders, MR; Mabert, VA; Narasimhan, R; Wagner, SM	2012 - 50(16)	104	www.tandfonline.com/10.1080/00207543.2011.613870
Integrating AHP with QFD for robot selection under requirement perspective	Bhattacharya, A; Sarkar, B; Mukherjee, SK	2005 - 43(17)	104	www.tandfonline.com/10.1080/00207540500137217



International Journal of Production Research

Articles cited 60 times or more



Data-mining-based methodology for the design of product families	Agard, B; Kusiak, A	2004 - 42(15)	104	www.tandfonline.com/10.1080/00207540410001691929
Production scheduling/rescheduling in flexible manufacturing	Jain, AK; Elmaraghy, HA	1997 - 35(1)	104	www.tandfonline.com/10.1080/002075497196082
SCHEDULING MIXED-MODEL MULTI-LEVEL JUST-IN-TIME PRODUCTION SYSTEMS	MILTENBURG, J; SINNAMON, G	1989 - 27(9)	104	www.tandfonline.com/10.1080/00207548908942636
COMPUTERIZED SHOP FLOOR SCHEDULING	GOLDRATT, EM	1988 - 26(3)	104	www.tandfonline.com/10.1080/00207548808947875
Supply chain risk management and its mitigation in a food industry	Diabat, A; Govindan, K; Panicker, VV	2012 - 50(11)	103	www.tandfonline.com/10.1080/00207543.2011.588619
An ISM approach for modelling the enablers of flexible manufacturing system: the case for India	Raj, T; Shankar, R; Suhaib, M	2008 - 46(24)	103	www.tandfonline.com/10.1080/00207540701429926
A model for performance monitoring of suppliers	Talluri, S; Sarkis, J	2002 - 40(16)	103	www.tandfonline.com/10.1080/00207540210152894
Minimisation of supply chain cost with embedded risk using computational intelligence approaches	Kumar, SK; Tiwari, MK; Babiceanu, RF	2010 - 48(13)	102	www.tandfonline.com/10.1080/00207540902893425
A leanness measure of manufacturing systems for quantifying impacts of lean initiatives	Wan, HD; Chen, FF	2008 - 46(23)	102	www.tandfonline.com/10.1080/00207540802230058



International Journal of Production Research

Articles cited 60 times or more



Innovative product development process by integrating QFD and TRIZ	Yamashina, H; Ito, T; Kawada, H	2002 - 40(5)	102	www.tandfonline.com/10.1080/00207540110098490
A simulated annealing approach for optimization of multi-pass turning operations	Chen, MC; Tsai, DM	1996 - 34(10)	102	www.tandfonline.com/10.1080/00207549608905060
A METHOD FOR FINDING MINIMAL BOTTLE-NECK CELLS FOR GROUPING PART MACHINE FAMILIES	VANNELLI, A; KUMAR, KR	1986 - 24(2)	102	www.tandfonline.com/10.1080/00207548608919736
The role of digital technologies for the service transformation of industrial companies	Ardolino, M; Rapaccini, M; Sacconi, N; Gaiardelli, P; Crespi, G; Ruggeri, C	2018 - 56(6)	101	www.tandfonline.com/10.1080/00207543.2017.1324224
A systematic review on drivers, barriers, and practices towards circular economy: a supply chain perspective	Govindan, K; Hasanagic, M	2018 - 56(1-2)	101	www.tandfonline.com/10.1080/00207543.2017.1402141
Supplier selection using analytic network process and data envelopment analysis	Kuo, RJ; Lin, YJ	2012 - 50(11)	101	www.tandfonline.com/10.1080/00207543.2011.559487
A QFD-centred design methodology for environmentally conscious product design	Sakao, T	2007 - 45(18-19)	101	www.tandfonline.com/10.1080/00207540701450179
Conceptualizing tools for autonomous vehicle storage and retrieval systems	Malmborg, CJ	2002 - 40(8)	101	www.tandfonline.com/10.1080/00207540110118668
CASE: A clustering algorithm for cell formation with sequence data	Nair, GJ; Narendran, TT	1998 - 36(1)	101	www.tandfonline.com/10.1080/002075498193985



International Journal of Production Research

Articles cited 60 times or more



OPEN QUEUING NETWORK MODELS OF DYNAMIC JOB SHOPS	SHANTHIKUMAR, JG; BUZACOTT, JA	1981 - 19(3)	101	www.tandfonline.com/10.1080/00207548108956652
The link between Industry 4.0 and lean manufacturing: mapping current research and establishing a research agenda	Buer, SV; Strandhagen, JO; Chan, FTS	2018 - 56(8)	100	www.tandfonline.com/10.1080/00207543.2018.1442945
Total quality management: an empirical test for mediation effect	Ho, DCK; Duffy, VG; Shih, HM	2001 - 39(3)	100	www.tandfonline.com/10.1080/00207540010005709
Product acquisition management: current industry practice and a proposed framework	Guide, VDR; Jayaraman, V	2000 - 38(16)	100	www.tandfonline.com/10.1080/00207540050176003
X-BAR AND R-CONTROL CHART INTERPRETATION USING NEURAL COMPUTING	SMITH, AE	1994 - 32(2)	100	www.tandfonline.com/10.1080/00207549408956935
COMPUTER-AIDED ROBOT SELECTION - THE MULTIPLE ATTRIBUTE DECISION-MAKING APPROACH	AGRAWAL, VP; KOHLI, V; GUPTA, S	1991 - 29(8)	100	www.tandfonline.com/10.1080/00207549108948036
Delphi study on supply chain flexibility	Lummus, RR; Vokurka, RJ; Duclos, LK	2005 - 43(13)	99	www.tandfonline.com/10.1080/00207540500056102
Optimal path for automated drilling operations by a new heuristic approach using particle swarm optimization	Onwubolu, GC; Clerc, M	2004 - 42(3)	99	www.tandfonline.com/10.1080/00207540310001614150
Performance analysis of conjoined supply chains	Beamon, BM; Chen, VCP	2001 - 39(14)	99	www.tandfonline.com/10.1080/00207540110053156



International Journal of Production Research

Articles cited 60 times or more



Routing policies and COI-based storage policies in picker-to-part systems	Caron, F; Marchet, G; Perego, A	1998 - 36(3)	99	www.tandfonline.com/10.1080/002075498193651
STOCHASTIC ASSEMBLY-LINE BALANCING USING SIMULATED ANNEALING	SURESH, G; SAHU, S	1994 - 32(8)	99	www.tandfonline.com/10.1080/00207549408957042
CONTROL CHART PATTERN-RECOGNITION USING LEARNING VECTOR QUANTIZATION NETWORKS	PHAM, DT; OZTEMEL, E	1994 - 32(3)	99	www.tandfonline.com/10.1080/00207549408956963
Modelling quality dynamics, business value and firm performance in a big data analytics environment	Ren, SJF; Wamba, SF; Akter, S; Dubey, R; Childe, SJ	2017 - 55(17)	98	www.tandfonline.com/10.1080/00207543.2016.1154209
Energy-aware feedback control for production scheduling and capacity control	Lee, S; Prabhu, VV	2015 - 53(23)	98	www.tandfonline.com/10.1080/00207543.2015.1082666
Pressure analysis for green supply chain management implementation in Indian industries using analytic hierarchy process	Mathiyazhagan, K; Govindan, K; Haq, AN	2014 - 52(1)	98	www.tandfonline.com/10.1080/00207543.2013.831190
Greener supplier selection: state of the art and some empirical evidence	Genovese, A; Koh, SCL; Bruno, G; Esposito, E	2013 - 51(10)	98	www.tandfonline.com/10.1080/00207543.2012.748224
Ensuring supply chain quality performance through applying the SCOR model	Li, L; Su, Q; Chen, X	2011 - 49(1)	98	www.tandfonline.com/10.1080/00207543.2010.508934



International Journal of Production Research

Articles cited 60 times or more



Genetic algorithm based scheduling of parallel batch machines with incompatible job families to minimize total weighted tardiness	Balasubramanian, H; Monch, L; Fowler, J; Pfund, M	2004 - 42(8)	97	www.tandfonline.com/10.1080/00207540310001636994
DYNAMIC DISPATCHING ALGORITHM FOR SCHEDULING MACHINES AND AUTOMATED GUIDED VEHICLES IN A FLEXIBLE MANUFACTURING SYSTEM	SABUNCUOGLU, I; HOMMERTZHEIM, DL	1992 - 30(5)	97	www.tandfonline.com/10.1080/00207549208942943
POTENTIALS FOR BIDIRECTIONAL GUIDE-PATH FOR AUTOMATED GUIDED VEHICLE BASED SYSTEMS	EGBELU, PJ; TANCHOCO, JMA	1986 - 24(5)	97	www.tandfonline.com/10.1080/00207548608919789
FLEXIBILITY - A CONDITION FOR EFFECTIVE PRODUCTION SYSTEMS	ZELENOVIC, DM	1982 - 20(3)	97	www.tandfonline.com/10.1080/00207548208947770
An efficient tabu search algorithm for the distributed permutation flowshop scheduling problem	Gao, J; Chen, R; Deng, W	2013 - 51(3)	96	www.tandfonline.com/10.1080/00207543.2011.644819
Product design resources optimization using a non-linear fuzzy quality function deployment model	Fung, RYK; Tang, J; Tu, Y; Wang, D	2002 - 40(3)	96	www.tandfonline.com/10.1080/00207540110061634
A framework for the integration of Green and Lean Six Sigma for superior sustainability performance	Cherrafi, A; Elfezazi, S; Govindan, K; Garza-Reyes, JA; Benhida, K; Mokhlis, A	2017 - 55(15)	95	www.tandfonline.com/10.1080/00207543.2016.1266406



International Journal of Production Research

Articles cited 60 times or more



An intelligent approach to ERP software selection through fuzzy ANP	Ayag, Z; Ozdemir, RG	2007 - 45(10)	95	www.tandfonline.com/10.1080/00207540600724849
The Toyota Production System and art: making highly customized and creative products the Toyota way	Lander, E; Liker, JK	2007 - 45(16)	95	www.tandfonline.com/10.1080/00207540701223519
Supply chain relationship quality, the competitive environment and performance	Fynes, B; de Burca, S; Voss, C	2005 - 43(16)	95	www.tandfonline.com/10.1080/00207540500095894
Analysis of production control systems kanban and CONWIP	Gstettner, S; Kuhn, H	1996 - 34(11)	95	www.tandfonline.com/10.1080/00207549608905087
SCHEDULES FOR A 2-STAGE HYBRID FLOWSHOP WITH PARALLEL MACHINES AT THE 2ND STAGE	GUPTA, JND; TUNC, EA	1991 - 29(7)	95	www.tandfonline.com/10.1080/00207549108948025
ON THE CONSTRUCTION OF CONTROL CHARTS USING LINGUISTIC VARIABLES	WANG, JH; RAZ, T	1990 - 28(3)	95	www.tandfonline.com/10.1080/00207549008942731
ENTROPIC MEASURES OF MANUFACTURING FLEXIBILITY	KUMAR, V	1987 - 25(7)	95	www.tandfonline.com/10.1080/00207548708919888
Cloud manufacturing service composition based on QoS with geo-perspective transportation using an improved Artificial Bee Colony optimisation algorithm	Lartigau, J; Xu, XF; Nie, LS; Zhan, DC	2015 - 53(14)	94	www.tandfonline.com/10.1080/00207543.2015.1005765



International Journal of Production Research

Articles cited 60 times or more



An integrated fuzzy multi-criteria group decision-making approach for green supplier evaluation	Buyukozkan, G	2012 - 50(11)	94	www.tandfonline.com/10.1080/00207543.2011.564668
Environmental innovation in industrial packaging: a supply chain approach	Verghese, K; Lewis, H	2007 - 45(18-19)	94	www.tandfonline.com/10.1080/00207540701450211
Design of an integrated supplier selection and multi-echelon distribution inventory model in a built-to-order supply chain environment	Haq, AN; Kannan, G	2006 - 44(10)	94	www.tandfonline.com/10.1080/00207540500381427
A comprehensive review of lot streaming	Chang, JH; Chiu, HN	2005 - 43(8)	94	www.tandfonline.com/10.1080/00207540412331325396
Economical evaluation of disassembly operations for recycling, remanufacturing and reuse	Johnson, MR; Wang, MH	1998 - 36(12)	94	www.tandfonline.com/10.1080/002075498192049
A new simulated annealing algorithm for the facility layout problem	Meller, RD; Bozer, YA	1996 - 34(6)	94	www.tandfonline.com/10.1080/00207549608904990
TOLERANCE CHART OPTIMIZATION	IRANI, SA; MITTAL, RO; LEHTIHET, EA	1989 - 27(9)	94	www.tandfonline.com/10.1080/00207548908942638
Multi-objective genetic algorithm for energy-efficient job shop scheduling	May, G; Stahl, B; Taisch, M; Prabhu, V	2015 - 53(23)	93	www.tandfonline.com/10.1080/00207543.2015.1005248
Theory and simulation for the identification of the link geometric errors for a five-axis	Abbaszadeh-Mir, Y; Mayer, JRR; Cloutier, G; Fortin, C	2002 - 40(18)	93	www.tandfonline.com/10.1080/00207540210164459



International Journal of Production Research

Articles cited 60 times or more



machine tool using a telescoping magnetic ball-bar				
A new approach for evaluation of risk priorities of failure modes in FMEA	Franceschini, F; Galetto, M	2001 - 39(13)	93	www.tandfonline.com/10.1080/00207540110056162
A genetic algorithm for manufacturing cell formation with multiple routes and multiple objectives	Zhao, CW; Wu, ZM	2000 - 38(2)	93	www.tandfonline.com/10.1080/002075400189473
Green QFD-II: a life cycle approach for environmentally conscious manufacturing by integrating LCA and LCC into QFD matrices	Zhang, Y; Wang, HP; Zhang, C	1999 - 37(5)	93	www.tandfonline.com/10.1080/002075499191418
MULTIPLE ROUTEINGS AND CAPACITY CONSIDERATIONS IN GROUP TECHNOLOGY APPLICATIONS	NAGI, R; HARHALAKIS, G; PROTH, JM	1990 - 28(12)	93	www.tandfonline.com/10.1080/00207549008942864
Leanness assessment using multi-grade fuzzy approach	Vinodh, S; Chintha, SK	2011 - 49(2)	92	www.tandfonline.com/10.1080/00207540903471494
Optimal part deposition orientation in FDM by using a multicriteria genetic algorithm	Pandey, PM; Thrimurthulu, K; Reddy, NV	2004 - 42(19)	92	www.tandfonline.com/10.1080/00207540410001708470
Improved SPC chart pattern recognition using statistical features	Hassan, A; Baksh, MSN; Shaharoun, AM; Jamaluddin, H	2003 - 41(7)	92	www.tandfonline.com/10.1080/0020754021000049844
Job shop scheduling with a genetic algorithm and machine learning	Lee, CY; Piramuthu, S; Tsai, YK	1997 - 35(4)	92	www.tandfonline.com/10.1080/002075497195605



International Journal of Production Research

Articles cited 60 times or more



DISPATCHING RULES IN SCHEDULING - A FUZZY APPROACH	GRABOT, B; GENESTE, L	1994 - 32(4)	92	www.tandfonline.com/10.1080/00207549408956978
THEORY OF CONSTRAINTS AND LINEAR-PROGRAMMING - A COMPARISON	LUEBBE, R; FINCH, B	1992 - 30(6)	92	www.tandfonline.com/10.1080/00207549208942967
Development of robust design-for-remanufacturing guidelines to further the aims of sustainable development	Ijomah, WL; McMahon, CA; Hammond, GP; Newman, ST	2007 - 45(18-19)	91	www.tandfonline.com/10.1080/00207540701450138
Mixed-Integer Linear Programming approaches to shelf-life-integrated planning and scheduling in yoghurt production	Entrup, ML; Gunther, HO; Van Beek, P; Grunow, M; Seiler, T	2005 - 43(23)	91	www.tandfonline.com/10.1080/00207540500161068
Disassembly sequence plan generation using a branch-and-bound algorithm	Gungor, A; Gupta, SM	2001 - 39(3)	91	www.tandfonline.com/10.1080/00207540010002838
The mixed-model U-line balancing problem	Sparling, D; Miltenburg, J	1998 - 36(2)	91	www.tandfonline.com/10.1080/002075498193859
Total quality management in the supply chain: What is its impact on performance?	Forker, LB; Mendez, D; Hershauer, JC	1997 - 35(6)	91	www.tandfonline.com/10.1080/002075497195209
DYNAMIC RULES FOR DUE-DATE ASSIGNMENT	VIG, MM; DOOLEY, KJ	1991 - 29(7)	91	www.tandfonline.com/10.1080/00207549108948016
A HAMILTONIAN PATH APPROACH TO REORDERING THE PART-MACHINE	ASKIN, RG; CRESSWELL, SH; GOLDBERG, JB; VAKHARIA, AJ	1991 - 29(6)	91	www.tandfonline.com/10.1080/00207549108930121



International Journal of Production Research

Articles cited 60 times or more



MATRIX FOR CELLULAR MANUFACTURING				
Supply network topology and robustness against disruptions - an investigation using multi-agent model	Nair, A; Vidal, JM	2011 - 49(5)	90	www.tandfonline.com/10.1080/00207543.2010.518744
Grouping and selecting products: the design key of Reconfigurable Manufacturing Systems (RMSs)	Abdi, MR; Labib, AW	2004 - 42(3)	90	www.tandfonline.com/10.1080/00207540310001613665
ON MEASURES OF FLEXIBILITY IN MANUFACTURING SYSTEMS	BRILL, PH; MANDELBAUM, M	1989 - 27(5)	90	www.tandfonline.com/10.1080/00207548908942584
Low-Certainty-Need (LCN) supply chains: a new perspective in managing disruption risks and resilience	Ivanov, D; Dolgui, A	2019 - 57(15-16)	89	www.tandfonline.com/10.1080/00207543.2018.1521025
Change process: a key enabler for building resilient SMEs	Ates, A; Bititci, U	2011 - 49(18)	89	www.tandfonline.com/10.1080/00207543.2011.563825
Relationship building, lean strategy and firm performance: an exploratory study in the automotive supplier industry	Jayaram, J; Vickery, S; Droge, C	2008 - 46(20)	89	www.tandfonline.com/10.1080/00207540701429942
MACHINE LAYOUT - AN OPTIMIZATION AND KNOWLEDGE-BASED APPROACH	HERAGU, SS; KUSIAK, A	1990 - 28(4)	89	www.tandfonline.com/10.1080/00207549008942744



International Journal of Production Research

Articles cited 60 times or more



Distributed manufacturing: scope, challenges and opportunities	Srai, JS; Kumar, M; Graham, G; Phillips, W; Tooze, J; Ford, S; Beecher, P; Raj, B; Gregory, M; Tiwari, MK; Ravi, B; Neely, A; Shankar, R; Charnley, F; Tiwari, A	2016 - 54(23)	88	www.tandfonline.com/10.1080/00207543.2016.1192302
Lean, Six Sigma and Lean Six Sigma: an analysis based on operations strategy	Drohomeretski, E; da Costa, SEG; de Lima, EP; Garbuio, PAD	2014 - 52(3)	88	www.tandfonline.com/10.1080/00207543.2013.842015
Data driven bottleneck detection of manufacturing systems	Li, L; Chang, Q; Ni, J	2009 - 47(18)	88	www.tandfonline.com/10.1080/00207540701881860
From Critical Success Factors to Critical Success Processes	Zwikaël, O; Globerson, S	2006 - 44(17)	88	www.tandfonline.com/10.1080/00207540500536921
SEQUENCING MIXED-MODEL ASSEMBLY LINES TO LEVEL PARTS USAGE AND MINIMIZE LINE LENGTH	BARD, JF; SHTUB, A; JOSHI, SB	1994 - 32(10)	88	www.tandfonline.com/10.1080/00207549408957076
2 NEW RULES TO MINIMIZE TARDINESS IN A JOB SHOP	ANDERSON, EJ; NYIRENDA, JC	1990 - 28(12)	88	www.tandfonline.com/10.1080/00207549008942866
INTEGRATED DESIGN OF CELLULAR MANUFACTURING SYSTEMS IN THE PRESENCE OF ALTERNATIVE PROCESS PLANS	RAJAMANI, D; SINGH, N; ANEJA, YP	1990 - 28(8)	88	www.tandfonline.com/10.1080/00207549008942811
ON ASSESSMENT OF GEOMETRIC ERRORS	SHUNMUGAM, MS	1986 - 24(2)	88	www.tandfonline.com/10.1080/00207548608919738



International Journal of Production Research

Articles cited 60 times or more



From value stream mapping toward a lean/sigma continuous improvement process: an industrial case study	Chen, JC; Li, Y; Shady, BD	2010 - 48(4)	87	www.tandfonline.com/10.1080/00207540802484911
Integrated process planning and scheduling/rescheduling - an agent-based approach	Wong, TN; Leungy, CW; Mak, KL; Fung, RYK	2006 - 44(18-19)	87	www.tandfonline.com/10.1080/00207540600675801
Analysing supply chain performance using a balanced measurement method	Bullinger, HJ; Kuhner, M; Van Hoof, A	2002 - 40(15)	87	www.tandfonline.com/10.1080/00207540210161669
Process capability analysis for an entire product	Chen, KS; Huang, ML; Li, RK	2001 - 39(17)	87	www.tandfonline.com/10.1080/00207540110073082
Strategic, tactical and operational decisions in multi-national logistics networks: a review and discussion of modelling issues	Schmidt, G; Wilhelm, WE	2000 - 38(7)	87	www.tandfonline.com/10.1080/002075400188690
A review of the modern approaches to multi-criteria cell design	Mansouri, SA; Hussein, SMM; Newman, ST	2000 - 38(5)	87	www.tandfonline.com/10.1080/002075400189095
Predictable scheduling of a single machine with breakdowns and sensitive jobs	O'Donovan, R; Uzsoy, R; McKay, KN	1999 - 37(18)	87	www.tandfonline.com/10.1080/002075499189745
QUANTITY DISCOUNT DECISIONS UNDER CONDITIONS OF MULTIPLE ITEMS, MULTIPLE SUPPLIERS AND RESOURCE LIMITATIONS	BENTON, WC	1991 - 29(10)	87	www.tandfonline.com/10.1080/00207549108948060



International Journal of Production Research

Articles cited 60 times or more



A FUZZY CLUSTERING APPROACH TO MANUFACTURING CELL-FORMATION	CHU, CH; HAYYA, JC	1991 - 29(7)	87	www.tandfonline.com/10.1080/00207549108948024
A SIMULATION COMPARISON OF GROUP TECHNOLOGY WITH TRADITIONAL JOB SHOP MANUFACTURING	FLYNN, BB; JACOBS, FR	1986 - 24(5)	87	www.tandfonline.com/10.1080/00207548608919795
INVENTORY REPLENISHMENT POLICIES FOR DETERIORATING ITEMS IN A DECLINING MARKET	HOLLIER, RH; MAK, KL	1983 - 21(6)	87	www.tandfonline.com/10.1080/00207548308942414
Revealing interfaces of supply chain resilience and sustainability: a simulation study	Ivanov, D	2018 - 56(10)	86	www.tandfonline.com/10.1080/00207543.2017.1343507
Practical common weight multi-criteria decision-making approach with an improved discriminating power for technology selection	Karsak, EE; Ahiska, SS	2005 - 43(8)	86	www.tandfonline.com/10.1080/13528160412331326478
Petri net models of flexible and automated manufacturing systems: A survey	Moore, KE; Gupta, SM	1996 - 34(11)	86	www.tandfonline.com/10.1080/00207549608905075
ROLLING HORIZON PROCEDURES FOR DYNAMIC PARALLEL MACHINE SCHEDULING WITH SEQUENCE-DEPENDENT SETUP TIMES	OVACIK, IM; UZSOY, R	1995 - 33(11)	86	www.tandfonline.com/10.1080/00207549508904867



International Journal of Production Research

Articles cited 60 times or more



IMPACT OF SEQUENCE-DEPENDENT SETUP TIME ON JOB-SHOP SCHEDULING PERFORMANCE	KIM, SC; BOBROWSKI, PM	1994 - 32(7)	86	www.tandfonline.com/10.1080/00207549408957019
EFFICIENT ORGANIZING OF DESIGN ACTIVITIES	KUSIAK, A; WANG, J	1993 - 31(4)	86	www.tandfonline.com/10.1080/00207549308956755
JOB SHOP SCHEDULING WITH ALTERNATIVE MACHINES	NASR, N; ELSAYED, EA	1990 - 28(9)	86	www.tandfonline.com/10.1080/00207549008942818
Scheduling in production, supply chain and Industry 4.0 systems by optimal control: fundamentals, state-of-the-art and applications	Dolgui, A; Ivanov, D; Sethi, SP; Sokolov, B	2019 - 57(2)	85	www.tandfonline.com/10.1080/00207543.2018.1442948
Leading scholars in Production Research for the 55th volume anniversary of IJPR	Dolgui, A	2018 - 56(1-2)	85	www.tandfonline.com/10.1080/00207543.2018.1429119
Supply chain disruption risk management through strategic information acquisition and sharing and risk-sharing contracts	Wakolbinger, T; Cruz, JM	2011 - 49(13)	85	www.tandfonline.com/10.1080/00207543.2010.501550
Mapping the future of supply chain management: a Delphi study	Melnyk, SA; Lummus, RR; Vokurka, RJ; Burns, LJ; Sandor, J	2009 - 47(16)	85	www.tandfonline.com/10.1080/00207540802014700
Different initial sequences for the heuristic of Nawaz, Enscore and Ham to minimize makespan, idle time or flowtime in the static permutation flowshop sequencing problem	Framinan, JM; Leisten, R; Rajendran, C	2003 - 41(1)	85	www.tandfonline.com/10.1080/00207540210161650



International Journal of Production Research

Articles cited 60 times or more



New dispatching rules for shop scheduling: a step forward	Jayamohan, MS; Rajendran, C	2000 - 38(3)	85	www.tandfonline.com/10.1080/002075400189301
Manufacturing cells design with alternative process plans and/or replicate machines	Sofianopoulou, S	1999 - 37(3)	85	www.tandfonline.com/10.1080/002075499191742
OSL OPTIMAL SINGLE-LOOP GUIDE PATHS FOR AGVS	TANCHOCO, JMA; SINRIECH, D	1992 - 30(3)	85	www.tandfonline.com/10.1080/00207549208942917
ON THE ECONOMIC ORDERING QUANTITY FOR JOINTLY REPLENISHED ITEMS	KASPI, M; ROSENBLATT, MJ	1991 - 29(1)	85	www.tandfonline.com/10.1080/00207549108930051
A ROBUSTNESS APPROACH TO FACILITIES DESIGN	ROSENBLATT, MJ; LEE, HL	1987 - 25(4)	85	www.tandfonline.com/10.1080/00207548708919855
A review of decision-support tools and performance measurement and sustainable supply chain management	Taticchi, P; Garengo, P; Nudurupati, SS; Tonelli, F; Pasqualino, R	2015 - 53(21)	84	www.tandfonline.com/10.1080/00207543.2014.939239
Multi-agent systems applications in manufacturing systems and supply chain management: a review paper	Lee, JH; Kimz, CO	2008 - 46(1)	84	www.tandfonline.com/10.1080/00207540701441921
Analysing the effects of Lean manufacturing using a value stream mapping-based simulation generator	Lian, YH; van Landeghem, H	2007 - 45(13)	84	www.tandfonline.com/10.1080/00207540600791590



International Journal of Production Research

Articles cited 60 times or more



Multiprocessor task scheduling in multistage hybrid flow-shops: an ant colony system approach	Ying, KC; Lin, SW	2006 - 44(16)	84	www.tandfonline.com/10.1080/00207540500536939
Designing production systems for quality: research opportunities from an automotive industry perspective	Inman, RR; Blumenfeld, DE; Huang, NJ; Li, JS	2003 - 41(9)	84	www.tandfonline.com/10.1080/0020754031000077293
UEML: towards a unified enterprise modelling language	Vernadat, F	2002 - 40(17)	84	www.tandfonline.com/10.1080/00207540210159626
Balancing of U-type assembly systems using simulated annealing	Erel, E; Sabuncuoglu, I; Aksu, BA	2001 - 39(13)	84	www.tandfonline.com/10.1080/00207540110051905
A real-time scheduling mechanism for a flexible manufacturing system: using simulation and dispatching rules	Jeong, KC; Kim, YD	1998 - 36(9)	84	www.tandfonline.com/10.1080/002075498192733
Game-theoretical analysis for supply chain with consumer preference to low carbon	Du, SF; Zhu, J; Jiao, HF; Ye, WY	2015 - 53(12)	83	www.tandfonline.com/10.1080/00207543.2014.988888
On the Bullwhip Avoidance Phase: supply chain collaboration and order smoothing	Cannella, S; Ciancimino, E	2010 - 48(22)	83	www.tandfonline.com/10.1080/00207540903252308
A genetic algorithm for flexible job shop scheduling with fuzzy processing time	Lei, DM	2010 - 48(10)	83	www.tandfonline.com/10.1080/00207540902814348
Another look at the single-vendor single-buyer integrated production-inventory problem	Hill, RM; Omar, M	2006 - 44(4)	83	www.tandfonline.com/10.1080/00207540500334285



International Journal of Production Research

Articles cited 60 times or more



Distance-based fuzzy MCDM approach for evaluating flexible manufacturing system alternatives	Karsak, EE	2002 - 40(13)	83	www.tandfonline.com/10.1080/00207540210146062
Forecasting errors and the value of information sharing in a supply chain	Zhao, XD; Xie, JX	2002 - 40(2)	83	www.tandfonline.com/10.1080/00207540110079121
Solving machine loading problems in a flexible manufacturing system using a genetic algorithm based heuristic approach	Tiwari, MK; Vidyarthi, NK	2000 - 38(14)	83	www.tandfonline.com/10.1080/002075400418298
Buyer-supplier operational practices, sourcing policies and plant performances: Results of an empirical research	De Toni, A; Nassimbeni, G	1999 - 37(3)	83	www.tandfonline.com/10.1080/002075499191698
Static neural network process models: considerations and case studies	Coit, DW; Jackson, BT; Smith, AE	1998 - 36(11)	83	www.tandfonline.com/10.1080/002075498192229
A CLUSTERING-ALGORITHM FOR MACHINE CELL-FORMATION IN GROUP TECHNOLOGY USING MINIMUM SPANNING-TREES	SRINIVASAN, G	1994 - 32(9)	83	www.tandfonline.com/10.1080/00207549408957064
CONTROL CHARTS FOR PROCESS AVERAGE AND VARIABILITY BASED ON LINGUISTIC DATA	KANAGAWA, A; TAMAKI, F; OHTA, H	1993 - 31(4)	83	www.tandfonline.com/10.1080/00207549308956765



International Journal of Production Research

Articles cited 60 times or more



EVALUATING THE IMPACT OF OPERATING ENVIRONMENTS ON MRP SYSTEM NERVOUSNESS	HO, CJ	1989 - 27(7)	83	www.tandfonline.com/10.1080/00207548908942611
A NOTE ON THE SIMILARITY COEFFICIENT METHOD AND THE PROBLEM OF IMPROPER MACHINE ASSIGNMENT IN GROUP TECHNOLOGY APPLICATIONS	SEIFODDINI, H	1989 - 27(7)	83	www.tandfonline.com/10.1080/00207548908942614
FLEXIBILITY IN MANUFACTURING SYSTEMS - DEFINITIONS AND PETRI NET MODELING	BARAD, M; SIPPER, D	1988 - 26(2)	83	www.tandfonline.com/10.1080/00207548808947856
THE USE OF SIMILARITY COEFFICIENTS IN PRODUCTION FLOW ANALYSIS	DEWITTE, J	1980 - 18(4)	83	www.tandfonline.com/10.1080/00207548008919686
Impact of risk management on project performance: the importance of soft skills	de Carvalho, MM; Rabechini, R	2015 - 53(2)	82	www.tandfonline.com/10.1080/00207543.2014.919423
A mixed integer programming model for a closed-loop supply-chain network	Ozceylan, E; Paksoy, T	2013 - 51(3)	82	www.tandfonline.com/10.1080/00207543.2012.661090
Optimal configuration selection for reconfigurable manufacturing system using NSGA II and TOPSIS	Goyal, KK; Jain, PK; Jain, M	2012 - 50(15)	82	www.tandfonline.com/10.1080/00207543.2011.599345



International Journal of Production Research

Articles cited 60 times or more



An integrated approach to evaluating conceptual design alternatives in a new product development environment	Ayag, Z	2005 - 43(4)	82	www.tandfonline.com/10.1080/00207540512331311831
Manufacturing productivity improvement using effectiveness metrics and simulation analysis	Huang, SH; Dismukes, JP; Shi, J; Su, Q; Razzak, MA; Bodhale, R; Robinson, DE	2003 - 41(3)	82	www.tandfonline.com/10.1080/0020754021000042391
The stability of supply chains	Riddalls, CE; Bennett, S	2002 - 40(2)	82	www.tandfonline.com/10.1080/00207540110085629
Hotelling's T-2 control chart with variable sampling intervals	Aparisi, F; Haro, CL	2001 - 39(14)	82	www.tandfonline.com/10.1080/00207540110054597
Simulated annealing for parallel machine scheduling with earliness-tardiness penalties and sequence-dependent set-up times	Radhakrishnan, S; Ventura, JA	2000 - 38(10)	82	www.tandfonline.com/10.1080/00207540050028070
OPTIMAL FLOW PATH DESIGN OF UNIDIRECTIONAL AGV SYSTEMS	KASPI, M; TANCHOCO, JMA	1990 - 28(6)	82	www.tandfonline.com/10.1080/00207549008942772
Literature review on the 'Smart Factory' concept using bibliometric tools	Strozzi, F; Colicchia, C; Creazza, A; Noe, C	2017 - 55(22)	81	www.tandfonline.com/10.1080/00207543.2017.1326643
AHPSort: an AHP-based method for sorting problems	Ishizaka, A; Pearman, C; Nemery, P	2012 - 50(17)	81	www.tandfonline.com/10.1080/00207543.2012.657966
Analysing risks in supply networks to facilitate outsourcing decisions	Lockamy, A; McCormack, K	2010 - 48(2)	81	www.tandfonline.com/10.1080/00207540903175152



International Journal of Production Research

Articles cited 60 times or more



Postponement in supply chain risk management: a complexity perspective	Yang, B; Yang, Y	2010 - 48(7)	81	www.tandfonline.com/10.1080/00207540902791850
Internalisation of ISO 9000 standards: the antecedent role of functionalist and institutionalist drivers and performance implications	Nair, A; Prajogo, D	2009 - 47(16)	81	www.tandfonline.com/10.1080/00207540701871069
GROUP TECHNOLOGY IN THE UNITED-STATES MANUFACTURING-INDUSTRY - A SURVEY OF CURRENT PRACTICES	HYER, NL; WEMMERLOV, U	1989 - 27(8)	81	www.tandfonline.com/10.1080/00207548908942623
Supply chain disruption propagation: a systemic risk and normal accident theory perspective	Scheibe, KP; Blackhurst, J	2018 - 56(1-2)	80	www.tandfonline.com/10.1080/00207543.2017.1355123
A Fuzzy AHP and PROMETHEE method-based heuristic for disassembly line balancing problems	Avikal, S; Mishra, PK; Jain, R	2014 - 52(5)	80	www.tandfonline.com/10.1080/00207543.2013.831999
Information sharing and coordination mechanisms for managing uncertainty in supply chains: a simulation study	Datta, PP; Christopher, MG	2011 - 49(3)	80	www.tandfonline.com/10.1080/00207540903460216
A novel imperialist competitive algorithm for bi-criteria scheduling of the assembly flowshop problem	Shokrollahpour, E; Zandieh, M; Dorri, B	2011 - 49(11)	80	www.tandfonline.com/10.1080/00207540903536155



International Journal of Production Research

Articles cited 60 times or more



Status review and research strategies on product-service systems	Wang, PP; Ming, XG; Li, D; Kong, FB; Wang, L; Wu, ZY	2011 - 49(22)	80	www.tandfonline.com/10.1080/00207543.2010.535862
A multi-objective model for project portfolio selection to implement lean and Six Sigma concepts	Hu, G; Wang, L; Fetch, S; Bidanda, B	2008 - 46(23)	80	www.tandfonline.com/10.1080/00207540802230363
A particle swarm optimization algorithm for hybrid flow-shop scheduling with multiprocessor tasks	Tseng, CT; Liao, CJ	2008 - 46(17)	80	www.tandfonline.com/10.1080/00207540701294627
Industrialization as a key element of sustainable product-service solutions	Evans, S; Partidario, PJ; Lambert, J	2007 - 45(18-19)	80	www.tandfonline.com/10.1080/00207540701449999
Fuzzy multiple objective decision making approach to prioritize design requirements in quality function deployment	Karsak, EE	2004 - 42(18)	80	www.tandfonline.com/10.1080/00207540410001703998
Optimization design of control charts based on Taguchi's loss function and random process shifts	Wu, Z; Shamsuzzaman, M; Pan, ES	2004 - 42(2)	80	www.tandfonline.com/10.1081/00207540310001614169
Evaluating the end-of-life value of a product and improving it by redesign	Pnueli, Y; Zussman, E	1997 - 35(4)	80	www.tandfonline.com/10.1080/002075497195452
SCHEDULING RESCHEDULING IN THE MANUFACTURING OPERATING SYSTEM ENVIRONMENT	YAMAMOTO, M; NOF, SY	1985 - 23(4)	80	www.tandfonline.com/10.1080/00207548508904739



International Journal of Production Research

Articles cited 60 times or more



MANUFACTURING PLANT LOCATION ANALYSIS BY MULTIPLE ATTRIBUTE DECISION-MAKING .1. SINGLE-PLANT STRATEGY	YOON, KS; HWANG, CL	1985 - 23(2)	79	www.tandfonline.com/10.1080/00207548508904712
Does the ripple effect influence the bullwhip effect? An integrated analysis of structural and operational dynamics in the supply chain(dagger)	Dolgui, A; Ivanov, D; Rozhkov, M	2020 - 58(5)	78	www.tandfonline.com/10.1080/00207543.2019.1627438
Blockchain-oriented dynamic modelling of smart contract design and execution in the supply chain	Dolgui, A; Ivanov, D; Potryasaev, S; Sokolov, B; Ivanova, M; Werner, F	2020 - 58(7)	78	www.tandfonline.com/10.1080/00207543.2019.1627439
Fostering emergent resilience: the complex adaptive supply network of disaster relief	Day, JM	2014 - 52(7)	78	www.tandfonline.com/10.1080/00207543.2013.787496
Criteria for a lean organisation: development of a lean assessment tool	Pakdil, F; Leonard, KM	2014 - 52(15)	78	www.tandfonline.com/10.1080/00207543.2013.879614
A joint location and outsourcing sustainability analysis for a strategic offshoring decision	Dou, YJ; Sarkis, J	2010 - 48(2)	78	www.tandfonline.com/10.1080/00207540903175145
Minimizing makespan on parallel batch processing machines	Chang, PY; Damodaran, P; Melouk, S	2004 - 42(19)	78	www.tandfonline.com/10.1080/00207540410001711863



International Journal of Production Research

Articles cited 60 times or more



Worker assignment in cellular manufacturing considering technical and human skills	Norman, BA; Tharmmaphornphilas, W; Needy, KL; Bidanda, B; Warner, RC	2002 - 40(6)	78	www.tandfonline.com/10.1080/00207540110118082
Neural networks for cost estimation: simulations and pilot application	Bode, J	2000 - 38(6)	78	www.tandfonline.com/10.1080/002075400188825
A study of scheduling rules of flexible manufacturing systems: a simulation approach	Sabuncuoglu, I	1998 - 36(2)	78	www.tandfonline.com/10.1080/002075498193877
A parallel station heuristic for the mixed-model production line balancing problem	Askin, RG; Zhou, M	1997 - 35(11)	78	www.tandfonline.com/10.1080/002075497194309
THE PERFORMANCE OF PUSH AND PULL SYSTEMS - A SIMULATION AND COMPARATIVE-STUDY	SARKER, BR; FITZSIMMONS, JA	1989 - 27(10)	78	www.tandfonline.com/10.1080/00207548908942650
REVIEW OF OPERATOR MACHINE INTERFERENCE MODELS	STECKE, KE; ARONSON, JE	1985 - 23(1)	78	www.tandfonline.com/10.1080/00207548508904696
Minimising makespan in distributed permutation flowshops using a modified iterated greedy algorithm	Lin, SW; Ying, KC; Huang, CY	2013 - 51(16)	77	www.tandfonline.com/10.1080/00207543.2013.790571
Structural Equation Modelling of lean manufacturing practices	Vinodh, S; Joy, D	2012 - 50(6)	77	www.tandfonline.com/10.1080/00207543.2011.560203



International Journal of Production Research

Articles cited 60 times or more



A framework for assessing the use of lean production practices in manufacturing cells	Saurin, TA; Marodin, GA; Ribeiro, JLD	2011 - 49(11)	77	www.tandfonline.com/10.1080/00207543.2010.482567
Supplier development: communication approaches, activities and goals	Wagner, SM; Krause, DR	2009 - 47(12)	77	www.tandfonline.com/10.1080/00207540701740074
A genetic algorithm approach to the integrated inventory-distribution problem	Abdelmaguid, TF; Dessouky, MM	2006 - 44(21)	77	www.tandfonline.com/10.1080/00207540600597138
A framework to review the information integration of the enterprise	Giachetti, RE	2004 - 42(6)	77	www.tandfonline.com/10.1080/00207540310001622430
A heuristic methodology for order distribution in a demand driven collaborative supply chain	Chan, FTS; Chung, SH; Wadhwa, S	2004 - 42(1)	77	www.tandfonline.com/10.1080/0020754031000103293
Practical considerations in the optimization of flow production systems	Tempelmeier, H	2003 - 41(1)	77	www.tandfonline.com/10.1080/00207540210161641
Setting WIP levels with statistical throughput control (STC) in CONWIP production lines	Hopp, WJ; Roof, ML	1998 - 36(4)	77	www.tandfonline.com/10.1080/002075498193435
Scheduling hybrid flowshops to minimize maximum tardiness or maximum completion time	Guinet, AGP; Solomon, MM	1996 - 34(6)	77	www.tandfonline.com/10.1080/00207549608904988
DETERMINATION OF OPTIMAL SUBDIVISION OF DEPTH OF CUT IN	GUPTA, R; BATRA, JL; LAL, GK	1995 - 33(9)	77	www.tandfonline.com/10.1080/00207549508904831



International Journal of Production Research

Articles cited 60 times or more



MULTIPASS TURNING WITH CONSTRAINTS				
Simulation-based ripple effect modelling in the supply chain	Ivanov, D	2017 - 55(7)	76	www.tandfonline.com/10.1080/00207543.2016.1275873
Performance-based contracting: a literature review and future research directions	Selviaridis, K; Wynstra, F	2015 - 53(12)	76	www.tandfonline.com/10.1080/00207543.2014.978031
An exact solution approach for disassembly line balancing problem under uncertainty of the task processing times	Bentaha, ML; Battaia, O; Dolgui, A	2015 - 53(6)	76	www.tandfonline.com/10.1080/00207543.2014.961212
Analytical model to estimate performances of autonomous vehicle storage and retrieval systems for product totes	Marchet, G; Melacini, M; Perotti, S; Tappia, E	2012 - 50(24)	76	www.tandfonline.com/10.1080/00207543.2011.639815
Strategic purchasing, supply management practices and buyer performance improvement: an empirical study of UK manufacturing organisations	Lawson, B; Cousins, PD; Handfield, RB; Petersen, KJ	2009 - 47(10)	76	www.tandfonline.com/10.1080/00207540701694313
The integration of the standards systems of quality management, environmental management and occupational health and safety management	Matias, JCD; Coelho, DA	2002 - 40(15)	76	www.tandfonline.com/10.1080/00207540210155828
Theory of constraints - a status report	Blackstone, JH	2001 - 39(6)	76	www.tandfonline.com/10.1080/00207540010028119



International Journal of Production Research

Articles cited 60 times or more



A stochastic model of a reconfigurable manufacturing system Part 1: A framework	Zhao, XB; Wang, JC; Luo, ZB	2000 - 38(10)	76	www.tandfonline.com/10.1080/00207540050028098
Modelling, measurement and evaluation of sequencing flexibility in manufacturing systems	Benjaafar, S; Ramakrishnan, R	1996 - 34(5)	76	www.tandfonline.com/10.1080/00207549608904961
PART FAMILY FORMATION FOR GT APPLICATIONS BASED ON FUZZY MATHEMATICS	XU, HP; WANG, HPB	1989 - 27(9)	76	www.tandfonline.com/10.1080/00207548908942644
A branch-and-cut algorithm for the multi-product multi-vehicle inventory-routing problem	Coelho, LC; Laporte, G	2013 - 51(23-24)	75	www.tandfonline.com/10.1080/00207543.2012.757668
When does lean hurt? - an exploration of lean practices and worker health and safety outcomes	Longoni, A; Pagell, M; Johnston, D; Veltri, A	2013 - 51(11)	75	www.tandfonline.com/10.1080/00207543.2013.765072
Analysis of flexible decision strategies for sustainability-focused green product recovery system	Mangla, S; Madaan, J; Chan, FTS	2013 - 51(11)	75	www.tandfonline.com/10.1080/00207543.2013.774493
U-shaped assembly line balancing problem with genetic algorithm	Hwang, RK; Katayama, H; Gen, M	2008 - 46(16)	75	www.tandfonline.com/10.1080/00207540701247906
Relationship between total productive maintenance and performance	Brah, SA; Chong, WK	2004 - 42(12)	75	www.tandfonline.com/10.1080/00207540410001661418



International Journal of Production Research

Articles cited 60 times or more



Just-in-time purchasing: an integrated inventory model involving deterministic variable lead time and quality improvement investment	Yang, JS; Pan, JCH	2004 - 42(5)	75	www.tandfonline.com/10.1080/00207540310001632448
Automatic sampling for CMM inspection planning of free-form surfaces	Elkott, DF; Elmaraghy, HA; Elmaraghy, WH	2002 - 40(11)	75	www.tandfonline.com/10.1080/00207540210133435
Optimization of multipass turning operations with genetic algorithms	Onwubolu, GC; Kumalo, T	2001 - 39(16)	75	www.tandfonline.com/10.1080/00207540110056153
A genetic algorithm approach for multiple criteria facility layout design	Islir, AA	1998 - 36(6)	75	www.tandfonline.com/10.1080/002075498193165
Hotelling's T-2 control chart with adaptive sample sizes	Aparisi, F	1996 - 34(10)	75	www.tandfonline.com/10.1080/00207549608905062
TRAVEL-TIME MODELS CONSIDERING THE OPERATING CHARACTERISTICS OF THE STORAGE AND RETRIEVAL MACHINE	HWANG, H; LEE, SB	1990 - 28(10)	75	www.tandfonline.com/10.1080/00207549008942833
EFFECT OF SERVICE-LEVELS ON ORDER-POINTS OR ORDER-LEVELS IN INVENTORY MODELS	SCHNEIDER, H	1981 - 19(6)	75	www.tandfonline.com/10.1080/00207548108956694
Mitigating supply chain disruptions through interconnected logistics services in the Physical Internet	Yang, YY; Pan, SL; Ballot, E	2017 - 55(14)	74	www.tandfonline.com/10.1080/00207543.2016.1223379



International Journal of Production Research

Articles cited 60 times or more



An integrated aggregate and detailed planning in a multi-site production environment using linear programming	Kanyalkar, AP; Adil, GK	2005 - 43(20)	74	www.tandfonline.com/10.1080/00207540500142332
Uncertainty under MRP-planned manufacture: review and categorization	Koh, SCL; Saad, SM; Jones, MH	2002 - 40(10)	74	www.tandfonline.com/10.1080/00207540210136487
Application of new fuzzy-weighted average (NFWA) method to engineering design evaluation	Vanegas, LV; Labib, AW	2001 - 39(6)	74	www.tandfonline.com/10.1080/00207540010023592
Recognition of control chart concurrent patterns using a neural network approach	Guh, RS; Tannock, JDT	1999 - 37(8)	74	www.tandfonline.com/10.1080/002075499190987
Control chart for multivariate attribute processes	Lu, XS; Xie, M; Goh, TN; Lai, CD	1998 - 36(12)	74	www.tandfonline.com/10.1080/002075498192166
AUTOMATIC CUTTER SELECTION AND OPTIMAL CUTTER PATH GENERATION FOR PRISMATIC PARTS	BALA, M; CHANG, TC	1991 - 29(11)	74	www.tandfonline.com/10.1080/00207549108948076
COMMONALITY ANALYSIS - A LINEAR CELL CLUSTERING-ALGORITHM FOR GROUP TECHNOLOGY	WEI, JC; KERN, GM	1989 - 27(12)	74	www.tandfonline.com/10.1080/00207548908942674
A hierarchical fuzzy TOPSIS approach to assess improvement areas when implementing green supply chain initiatives	Wang, XJ; Chan, HK	2013 - 51(10)	73	www.tandfonline.com/10.1080/00207543.2012.754553



International Journal of Production Research

Articles cited 60 times or more



Production rescheduling for machine breakdown at a job shop	Dong, YH; Jang, J	2012 - 50(10)	73	www.tandfonline.com/10.1080/00207543.2011.579637
Multi-site production planning integrating procurement and distribution plans in multi-echelon supply chains: an interactive fuzzy goal programming approach	Torabi, SA; Hassini, E	2009 - 47(19)	73	www.tandfonline.com/10.1080/00207540801905460
Optimisation of traceability and operations planning: an integrated model for perishable food production	Wang, X; Li, D; O'Brien, C	2009 - 47(11)	73	www.tandfonline.com/10.1080/00207540701725075
Knowledge management in 21st century manufacturing	Gunasekaran, A; Ngai, EWT	2007 - 45(11)	73	www.tandfonline.com/10.1080/00207540601020429
Modelling and optimization of multiple-aspect RMS configurations	Youssef, AMA; Elmaraghy, HA	2006 - 44(22)	73	www.tandfonline.com/10.1080/00207540600620955
Design of negotiation protocols for multi-agent manufacturing systems	Krothapalli, NKC; Deshmukh, AV	1999 - 37(7)	73	www.tandfonline.com/10.1080/002075499191157
A GRAPH PARTITIONING PROCEDURE FOR MACHINE ASSIGNMENT AND CELL-FORMATION IN GROUP TECHNOLOGY	ASKIN, RG; CHIU, KHS	1990 - 28(8)	73	www.tandfonline.com/10.1080/00207549008942812
A critical balance: collaboration and security in the IT-enabled supply chain	Smith, GE; Watson, KJ; Baker, WH; Pokorski, JA	2007 - 45(11)	72	www.tandfonline.com/10.1080/00207540601020544



International Journal of Production Research

Articles cited 60 times or more



Employing dynamic fuzzy membership functions to assess environmental performance in the supplier selection process	Humphreys, P; McCloskey, A; Mclvory, R; Maguire, L; Glackin, C	2006 - 44(12)	72	www.tandfonline.com/10.1080/00207540500357476
Joint optimization of preventive maintenance and inventory control in a production line using simulation	Rezg, N; Xie, X; Mati, Y	2004 - 42(10)	72	www.tandfonline.com/10.1080/00207540310001638235
Design of double- and triple-sampling X-bar control charts using genetic algorithms	He, D; Grigoryan, A; Sigh, M	2002 - 40(6)	72	www.tandfonline.com/10.1080/00207540110118415
Enhancing the firm's performance through quality and supply base management: an empirical study	Tan, KC; Handfield, RB; Krause, DR	1998 - 36(10)	72	www.tandfonline.com/10.1080/002075498192490
A genetic algorithm for facility layout design in flexible manufacturing systems	Rajasekharan, M; Peters, BA; Yang, T	1998 - 36(1)	72	www.tandfonline.com/10.1080/002075498193958
DEFECTIVE UNITS IN A CONTINUOUS-REVIEW (S,Q) SYSTEM	PAKNEJAD, MJ; NASRI, F; AFFISCO, JF	1995 - 33(10)	72	www.tandfonline.com/10.1080/00207549508904844
VIRTUAL MANUFACTURING CELLS - EXPLOITING LAYOUT DESIGN AND INTERCELL FLOWS FOR THE MACHINE SHARING PROBLEM	IRANI, SA; CAVALIER, TM; COHEN, PH	1993 - 31(4)	72	www.tandfonline.com/10.1080/00207549308956757
MACHINE COMPONENT CELL-FORMATION IN GROUP	KAPARTHI, S; SURESH, NC	1992 - 30(6)	72	www.tandfonline.com/10.1080/00207549208942961



International Journal of Production Research

Articles cited 60 times or more



TECHNOLOGY - A NEURAL NETWORK APPROACH				
MACHINE PARAMETER SELECTION FOR TURNING WITH CONSTRAINTS - AN ANALYTICAL APPROACH BASED ON GEOMETRIC-PROGRAMMING	GOPALAKRISHNAN, B; ALKHAYYAL, F	1991 - 29(9)	72	www.tandfonline.com/10.1080/00207549108948056
Value creation through design for scalability of reconfigurable manufacturing systems	Koren, Y; Wang, WC; Gu, X	2017 - 55(5)	71	www.tandfonline.com/10.1080/00207543.2016.1145821
A bounded-search iterated greedy algorithm for the distributed permutation flowshop scheduling problem	Fernandez-Viagas, V; Framinan, JM	2015 - 53(4)	71	www.tandfonline.com/10.1080/00207543.2014.948578
Optimal condition based maintenance with imperfect information and the proportional hazards model	Ghasemi, A; Yacout, S; Ouali, MS	2007 - 45(4)	71	www.tandfonline.com/10.1080/00207540600596882
A control chart for the Gamma distribution as a model of time between events	Zhang, CW; Xie, M; Liu, JY; Goh, TN	2007 - 45(23)	71	www.tandfonline.com/10.1080/00207540701325082
A case study evaluating the ergonomic and productivity impacts of partial automation strategies in the electronics industry	Neumann, WP; Kihlberg, S; Medbo, P; Mathiassen, SE; Winkel, J	2002 - 40(16)	71	www.tandfonline.com/10.1080/00207540210148862
Evaluation of a three-state adaptive sample size (X)over-bar control chart	Zimmer, LS; Montgomery, DC; Runger, GC	1998 - 36(3)	71	www.tandfonline.com/10.1080/002075498193660



International Journal of Production Research

Articles cited 60 times or more



QUADRATIC ASSIGNMENT ALGORITHMS FOR THE DYNAMIC LAYOUT PROBLEM	LACKSONEN, TA; ENSCORE, EE	1993 - 31(3)	71	www.tandfonline.com/10.1080/00207549308956741
Developing performance measurement system for Internet of Things and smart factory environment	Hwang, G; Lee, J; Park, J; Chang, TW	2017 - 55(9)	70	www.tandfonline.com/10.1080/00207543.2016.1245883
Creating resilient SMEs: why one size might not fit all	Sullivan-Taylor, B; Branicki, L	2011 - 49(18)	70	www.tandfonline.com/10.1080/00207543.2011.563837
Select supplier-related issues in modelling a dynamic supply chain: potential, challenges and direction for future research	Jain, V; Wadhwa, S; Deshmukh, SG	2009 - 47(11)	70	www.tandfonline.com/10.1080/00207540701769958
Treatment and recycling system optimisation with activity-based costing in WEEE reverse logistics management: an environmental supply chain perspective	Tsai, WH; Hung, SJ	2009 - 47(19)	70	www.tandfonline.com/10.1080/00207540801927183
Combinatorial optimization analysis of the unary NP-complete disassembly line balancing problem	McGovern, SM; Gupta, SM	2007 - 45(18-19)	70	www.tandfonline.com/10.1080/00207540701476281
Development of a performance measurement model for manufacturing companies using the AHP and TOPSIS approaches	Yurdakul, M; Ic, YT	2005 - 43(21)	70	www.tandfonline.com/10.1080/00207540500161746



International Journal of Production Research

Articles cited 60 times or more



Mathematical model for warehouse design and product allocation	Heragu, SS; Du, L; Mantel, RJ; Schuur, PC	2005 - 43(2)	70	www.tandfonline.com/10.1080/00207540412331285841
Modular product family design: agent-based Pareto-optimization and quality loss function-based post-optimal analysis	Rai, R; Allada, V	2003 - 41(17)	70	www.tandfonline.com/10.1080/0020754031000149248
Feature-based control chart pattern recognition	Pham, DT; Wani, MA	1997 - 35(7)	70	www.tandfonline.com/10.1080/002075497194967
ECONOMIC MANUFACTURING QUANTITY IN A JUST-IN-TIME DELIVERY SYSTEM	GOLHAR, DY; SARKER, BR	1992 - 30(5)	70	www.tandfonline.com/10.1080/00207549208942936
CLASS - COMPUTERIZED LAYOUT SOLUTIONS USING SIMULATED ANNEALING	JAJODIA, S; MINIS, I; HARHALAKIS, G; PROTH, JM	1992 - 30(1)	70	www.tandfonline.com/10.1080/00207549208942880
Understanding the Blockchain technology adoption in supply chains-Indian context	Kamble, S; Gunasekaran, A; Arha, H	2019 - 57(7)	69	www.tandfonline.com/10.1080/00207543.2018.1518610
Environmental sustainability and production: taking the road less travelled	Sarkis, J; Zhu, QY	2018 - 56(1-2)	69	www.tandfonline.com/10.1080/00207543.2017.1365182
Process comprehension for shopfloor manufacturing knowledge reuse	Zhang, XZ; Nassehi, A; Safaieh, M; Newman, ST	2013 - 51(23-24)	69	www.tandfonline.com/10.1080/00207543.2012.757669
The impact of total quality management on supply chain management and firm's supply performance	Vanichchinchai, A; Igel, B	2011 - 49(11)	69	www.tandfonline.com/10.1080/00207543.2010.492805



International Journal of Production Research

Articles cited 60 times or more



Design rules for implementing the Toyota Production System	Black, JT	2007 - 45(16)	69	www.tandfonline.com/10.1080/00207540701223469
Using a just-in-time selling strategy to strengthen supply chain linkages	Green, KW; Inman, RA	2005 - 43(16)	69	www.tandfonline.com/10.1080/00207540500118035
Liquid crystal display surface uniformity defect inspection using analysis of variance and exponentially weighted moving average techniques	Jiang, BC; Wang, CC; Liu, HC	2005 - 43(1)	69	www.tandfonline.com/10.1080/00207540412331285832
Managing innovation networks in the knowledge-driven economy	Bullinger, HJ; Auernhammer, K; Gomeringer, A	2004 - 42(17)	69	www.tandfonline.com/10.1080/00207540410001695970
A hybrid GA/heuristic approach to the simultaneous scheduling of machines and automated guided vehicles	Abdelmaguid, TF; Nassef, AO; Kamal, BA; Hassan, MF	2004 - 42(2)	69	www.tandfonline.com/10.1080/0020754032000123579
The effect of warehouse cross aisles on order picking efficiency	Vaughan, TS; Petersen, CG	1999 - 37(4)	69	www.tandfonline.com/10.1080/002075499191580
Tolerance design for products with asymmetric quality losses	Wu, CC; Tang, GR	1998 - 36(9)	69	www.tandfonline.com/10.1080/002075498192670
Dynamic selection of dispatching rules for manufacturing system scheduling.	Pierreval, H; Mebarki, N	1997 - 35(6)	69	www.tandfonline.com/10.1080/002075497195137
An evaluation of capacity planning techniques in a remanufacturing environment	Guide, VDR; Srivastava, R; Spencer, MS	1997 - 35(1)	69	www.tandfonline.com/10.1080/002075497195984



International Journal of Production Research

Articles cited 60 times or more



2-MACHINE AND 3-MACHINE FLOW-SHOP SCHEDULING PROBLEMS WITH EQUAL SIZED TRANSFER BATCHES	VICKSON, RG; ALFREDSSON, BE	1992 - 30(7)	69	www.tandfonline.com/10.1080/00207549208948107
OPTIMAL HYBRID PUSH-PULL CONTROL STRATEGIES FOR A PARALLEL MULTISTAGE SYSTEM .1.	HODGSON, TJ; WANG, DW	1991 - 29(6)	69	www.tandfonline.com/10.1080/00207549108930133
DELIBERATELY SLOWING DOWN OUTPUT IN A FAMILY PRODUCTION CONTEXT	SILVER, EA	1990 - 28(1)	69	www.tandfonline.com/10.1080/00207549008942681
AN EXPERIMENT INVESTIGATING THE APPLICATION OF CLUSTERING PROCEDURES AND SIMILARITY COEFFICIENTS TO THE GT MACHINE CELL-FORMATION PROBLEM	MOSIER, CT	1989 - 27(10)	69	www.tandfonline.com/10.1080/00207548908942656
A COMPARATIVE-ANALYSIS OF THE COVERT JOB SEQUENCING RULE USING VARIOUS SHOP PERFORMANCE-MEASURES	RUSSELL, RS; DAREL, EM; TAYLOR, BW	1987 - 25(10)	69	www.tandfonline.com/10.1080/00207548708919930
EFFECTIVENESS OF ALTERNATE OPERATIONS IN A FLEXIBLE MANUFACTURING SYSTEM	WILHELM, WE; SHIN, HM	1985 - 23(1)	69	www.tandfonline.com/10.1080/00207548508904691



International Journal of Production Research

Articles cited 60 times or more



FLEXIBILITY AND PRODUCTIVITY IN COMPLEX PRODUCTION PROCESSES	GUSTAVSSON, SO	1984 - 22(5)	69	www.tandfonline.com/10.1080/00207548408942500
The state of the art development of AHP (1979-2017): a literature review with a social network analysis	Emrouznejad, A; Marra, M	2017 - 55(22)	68	www.tandfonline.com/10.1080/00207543.2017.1334976
Incorporating risk measures in closed-loop supply chain network design	Soleimani, H; Seyyed-Esfahani, M; Kannan, G	2014 - 52(6)	68	www.tandfonline.com/10.1080/00207543.2013.849823
Antecedents of proactive supply chain risk management a contingency theory perspective	Grotsch, VM; Blome, C; Schleper, MC	2013 - 51(10)	68	www.tandfonline.com/10.1080/00207543.2012.746796
A multi-stage stochastic programming approach for production planning with uncertainty in the quality of raw materials and demand	Zanjani, MK; Nourelfath, M; Ait-Kadi, D	2010 - 48(16)	68	www.tandfonline.com/10.1080/00207540903055727
Supplier evaluation and selection: an augmented DEA approach	Wu, T; Blackhurst, J	2009 - 47(16)	68	www.tandfonline.com/10.1080/00207540802054227
Data mining: manufacturing and service applications	Kusiak, A	2006 - 44(18-19)	68	www.tandfonline.com/10.1080/00207540600632216
Fuzzy expected value modelling approach for determining target values of engineering characteristics in QFD	Chen, Y; Fung, RYK; Yang, J	2005 - 43(17)	68	www.tandfonline.com/10.1080/00207540500032046



International Journal of Production Research

Articles cited 60 times or more



Facility layout design in a changing environment	Kochhar, JS; Heragu, SS	1999 - 37(11)	68	www.tandfonline.com/10.1080/002075499190590
TABU SEARCH-BASED HEURISTICS FOR CELLULAR MANUFACTURING SYSTEMS IN THE PRESENCE OF ALTERNATIVE PROCESS PLANS	LOGENDRAN, R; RAMAKRISHNA, P; SRISKANDARAJAH, C	1994 - 32(2)	68	www.tandfonline.com/10.1080/00207549408956933
PRODUCT DESIGN IN A CONCURRENT ENGINEERING ENVIRONMENT - AN OPTIMIZATION APPROACH	DOWLATSHAHI, S	1992 - 30(8)	68	www.tandfonline.com/10.1080/00207549208948123
LOT-SIZING UNDER UNCERTAINTY IN A ROLLING SCHEDULE ENVIRONMENT	WEMMERLOV, U; WHYBARK, DC	1984 - 22(3)	68	www.tandfonline.com/10.1080/00207548408942467
Effects of carbon emission regulations on remanufacturing decisions with limited information of demand distribution	Liu, BY; Holmbom, M; Segerstedt, A; Chen, WD	2015 - 53(2)	67	www.tandfonline.com/10.1080/00207543.2014.957875
A logistics provider evaluation and selection methodology based on AHP, DEA and linear programming integration	Falsini, D; Fondi, F; Schiraldi, MM	2012 - 50(17)	67	www.tandfonline.com/10.1080/00207543.2012.657969
Supply chain networks with corporate social responsibility through integrated environmental decision-making	Cruz, JM; Matsypura, D	2009 - 47(3)	67	www.tandfonline.com/10.1080/00207540701513901



International Journal of Production Research

Articles cited 60 times or more



Using a multiple-GA method to solve the batch picking problem: considering travel distance and order due time	Tsai, CY; Liou, JJH; Huang, TM	2008 - 46(22)	67	www.tandfonline.com/10.1080/00207540701441947
Particle swarm optimization and differential evolution for the single machine total weighted tardiness problem	Tasgetiren, MF; Liang, YC; Sevkli, M; Gencyilmaz, G	2006 - 44(22)	67	www.tandfonline.com/10.1080/00207540600620849
Aggregate order release planning for time-varying demand	Missbauer, H	2002 - 40(3)	67	www.tandfonline.com/10.1080/00207540110090939
Key manufacturing capability elements and business performance	Corbett, LM; Claridge, GS	2002 - 40(1)	67	www.tandfonline.com/10.1080/00207540110073091
A hierarchical clustering methodology based on genetic programming for the solution of simple cell-formation problems	Dimopoulos, C; Mort, N	2001 - 39(1)	67	www.tandfonline.com/10.1080/00207540150208835
Rolling-horizon lot-sizing when set-up times are sequence-dependent	Clark, AR; Clark, SJ	2000 - 38(10)	67	www.tandfonline.com/10.1080/00207540050028106
Axiomatic design of flexible manufacturing systems	Babic, B	1999 - 37(5)	67	www.tandfonline.com/10.1080/002075499191454
Surface interrogation and machining strip evaluation for 5-axis CNC die and mold machining	Lee, YS; Ji, H	1997 - 35(1)	67	www.tandfonline.com/10.1080/002075497196064
A neural fuzzy control chart for detecting and classifying process mean shifts	Chang, SI; Aw, CA	1996 - 34(8)	67	www.tandfonline.com/10.1080/00207549608905024



International Journal of Production Research

Articles cited 60 times or more



Supply chain design: issues, challenges, frameworks and solutions	Melnyk, SA; Narasimhan, R; DeCampos, HA	2014 - 52(7)	66	www.tandfonline.com/10.1080/00207543.2013.787175
An integrated approach for machine tool selection using fuzzy analytical hierarchy process and grey relational analysis	Samvedi, A; Jain, V; Chan, FTS	2012 - 50(12)	66	www.tandfonline.com/10.1080/00207543.2011.560906
Six Sigma implementation framework for SMEs - a roadmap to manage and sustain the change	Kumar, M; Antony, J; Tiwari, MK	2011 - 49(18)	66	www.tandfonline.com/10.1080/00207543.2011.563836
A review of coordination studies in the context of supply chain dynamics	Chan, HK; Chan, FTS	2010 - 48(10)	66	www.tandfonline.com/10.1080/00207540902791843
Evaluation of value stream mapping in manufacturing system redesign	Serrano, I; Ochoa, C; De Castro, R	2008 - 46(16)	66	www.tandfonline.com/10.1080/00207540601182302
Development of a sustainable product lifecycle in manufacturing firms: a case study	Bevilacqua, M; Ciarapica, FE; Giacchetta, G	2007 - 45(18-19)	66	www.tandfonline.com/10.1080/00207540701439941
Integrating data mining and rough set for customer group-based discovery of product configuration rules	Shao, XY; Wang, ZH; Li, PG; Feng, CXJ	2006 - 44(14)	66	www.tandfonline.com/10.1080/00207540600675777
Flexible job-shop scheduling problem under resource constraints	Chan, FTS; Wong, TC; Chan, LY	2006 - 44(11)	66	www.tandfonline.com/10.1080/00207540500386012



International Journal of Production Research

Articles cited 60 times or more



The trade-off between stability and makespan in resource-constrained project scheduling	Van De Vonder, S; Demeulemeester, E; Herroelen, W; Leus, R	2006 - 44(2)	66	www.tandfonline.com/10.1080/00207540500140914
Multi-objective assembly line balancing via a modified ant colony optimization technique	McMullen, PR; Tarasewich, P	2006 - 44(1)	66	www.tandfonline.com/10.1080/00207540500216748
Interleaving dynamics in autonomous vehicle storage and retrieval systems	Malmborg, CJ	2003 - 41(5)	66	www.tandfonline.com/10.1080/0020754021000033887
Event-based controller to avoid deadlock and collisions in zone-control AGVS	Fanti, MP	2002 - 40(6)	66	www.tandfonline.com/10.1080/00207540110118073
CF-GGA: a grouping genetic algorithm for the cell formation problem	Brown, EC; Sumichrast, RT	2001 - 39(16)	66	www.tandfonline.com/10.1080/00207540110068781
Assembly planning with an ordering genetic algorithm	De Lit, P; Latinne, P; Rekiek, B; Delchambre, A	2001 - 39(16)	66	www.tandfonline.com/10.1080/00207540110056135
Global manufacturing: a review and a framework for planning in a global corporation	Pontrandolfo, P; Okogbaa, OG	1999 - 37(1)	66	www.tandfonline.com/10.1080/002075499191887
A MODIFIED SHIFTING BOTTLENECK PROCEDURE FOR JOB-SHOP SCHEDULING	DAUZEREPERES, S; LASSERRE, JB	1993 - 31(4)	66	www.tandfonline.com/10.1080/00207549308956766
THE EFFECT OF MACHINE BREAKDOWNS AND INTERSTAGE	HILLIER, FS; SO, KC	1991 - 29(10)	66	www.tandfonline.com/10.1080/00207549108948066



International Journal of Production Research

Articles cited 60 times or more



STORAGE ON THE PERFORMANCE OF PRODUCTION LINE SYSTEMS				
SOME SOLUTION METHODOLOGIES FOR LOADING PROBLEMS IN A FLEXIBLE MANUFACTURING SYSTEM	SHANKER, K; SRINIVASULU, A	1989 - 27(6)	66	www.tandfonline.com/10.1080/00207548908942605
A review on supply chain contracting with information considerations: information updating and information asymmetry	Shen, B; Choi, TM; Minner, S	2019 - 57(15-16)	65	www.tandfonline.com/10.1080/00207543.2018.1467062
Towards a lean automation interface for workstations	Kolberg, D; Knobloch, J; Zuhlke, D	2017 - 55(10)	65	www.tandfonline.com/10.1080/00207543.2016.1223384
Evaluation of green manufacturing practices using a hybrid MCDM model combining DANP with PROMETHEE	Govindan, K; Kannan, D; Shankar, M	2015 - 53(21)	65	www.tandfonline.com/10.1080/00207543.2014.898865
Newsvendor model for a dyadic supply chain with Nash bargaining fairness concerns	Du, SF; Nie, TF; Chu, CB; Yu, YG	2014 - 52(17)	65	www.tandfonline.com/10.1080/00207543.2014.895446
Understanding why firms should invest in sustainable supply chains: a complexity approach	Hall, J; Matos, S; Silvestre, B	2012 - 50(5)	65	www.tandfonline.com/10.1080/00207543.2011.571930
On reference models for collaborative networked organizations	Camarinha-Matos, LM; Afsarmanesh, H	2008 - 46(9)	65	www.tandfonline.com/10.1080/00207540701737666



International Journal of Production Research

Articles cited 60 times or more



Single machine multi-product capacitated lot sizing with sequence-dependent setups	Almada-Lobo, B; Klabjan, D; Carravilla, MA; Oliveira, JF	2007 - 45(20)	65	www.tandfonline.com/10.1080/00207540601094465
Weighted-loss-function CUSUM chart for monitoring mean and variance of a production process	Wu, Z; Tian, Y	2005 - 43(14)	65	www.tandfonline.com/10.1080/00207540500057639
Using Functional Virtual Population as assistance to learn scheduling knowledge in dynamic manufacturing environments	Li, DC; Chen, LS; Lin, YS	2003 - 41(17)	65	www.tandfonline.com/10.1080/0020754031000149211
Modelling and analysis of business process reengineering	Gunasekaran, A; Kobu, B	2002 - 40(11)	65	www.tandfonline.com/10.1080/00207540210132733
Modelling and optimization of a GMA welding process by genetic algorithm and response surface methodology	Kim, D; Rhee, S; Park, H	2002 - 40(7)	65	www.tandfonline.com/10.1080/00207540110119964
Solving large unconstrained multilevel lot-sizing problems using a hybrid genetic algorithm	Dellaert, N; Jeunet, J	2000 - 38(5)	65	www.tandfonline.com/10.1080/002075400189031
Optimal layout in low-level picker-to-part systems	Caron, F; Marchet, G; Perego, A	2000 - 38(1)	65	www.tandfonline.com/10.1080/002075400189608
Improving the product mix heuristic in the theory of constraints.	Fredendall, LD; Lea, BR	1997 - 35(6)	65	www.tandfonline.com/10.1080/002075497195100



International Journal of Production Research

Articles cited 60 times or more



A NEURAL-NETWORK-BASED CELL-FORMATION ALGORITHM IN CELLULAR MANUFACTURING	CHEN, SJ; CHENG, CS	1995 - 33(2)	65	www.tandfonline.com/10.1080/00207549508930150
SCHEDULING IN A CELLULAR MANUFACTURING SYSTEM - A SIMULATED ANNEALING APPROACH	SRIDHAR, J; RAJENDRAN, C	1993 - 31(12)	65	www.tandfonline.com/10.1080/00207549308956908
A ROBUST ADAPTIVE SCHEDULER FOR AN INTELLIGENT WORKSTATION CONTROLLER	CHO, H; WYSK, RA	1993 - 31(4)	65	www.tandfonline.com/10.1080/00207549308956756
ORDER ACCEPTANCE STRATEGIES IN A PRODUCTION-TO-ORDER ENVIRONMENT WITH SETUP TIMES AND DUE-DATES	WESTER, FAW; WIJNGAARD, J; ZIJM, WHM	1992 - 30(6)	65	www.tandfonline.com/10.1080/00207549208942959
Viability of intertwined supply networks: extending the supply chain resilience angles towards survivability. A position paper motivated by COVID-19 outbreak	Ivanov, D; Dolgui, A	2020 - 58(10)	64	www.tandfonline.com/10.1080/00207543.2020.1750727
Digital twin-driven product design framework	Tao, F; Sui, FY; Liu, A; Qi, QL; Zhang, M; Song, BY; Guo, ZR; Lu, SCY; Nee, AYC	2019 - 57(12)	64	www.tandfonline.com/10.1080/00207543.2018.1443229
Big data and supply chain decisions: the impact of volume, variety and velocity properties on the bullwhip effect	Hofmann, E	2017 - 55(17)	64	www.tandfonline.com/10.1080/00207543.2015.1061222



International Journal of Production Research

Articles cited 60 times or more



Dual-channel supply chain pricing decisions with a risk-averse retailer	Li, B; Chen, P; Li, QH; Wang, WG	2014 - 52(23)	64	www.tandfonline.com/10.1080/00207543.2014.939235
A review on manufacturing flexibility	Jain, A; Jain, PK; Chan, FTS; Singh, S	2013 - 51(19)	64	www.tandfonline.com/10.1080/00207543.2013.824627
The Distributed Assembly Permutation Flowshop Scheduling Problem	Hatami, S; Ruiz, R; Andres-Romano, C	2013 - 51(17)	64	www.tandfonline.com/10.1080/00207543.2013.807955
Development of a framework for the design of autonomous vehicle storage and retrieval systems	Marchet, G; Melacini, M; Perotti, S; Tappia, E	2013 - 51(14)	64	www.tandfonline.com/10.1080/00207543.2013.778430
Bi-objective partial flexible job shop scheduling problem: NSGA-II, NPGA, MOGA and PAES approaches	Rabiee, M; Zandieh, M; Ramezani, P	2012 - 50(24)	64	www.tandfonline.com/10.1080/00207543.2011.648280
Effect of information sharing in supply chains with flexibility	Chan, HK; Chan, FTS	2009 - 47(1)	64	www.tandfonline.com/10.1080/00207540600767764
Supply chain management practices as a mediator of the relationship between operations capability and firm performance	Hsu, CC; Tan, KC; Kannan, VR; Leong, GK	2009 - 47(3)	64	www.tandfonline.com/10.1080/00207540701452142
An efficient cycle time model for autonomous vehicle storage and retrieval systems	Fukunari, M; Malmberg, CJ	2008 - 46(12)	64	www.tandfonline.com/10.1080/00207540601118454



International Journal of Production Research

Articles cited 60 times or more



Manufacturing knowledge sharing in PLM: a progression towards the use of heavy weight ontologies	Young, RIM; Gunendran, AG; Cutting-Decelle, AF; Gruninger, M	2007 - 45(7)	64	www.tandfonline.com/10.1080/00207540600942268
Application of genetic algorithms in production and operations management: a review	Chaudhry, SS; Luo, W	2005 - 43(19)	64	www.tandfonline.com/10.1080/00207540500143199
Process monitoring for multiple count data using generalized linear model-based control charts	Skinner, KR; Montgomery, DC; Runger, GC	2003 - 41(6)	64	www.tandfonline.com/10.1080/00207540210163964
Integration of process planning and scheduling by exploring the flexibility of process planning	Zhang, YF; Saravanan, AN; Fuh, JYH	2003 - 41(3)	64	www.tandfonline.com/10.1080/0020754021000037874
Assessing computer numerical control machines using data envelopment analysis	Sun, S	2002 - 40(9)	64	www.tandfonline.com/10.1080/00207540210123634
A simulated annealing-based optimization algorithm for process planning	Ma, GH; Zhang, YF; Nee, AYC	2000 - 38(12)	64	www.tandfonline.com/10.1080/002075400411420
Simulation study of an automated storage/retrieval system	Van den Berg, JP; Gademann, AJRM	2000 - 38(6)	64	www.tandfonline.com/10.1080/002075400188889
Empirical findings on manufacturing cell design	Wemmerlov, U; Johnson, DJ	2000 - 38(3)	64	www.tandfonline.com/10.1080/002075400189275
Operation sequencing in CAPP using genetic algorithms	Reddy, SVB; Shunmugam, MS; Narendran, TT	1999 - 37(5)	64	www.tandfonline.com/10.1080/002075499191409



International Journal of Production Research

Articles cited 60 times or more



A TSP-based heuristic for forming machine groups and part families	Cheng, CH; Gupta, YP; Lee, WH; Wong, KF	1998 - 36(5)	64	www.tandfonline.com/10.1080/002075498193345
ON MEASUREMENT AND VALUATION OF MANUFACTURING FLEXIBILITY	GUPTA, D	1993 - 31(12)	64	www.tandfonline.com/10.1080/00207549308956909
QUALITY COSTS - A CRITIQUE OF SOME ECONOMIC COST OF QUALITY MODELS	PLUNKETT, JJ; DALE, BG	1988 - 26(11)	64	www.tandfonline.com/10.1080/00207548808947986
AN AGGREGATE PRODUCTION PLANNING-MODEL AND APPLICATION OF 3 MULTIPLE OBJECTIVE DECISION METHODS	MASUD, ASM; HWANG, CL	1980 - 18(6)	64	www.tandfonline.com/10.1080/00207548008919703
Digital twin-driven rapid individualised designing of automated flow-shop manufacturing system	Liu, Q; Zhang, H; Leng, JW; Chen, X	2019 - 57(12)	63	www.tandfonline.com/10.1080/00207543.2018.1471243
A supply chain sustainability innovation framework and evaluation methodology	Kusi-Sarpong, S; Gupta, H; Sarkis, J	2019 - 57(7)	63	www.tandfonline.com/10.1080/00207543.2018.1518607
Lean manufacturing in Brazilian small and medium enterprises: implementation and effect on performance	Godinho, M; Ganga, GMD; Gunasekaran, A	2016 - 54(24)	63	www.tandfonline.com/10.1080/00207543.2016.1201606
An evaluation framework for product planning using FANP, QFD and multi-choice goal programming	Lee, AHI; Kang, HY; Yang, CY; Lin, CY	2010 - 48(13)	63	www.tandfonline.com/10.1080/00207540902950845



International Journal of Production Research

Articles cited 60 times or more



State-of-the-art technologies and methodologies for collaborative product development systems	Li, WD; Qiu, ZM	2006 - 44(13)	63	www.tandfonline.com/10.1080/00207540500422080
Hybrid system dynamic-discrete event simulation-based architecture for hierarchical production planning	Venkateswaran, J; Son, YJ	2005 - 43(20)	63	www.tandfonline.com/10.1080/00207540500142472
Modelling a complex supply chain: understanding the effect of simplified assumptions	Hwang, HB; Chong, CSP; Xie, N; Burgess, TF	2005 - 43(13)	63	www.tandfonline.com/10.1080/00207540500066812
A polychromatic sets approach to the conceptual design of machine tools	Xu, L; Li, Z; Li, S; Tang, F	2005 - 43(12)	63	www.tandfonline.com/10.1080/00207540500047259
NURBS machining and feed rate adjustment for high-speed cutting of complex sculptured surfaces	Yau, HT; Kuo, MJ	2001 - 39(1)	63	www.tandfonline.com/10.1080/00207540010002360
Disassembly analysis for electromechanical products: a graph-based heuristic approach	Kuo, TC; Zhang, HC; Huang, SH	2000 - 38(5)	63	www.tandfonline.com/10.1080/002075400188988
Representation and selection of assembly sequences in computer-aided assembly process planning	Gottipolu, RB; Ghosh, K	1997 - 35(12)	63	www.tandfonline.com/10.1080/002075497194183
Product structure complexity and scheduling of operations in recoverable manufacturing	Guide, VDR; Srivastava, R; Kraus, ME	1997 - 35(11)	63	www.tandfonline.com/10.1080/002075497194345



International Journal of Production Research

Articles cited 60 times or more



CMM FEATURE ACCESSIBILITY AND PATH GENERATION	LIM, CP; MENQ, CH	1994 - 32(3)	63	www.tandfonline.com/10.1080/00207549408956955
A HEURISTIC RESCHEDULING ALGORITHM FOR COMPUTER-BASED PRODUCTION SCHEDULING SYSTEMS	LI, RK; SHYU, YT; ADIGA, S	1993 - 31(8)	63	www.tandfonline.com/10.1080/00207549308956824
A NEW CLASSIFICATION SCHEME FOR FLEXIBLE MANUFACTURING SYSTEMS	MACCARTHY, BL; LIU, JY	1993 - 31(2)	63	www.tandfonline.com/10.1080/00207549308956726
A NEURAL NETWORK SYSTEM FOR SHAPE-BASED CLASSIFICATION AND CODING OF ROTATIONAL PARTS	KAPARTHI, S; SURESH, NC	1991 - 29(9)	63	www.tandfonline.com/10.1080/00207549108948048
SETUP COST REDUCTION IN AN INVENTORY MODEL WITH FINITE-RANGE STOCHASTIC LEAD TIMES	NASRI, F; AFFISCO, JF; PAKNEJAD, MJ	1990 - 28(1)	63	www.tandfonline.com/10.1080/00207549008942693
MULTIPLE CRITERIA APPROACH TO THE FACILITIES LAYOUT PROBLEM	FORTENBERRY, JC; COX, JF	1985 - 23(4)	63	www.tandfonline.com/10.1080/00207548508904746
A shuffled frog-leaping algorithm for flexible job shop scheduling with the consideration of energy consumption	Lei, DM; Zheng, YL; Guo, XP	2017 - 55(11)	62	www.tandfonline.com/10.1080/00207543.2016.1262082
A structured review of quantitative models in the blood supply chain: a taxonomic framework for decision-making	Osorio, AF; Brailsford, SC; Smith, HK	2015 - 53(24)	62	www.tandfonline.com/10.1080/00207543.2015.1005766



International Journal of Production Research

Articles cited 60 times or more



Supply chain resilience: role of complexities and strategies	Gunasekaran, A; Subramanian, N; Rahman, S	2015 - 53(22)	62	www.tandfonline.com/10.1080/00207543.2015.1093667
Task-failure-driven rebalancing of disassembly lines	Altekin, FT; Akkan, C	2012 - 50(18)	62	www.tandfonline.com/10.1080/00207543.2011.616915
Optimising part feeding in the automotive assembly industry: deciding between kitting and line stocking	Limere, V; Van Landeghem, H; Goetschalckx, M; Aghezzaf, EH; McGinnis, LF	2012 - 50(15)	62	www.tandfonline.com/10.1080/00207543.2011.588625
Integrated analysis of quality and production logistics performance in manufacturing lines	Colledani, M; Tolio, T	2011 - 49(2)	62	www.tandfonline.com/10.1080/00207540903443246
Fuzzy logic based leanness assessment and its decision support system	Vinodh, S; Balaji, SR	2011 - 49(13)	62	www.tandfonline.com/10.1080/00207543.2010.492408
Stochastic multi-objective production-distribution network design using simulation-based optimization	Ding, HW; Benyoucef, L; Xie, XL	2009 - 47(2)	62	www.tandfonline.com/10.1080/00207540802426540
Optimal storage rack design for a 3-dimensional compact AS/RS	de Koster, RBM; Le-Duc, T; Yugang, Y	2008 - 46(6)	62	www.tandfonline.com/10.1080/00207540600957795
IT support in manufacturing firms for a knowledge management dynamic capability link to performance	Wang, E; Klein, G; Jiang, JJ	2007 - 45(11)	62	www.tandfonline.com/10.1080/00207540601020437
ANTBAL: an ant colony optimization algorithm for balancing mixed-model assembly lines with parallel workstations	Vilarinho, PM; Simaria, AS	2006 - 44(2)	62	www.tandfonline.com/10.1080/00207540500227612



International Journal of Production Research

Articles cited 60 times or more



Development of a production cost estimation framework to support product family design	Park, J; Simpson, TW	2005 - 43(4)	62	www.tandfonline.com/10.1080/00207540512331311903
An evolutionary approach for cooling system optimization in plastic injection moulding	Lam, YC; Zhai, LY; Tai, K; Fok, SC	2004 - 42(10)	62	www.tandfonline.com/10.1080/00207540310001622412
Forming effective worker teams for cellular manufacturing	Askin, RG; Huang, Y	2001 - 39(11)	62	www.tandfonline.com/10.1080/00207540110040466
Simulation analysis of dispatching rules for an automated interbay material handling system in wafer fab	Lin, JT; Wang, FK; Yen, PY	2001 - 39(6)	62	www.tandfonline.com/10.1080/00207540010005718
Solving cell formation problems in a manufacturing environment with flexible processing and routeing capabilities	Ho, YC; Moodie, CL	1996 - 34(10)	62	www.tandfonline.com/10.1080/00207549608905065
Scheduling using drum-buffer-rope in a remanufacturing environment	Guide, VDR	1996 - 34(4)	62	www.tandfonline.com/10.1080/00207549608904951
A FACILITY LAYOUT METHOD FOR FLEXIBLE MANUFACTURING SYSTEMS	DAS, SK	1993 - 31(2)	62	www.tandfonline.com/10.1080/00207549308956725
EFFECTS OF LOADING AND ROUTEING DECISIONS ON PERFORMANCE OF FLEXIBLE MANUFACTURING SYSTEMS	CHEN, IJ; CHUNG, CH	1991 - 29(11)	62	www.tandfonline.com/10.1080/00207549108948079



International Journal of Production Research

Articles cited 60 times or more



DETERMINING THE NUMBER OF KANBANS IN A MULTIPRODUCT, MULTISTAGE PRODUCTION SYSTEM	BARD, JF; GOLANY, B	1991 - 29(5)	62	www.tandfonline.com/10.1080/00207549108930108
DESIGN OF AN AUTOMATED GUIDED VEHICLE-BASED MATERIAL HANDLING-SYSTEM FOR A FLEXIBLE MANUFACTURING SYSTEM	MAHADEVAN, B; NARENDHAN, TT	1990 - 28(9)	62	www.tandfonline.com/10.1080/00207549008942819
SURFACE FINISH PREDICTION MODELS FOR FINE TURNING	MITAL, A; MEHTA, M	1988 - 26(12)	62	www.tandfonline.com/10.1080/00207548808948001
A STUDY OF JIT IMPLEMENTATION AND OPERATING PROBLEMS	CRAWFORD, KM; BLACKSTONE, JH; COX, JF	1988 - 26(9)	62	www.tandfonline.com/10.1080/00207548808947966
An improved artificial bee colony algorithm for addressing distributed flow shop with distance coefficient in a prefabricated system	Li, JQ; Bai, SC; Duan, PY; Sang, HY; Han, YY; Zheng, ZX	2019 - 57(22)	61	www.tandfonline.com/10.1080/00207543.2019.1571687
Closed loop supply chain network design and optimisation using fuzzy mixed integer linear programming model	Jindal, A; Sangwan, KS	2014 - 52(14)	61	www.tandfonline.com/10.1080/00207543.2013.861948
Flow shop rescheduling under different types of disruption	Katragjini, K; Vallada, E; Ruiz, R	2013 - 51(3)	61	www.tandfonline.com/10.1080/00207543.2012.666856
Condition based maintenance in the context of opportunistic maintenance	Koochaki, J; Bokhorst, JAC; Wortmann, H; Klingenberg, W	2012 - 50(23)	61	www.tandfonline.com/10.1080/00207543.2011.636924



International Journal of Production Research

Articles cited 60 times or more



A comparison of supply chain vulnerability indices for different categories of firms	Wagner, SM; Neshat, N	2012 - 50(11)	61	www.tandfonline.com/10.1080/00207543.2011.561540
Managing product quality risk in a multi-tier global supply chain	Tse, YK; Tan, KH	2011 - 49(1)	61	www.tandfonline.com/10.1080/00207543.2010.508942
Statistical process control for monitoring non-linear profiles using wavelet filtering and B-Spline approximation	Chang, SI; Yadama, S	2010 - 48(4)	61	www.tandfonline.com/10.1080/00207540802454799
Selection among ERP outsourcing alternatives using a fuzzy multi-criteria decision making methodology	Kahraman, C; Beskese, A; Kaya, I	2010 - 48(2)	61	www.tandfonline.com/10.1080/00207540903175095
Wavelet-based SPC procedure for complicated functional data	Jeong, MK; Lu, JC; Wang, N	2006 - 44(4)	61	www.tandfonline.com/10.1080/00207540500222647
Anticipation and flexibility in dynamic scheduling	Branke, J; Mattfeld, DC	2005 - 43(15)	61	www.tandfonline.com/10.1080/00207540500077140
A bill of materials-based approach for end-of-life decision making in design for the environment	Gonzalez, B; Adenso-Diaz, B	2005 - 43(10)	61	www.tandfonline.com/10.1080/00207540412331333423
Multicriteria decision-aid approach for product end-of-life alternative selection	Bufardi, A; Gheorghe, R; Kiritsis, D; Xirouchakis, P	2004 - 42(16)	61	www.tandfonline.com/10.1080/00207540410001699192
Tool condition monitoring in milling based on cutting forces by a neural network	Saglam, H; Unuvar, A	2003 - 41(7)	61	www.tandfonline.com/10.1080/0020754031000073017



International Journal of Production Research

Articles cited 60 times or more



A distributed multi-agent environment for product design and manufacturing planning	Sun, J; Zhang, YF; Nee, AYC	2001 - 39(4)	61	www.tandfonline.com/10.1080/00207540010004340
THE USE OF UPSTREAM AND DOWNSTREAM INFORMATION IN SCHEDULING SEMICONDUCTOR BATCH-OPERATIONS	ROBINSON, JK; FOWLER, JW; BARD, JF	1995 - 33(7)	61	www.tandfonline.com/10.1080/00207549508904785
MACHINE LAYOUT PROBLEM IN MODERN MANUFACTURING FACILITIES	HASSAN, MMD	1994 - 32(11)	61	www.tandfonline.com/10.1080/00207549408957084
TOLERANCING TECHNIQUES - THE STATE-OF-THE-ART	ZHANG, HC; HUQ, ME	1992 - 30(9)	61	www.tandfonline.com/10.1080/00207549208948140
IDENTIFICATION OF CHANGE STRUCTURE IN STATISTICAL PROCESS-CONTROL	GUO, Y; DOOLEY, KJ	1992 - 30(7)	61	www.tandfonline.com/10.1080/00207549208948112
A COMPARATIVE-STUDY OF THE PERFORMANCE OF PURE AND HYBRID GROUP TECHNOLOGY MANUFACTURING SYSTEMS USING COMPUTER-SIMULATION TECHNIQUES	ANG, CL; WILLEY, PCT	1984 - 22(2)	61	www.tandfonline.com/10.1080/00207548408942449
Pricing and effort decisions for a supply chain with uncertain information	Chen, L; Peng, J; Liu, ZB; Zhao, RQ	2017 - 55(1)	60	www.tandfonline.com/10.1080/00207543.2016.1204475
Human factors in order picking: a content analysis of the literature	Grosse, EH; Glock, CH; Neumann, WP	2017 - 55(5)	60	www.tandfonline.com/10.1080/00207543.2016.1186296



International Journal of Production Research

Articles cited 60 times or more



A hybrid framework for the modelling and optimisation of decision problems in sustainable supply chain management	Sitek, P; Wikarek, J	2015 - 53(21)	60	www.tandfonline.com/10.1080/00207543.2015.1005762
World-class sustainable manufacturing: framework and a performance measurement system	Dubey, R; Gunasekaran, A; Chakrabarty, A	2015 - 53(17)	60	www.tandfonline.com/10.1080/00207543.2015.1012603
An analytical technique to model and assess sustainable development index in manufacturing enterprises	Garbie, IH	2014 - 52(16)	60	www.tandfonline.com/10.1080/00207543.2014.893066
Knowledge sharing in collaborative supply chains: twin effects of trust and power	Cai, S; Goh, M; de Souza, R; Li, G	2013 - 51(7)	60	www.tandfonline.com/10.1080/00207543.2012.701780
A genetic algorithm for the stochastic mixed-model U-line balancing and sequencing problem	Ozcan, U; Kellegoz, T; Toklu, B	2011 - 49(6)	60	www.tandfonline.com/10.1080/00207541003690090
A review of the application of grid technology in manufacturing	Tao, F; Zhang, L; Nee, AYC	2011 - 49(13)	60	www.tandfonline.com/10.1080/00207541003801234
Empirical analysis of maintenance performance measurement in Belgian industries	Muchiri, PN; Pintelon, L; Martin, H; De Meyer, AM	2010 - 48(20)	60	www.tandfonline.com/10.1080/00207540903160766
Integrated multi-site production-distribution planning in supply chain by hybrid modelling	Safaei, AS; Husseini, SMM; Z-Farahani, R; Jolai, F; Ghodsypour, SH	2010 - 48(14)	60	www.tandfonline.com/10.1080/00207540902791777



International Journal of Production Research

Articles cited 60 times or more



ERP research, development and implementation in China: an overview	Wang, C; Xu, L; Liu, X; Qin, X	2005 - 43(18)	60	www.tandfonline.com/10.1080/13629390500124556
Impact of information sharing on inventory replenishment in divergent supply chains	Lau, JSK; Huang, GQ; Mak, KL	2004 - 42(5)	60	www.tandfonline.com/10.1080/00207540310001628911
Reactive scheduling in a dynamic and stochastic FMS environment	Sabuncuoglu, I; Kizilisik, OB	2003 - 41(17)	60	www.tandfonline.com/10.1080/0020754031000149202
Measuring long-term performance of a manufacturing firm using the Analytic Network Process (ANP) approach	Yurdakul, M	2003 - 41(11)	60	www.tandfonline.com/10.1080/0020754031000088183
Hybrid genetic algorithm for the economic lot-scheduling problem	Moon, I; Silver, EA; Choi, S	2002 - 40(4)	60	www.tandfonline.com/10.1080/00207540110095222
Enterprise resource planning systems adoption process: a survey of Canadian organizations	Kumar, V; Maheshwari, B; Kumar, U	2002 - 40(3)	60	www.tandfonline.com/10.1080/00207540110092414
Functional flexibility and team performance	Molleman, E; Slomp, J	1999 - 37(8)	60	www.tandfonline.com/10.1080/002075499191021
Application of simulated annealing to a linear model for the formulation of machine cells in group technology	Sofianopoulou, S	1997 - 35(2)	60	www.tandfonline.com/10.1080/002075497195876
CAPACITY-BASED ORDER REVIEW RELEASE STRATEGIES TO IMPROVE MANUFACTURING PERFORMANCE	PHILIPOOM, PR; FRY, TD	1992 - 30(11)	60	www.tandfonline.com/10.1080/00207549208948176



International Journal of Production Research

Articles cited 60 times or more



A HEURISTIC-PROCEDURE FOR LOADING PROBLEMS IN FLEXIBLE MANUFACTURING SYSTEMS	MUKHOPADHYAY, SK; MIDHA, S; KRISHNA, VM	1992 - 30(9)	60	www.tandfonline.com/10.1080/00207549208948146
IMPACT OF SEQUENCE OF OPERATIONS AND LAYOUT OF CELLS IN CELLULAR MANUFACTURING	LOGENDRAN, R	1991 - 29(2)	60	www.tandfonline.com/10.1080/00207549108930077
A COMPARISON OF 3 ARRAY-BASED CLUSTERING-TECHNIQUES FOR MANUFACTURING CELL-FORMATION	CHU, CH; TSAI, MS	1990 - 28(8)	60	www.tandfonline.com/10.1080/00207549008942802
A PRINCIPLE FOR DETERMINING THE CORRECT CAPITAL COSTS OF WORK-IN-PROGRESS AND INVENTORY	GRUBBSTROM, RW	1980 - 18(2)	60	www.tandfonline.com/10.1080/00207548008919665