

1. Вывести таблицу «orders», подставляя вместо полей o_user_ID и o_book_ID поля u_name (имя пользователя) и b_name(название книги) соответственно.


Use book;

Select order_ID, u_surname, b_name, o_time, o_number from orders

Join users ON orders.o_user_ID=users.user_ID

Join books ON orders.o_book_ID=books.book_ID


order by order_ID;



2. Вывести пользователя, оформившего максимальное количество заказов
CREATE VIEW `maxOrderCount` AS
Select order_ID, u_surname, o_time, o_number, Max(o_number) from
orders
Join users ON orders.o_user_ID=users.user_ID
order by order_ID;

Use book;

Select * from maxordercount;



3. Найти лучшего пользователя, заказавшего книги на наибольшую сумму.

```
CREATE PROCEDURE `BestBuyer` ()
```

```
BEGIN
```

```
    Select u_name, Sum(b_price) as Summ from orders
```

```
    Join users ON orders.o_user_ID=users.user_ID
```

```
    Join books ON orders.o_book_ID=books.book_ID
```

```
    group by u_name
```

```
    order by Summ desc Limit 1;
```

```
END
```

Лабораторная работа №40. Создание клиентского приложения.

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL script to create a stored procedure named 'BestBuyer'. The script is as follows:

```
1 CREATE DEFINER='root'@'localhost' PROCEDURE `BestBuyer`()
2 BEGIN
3     Select u_name, Sum(b_price) as Summ from orders
4     Join users ON orders.o_user_ID=users.user_ID
5     Join books ON orders.o_book_ID=books.book_ID
6     group by u_name
7     order by Summ desc Limit 1;
8 END
```

The 'Output' tab is also visible, showing the execution results:

#	Time	Action	Message	Duration / Fetch
88	11:42:57	Use book	0 row(s) affected	0.000 sec
89	11:42:57	Call BestByer	Error Code: 1305 PROCEDURE book.BestByer does not exist	0.000 sec
90	11:43:08	Use book	0 row(s) affected	0.000 sec
91	11:43:08	Call BestBuyer	1 row(s) returned	0.015 sec / 0.000 sec

Use book;
Call BestBuyer;

The screenshot shows the MySQL Workbench interface after executing the stored procedure. The 'Query' tab is active, displaying the SQL script:

```
1 Use book;
2 Call BestBuyer;
```

The 'Result Grid' is visible, showing the output of the 'Call BestBuyer' statement:

u_name	Summ
Igor	1130.48

The 'Output' tab is also visible, showing the execution results:

#	Time	Action	Message	Duration / Fetch
88	11:42:57	Use book	0 row(s) affected	0.000 sec
89	11:42:57	Call BestByer	Error Code: 1305 PROCEDURE book.BestByer does not exist	0.000 sec
90	11:43:08	Use book	0 row(s) affected	0.000 sec
91	11:43:08	Call BestBuyer	1 row(s) returned	0.015 sec / 0.000 sec