

Цель работы: сформировать умение работать с протоколами электронной почты.

Выполнение заданий:

Вариант 11


The image displays two screenshots from the Cisco Packet Tracer application. The top screenshot shows the 'DNS-Server' configuration window with the 'Services' tab selected. The 'DNS Service' is turned 'On'. Under 'Resource Records', an 'A Record' is configured with the name 'domen.by' and the address '192.168.1.2'. The bottom screenshot shows the network topology in the 'Physical' view, featuring a central 'Server-PT DNS-Server' connected to two 'PC-PT' devices, labeled 'PC0' and 'PC1'.

DNS-Server Configuration Details:

- Services:** DNS (On), HTTP, DHCP, DHCPv6, TFTP, SYSLOG, AAA, NTP, EMAIL, FTP, IoT, VM Management, Radius EAP.
- DNS Service:** On
- Resource Records:**
 - Name: domen.by
 - Type: A Record
 - Address: 192.168.1.2
- DNS Cache:** (Empty)

Network Topology:

- Central device: Server-PT DNS-Server
- Client devices: PC-PT PC0, PC-PT PC1



Cisco Packet Tracer

File Edit Options View Tools Extensions Window

Logical Physical x: 687, y: 185

Root 06:36:30

Mail-Server

Physical Config **Services** Desktop Programming Attributes

SERVICES

- HTTP
- DHCP
- DHCPv6
- TFTP
- DNS
- SYSLOG
- AAA
- NTP
- EMAIL**
- FTP
- IoT
- VM Management
- Radius EAP

EMAIL

SMTP Service ☒ ON ☐ OFF

POP3 Service ☒ ON ☐ OFF

Domain Name: domen.by Set

User Setup

User Password

Admin

Guest

+ - Change Password



Top



Server-PT



Toggle PDU List Window



Destination Type Color Time(sec) Periodic Num Edit



22:58 11.09.2022











Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 1063, y: 206

Simulation Panel

Event List

Last Device	At Device	Type
--	PC0	SMTP
PC0	Switch0	SMTP
Switch0	Mail-Server	TCP
Switch0	Mail-Server	SMTP
Mail-Server	Switch0	SMTP
Switch0	PC0	SMTP
Switch0	PC0	TCP

Reset Simulation ☒ Constant Delay Captured to: 1.840 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PaGP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:24:36.123 PLAY CONTROLS

Scenario 0

New Delete

Toggle PDU List Window

Copper Straight-Through

23:12 11.09.2022

Cisco Packet Tracer

File Edit Options View Tools Extensions Window Help

Logical Physical x: 724, y: 338

Simulation Panel

Event List

Last Device	At Device	Type
--	PC1	POP3
PC1	Switch0	POP3
Switch0	Mail-Server	TCP
Switch0	Mail-Server	POP3
Mail-Server	Switch0	POP3
Switch0	PC1	POP3
Switch0	PC1	TCP

Reset Simulation ☒ Constant Delay Captured to: 11.888 s

Play Controls

Event List Filters - Visible Events

ACL Filter, ARP, BGP, Bluetooth, CAPWAP, CDP, DHCP, DHCPv6, DNS, DTP, EAPOL, EIGRP, EIGRPv6, FTP, H.323, HSRP, HSRPv6, HTTP, HTTPS, ICMP, ICMPv6, IPsec, ISAKMP, IoT, IoT TCP, LACP, LLDP, Meraki, NDP, NETFLOW, NTP, OSPF, OSPFv6, PaGP, POP3, PPP, PPPoE, PTP, RADIUS, REP, RIP, RIPng, RTP, SCCP, SMTP, SNMP, SSH, STP, SYSLOG, TACACS, TCP, TFTP, Telnet, UDP, USB, VTP

Edit Filters Show All/None

Time: 00:24:58.115 PLAY CONTROLS


Scenario 0

New Delete

Toggle PDU List Window

Copper Straight-Through

23:14 11.09.2022



Контрольные вопросы

1. Что такое SMTP?

SMTP — протокол передачи почты.

2. Какие задачи у SMTP?

Проверка корректности настроек системы и предоставление «разрешения» на отправку email-сообщения для определенного устройства.

Отправка исходящего сообщения на заданный адрес электронной почты и подтверждение успешной доставки. Если сообщение доставить не удастся, отправитель получает соответствующее извещение.

3. Для чего используется SMTP?

В большинстве случаев протокол SMTP используется для передачи исходящей почты с использованием порта TCP 25.

4. Какие существуют проблемы в безопасности SMTP?

Протокол SMTP очень простой, у него нет никаких инструментов для защиты пользовательских данных от злоумышленников. Так, адреса, указанные в соответствующем поле, не проверяются.

Вывод: я научился работать с протоколами электронной почты.