

1. Administrative & Study Identification

Full Study Title: A Phase 1, Two-Part, Double-blind, Placebo-controlled, Randomized Study of the Safety, Tolerability, and Pharmacokinetics of BMS-986278 (Part A) and a Randomized, Double-blind, Positive-controlled, Placebo-controlled, 4-Period Crossover, Thorough QT/QTc Study to Evaluate the Effect of Multiple Doses of BMS-986278 on Cardiac Repolarization (Part B) in Healthy Participants **Short Title/Acronym:** A Study to Investigate the Safety, Tolerability, and Pharmacokinetics of BMS-986278 and the Effects of BMS-986278 on Cardiac Repolarization in Healthy Participants **Protocol Number:** IM027-1012 **NCT Number:** NCT06746402 **Posting ID:** 1023040159550428654 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** BMS-986278 (Admilparant), Placebo, and Moxifloxacin (Trade names: Moxeza, Vigamox, Avelox; ATC Codes: J01MA14, S01AE07) **Phase of Development:** Phase 1 (Phase I Clinical Trial) **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To determine the safety, tolerability, and pharmacokinetics (PK) of high dose of BMS-986278 in healthy participants and to assess the effect of BMS-986278 on the ECG intervals in healthy participants. **Secondary Objectives:** To evaluate the specific effects of multiple doses of BMS-986278 on cardiac repolarization (Thorough QT/QTc assessment).

2.2 Background & Rationale To address the safety profiling requirements for BMS-986278 (Admilparant)—a lysophosphatidic acid receptor 1 (LPAR1) antagonist—prior to administration in broader populations with idiopathic pulmonary fibrosis (IPF). Specifically, conducting a Thorough QT/QTc study is an essential regulatory requirement to guarantee the drug does not cause potentially dangerous cardiac arrhythmias.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Study Status:** COMPLETED **Control Type:** Placebo-controlled, Positive-controlled (Moxifloxacin) **Blinding:** Double-blind **Randomization:** Randomized (includes a 4-Period Crossover for Part B)

3.2 Planned Enrollment & Duration Target \$N\$: 42 Number of Sites: Single/Multi-center Phase 1 Units (e.g., Salt Lake City, Utah)
Estimated Study Start: 10-Feb-2025 **Estimated Primary Completion:** 11-Sep-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Female individuals not of childbearing potential (INOCBP) and males. 2. Healthy as determined by medical history, physical examination, vital signs, 12-lead ECG, and clinical laboratory assessments. 3. Body mass index (BMI) 18.0 to 32.0 kg/m2, inclusive, for Parts A and B.

4.2 Exclusion Criteria 1. Any significant acute or chronic medical illness as determined by the investigator. 2. History of clinically relevant cardiac disease as determined by the investigator, symptomatic or asymptomatic arrhythmias, presyncope or syncopal episodes, or additional risk factors for ventricular arrhythmias. 3. Any significant history of disease of the cardiovascular system that in the opinion of the Investigator makes the participant unsuitable for enrollment into the study. 4. Other protocol-defined inclusion/exclusion criteria apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: High single/multiple doses of BMS-986278 (Part A); Multiple doses of BMS-986278 matched with Placebo, and Moxifloxacin as a positive control (Part B). **Route of Administration:** Oral **Duration of Treatment:** Varied per protocol across the 4-period crossover blocks.

5.2 Concomitant & Prohibited Therapy Permitted: Standardized clinic meals and fluids per Phase 1 confinement rules. **Prohibited:** Concomitant prescription medications, over-the-counter drugs, substrate drugs, or dietary supplements that could confound PK results or independently impact cardiac repolarization.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to -1	Informed Consent, Medical History, BMI check, 12-lead ECG, Baseline Labs
Baseline	Day 0	Randomization, First Dose (Part A) / First Crossover Period (Part B)
Interim	Crossover Periods	Serial PK blood draws, high-frequency 12-lead ECG tracking, Safety Labs
End of Study	Follow-up	Final Vital Signs, Exit Interview, IP Accountability, Final Safety Check

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints Definition: 1. Number of participants with non-serious Adverse Events (AEs): Part A 2. Number of participants with Serious AEs (SAEs): Part A 3. Number of participants with AEs leading to study intervention discontinuation: Part A **Measurement Method:** Continuous inpatient monitoring, intensive plasma blood sampling, and serial 12-lead ECGs read by a central laboratory.

7.2 Secondary & Exploratory Endpoints Definition: 1. Maximum observed plasma concentration (C_{max}) 2. Time of maximum observed plasma concentration (T_{max}) 3. Area under the plasma concentration-time curve from time zero to the end of dosing interval AUC(TAU)

Additional Context: Robust statistical demonstration of the effects of multiple BMS-986278 doses on cardiac repolarization to satisfy Thorough QT/QTc regulatory frameworks.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Intensive monitoring during Phase 1 inpatient confinement via vital signs, telemetry/ECGs, and lab draws. **Serious Adverse Events (SAEs):** Standard reporting timeline within 24 hours to the sponsor and Institutional Review Board (IRB). **Data Monitoring Committee (DMC):** Internal BMS Phase 1 safety review team.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all randomized participants who receive at least one dose); PK Analysis Set. **Sample Size Justification:** Target N=42, appropriately powered to establish non-inferiority margins for QT/QTc prolongation under ICH E14 guidelines. **Handling of Missing Data:** Linear mixed-effects modeling for repeated measures regarding QTcF parameters.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** 100% Source Document Verification (SDV) typical for Phase 1 inpatient environments. **Audit Trail:** eCRF tracking and validated Part 11 compliant data capture for intensive ECG and PK datasets.

11. Study Identifiers & Governance

Primary ID: IM027-1012 **Registry Number:** NCT06746402 **Posting ID:** 1023040159550428654 **Sponsor/Lead Organization:** Bristol Myers Squibb **Trial Status:** COMPLETED **Study Title:** A Study to Investigate the Safety, Tolerability, and Pharmacokinetics of BMS-986278 and the Effects of BMS-986278 on Cardiac Repolarization in Healthy Participants **Official Regulatory Title:** A Phase 1, Two-Part, Double-blind, Placebo-controlled, Randomized Study of the Safety, Tolerability, and Pharmacokinetics of BMS-986278 (Part A) and a Randomized, Double-blind, Positive-controlled, Placebo-controlled, 4-Period Crossover, Thorough QT/QTc Study to Evaluate the Effect of Multiple Doses of BMS-986278 on Cardiac Repolarization (Part B) in Healthy Participants.

12. Clinical Framework (Trial Specific)

Primary Condition: Healthy Volunteers **Diagnosis Threshold:** Clinically healthy; BMI of 18.0 to 32.0 kg/m2 **Medical Methodology:** Phase 1 Pharmacokinetics & Thorough QT/QTc Assessment **Optimization Target:** Cardiac Repolarization mapping / LPAR1 Antagonist Safety

13. Study Procedures & Methodology

Management Pathway: Standard Phase 1 inpatient confinement **Education Protocol (HCP):** Protocol-specific training for crossover dosing, precision PK sampling, and ECG hookups **Education Protocol (Patient):** Informed consent review and unit confinement regulations **Quality Audit Mechanism:** Centralized independent ECG reads and rigorous PK sample tracking

14. Observation & Follow-Up Schedule

Total Duration: Approx. 7 months (February 2025 - September 2025 Study active span) **Onsite Visit Cadence:** Confinement periods corresponding to the 4-period crossover dosing **Remote Monitoring Frequency:** N/A (Inpatient Phase 1 Study) **Checklist Review Interval:** Continuous daily monitoring during dosing windows

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[02-Apr-2026]				
Clinical Operations Lead	[Name]	_____	[02-Apr-2026]		Lead		
Statistician	[Name]	_____	[02-Apr-2026]				