

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Posting ID: 1047654356129757106 **Full Study Title:** Study of Pregnancy Outcomes in Women Exposed to Rimegepant During Pregnancy

Short Title/Acronym: Rimegepant Pregnancy Registry

Protocol Number: C4951006 / BHV3000-403

NCT Number: NCT05198245

Sponsor / Company: Pfizer

Investigational Product: Rimegepant (Nurtec ODT® / Vydura®)

Phase of Development: Not Applicable (Observational / Post-Authorization Study)

Trial Status: ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Medical Monitor:** Pfizer Pharmacovigilance / Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the risk of pregnancy and infant outcomes among women with migraine exposed to rimegepant during pregnancy and in two rimegepant unexposed comparator groups. **Secondary Objectives:** To estimate the frequency of elective terminations, preterm births, and pre-eclampsia/eclampsia.

2.2 Background & Rationale To address the lack of established safety data for pregnant women exposed to rimegepant. This observational study aims to evaluate the real-world risk of adverse fetal, maternal, and infant outcomes in women with migraine exposed to rimegepant during pregnancy, comparing them with unexposed pregnant women with and without migraine, in order to guide clinical practice and labeling.

3. Study Design & Methodology

3.1 Design Framework Study Type: OBSERVATIONAL (Retrospective Cohort Study / Secondary Data Collection)

Control Type: Active Comparator (Migraine without rimegepant) and Healthy Control (No migraine)

Blinding: Open-label (Non-blinded)

Randomization: N/A

3.2 Planned Enrollment & Duration Targeted Enrollment: 1

Number of Sites: Real-world database study (US)

Estimated Study Start: 15-Dec-2021

Estimated Primary Completion: 16-Apr-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria (All Pregnancies) 1. All pregnant women aged 16 to 49 years, inclusive, at the estimated Last Menstrual Period (LMP) within the study observation period are eligible to enter in the study.

4.2 Exclusion Criteria (All Pregnancies) 1. Has insufficient information to estimate LMP. 2. Has at least 1 pharmacy dispensing for ditans (i.e., lasmiditan) within a 5-half-life time window before the estimated LMP through whichever is first: end of pregnancy or end of the study period. 3. Has at least 1 pharmacy dispensing for a CGRP receptor antagonist other than rimegepant (i.e., ubrogepant, atogepant, and zavegepant) within a 5-half-life time window before the estimated LMP through whichever is first: end of pregnancy or end of the study period. 4. Has at least 1 pharmacy dispensing for CGRP monoclonal antibodies (i.e., erenumab, fremanezumab, eptinezumab, and galcanezumab) within a 5-half-life time window before the estimated LMP through whichever is first: end of pregnancy or end of the study period.

4.3 Additional Eligibility Criteria by Group

Rimegepant-Exposed Group (Inclusion): - Have a migraine diagnosis any time before the estimated LMP and through whichever is first: end of pregnancy or end of the study period. - Have at least 1 pharmacy dispensing for rimegepant within the 30-day time window before the estimated LMP and through whichever is first: end of pregnancy or end of the study period. - Have a recorded outcome of pregnancy within the study period. - Had continuous enrollment in a health care plan with medical and pharmacy benefits during the 6-month period before the estimated LMP through a postpartum period of 42 days.

Primary Comparator Group (Inclusion/Exclusion): - **Inclusion:** Have a migraine diagnosis any time before the estimated LMP and through whichever is first: end of pregnancy or end of the study period. - **Inclusion:** Have at least 1 pharmacy dispensing for a medication indicated for the treatment of migraine within the 30-day time window before the estimated LMP and ending with whichever is first: end of pregnancy or end of the study period. - **Inclusion:** Have a recorded outcome of pregnancy within the study period. - **Inclusion:** Had continuous enrollment in a health care plan with medical and pharmacy benefits during the 6-month period before the estimated LMP through a postpartum period of 42 days. - **Exclusion:** Have at least 1 pharmacy dispensing for rimegepant within the 30-day time window before the estimated LMP and through whichever is first: end of pregnancy or end of the study period.

Secondary Comparator Group (Inclusion/Exclusion): - **Inclusion:** Have no migraine diagnosis any time before the estimated LMP through whichever is first: end of pregnancy or end of the study period. - **Inclusion:** Have a recorded outcome of pregnancy within the study period. - **Inclusion:** Had continuous enrollment in a health care plan with medical and pharmacy benefits during the 6-month period before the estimated LMP through a postpartum period of 42 days. - **Exclusion:** Have at least 1 pharmacy dispensing for rimegepant within the 30-day time window before the estimated LMP through whichever is first: end of pregnancy or end of the study period.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Rimegepant 75mg (Real-world dosing as prescribed by HCP)

Route of Administration: Oral (ODT)

Duration of Treatment: Variable (Real-world exposure duration before and/or during pregnancy)

5.2 Concomitant & Prohibited Therapy Permitted: Standard prenatal care and allowed migraine medications (for the active comparator group).

Prohibited: Use of ditans (lasmiditan), other CGRP receptor antagonists (ubrogepant, atogepant, zavegepant), or CGRP mAbs (erenumab, fremanezumab, eptinezumab, galcanezumab) during the specified pre-pregnancy or pregnancy periods.

6. Study Timeline & Visit Schedule

(Note: As a secondary data collection study, timeframes correlate to EHR/claims data extraction rather than traditional clinic visits)

Visit ID	Window	Key Activities/Procedures	:---	:---
:---	Screening	Pre-LMP Claims data check for migraine diagnosis and medication dispensing	Baseline	LMP to Delivery
Identification of pregnancy and continuous enrollment in electronic health records	Interim	Trimesters 1-3 Tracking of pregnancy complications (e.g., pre-eclampsia)	End of Study	Delivery + 42 Days Postpartum Evaluation of pregnancy/infant outcomes, MCMS, and SGA births

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Major congenital malformations, spontaneous abortions, fetal deaths/stillbirths, small for gestational age births.

7.2 Secondary Outcomes 1. Elective terminations 2. Preterm births
3. Pre-eclampsia/eclampsia

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Assessed via secondary data collection of real-world claims and health records.

Serious Adverse Events (SAEs): Congenital malformations, fetal deaths, and stillbirths are captured as primary outcomes per post-authorization safety study (PASS) guidelines.

Data Monitoring Committee (DMC): Overseen by Sponsor (Pfizer) pharmacovigilance and registry board.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Rimegepant-Exposed Group, Primary Comparator Group (Migraine, no rimegepant), Secondary Comparator Group (No migraine).

Sample Size Justification: Dependent on real-world registry accrual over the 7-year study period (Targeted Enrollment: 1).

Handling of Missing Data: Exclusions applied for patients with insufficient data to estimate LMP or those lacking continuous healthcare enrollment.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: Conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and post-authorization safety study (PASS) guidelines.

Monitoring Plan: Ongoing database validation, algorithmic data extraction checks, and quality control of EHR records.

Audit Trail: Standard logging of data extraction queries and claims database mapping.

11. Study Identifiers & Governance

Primary ID: C4951006

Registry Number: NCT05198245

Sponsor/Lead Organization: Pfizer

Study Title: Study of Pregnancy Outcomes in Women Exposed to Rimegepant During Pregnancy

Official Regulatory Title: Retrospective Cohort Study of Pregnancy Outcomes in Women Exposed to Rimegepant During Pregnancy

12. Clinical Framework (Migraine / Pregnancy Specific)

Disease Areas / Conditions: Migraine **Diagnosis Threshold:**

Documented migraine diagnosis prior to LMP

Medical Methodology: Observational Secondary Data Collection

Optimization Target: Maternal, Fetal, and Infant Safety Analysis

13. Study Procedures & Methodology

Management Pathway: Standard real-world clinical and prenatal care pathway

Quality Audit Mechanism: Claims database validation and EHR verification

14. Observation & Follow-Up Schedule

Total Duration: From estimated LMP through 42 days postpartum

Onsite Visit Cadence: N/A (Database study)

Remote Monitoring Frequency: Continuous via healthcare plan enrollment records

Checklist Review Interval: Scheduled data extraction intervals per protocol

15. Standardized Terminology & Ontology Coding

The following codes and terms are systematically mapped to this clinical study record: - **Disease Condition Name:** Migraine

(Preferred Name: Migraine Disorders) - **UMLS Preferred Name:** Drug Effects in Pregnancy - **MeSH Code:** D008881 - **SNOMED ID:** 37796009 -

HPO Code: HP:0002076 - **Associated Drug Ontology Mapping:** various antiseptic throat preparations (ATC Code: R02AA20)

16. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				