

1. Administrative & Study Identification

Full Study Title: A Phase 2 Basket Study of Disitamab Vedotin in Adult Subjects With Previously Treated, Locally-Advanced Unresectable or Metastatic Solid Tumors That Express HER2 **Short Title/Acronym:** A Study of Disitamab Vedotin in Previously Treated Solid Tumors That Express HER2 **Protocol Number:** C5731005 / SGNDV-005 **NCT Number:** NCT06003231 **Sponsor Name:** Seagen Inc. (a wholly owned subsidiary of Pfizer) **Investigational Product:** Disitamab Vedotin (DV) / RC48 / RC48-ADC **Phase of Development:** Phase 2 **Medical Monitor:** Sponsor Medical Monitor / Pfizer Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy (specifically, the Confirmed Objective Response Rate) of disitamab vedotin (DV) in treating different types of solid tumors that express HER2 in adult participants. **Secondary Objectives:** To evaluate the safety and tolerability of the drug, Progression-Free Survival (PFS), Duration of Response (DOR), Disease Control Rate (DCR), and Overall Survival (OS).

2.2 Background & Rationale There are limited treatment options for patients with advanced or metastatic solid tumors that have a marker called HER2. This basket trial investigates Disitamab Vedotin (DV), an experimental antibody-drug conjugate (ADC), to target and stick to HER2-expressing cancer cells and deliver a cytotoxic agent (MMAE) to kill them. This addresses an unmet medical need for patients with previously treated, unresectable or metastatic HER2-expressing solid tumors.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Basket Study) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A (Sequential Assignment)

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 190 participants **Number of Sites:** Multicenter / Global (including locations in the US, UK, etc.) **Estimated Study Start:** Q3 2023 **Estimated Primary Completion:** Approximately 3 to 5 years from start

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult subjects with pathologically documented advanced/metastatic solid tumors belonging to one of the following cohorts: Head and Neck Cancer (HNC), Non-small cell lung cancer (NSCLC), Ovarian Cancer, or Endometrial Cancer. 2. Unresectable locally recurrent or metastatic stage disease. 3. Tumors must express HER2 (e.g., HER2 expression of 1+, 2+, or 3+ determined by local IHC testing on fresh or archival tumor tissue). 4. Prior therapies: Must have disease progression after treatment with a platinum-based therapy (e.g., relapsed/progressed after at least one prior platinum-based chemotherapy). 5. Measurable disease per RECIST v1.1 criteria and Eastern Cooperative Oncology Group (ECOG) performance status score of 0 or 1.

4.2 Exclusion Criteria 1. Prior treatment with an MMAE-containing agent. 2. Known hypersensitivity to any excipient contained in the drug formulation of disitamab vedotin. 3. History of another invasive malignancy within 2 years before the first dose of study intervention, or any evidence of residual disease from a previously diagnosed malignancy. 4. Active untreated Central Nervous System (CNS) or leptomeningeal metastasis.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Disitamab vedotin administered once every 2 weeks. **Route of Administration:** Intravenous (IV) infusion. **Duration of Treatment:** Continued until disease progression, unacceptable toxicity, or withdrawal from the study (study follow-ups up to approximately 5 years).

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care for managing disease symptoms. Targeted therapies like PARP inhibitors (for BRCA mutated participants) or anti-PD(L)1 therapies are permitted prior to study enrollment. **Prohibited:** Concurrent administration of other experimental therapies or prior treatment with MMAE-containing agents.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening	Up to Day 0 Informed Consent, Medical History, Tumor tissue testing (HER2 IHC), Baseline Scans
2	Treatment Period	Every 2 weeks IV infusion of DV, Safety monitoring, AE checks
3	Imaging/Efficacy	Every 6 weeks Tumor imaging scans every 6 weeks for the first 1.5 years, then every 3 months
4	End of Study / Follow-Up	30-37 days post-dose Safety follow-up; staff contact about every 3 months for survival/progression tracking

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Confirmed Objective Response Rate (ORR). The proportion of patients who achieve a confirmed complete response (CR) or partial response (PR). **Measurement Method:** Evaluated per Response Evaluation Criteria in Solid Tumors version 1.1 (RECIST v1.1) by investigator assessment.

7.2 Secondary & Exploratory Endpoints 1. Progression-Free Survival (PFS) per RECIST v1.1. 2. Duration of Response (DOR) and Disease Control Rate (DCR) per RECIST v1.1. 3. Safety: Number of participants with adverse events (AEs) and laboratory abnormalities.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Collection of all untoward medical occurrences temporally associated with the use of study intervention. Monitored continuously during treatment and through 30-37 days after the last dose of DV. **Serious Adverse Events (SAEs):** Standard 24-hour reporting protocols for severe toxicities. Dose alterations or discontinuations due to AEs will be documented. **Data Monitoring Committee (DMC):** Managed under Pfizer/Seagen safety and pharmacovigilance protocols.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) and specific histology-based cohorts (HNC, NSCLC, Ovarian, Endometrial). **Sample Size Justification:** Powered to detect objective response thresholds across specific basket cohorts. **Handling of Missing Data:** Standard oncology data imputation methods (e.g., censoring for PFS/OS endpoints).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular site visits and electronic data capture review by Pfizer/Seagen. **Audit Trail:** Robust clinical trial management system for maintaining accurate tracking of imaging (RECIST) and AEs.

11. Study Identifiers & Governance

Primary ID: C5731005 / SGNDV-005 **Registry Number:** NCT06003231 **Sponsor/Lead Organization:** Seagen Inc. (Pfizer) **Study Title:** A Study of Disitamab Vedotin in Previously Treated Solid Tumors

That Express HER2 **Official Regulatory Title:** A Phase 2 Basket Study of Disitamab Vedotin in Adult Subjects With Previously Treated, Locally-Advanced Unresectable or Metastatic Solid Tumors That Express HER2

12. Clinical Framework (HER2 Solid Tumors Specific)

Primary Condition: Advanced or Metastatic Solid Cancers (HNC, NSCLC, Ovarian, Endometrial) **Diagnosis Threshold:** Pathologically documented advanced disease with HER2 expression (1+, 2+, or 3+) **Medical Methodology:** Targeted therapy using an Antibody-Drug Conjugate (ADC) **Optimization Target:** Disease response (ORR/PFS) and cell-death via MMAE payload delivery.

13. Study Procedures & Methodology

Management Pathway: Standard oncological clinical pathway including baseline imaging and RECIST v1.1 evaluation. **Education Protocol (HCP):** Investigator training on RECIST v1.1, dosing of DV, and AE management. **Education Protocol (Patient):** Informed consent detailing ADC mechanism of action and possible adverse events. **Quality Audit Mechanism:** Central/Investigator review of scans and real-time AE tracking.

14. Observation & Follow-Up Schedule

Total Duration: Approximately 3 to 5 years **Onsite Visit Cadence:** Every 2 weeks for treatment **Remote Monitoring Frequency:** Contact every 3 months after treatment completion **Checklist Review Interval:** Imaging scans every 6 weeks (first 1.5 years) then Q12W (every 3 months)

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	____	[DD-MMM-YYYY]				