

1. Administrative & Study Identification

Full Study Title: A Study to Assess Health-Related Quality of Life in Patients With Hypertrophic Cardiomyopathy in Japan **Short Title/Acronym:** HR-QOL in HCM Japan Study **Protocol Number:** CV027-1141 **NCT Number:** NCT06181617 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** Quality of Life Assessment (Non-interventional / Questionnaires & Interviews) **Phase of Development:** N/A (Observational) **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To identify factors affecting the health-related quality of life (HR-QOL) and evaluate the daily experiences, perceptions, and burdens of symptomatic adult patients with hypertrophic cardiomyopathy (HCM) in Japan. **Secondary Objectives:** To compare the HR-QOL of HCM patients with a control group of participants who do not have HCM using standardized quantitative assessments (KCCQ, EQ-5D-5L, and HADS).

2.2 Background & Rationale Hypertrophic cardiomyopathy (HCM) is a chronic, progressive, and clinically heterogeneous genetic disease characterized by left ventricular hypertrophy. It significantly impacts multiple aspects of life, including work, family, and social activities. This study addresses the gap in understanding the true patient burden and needs in Japan, exploring how patients often lack awareness of their symptoms and experience difficulty discussing their mental and physical burdens with their physicians.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Cross-sectional, non-interventional) **Control Type:** Active control group (participants without HCM) for Phase II **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 19 patients enrolled in Phase I qualitative cohort **Number of Sites:** Multiple outpatient sites in Japan **Estimated Study Start:** 21-Nov-2023 **Estimated Primary Completion:** 10-Jul-2024

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants diagnosed with non-obstructive or obstructive HCM in Japan. 2. Participants aged \$ \ge 18\$ years of age. 3. Participants who have been attending outpatient visits for HCM and who are referred to the study by the physician treating HCM. 4. Participants with HCM who are diagnosed as New York Heart Association (NYHA) functional classification 2-3 at enrollment and are experiencing self-reported burden in their daily lives because of HCM.

4.2 Exclusion Criteria 1. Participants who have ever been diagnosed with dilated cardiomyopathy or secondary cardiomyopathy, including cardiac amyloidosis, Fabry disease, or mitochondrial myopathy. 2. Participants who have previously participated or are currently participating in another clinical trial (not including observational studies).

4.3 Demographics Accepted Sex/Gender: All Genders Ages: \$ \ge 18\$ Years Accepts Healthy Volunteers: Yes (for Phase II control group)

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: N/A (Observational study) Route of Administration: Qualitative semi-structured in-depth interviews (web-based or telephone) and quantitative online questionnaires. Duration of Treatment: Cross-sectional single-point evaluation.

5.2 Concomitant & Prohibited Therapy Permitted: Standard clinical care and medications for HCM as prescribed by the treating physician. Prohibited: Concurrent participation in another interventional clinical trial.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Confirmation of NYHA class
Assessment	Day 0	Phase I: Qualitative semi-structured in-depth interview; Phase II: Quantitative questionnaire administration

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Identification of health-related quality of life (HR-QOL) related themes and assessment of patient burdens. Measurement Method: Thematic analysis approach based on Phase I qualitative web-based or telephone interviews.

7.2 Secondary & Exploratory Endpoints * Kansas City

Cardiomyopathy Questionnaire (KCCQ): Assessment of physical limitation, symptoms, QoL, social interference, and self-efficacy (Scores range from 0-100). * **EQ-5D-5L:** Assessment of mobility, self-care, usual activities, pain/discomfort, and anxiety/depression. * **Hospital Anxiety and Depression Scale (HADS):** Evaluation of anxiety and depression levels (Scores range from 0-14 per subscale).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: N/A (This is a non-interventional, questionnaire and interview-based observational study; no investigational product is administered). **Serious Adverse Events (SAEs):** N/A **Data Monitoring Committee (DMC):** N/A

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled participants who successfully completed the qualitative interviews or quantitative questionnaires. **Sample Size Justification:** Descriptive and thematic analysis requirements suited for cross-sectional patient experience mapping. **Handling of Missing Data:** Participants with incomplete survey data were generally excluded from specific quantitative scoring. Thematic analysis relied on recorded transcripts.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study was conducted in accordance with the Declaration of Helsinki and adhered to the Ethical Guidelines for Medical and Biological Research Involving Human Subjects and all applicable Japanese laws and regulations. **Ethics Approval:** The protocol was approved by the Takahashi Clinic Ethics Committee (approval no. LNW00199). **Monitoring Plan:** Centralized monitoring of questionnaire completion and interview transcripts. **Audit Trail:** Secure, anonymized collection of digital survey entries and interview recordings subject to ethics committee approval.

11. Study Identifiers & Governance

Primary ID: CV027-1141 **Registry Number:** NCT06181617 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Study to Assess Health-Related Quality of Life in Patients With Hypertrophic Cardiomyopathy in Japan **Official Regulatory Title:** A Study to Assess Health-Related Quality of Life in Patients With Hypertrophic Cardiomyopathy in Japan

12. Clinical Framework (HCM Specific)

Primary Condition: Hypertrophic Cardiomyopathy (HCM), Cardiomyopathy, Heart Defect, Congestive Heart Failure **Diagnosis Threshold:** Confirmed non-obstructive or obstructive HCM, symptomatic with NYHA Class 2-3 **Medical Methodology:** Standard Clinical Care for HCM **Optimization Target:** HR-QoL assessment and identification of daily life burden

13. Study Procedures & Methodology

Management Pathway: Patient referral through standard HCM outpatient visits **Education Protocol (HCP):** N/A **Education Protocol (Patient):** N/A **Quality Audit Mechanism:** Standardized administration of the KCCQ, EQ-5D-5L, and HADS measurement tools

14. Observation & Follow-Up Schedule

Total Duration: Cross-sectional evaluation **Onsite Visit Cadence:** Handled remotely via web-based or telephone systems **Remote Monitoring Frequency:** Single time point assessment **Checklist Review Interval:** N/A

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				