

1. Administrative & Study Identification

Full Study Title: A Phase IV Postmarketing Study Evaluating Ozanimod Concentrations in the Breast Milk of Lactating Women Receiving Ozanimod Therapeutically **Short Title/Acronym:** A Lactation Study in Women Receiving Treatment With Ozanimod **Protocol Number:** IM047-030 **NCT Number:** NCT06181630 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** Ozanimod (Zeposia) **Phase of Development:** Phase 4 **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the concentrations of ozanimod and its major metabolites in human breast milk and to evaluate the effects on breastfed infants. **Secondary Objectives:** To evaluate the safety, tolerability, and plasma concentrations of ozanimod in lactating women, as well as the blood concentrations and clinical effects observed in their breastfed infants.

2.2 Background & Rationale To address the gap in clinical safety and pharmacokinetic data regarding lactating women taking ozanimod. This post-marketing study generates real-world evidence to evaluate the extent of transfer of ozanimod and its major active metabolites into breast milk, and to better understand any potential safety risks or pharmacological effects on breastfed infants whose mothers are undergoing therapeutic treatment with the drug.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (The study is non-interventional regarding the underlying therapeutic treatment with ozanimod, but considered interventional due to the required collection of breast milk, plasma, and infant blood samples, alongside additional diagnostic procedures). **Control Type:** Single-arm (Single Group Assignment) **Blinding:** Open-label (Masking: None) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 16 participants **Number of Sites:** Multicenter / Global (United States) **Estimated Study Start:** 15-Nov-2025 **Estimated Primary Completion:** 16-Dec-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult female participant is already planning or currently being treated with ozanimod per the current locally approved prescribing information. 2. Adult female participant has delivered a single normal-term infant (at least 37 weeks gestation). 3. Adult female participant is at least 2 weeks postpartum but not more than 12 months postpartum by Study Visit 1. 4. Infant participant has a normal weight for gestational age (above tenth percentile) at birth.

4.2 Exclusion Criteria 1. Adult participant is pregnant, planning to become pregnant, or is of childbearing potential and not using an effective contraceptive method. 2. Adult participant is not breastfeeding or pumping milk. 3. Adult participant has received any live vaccinations within 4 weeks prior to the start of ozanimod treatment. 4. Infant participant was born at less than 37 weeks gestation.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Routine therapeutic maintenance dosing of ozanimod as per standard of care and local prescribing information. Route of Administration: Oral. Duration of Treatment: Ongoing clinical therapeutic use; sample collection window occurs up to 24 hours post-dose at steady state.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant therapies mapped to the participant's primary indication for ozanimod. Prohibited: Live vaccinations within 4 weeks prior to the start of the ozanimod treatment regimen.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Confirmation of Gestational Details, Pregnancy Test
Baseline	Day 0	Enrollment, Final Verification of Steady State Ozanimod Dosing
Interim	Pharmacokinetic window	Collection of maternal plasma and breast milk (predose and up to 24 hours post-dose), Infant blood sampling
End of Study	Follow-up	Final infant safety/health check, AE/SAE Assessment, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: 1. Average concentration at steady state (C_{ss}-avg) of ozanimod and its major metabolites in breast milk (Predose; Up to 24 hours post dose). 2. Area under the concentration-time curve over the dosing interval (AUC_{tau}) in

breast milk. **Measurement Method:** Validated Central Laboratory Pharmacokinetic (PK) Analysis.

7.2 Secondary & Exploratory Endpoints * Plasma concentrations of ozanimod and its metabolites in the lactating mother. * Blood concentrations of ozanimod and its metabolites in the breastfed infant. * Incidence, severity, and characterization of adverse events in the breastfed infant.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via patient reporting and HCP interviews, with a specific focus on infant developmental milestones, weight tracking, and overall infant health. **Serious Adverse Events (SAEs):** Routine expedited reporting timeline (typically 24 hours). **Data Monitoring Committee (DMC):** Internal sponsor-led safety committee oversight.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: PK-Evaluable Population (all enrolled mother/infant pairs who provide sufficient paired breast milk/plasma/blood samples to generate a valid PK profile). **Sample Size Justification:** Approximately 16 evaluable participants is deemed sufficient to characterize the descriptive pharmacokinetics of drug transfer into breast milk. **Handling of Missing Data:** Standard PK modeling imputation for isolated missing concentration-time points.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular clinical monitoring (onsite and remote) to ensure sample integrity (cold chain management for breast milk/plasma) and protocol adherence. **Audit Trail:** E-CRF locking, tracking of PK sample shipments, and centralized data clarification forms.

11. Study Identifiers & Governance

Primary ID: IM047-030 **Registry Number:** NCT06181630 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Lactation Study in Women Receiving Treatment With Ozanimod **Official Regulatory Title:** A Phase IV Postmarketing Study Evaluating Ozanimod Concentrations in the Breast Milk of Lactating Women Receiving Ozanimod Therapeutically

12. Clinical Framework (Lactation Specific)

Primary Condition: Lactating Women and Breastfed Infants
Diagnosis Threshold: Female participant ≥ 2 weeks to ≤ 12 months postpartum with a normal-term infant (≥ 37 weeks gestation). **Medical Methodology:** Pharmacokinetic therapeutic drug monitoring. **Optimization Target:** Characterization of maternal-to-infant drug transfer via breast milk.

13. Study Procedures & Methodology

Management Pathway: Post-marketing safety and pharmacokinetic evaluation pathway. **Education Protocol (HCP):** Site-level training on maternal/infant biological sample collection, storage, and specialized shipment. **Education Protocol (Patient):** Onsite training for at-home or clinic-based breast milk pumping protocols. **Quality Audit Mechanism:** Laboratory sample viability tracking and centralized safety data monitoring.

14. Observation & Follow-Up Schedule

Total Duration: Approximately 13 months (First Patient In to Study Completion). **Onsite Visit Cadence:** Predose, followed by serial sampling intervals up to 24 hours post-dose. **Remote Monitoring Frequency:** Infant safety monitoring and follow-up contacts per protocol. **Checklist Review Interval:** Continuous AE/SAE monitoring through the end of the follow-up window.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	____	[DD-MMM-YYYY]				