

1. Administrative & Study Identification

Full Study Title: A Study to Investigate the Effect of AZD0780 Tablets in Combination With Rosuvastatin Tablets on Low Density Lipoprotein Cholesterol Levels (LDL-C) in Adult Participants With Dyslipidaemia **Short Title/Acronym:** LAZURE **Protocol Number:** AZ-RU-00013 **NCT Number:** NCT07218900 **Posting ID:** 227028409552753319 **Sponsor/Company Name:** AstraZeneca **Trial Status:** Not Yet Recruiting **Investigational Product:** AZD0780 (Laroprovstat) and Rosuvastatin **Phase of Development:** Phase II (Criteria Type: Phase Requirement) **Medical Monitor:** AstraZeneca Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the effect of AZD0780 in combination with rosuvastatin on low density lipoprotein cholesterol (LDL-C) levels compared with placebo in participants with dyslipidaemia. **Secondary Objectives:** To evaluate the overall safety and tolerability of AZD0780 when administered on top of a statin.

2.2 Background & Rationale To address the gap in LDL-C optimization among adults with dyslipidaemia who are at high risk for atherosclerotic cardiovascular disease (ASCVD). Inhibiting proprotein convertase subtilisin/kexin type 9 (PCSK9) is a proven method for lowering LDL-C. This study aims to evaluate AZD0780, a novel, oral small molecule PCSK9 inhibitor, as a daily treatment alternative to injectable biologics for cholesterol management.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized, Parallel Group

3.2 Planned Enrollment & Duration Target N\$: Approximately 76 participants **Number of Sites:** ~11 centers in Russia **Estimated Study Start:** [TBD] **Estimated Primary Completion:** [TBD]

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years at the time of signing the ICF. 2. Fasting serum LDL-C ≥ 55 mg/dL (≥ 1.4 mmol/L) in participants with clinical ASCVD or ≥ 70 mg/dL (\$

\ge 1.8\$ mmol/L) in participants without clinical ASCVD but at risk for a first ASCVD event. 3. On a stable dose of lipid-lowering therapy (LLT) including moderate statins, or stable without statins, or treatment naïve.

4.2 Exclusion Criteria 1. Homozygous familial hypercholesterolaemia, known diagnosis of heterozygous familial hypercholesterolaemia (HeFH), or LDL/plasma apheresis within 12 months prior to screening. 2. Uncontrolled type 2 diabetes mellitus defined as HbA1C $\geq 9.5\%$ at screening. 3. Inadequately treated hypothyroidism defined as TSH > 1.5 ULN at screening.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Investigational Products: AZD0780 and Rosuvastatin (Preferred Drug Name: rosuvastatin; ATC Code: C10AA07; Trade Names: Crestor, Ezallor, Roszet). **Dosage/Frequency:** Once daily **Route of Administration:** Oral **Duration of Treatment:** 12 weeks (84 days) of double-blind treatment following a 28-day run-in phase with rosuvastatin alone.

5.2 Concomitant & Prohibited Therapy Permitted: Stable background lipid-lowering therapy (e.g., Rosuvastatin). **Prohibited:** New/modified thyroid replacement therapy within 3 months prior to screening, and concurrent LDL/plasma apheresis.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Up to 14 days	Informed Consent, Medical History, Fasting LDL-C central labs
Run-in	Day -28 to 0	Rosuvastatin monotherapy initiation/maintenance
Baseline	Day 0	Randomization, First Dose
End of Study	Week 12	Final Efficacy Assessment (LDL-C Check)
Follow-up	+ 10 Days	Off-treatment safety check

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Relative change in Low-density lipoprotein cholesterol (LDL-C) from baseline to 12 weeks: To compare the effect of treatment with AZD0780 versus placebo on LDL-C at 12 weeks. **Measurement Method:** Central Laboratory Analysis.

7.2 Secondary & Exploratory Endpoints 1. Indicator for LDL-C < 70 mg/dL (< 1.8 mmol/L) at 12 weeks. 2. Indicator for LDL-C < 55 mg/dL (< 1.4 mmol/L) at 12 weeks. 3. Relative change in Apolipoprotein (Apo) B from baseline to 12 weeks. 4. Safety and tolerability profile (Assessment of Adverse Events).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard reporting throughout the 12-week treatment and 10-day safety follow-up. **Serious Adverse Events (SAEs):** Reporting timeline typically 24 hours. **Data Monitoring Committee (DMC):** Internal/External committee details managed by AstraZeneca.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT), Safety Set. **Sample Size Justification:** $N=76$ adequately powered to evaluate LDL-C reductions against a placebo baseline. **Handling of Missing Data:** Multiple Imputation (MI) or Mixed Model for Repeated Measures (MMRM) for continuous lipid endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Standard onsite/remote monitoring visits to the 11 study centers in Russia. **Audit Trail:** Validated electronic data capture (EDC) system for eCRF locking and compliance tracking.

11. Study Identifiers & Governance

Primary ID: AZ-RU-00013 **Registry Number:** NCT07218900 **Posting ID:** 227028409552753319 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** LAZURE **Official Regulatory Title:** A Phase II, Randomised, Double-Blind, Placebo-Controlled, Parallel Group Study to Assess the Effect of AZD0780 in Combination With Rosuvastatin on Low Density Lipoprotein Cholesterol in Participants With Dyslipidaemia **Source Level:** 5

12. Clinical Framework (Dyslipidaemia Specific)

Disease Area: Dyslipidaemia **Primary Condition:** Dyslipidaemia / Hypercholesterolemia (Preferred Name: Dyslipidemias; Preferred UMLS Name: Dyslipidaemia) **Semantic Type:** Disease or Syndrome **Condition Codes:** MeSH: D050171 | HPO: HP:0003119 | SNOMED CT: 370992007 **SNOMED Hierarchy:** 48286001 (Disorder of lipoprotein AND/OR lipid metabolism); 75934005 (Metabolic disease) **Condition Definition:** Abnormalities in the serum levels of LIPIDS, including overproduction or deficiency. Abnormal serum lipid profiles may include high total CHOLESTEROL, high TRIGLYCERIDES, low HIGH DENSITY LIPOPROTEIN CHOLESTEROL, and elevated LOW

DENSITY LIPOPROTEIN CHOLESTEROL. **Diagnosis Threshold:** Fasting LDL-C ≥ 55 mg/dL (clinical ASCVD) or ≥ 70 mg/dL (at risk) **Medical Methodology:** Statin Background Therapy + Oral PCSK9 Inhibition **Optimization Target:** LDL-C percentage reduction target

13. Study Procedures & Methodology

Management Pathway: 28-day Rosuvastatin run-in followed by randomized AZD0780/Placebo combination **Education Protocol (HCP):** Blinded administration and AE tracking protocols **Education Protocol (Patient):** Once-daily oral compliance and fasting lab instructions **Quality Audit Mechanism:** Central laboratory LDL-C tracking

14. Observation & Follow-Up Schedule

Total Duration: Up to 136 days (14-day screening, 28-day rosuvastatin run-in, 84-day treatment period, and 10-day safety follow-up). **Onsite Visit Cadence:** Routine scheduled clinical evaluations across 11 study centers **Remote Monitoring Frequency:** Standard protocol intervals **Checklist Review Interval:** Standard protocol intervals

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				