

1. Administrative & Study Identification

Full Study Title: An Open-label, Multicenter Extension Study Evaluating the Patient Perspective of the Physical Impact of Multiple Sclerosis and Providing Continued Access to Ocrelizumab in Patients With Multiple Sclerosis Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Study and Without Access to a Post-trial Access Program **Short Title:** An Extension Study to Assess Impact of Multiple Sclerosis (MS) on Physical Function and Provide Continued Ocrelizumab Treatment **Protocol Number:** MN45053; 2023-507633-21-01 **NCT Number:** NCT06675955 **Sponsor Name:** Roche (Hoffmann-La Roche) **Investigational Product:** Ocrelizumab (Ocrevus; R04964913) **Phase of Development:** Phase 3 **Trial Status:** Recruiting **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the physical impact of MS from the participant's perspective, provide continued access to ocrelizumab, and assess the safety and tolerability of ocrelizumab. **Secondary Objectives:** To monitor and assess the safety and tolerability of continued ocrelizumab treatment through the tracking of Serious Adverse Events (SAEs), Adverse Events (AEs) leading to discontinuation, and Adverse Events of Special Interest (AESIs).

2.2 Background & Rationale This extension trial is needed to provide continued access to ocrelizumab for patients with MS who participated in parent clinical trials sponsored by Genentech/ Roche and who benefited from the treatment but do not have reasonable access to it locally. The study generates further insights into the physical impact of MS directly from the patient's perspective while ensuring uninterrupted, safe delivery of a disease-modifying therapy.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Extension Study) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 500 **Number of Sites:** Multicenter **Estimated Study Start:** 13-Dec-2024 **Estimated Primary Completion:** 31-Dec-2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants who were on ongoing ocrelizumab treatment on one of the following parent-studies [Studies MN39159/CONSONANCE (NCT03523858), BN42082/MUSETTE (NCT04544436), BN42083/GAVOTTE (NCT04548999), BN44083/GLOBEAM, MN43978/CONSONANCE Ext., WA40404/O'HAND (NCT04035005), MN43964/OLERO (NCT05269004), GN41791/FENTREPID (NCT04544449), BP46016/MINTAKA, CN41144/OCARINA I-SC (NCT03972306), CN42097/OCARINA II-SC (NCT05232825)] at the time of roll-over and who do not have access to the ocrelizumab treatment locally. 2. The first dose of study treatment in this extension study will be received no earlier than 5 months after the last treatment in the parent study. 3. Negative urine pregnancy test within 24 hours to first dose administered on MN45053 study treatment in participants of childbearing potential.

4.2 Exclusion Criteria 1. Study treatment is commercially marketed in the participant's country for the participant specific disease and is reasonably accessible to the participant. 2. Study treatment is available via Post Trial Access Program (PTAP) in the participant's country and is accessible to the participant. 3. Permanent premature discontinuation of study treatment for any reason during the parent study or during the time between last treatment in the parent study and the first dose of study treatment in this extension study (if applicable). 4. Any condition that, in the opinion of the investigator, would interfere with the interpretation of participant safety or place the participant at high risk for treatment-related complications. 5. Concurrent participation in any therapeutic clinical trial (other than the parent study). 6. Immunocompromised state. 7. Known active malignancy or are being actively monitored for recurrence of malignancy. 8. Known presence of other neurological disorders.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Ocrelizumab 600 mg or 920 mg as per the regimen and schedule established in the parent study. **Route of Administration:** Intravenous (IV) infusion (600 mg) or Subcutaneous (SC) injection (920 mg). **Duration of Treatment:** Until access to the treatment becomes locally available, an unacceptable safety concern arises, death, or withdrawal of consent.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications for symptom management of MS. **Prohibited:** Concurrent participation in any other therapeutic clinical trials.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening / Roll-over	Day -28 to 0	Informed Consent, Eligibility Confirmation from Parent Study, Urine Pregnancy Test
Baseline	Day 0	Treatment continuation (Open-label), Safety Assessment
Maintenance	As per Parent Study Schedule	IV/SC Administration, Physical Impact Questionnaires, Safety Labs
End of Study	Up to 31-Dec-2029	Final Safety Follow-up, Transition to local access care (if available)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints

- Change From Baseline to End of Study in the Physical Functioning Score of the Patient-Reported Outcome Measure Information System/Quality of Life in Neurological Disorders-Physical Function Measure for Multiple Sclerosis 15a (PROMISng PFMS-15a):** The PROMISng PFMS-15a includes 15 items that evaluate the impact of MS on a participant's physical functioning (mobility, upper limb function, activities of daily living). Scores are reported as a standardized T-score metric, with higher scores reflecting better physical functioning.
- Number of Eligible Participants who Have Received Access to Ocrelizumab in the Study.**

7.2 Secondary Endpoints

- Number of Participants with Serious Adverse Events (SAEs).
- Number of Participants with Adverse Events (AEs) Leading to Discontinuation.
- Number of Participants with Adverse Events of Special Interest (AESIs).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Participants will be closely monitored with safety assessments performed regularly to track known and potential side effects of IV/SC ocrelizumab. Particular attention will be placed on AESIs and AEs leading to treatment discontinuation.

Serious Adverse Events (SAEs): Continuously monitored to check for unacceptable safety concerns that might necessitate treatment withdrawal.

Data Monitoring Committee (DMC): Internal safety monitoring mechanisms managed by Roche.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients who receive at least one open-label dose of ocrelizumab).

Sample Size Justification: Target enrollment is 500 participants, determined practically by the number of consenting participants rolling over from Genentech/Roche parent studies without local drug access.

Handling of Missing Data: Standard handling for PRO imputation where applicable.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Regular safety monitoring by the clinical trial team. **Audit Trail:** eCRF documentation tracking parent-trial ID, treatment dispensation, and PRO completion.

11. Study Identifiers & Governance

Primary ID: MN45053 **Registry Number:** NCT06675955 **Sponsor/Lead Organization:** Roche **Study Title:** An Extension Study to Assess Impact of Multiple Sclerosis (MS) on Physical Function and Provide Continued Ocrelizumab Treatment **Official Regulatory Title:** An Open-Label, Multicenter Extension Study Evaluating the Patient Perspective of the Physical Impact of Multiple Sclerosis and Providing Continued Access to Ocrelizumab in Patients With Multiple Sclerosis Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Study and Without Access to a Post-Trial Access Program

12. Clinical Framework (Multiple Sclerosis Specific)

Primary Condition: Multiple Sclerosis (MS) **Diagnosis Threshold:** Confirmed MS diagnosis with previous enrollment and benefit shown in an ocrelizumab parent trial. **Medical Methodology:** Post-trial access therapy provision. **Optimization Target:** Disease modification / Prevention of physical function decline.

13. Study Procedures & Methodology

Management Pathway: Open-label extension standard of care for MS.

Education Protocol (HCP): Administration safety protocols (Infusion vs. Subcutaneous). **Education Protocol (Patient):** Education regarding known side effects of how treatment will be given (IV vs. SC). **Quality Audit Mechanism:** Routine assessment of patient perspective and serious adverse event recording.

14. Observation & Follow-Up Schedule

Total Duration: Up to approx. 5 years (Estimated completion Dec 2029) or until local access becomes available. **Onsite Visit**

Cadence: Aligned with the approved ocrelizumab dosing regimen from the parent study (typically 24-week intervals for IV).

Remote Monitoring Frequency: Standard safety check-ins as defined by local site practices. **Checklist Review Interval:** Coincides with treatment administration visits for physical impact questionnaire collection.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				