

1. Administrative & Study Identification

Full Study Title: Open Label, Multi-center Roll-over Study to Assess Long Term Safety in Patients Who Have Completed a Global Novartis or GSK Sponsored Dabrafenib and/or Trametinib Study
Short Title/Acronym: Dabrafenib and/or Trametinib Rollover Study
Protocol Number: CDRB436X2X02B **NCT Number:** NCT03340506 **Sponsor Name:** Novartis Pharmaceuticals Corporation (Novartis)
Investigational Product: Dabrafenib (Tafinlar) and/or Trametinib (Mekinist) **Preferred UMLS Name:** Dabrafenib and Trametinib **Phase of Development:** Phase IV (PHASE4) **Trial Status:** Recruiting (Currently recruiting participants) **Medical Monitor:** Novartis Clinical Medical Director

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the long-term safety—specifically the frequency and severity of adverse events (AEs) and serious adverse events (SAEs)—in patients continuing to receive dabrafenib and/or trametinib. **Secondary Objectives:** To monitor the continued clinical benefit, overall survival, and progression-free status of patients maintaining long-term targeted therapy (Clinical Benefit Assessment by investigator).

2.2 Background & Rationale This study is designed to provide uninterrupted, continued access to therapy for patients who are currently receiving treatment with dabrafenib and/or trametinib in a Novartis-sponsored Oncology Global Development, Global Medical Affairs or a former GSK-sponsored study. For patients who have fulfilled the requirements of their parent study's primary objectives, and who are judged by their investigator as benefiting from continued treatment at the completion of the parent study, this rollover study ensures ongoing treatment access while allowing researchers to collect vital long-term safety data.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Rollover) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target Enrollment: 100 participants **Number of Sites:** Multi-center (Global) **Estimated Study Start:** 28-Dec-2017 **Estimated Primary Completion:** 28-Dec-2032

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patient is currently receiving treatment with dabrafenib/trametinib monotherapy or combination within a Novartis or former GSK sponsored study which has fulfilled the requirements for the primary objective. 2. In the opinion of the Investigator would benefit from continued treatment. 3. Patient must provide signed informed consent to participate in the rollover study.

4.2 Exclusion Criteria 1. Patient has been previously permanently discontinued from study treatment in the parent protocol. 2. Patient's indication is commercially available and reimbursed in the local country. 3. Patient currently has unresolved toxicities for which dabrafenib and/or trametinib dosing has been interrupted in the parent study.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Dabrafenib and/or trametinib (monotherapy or combination) administered at the established tolerated dose continued from the parent study. **Route of Administration:** Oral **ATC Code:** L01EE01 (Trametinib) **EMA URL (Trametinib/Mekinist):** https://www.ema.europa.eu/en/documents/product-information/mekinist-epar-product-information_en.pdf **Duration of Treatment:** Long-term (until lack of clinical benefit, unacceptable toxicity, withdrawal of consent, or commercial availability of the drug in the patient's region).

5.2 Concomitant & Prohibited Therapy Permitted: Supportive care medications per standard oncological practice. **Prohibited:** Hormonal-based methods of contraception (e.g., oral contraceptives) are not considered highly effective for subjects taking dabrafenib due to potential drug-drug interactions; alternate highly effective contraception is required.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening / Rollover	Day -28 to 0	Informed Consent, Parent study exit review, Eligibility Confirmation
Treatment Period	Regular intervals	Dispensing of investigational product, AE/SAE monitoring, Clinical Benefit Assessment
End of Study	Upon Discontinuation	Final safety assessment, IP Accountability, Treatment cessation follow-up

(Note: Visit cadence during the treatment period aligns with the standard of care and the investigator's clinical judgment based on the parent study).

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Occurrences of adverse events to evaluate long term safety and tolerability of dabrafenib, trametinib or combination. **Measurement Method:** Clinical and laboratory assessments should be completed based on the local standard of care and physician practice for routine safety monitoring. More frequent examinations may be performed at the Investigator's discretion if medically indicated. Any abnormalities considered clinically significant, induce clinical signs or symptoms, or require changes in treatment constitute an adverse event.

7.2 Secondary & Exploratory Endpoints 1. Clinical Benefit Assessment by investigator. 2. Long-term progression-free survival (PFS) and overall survival (OS) outcomes.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard continuous collection via patient interviews and clinical assessments during scheduled maintenance visits. **Serious Adverse Events (SAEs):** Must be reported within 24 hours of investigator awareness to the Novartis safety team. **Data Monitoring Committee (DMC):** Internal Novartis safety review board overseeing long-term toxicity trends.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled patients who receive at least one dose of the investigational product in this rollover study). **Sample Size Justification:** Targeted Enrollment = 100. The sample size is not based on formal statistical power calculations but rather on the estimated number of eligible patients rolling over from completed parent trials. **Handling of Missing Data:** Analysis will be primarily descriptive; missing safety data is generally not imputed.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Risk-based monitoring approach including periodic onsite visits and centralized remote data review to ensure protocol compliance. **Audit Trail:** Standard electronic Case Report Form (eCRF) utilizing comprehensive audit trails and data clarification forms.

11. Study Identifiers & Governance

Primary ID: CDRB436X2X02B **NCT Number:** NCT03340506 **Posting ID:** 277177119996639635 **Sponsor/Lead Organization:** Novartis Pharmaceuticals Corporation **Study Title:** Dabrafenib and/or Trametinib Rollover Study **Official Regulatory Title:** Open Label, Multi-center Roll-over Study to Assess Long Term Safety in Patients Who Have Completed a Global Novartis or GSK Sponsored Dabrafenib and/or Trametinib Study

12. Clinical Framework (Study Specific)

Primary Conditions/Disease Areas: Melanoma, Non-Small Cell Lung Cancer (preferred name: Non-Small Cell Lung Carcinoma), Solid Tumor, Rare Cancers, High Grade Glioma **Disease Classifications (Non-Small Cell Lung Carcinoma):** - **MeSH Code:** D002289 - **HPO Code:** HP:0030358 - **SNOMED CT ID:** 254637007 **Diagnosis Threshold:** Parent study completion with established BRAF V600 mutation (or applicable target) and ongoing clinical benefit **Medical Methodology:** BRAF/MEK Targeted Kinase Inhibition Therapy **Optimization Target:** Sustained clinical benefit and manageable long-term safety profile

13. Study Procedures & Methodology

Management Pathway: Long-term rollover treatment and oncological management protocol **Education Protocol (HCP):** AE reporting requirements and drug-drug interaction monitoring **Education Protocol (Patient):** Safe handling, dosing compliance, and stringent contraception requirements **Quality Audit Mechanism:** Standard clinical monitoring and robust pharmacovigilance tracking

14. Observation & Follow-Up Schedule

Total Duration: Up to ~180 Follow-up weeks / 15 years (Completion estimated 2032) **Onsite Visit Cadence:** Aligned with investigator discretion and standard of care for maintenance therapy **Remote Monitoring Frequency:** Periodic centralized data and safety checks by Sponsor **Checklist Review Interval:** Regular AE/SAE reconciliation at standard clinic visits

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				