

1. Administrative & Study Identification

Full Study Title: Long-Term Outcomes With Abatacept In Biologic Treatment-Naive Rheumatoid Arthritis Patients In Japanese Clinical Practice Settings **Short Title/Acronym:** Abatacept Real-World Outcomes in RA (Japan) **Protocol Number / Posting ID:** 293496331050572358 **NCT Number:** NCT02758769 **Sponsor / Company Name:** Bristol Myers Squibb **Investigational Product:** Abatacept (Trade Name: Orencia | ATC Code: L04AA24) **Phase of Development:** Not Applicable **Trial Status:** COMPLETED **Medical Monitor:** Bristol Myers Squibb Clinical Lead (Japan)

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: The purpose of this study is to examine the effectiveness and safety of the abatacept administration in biologic-naïve rheumatoid arthritis patients who have moderate disease activity despite treatments with conventional synthetic disease modified anti-rheumatic drugs (csDMARDs). **Secondary Objectives:** To evaluate the percentage of achievement in low disease activity by Simplified Disease Activity Index (SDAI), the change in the percentage of disease activity category by SDAI, and the change in the percentage of disease activity category by Clinical Disease Activity Index (CDAI).

2.2 Background & Rationale To address the need for real-world, long-term outcome data on the use of abatacept in Japanese clinical practice settings for biologic-treatment-naive patients with RA who continue to experience moderate disease activity despite prior treatment with csDMARDs.

3. Study Design & Methodology

3.1 Design Framework Study Type: OBSERVATIONAL **Control Type:** Single-arm (Real-world cohort) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Targeted Enrollment: 303 evaluable patients **Number of Sites:** Regional (Japanese Clinical Practice Settings) **Estimated Study Start:** Historical **Estimated Primary Completion:** COMPLETED

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients with RA who meet the 2010 American College of Rheumatology / European League against Rheumatism (ACR/EULAR) RA Classification Criteria. 2. Patients with RA with a moderate disease activity (SDAI: > 11 and 26). 3. Biologic-naïve patients with treatment history of csDMARDs. 4. Patients who meet the following criteria by hematological examination: * Peripheral white blood cell count: 4,000/mm³ * Peripheral lymphocyte count: 1,000/mm³ * Blood β -D-glucan negative 5. Patients who understand the investigator's explanation of study procedures and have given voluntary written consent to participate in this study. 6. Patients initiated with abatacept per their physician's therapeutic decision.

4.2 Exclusion Criteria 1. Past history of hypersensitivity to the components of the abatacept preparation. 2. Disease complications from a comorbidity. 3. Active infectious disease. 4. Been judged by the investigator or the co-investigator as being inappropriate for study participation. 5. Other protocol defined inclusion/exclusion criteria could apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Dosed as per the physician's standard therapeutic decision in a real-world clinical setting. **Route of Administration:** Intravenous or Subcutaneous (Standard abatacept administration). **Duration of Treatment:** Long-term clinical observation.

5.2 Concomitant & Prohibited Therapy Permitted: Conventional synthetic disease-modifying anti-rheumatic drugs (csDMARDs) and other standard RA care as dictated by Japanese clinical practice. **Prohibited:** Concurrent use of other biologic DMARDs.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Variable	Informed Consent, RA Classification Validation, Hematological Labs, Baseline SDAI/CDAI
Baseline	Day 0	Initiation of abatacept per physician decision
Interim	Routine Clinical Visits	Safety monitoring, SDAI/CDAI efficacy assessments
End of Study	End of Observation	Final SDAI/CDAI scoring, overall safety & disease activity categorization evaluation

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Percentage of achievement in simplified disease activity index (SDAI) remission after administration of abatacept.

7.2 Secondary Outcomes 1. Percentage of achievement in low disease activity by simplified disease activity index (SDAI). 2. Change in the percentage of disease activity category by simplified disease activity index (SDAI). 3. Change in the percentage of disease activity category by clinical disease activity index (CDAI).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine pharmacovigilance and AE collection per standard observational clinical practice guidelines. **Serious Adverse Events (SAEs):** Reported according to local regulatory and sponsor pharmacovigilance timelines. **Data Monitoring Committee (DMC):** Managed internally by Bristol Myers Squibb for observational real-world data collection.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Enrolled real-world patient cohort initiated on abatacept (Intent-to-Treat equivalent for observational studies). **Sample Size Justification:** Target enrollment of $N=303$ designed to adequately reflect the long-term clinical outcomes of the Japanese biologic-naïve RA subpopulation. **Handling of Missing Data:** Standard handling for observational real-world data (e.g., As Observed or Last Observation Carried Forward depending on the specific longitudinal assessment).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study was conducted in accordance with the ethical principles derived from the Declaration of Helsinki, Good Epidemiological Practice (GEP), and applicable Japanese observational study regulations. **Monitoring Plan:** Data abstraction and review from routine clinical practice medical records. **Audit Trail:** Electronic data capture (EDC) utilizing standard data clarification and source data verification protocols suitable for registry/observational frameworks.

11. Study Identifiers & Governance

Posting ID: 293496331050572358 **Registry Number:** NCT02758769
Sponsor/Lead Organization: Bristol Myers Squibb **Study Title:**
Long-Term Outcomes With Abatacept In Biologic Treatment-Naive
Rheumatoid Arthritis Patients In Japanese Clinical Practice
Settings **Trial Status:** COMPLETED

12. Clinical Framework (Rheumatoid Arthritis Specific)

Disease Area / Primary Condition: Rheumatoid Arthritis **Semantic Type:** Disease or Syndrome **Condition Definition:** A chronic, systemic autoimmune disorder characterized by inflammation in the synovial membranes and articular surfaces. It manifests primarily as a symmetric, erosive polyarthritis that spares the axial skeleton and is typically associated with the presence in the serum of rheumatoid factor. **Disease Codes:** MeSH: D001172 | HP0: HP:0001370 | SNOMED ID: 69896004 **Medical Methodology:** Abatacept (L04AA24) administration in biologic-naive patients

13. Study Procedures & Methodology

Management Pathway: Standard Japanese clinical pathway for Rheumatoid Arthritis **Education Protocol (HCP):** N/A (Observational Real-World Study) **Education Protocol (Patient):** Routine clinical disease education **Quality Audit Mechanism:** Real-world medical record abstraction and clinical database auditing

14. Observation & Follow-Up Schedule

Total Duration: Long-term follow-up **Onsite Visit Cadence:** Dictated by standard routine clinical practice scheduling **Remote Monitoring Frequency:** N/A (Retrospective/Prospective observational data pulls) **Checklist Review Interval:** Dependent on institutional follow-up protocols

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				