

1. Administrative & Study Identification

Full Official Title: Post-marketing Phase IV, Multicenter, Prospective Study to Observe the Safety and Tolerability of Breztri aerosphere™ Containing a Fixed Dose Combination of Budesonide 160 mcg/ Glycopyrronium 7.2 mcg/ Formoterol Fumarate Dehydrate 5 mcg in Patients With Moderate to Severe Chronic Obstructive Pulmonary Disease **Short Title/Acronym:** Post-marketing Phase 4 Safety & Tolerability Study of Breztri aerosphere™ in Indian Patients With Chronic Obstructive Pulmonary Disease (INDOS-B) **Protocol Number:** D5980L00017 **NCT Number:** NCT06531798 **Posting ID:** 330570682476924718 **Trial Status:** Not yet recruiting participants (NOT_YET_RECRUITING) **Sponsor & Company:** AstraZeneca **Investigational Product:** Breztri aerosphere™ pMDI **Phase of Development:** Phase 4 **Medical Monitor:** AstraZeneca Clinical Study Information Center

2. Study Synopsis & Rationale

2.1 Study Objective **Primary Objective:** To observe the safety and tolerability of Breztri aerosphere™ as a maintenance treatment in Indian patients with moderate to severe COPD. **Secondary Objectives:** To evaluate pulmonary function efficacy, symptom control, and healthcare resource utilization associated with the investigational product.

2.2 Background & Rationale To provide post-marketing safety, tolerability, and clinical efficacy data specific to the Indian population. This study aims to monitor the real-world safety profile of the fixed-dose triple combination (ICS/LAMA/LABA) maintenance therapy in a demographic with a high burden of moderate-to-severe Chronic Obstructive Pulmonary Disease (COPD).

3. Study Design & Methodology

3.1 Design Framework **Study Type:** Interventional (Prospective, Post-marketing) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration **Target \$N\$:** 150 participants **Number of Sites:** Multicenter in India (including Hyderabad) **Study Duration:** 26 weeks **Treatment Duration:** 24 weeks **Estimated Study Start:** 19-Dec-2025 **Estimated Primary Completion:** 30-Oct-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients with a physician-confirmed diagnosis of COPD. 2. History of one severe COPD exacerbation or two or more moderate COPD exacerbations in the preceding 12 months. 3. Post-bronchodilator FEV1 should be between $\geq 30\%$ to $< 80\%$ of the predicted normal. 4. Both male and female patients are allowed in the study. 5. Female of Non-childbearing potential (i.e., physiologically incapable of becoming pregnant, including any female who is 2 years post-menopausal). 6. A urine pregnancy test must be negative at screening. 7. Female participants must follow effective contraceptive method as outlined in protocol. 8. Patients should be capable of giving signed informed consent.

4.2 Exclusion Criteria 1. Significant diseases or conditions other than COPD, which, in the opinion of the Investigator, may put the subject at risk because of participation in the study or may influence either the results of the study or the subject's ability to participate in the study. 2. Chest x-ray within 6 months before screening must be acceptable to the investigator. Subjects who have a chest x-ray that reveals clinically significant abnormalities not believed to be due to the presence of COPD should not be included. A chest x-ray must be conducted if the most recent chest x-ray is not available at the time of screening. 3. Patients having moderate to severe exacerbations within 6 weeks before the Screening period. 4. Female patients who are pregnant or lactating or planning a family during the study period. 5. Patients with either a history of hypersensitivity to excipients of the study drug or drugs with a similar chemical structure or class to the study drug. 6. Patients participating in any current or future interventional trial during the study will not be enrolled in the current study.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Breztri aerosphere™ pMDI, two actuations twice daily. Contains Budesonide 160 mcg / Glycopyrronium 7.2 mcg / Formoterol Fumarate Dehydrate 5 mcg.
Route of Administration: Oral Inhalation. **Duration of Treatment:** 24 weeks.

5.2 Active Substance Details (Glycopyrronium) * Drug Name / Preferred Name: Glycopyrronium * **ATC Code:** D11AA01 * **Known Trade Names:** Cuvposa, Robinul, Prevduo, Glyrx, Breztri, Dartisla, Lonhala, Qbrexza, Bevespi, Utibron, Seebri, Glycate * **EMA Regulatory Links:** * [Bevespi Aerosphere EPAR](#) * [Seebri Breezhaler EPAR](#)

5.3 Concomitant & Prohibited Therapy Permitted: Stable background medications for concomitant conditions that do not interfere with COPD triple therapy. **Prohibited:** Other investigational drugs or

classes of maintenance inhalers with overlapping mechanisms of action.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Exacerbation Assessment, Spirometry, Pregnancy Test, Chest X-ray (if applicable)
Baseline	Day 0	First Dose, Inhaler Technique Education, Safety Baseline
Interim	Weeks 4, 12	Safety Labs, AE Assessment, Symptom & Exacerbation Evaluation
End of Study	Week 24	Final Vital Signs, Exit Interview, IP Accountability, Final Safety Review

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: To observe the safety and tolerability of Breztri aerosphere™ as maintenance treatment. The percentage, nature, intensity, seriousness and causal relationship of AEs, SAEs, and AEs leading to discontinuation of the study drug will be assessed over the 24-week treatment period. **Measurement Method:** Clinical assessment, physical examinations, and patient reporting.

7.2 Secondary & Exploratory Endpoints * **Endpoint 1:** Change in pulmonary function (e.g., Trough FEV1) from baseline. * **Endpoint 2:** Frequency and severity of moderate or severe COPD exacerbations.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via patient reporting and regular investigator clinical assessments at study visits. **Serious Adverse Events (SAEs):** Routine pharmacovigilance timeline, typically requiring reporting within 24 hours to the Sponsor/DMC. **Data Monitoring Committee (DMC):** Internal safety monitoring managed by the AstraZeneca Clinical Study Information Center.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients receiving at least one dose of the investigational product). **Sample Size Justification:** \$N=150\$ is deemed adequately powered for an observational post-marketing phase 4 study to evaluate safety trends within this specific demographic. **Handling of Missing Data:** Last Observation Carried Forward (LOCF) or Multiple

Imputation for efficacy outcome measures; standard adverse event reconciliation for safety endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Scheduled onsite and remote monitoring visits managed by the sponsor to ensure protocol adherence. **Audit Trail:** Secure eCRF implementation with systematic data clarification forms and accountability logs.

11. Study Identifiers & Governance

Primary ID: D5980L00017 **Registry Number:** NCT06531798 **Posting ID:** 330570682476924718 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** INDOS-B **Official Regulatory Title:** Post-marketing Phase IV, Multicenter, Prospective Study to Observe the Safety and Tolerability of Breztri aerosphere™ Containing a Fixed Dose Combination of Budesonide 160 mcg/ Glycopyrronium 7.2 mcg/ Formoterol Fumarate Dehydrate 5 mcg in Patients With Moderate to Severe Chronic Obstructive Pulmonary Disease

12. Clinical Framework (COPD Specific)

Primary Condition: Moderate to Severe Chronic Obstructive Pulmonary Disease (COPD) **Preferred UMLS Name:** Chronic Obstructive Pulmonary Disease **Condition Definition:** COPD, or Chronic Obstructive Pulmonary Disease, is a group of progressive lung diseases that cause airflow obstruction and make it difficult to breathe. It primarily includes emphysema and chronic bronchitis. This chronic condition leads to irreversible damage to the airways and air sacs in the lungs, typically resulting from long-term exposure to irritating gases or particulate matter, most commonly from cigarette smoke. **MeSH Code:** D002942 **SNOMED ID:** 13645005 **Diagnosis Threshold:** Post-bronchodilator FEV1 $\geq 30\%$ to $< 80\%$ of predicted normal **Medical Methodology:** Triple Combination Therapy (ICS/LAMA/LABA) via pMDI **Optimization Target:** Maintenance control, symptom management, and exacerbation reduction

13. Study Procedures & Methodology

Management Pathway: Daily maintenance inhaler regimen **Education Protocol (HCP):** Site initiation for correct pMDI training and safety event reporting. **Education Protocol (Patient):** Inhaler technique instruction and daily symptom/exacerbation tracking.

Quality Audit Mechanism: Medication adherence verification and proper administration checks during follow-up visits.

14. Observation & Follow-Up Schedule

Total Study Duration: 26 weeks **Total Treatment Duration:** 24 weeks
Onsite Visit Cadence: Baseline, periodic interim safety checks, and Week 24 end-of-study visit. **Remote Monitoring Frequency:** Periodic remote check-ins for AEs between scheduled visits.
Checklist Review Interval: Every scheduled visit for AE and exacerbation tracking.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				