

1. Administrative & Study Identification

Full Study Title: A Study to Investigate the Safety, Tolerability, Drug Levels and Drug Effects of BMS-986326 in Adult Participants With Different Forms of Lupus - IM034-1000 **Short Title/Acronym:** BMS-986326 Safety and Tolerability Study in Lupus **Protocol Number:** IM034-1000 **NCT Number:** NCT06013995 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** BMS-986326 (IL-2/CD25 fusion protein) **Phase of Development:** Phase 1 **Medical Monitor:** Bristol Myers Squibb Clinical Trials (clinical.trials@bms.com)

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, drug levels, and drug effects on cells and organs of the body after receiving multiple increasing doses of BMS-986326 via intravenous (IV) infusion or subcutaneous (SC) injection in participants with different forms of lupus. **Secondary Objectives:** To evaluate the pharmacokinetics (PK) and pharmacodynamics (PD) of BMS-986326 in adult participants.

2.2 Background & Rationale To address the clinical need for novel, targeted treatments in lupus by investigating BMS-986326, an IL-2/CD25 fusion protein. The study aims to evaluate if targeting specific immune responses and harnessing IL-2 can effectively manipulate T cells, control the overactive immune system, and safely reduce inflammation in participants with Discoid Lupus Erythematosus (DLE), Subacute Cutaneous Lupus Erythematosus (SCLE), or Systemic Lupus Erythematosus (SLE).

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind / Single-blind (Placebo control utilized) **Randomization:** Randomized (Assigned to BMS-986326 or Placebo)

3.2 Planned Enrollment & Duration Target \$N\$: 44 participants **Number of Sites:** Multiple global locations **Estimated Study Start:** 21-Sep-2023 **Estimated Primary Completion:** 12-Apr-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 to ≤ 75 years old. 2. Diagnosis of Discoid Lupus Erythematosus (DLE), Subacute Cutaneous Lupus Erythematosus (SCLE), or Systemic Lupus Erythematosus (SLE). DLE/SCLE must be diagnosed at least 3 months prior to screening and confirmed by biopsy. SLE must be diagnosed based on the 2019 EULAR/ACR Classification. 3. Ongoing disease activity based on CLASI-A scoring (for DLE/SCLE) or mild-moderate disease severity based on SLEDAI-2K score (for SLE).

4.2 Exclusion Criteria 1. Women who are pregnant or breastfeeding. 2. Drug-induced CLE and drug-induced SLE, or SLE considered by the Investigator to be severe. 3. Current use of > 10 mg prednisone (or equivalent) per day.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Multiple increasing doses across established cohorts (Cohorts A, B, C1, C2, D2, E2). **Route of Administration:** Intravenous (IV) infusion or Subcutaneous (SC) injection. **Duration of Treatment:** Variable duration based on the Phase 1 dose-escalation specific cohort timeline.

5.2 Concomitant & Prohibited Therapy Permitted: Stable doses of baseline standard-of-care lupus therapies allowed by the protocol. **Prohibited:** Prednisone > 10 mg/day (or equivalent) and other exclusionary immunosuppressive treatments as defined per protocol.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Biopsy confirmation (if DLE/SCLE), EULAR/ACR assessment.
Baseline	Day 0	Randomization, First Dose Administration (IV or SC), Safety Assessments.
Interim	Week [X] $\pm$ [Y]	Dose-escalation monitoring, PK/PD Assessments, Safety Labs, Efficacy Assessments (CLASI-A/SLEDAI-2K).
End of Study	Week [X]	Final Safety Follow-up, Exit Interview, IP Accountability.

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Treatment-Emergent Adverse Events (TEAEs) and Serious Adverse Events (SAEs) to evaluate the overall safety and tolerability of BMS-986326. **Measurement Method:** Clinical observations, physical examinations, and standard laboratory analysis over the course of the study.

7.2 Secondary & Exploratory Endpoints * [Pharmacokinetics (PK): Measurement of systemic drug levels of BMS-986326] * [Pharmacodynamics (PD): Evaluation of drug effects on cells and organs, specifically targeting T cell responses]

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous collection via patient interviews, physical exams, and lab assessments throughout the dose-escalation phases. **Serious Adverse Events (SAEs):** Reported within 24 hours of site awareness to the sponsor. **Data Monitoring Committee (DMC):** Internal/External Safety Review Committee utilized for monitoring dose-escalation and cohort progression safety.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all randomized participants who received at least one dose of BMS-986326 or Placebo). **Sample Size Justification:** Target $N = 44$ is determined to provide adequate safety and preliminary PK/PD data for a Phase 1 dose-escalation evaluation. **Handling of Missing Data:** Standard handling utilizing descriptive statistics for safety parameters, with missing data generally not imputed for primary safety endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite and remote monitoring visits to ensure protocol compliance and data integrity. **Audit Trail:** Utilizing a validated Electronic Data Capture (EDC) system including tracking of data clarification forms and final eCRF locking.

11. Study Identifiers & Governance

Primary ID: IM034-1000 **Registry Number:** NCT06013995 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study to Investigate the Safety, Tolerability, Drug Levels and Drug Effects of BMS-986326 in Adult Participants With Different Forms of Lupus **Official Regulatory Title:** A Study to Investigate the Safety, Tolerability, Drug Levels and Drug Effects of BMS-986326 in Adult Participants With Different Forms of Lupus - IM034-1000

12. Clinical Framework (Lupus Specific)

Primary Condition: {{Cutaneous Lupus Erythematosus (DLE, SCLE) and Systemic Lupus Erythematosus (SLE)}} **Diagnosis Threshold:** {{Diagnosis via biopsy for DLE/SCLE and 2019 EULAR/ACR Classification for SLE; Active disease via CLASI-A or SLEDAI-2K score}} **Medical Methodology:** {{Investigational Immune Modulation (IL-2/CD25 fusion protein)}} **Optimization Target:** {{Safety, tolerability, and target cellular immune engagement}}

13. Study Procedures & Methodology

Management Pathway: {{Phase 1 standard clinical pathway for dose-escalation (IV and SC administration)}} **Education Protocol (HCP):** {{Investigator training on IL-2/CD25 mechanism of action and AE management}} **Education Protocol (Patient):** {{Informed consent review and safety monitoring education}} **Quality Audit Mechanism:** {{Routine clinical monitoring and Safety Review Committee protocol oversight}}

14. Observation & Follow-Up Schedule

Total Duration: {{Up to study completion estimated April 2026}} **Onsite Visit Cadence:** {{Determined by standard dose-escalation timeline for Cohorts A-E}} **Remote Monitoring Frequency:** {{Per monitoring plan}} **Checklist Review Interval:** {{Per study-specific protocol timelines}}

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				