

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: Korea Post Marketing Surveillance (PMS) Study of Vizimpro **Short Title/Acronym:** Vizimpro Korea PMS **Protocol Number:** Pfizer Internal PMS Study ID **PostingID:** 376334306362127453 **NCT Number:** NCT04721106 **Sponsor Name:** Pfizer **Investigational Product:** Vizimpro® (dacomitinib) **Phase of Development:** Not Applicable (Post-Marketing Surveillance) **Trial Status:** RECRUITING (Currently recruiting participants) **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the incidence of adverse events categorized according to physical organ and disease/symptom in a routine clinical practice setting. **Secondary Objectives:** To evaluate the overall response rate (ORR) of Vizimpro based on RECIST criteria during routine clinical visits.

2.2 Background & Rationale Vizimpro is approved for the first-line treatment of EGFR-mutated non-small cell lung cancer (NSCLC) in Korea. In accordance with the Standards for Re-examination of New Drug, a Post Marketing Surveillance (PMS) study is required to observe its real-world effectiveness and safety profile under general clinical practice conditions and determine any problems or questions associated with Vizimpro after marketing in Korea.

3. Study Design & Methodology

3.1 Design Framework Study Type: OBSERVATIONAL (Prospective, Single-arm, Open-label, Non-interventional, Multi-centre) **Control Type:** Single-arm (Vizimpro treatment group) **Blinding:** Open-label **Randomization:** N/A (Non-Probability Sample)

3.2 Planned Enrollment & Duration Target \$N\$: 180 **Number of Sites:** Routine clinical practice sites across South Korea **Estimated Study Start:** 07-Mar-2021 **Estimated Primary Completion:** 10-Feb-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria Patients must meet all of the following inclusion criteria to be eligible for inclusion in the study: 1. Vizimpro® naïve patients to whom Vizimpro® can be prescribed as per the local labeling (the first-line treatment of adult

patients with locally advanced or metastatic non-small cell lung cancer (NSCLC) with epidermal growth factor receptor (EGFR) exon 19 deletion or exon 21 L858R substitution mutations). 2. Evidence of a signed and dated informed consent document indicating that the patient (or a legally acceptable representative) has been informed of all pertinent aspects of the study.

4.2 Exclusion Criteria Patients meeting any of the following criteria will not be included in the study: 1. Patients to whom Vizimpro® is contraindicated as per the local labeling. A. Hypersensitivity to the active substance or to any of the excipients of this product. B. This medicinal product contains lactose. Patients with rare hereditary conditions of galactose intolerance, total lactase deficiency, or glucose-galactose malabsorption should not take this medicinal product. 2. Any patients (or a legally acceptable representative) who do not agree that Pfizer and companies working with Pfizer use his/her information.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Administered according to the approved local label in routine clinical practice. **Route of Administration:** Oral. **ATC Code:** L01EB07 **EMA URL:** https://www.ema.europa.eu/en/documents/product-information/vizimpro-epar-product-information_en.pdf **Duration of Treatment:** From Day 1 until disease progression or drop out of the study.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications allowed as per routine clinical practice and standard of care. **Prohibited:** Therapies strictly contraindicated with Vizimpro as specified by the local Korean prescribing information.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Baseline	Day 1	Informed Consent, Medical History, Baseline Tumour Assessment, First administration of Vizimpro
Interim	Routine Care Intervals	Safety monitoring, AE collection, Tumor response mapping (RECIST criteria)
End of Study	Disease Progression or Drop out	Final clinical assessment, 28-day safety follow-up post-last dose

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of adverse events categorized according to physical organ and disease/symptom. **Measurement Method:** Observational collection from Day 1 of first

administration dose up to the date of at least 28 calendar days following the last administration.

7.2 Secondary Outcomes Overall Response Rate (ORR): Assessed according to RECIST criteria collected under routine clinical practice visits.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Conducted during routine clinical practice visits, evaluated up to 28 days post-last dose. **Serious Adverse Events (SAEs):** Reported per standard PMS pharmacovigilance regulatory requirements (typically 24 hours of site awareness). **Data Monitoring Committee (DMC):** Pfizer internal safety surveillance monitoring board.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set for all AE/SAE evaluations; Effectiveness Set for ORR evaluations. **Sample Size Justification:** Target enrollment of 180 is based on the Standards for Re-examination of New Drug under the Korean Ministry of Food and Drug Safety requirements for Post Marketing Surveillance. **Handling of Missing Data:** Standard observational study handling (e.g., missing data excluded from the denominator in effectiveness analysis).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local post-marketing surveillance regulations in Korea. **Monitoring Plan:** Observational data collection during routine clinical practice visits. **Audit Trail:** Data collected and secured via standard Pfizer data collection systems for PMS compliance.

11. Study Identifiers & Governance

Primary ID: NCT04721106 **Registry Number:** NCT04721106 **PostingID:** 376334306362127453 **Preferred UMLS Name:** Postmarketing Surveillance **Sponsor/Lead Organization:** Pfizer **Company:** Pfizer **Study Title:** Korea Post Marketing Surveillance (PMS) Study of Vizimpro **Official Title:** A Prospective, Single-arm, Open-label, Non-interventional, Multi-centre, Post Marketing Surveillance (PMS) Study of Vizimpro®

12. Clinical Framework (NSCLC Specific)

Disease Area / Condition: Lung Neoplasms **Primary Condition:** Locally advanced or metastatic non-small cell lung cancer (NSCLC) **Diagnosis Threshold:** Epidermal growth factor receptor (EGFR) exon 19 deletion or exon 21 L858R substitution mutations **Semantic Type:** Neoplastic Process **Condition Definition:** A benign or malignant, primary or metastatic neoplasm involving the lungs. Representative examples of benign neoplasms include adenoma, papilloma, chondroma, and endobronchial lipoma. Representative examples of malignant neoplasms include carcinoma, carcinoid tumor, sarcoma, and lymphoma. **Terminology Codes:** MeSH Code: D008175 | HPO Code: HP:0100526 | SNOMED ID: 126713003 **Medical Methodology:** First-line targeted therapy (Tyrosine Kinase Inhibitor) **Optimization Target:** Disease control and overall tumor response optimization

13. Study Procedures & Methodology

Management Pathway: Routine clinical practice oncology pathway for NSCLC in South Korea **Education Protocol (HCP):** Local label compliance and adverse event reporting training per PMS standards **Education Protocol (Patient):** Standard informed consent process and routine practice disease education **Quality Audit Mechanism:** Regulatory PMS safety tracking and pharmacovigilance data collection audits

14. Observation & Follow-Up Schedule

Total Duration: From Day 1 until disease progression or drop out, plus a 28-day safety follow up **Onsite Visit Cadence:** Aligned with routine clinical practice oncology visits **Remote Monitoring Frequency:** N/A (Observational standard practice) **Checklist Review Interval:** Adverse event and RECIST evaluation at every routine scheduled visit

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				