

1. Administrative & Study Identification

Full Study Title: A Prospective, Single-arm, Multicenter, Observational Non-Interventional Study (NIS) in Germany of Patient Characteristics, Usage and Effectiveness of Abrocitinib in Patients With Moderate to Severe Atopic Dermatitis (AD) **Short Title/Acronym:** A Study to Learn About Abrocitinib in Adult Patients With Moderate to Severe Atopic Dermatitis **Protocol Number:** B7451089 **NCT Number:** NCT05250115 **Sponsor Name:** Pfizer **Investigational Product:** Abrocitinib **Phase of Development:** Phase IV / Observational Non-Interventional Study **Medical Monitor:** Pfizer Medical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the effectiveness, usage, and patient characteristics of abrocitinib in adult patients with moderate to severe atopic dermatitis (AD) in a real-world setting, primarily measured by achieving an Investigator's Global Assessment (IGA) score of clear (0) or almost clear (1). **Secondary Objectives:** To evaluate the percentage of participants achieving Eczema Area and Severity Index (EASI) 75 and 90 responses, changes in the Peak Pruritus Numeric Rating Scale (PP-NRS), SCORAD responses, and to assess real-world safety (Adverse Events and Serious Adverse Events).

2.2 Background & Rationale To address the need for real-world evidence on the safety and effectiveness of the JAK1 inhibitor, abrocitinib, in patients with moderate to severe AD outside of controlled clinical trials. This non-interventional study monitors patients experiencing standard routine clinical practice over a 12-month follow-up period to ensure the medicine's post-marketing safety and sustained efficacy.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Non-Interventional Study) **Control Type:** Single-arm (Single Group Assignment) **Blinding:** Open-label (None) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 397 participants **Number of Sites:** Multicenter (Germany) **Estimated Study Start:** 10-May-2022 **Primary Completion (Actual):** 25-Jul-2024

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients aged ≥ 18 years. 2. Confirmed diagnosis of AD by a dermatologist prior to study inclusion. 3. Patient is eligible for abrocitinib treatment according to the Summary of Product Characteristics (SmPC) and the decision to initiate treatment was made as part of routine clinical practice.

4.2 Exclusion Criteria 1. Contraindications according to the SmPC. 2. Receipt of any investigational drug within 3 months prior to inclusion or participation in a clinical trial during the observation period. 3. Patients being treated with abrocitinib within a time period of < 28 days prior to the timepoint of study inclusion.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Taken orally as prescribed by the treating physician in a real-world setting. Route of Administration: Oral Duration of Treatment: Participants are followed up for 12 months from the date of their first abrocitinib prescription.

5.2 Concomitant & Prohibited Therapy Permitted: Routine clinical practice concomitant therapies for AD or co-morbidities. Prohibited: Receipt of any investigational drug during the observation period.

6. Study Timeline & Visit Schedule

| Visit ID | Window (Days) | Key Activities/Procedures | | :---
| :--- | :--- | | Baseline | Day 0 | Informed Consent, Medical History, AD Diagnosis Confirmation, First Prescription | | Interim | Months 3, 6, 9 | Routine standard of care visits: IGA assessment, EASI, Pruritus NRS, Safety monitoring | | End of Study | Month 12 | Final clinical documentation, Efficacy and Safety Assessments, AE/SAE recording |

(Note: Patient documentation is expected quarterly as per standard clinical practice.)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Percentage of Participants Who Achieved Investigator's Global Assessment (IGA) Score of Clear (0) or Almost Clear (1) and a reduction of ≥ 2 points from baseline. Measurement Method: Clinical evaluation using the 5-point IGA scale.

7.2 Secondary & Exploratory Endpoints * Percentage of participants achieving Eczema Area and Severity Index (EASI) $\geq$ 75% improvement from baseline (EASI-75) and EASI-90. * Percentage of participants achieving at least a 4-point improvement on the Pruritus Numeric Rating Scale (PP-NRS).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard real-world collection via quarterly routine clinical practice check-ups and patient documentation. **Serious Adverse Events (SAEs):** Routine pharmacovigilance reporting according to post-marketing observational study requirements. **Data Monitoring Committee (DMC):** Managed internally by Pfizer per non-interventional study protocols.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled adult participants prescribed abrocitinib who had at least one documented follow-up. **Sample Size Justification:** A target N of ~397 provides sufficient real-world data to evaluate the post-marketing usage, effectiveness trends, and patient characteristics over the study period. **Handling of Missing Data:** Managed per the designated Statistical Analysis Plan (SAP) for real-world observational data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study is conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local regulatory requirements for observational studies. **Monitoring Plan:** Participant documentation is expected and collected quarterly as per standard clinical practice. **Audit Trail:** Standard data capture and review mechanisms for non-interventional studies to ensure data privacy and protocol adherence.

11. Study Identifiers & Governance

Primary ID: B7451089 **Registry Number:** NCT05250115 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Learn About Abrocitinib in Adult Patients With Moderate to Severe Atopic Dermatitis **Official Regulatory Title:** A Prospective, Single-arm, Multicenter, Observational Non-Interventional Study (NIS) in Germany of Patient Characteristics, Usage and Effectiveness of Abrocitinib in Patients With Moderate to Severe Atopic Dermatitis (AD)

12. Clinical Framework (Atopic Dermatitis Specific)

Primary Condition: Moderate to Severe Atopic Dermatitis (AD)
Diagnosis Threshold: Confirmed diagnosis of AD by a dermatologist
Medical Methodology: Routine Clinical Practice / Real-World Setting
Optimization Target: IGA Clear (0) or Almost Clear (1) / EASI-75

13. Study Procedures & Methodology

Management Pathway: Standard clinical pathway for Atopic Dermatitis
Education Protocol (HCP): Prescribing according to the Summary of Product Characteristics (SmPC)
Education Protocol (Patient): Standard real-world care and informed consent
Quality Audit Mechanism: Quarterly clinical documentation reviews

14. Observation & Follow-Up Schedule

Total Duration: 12 months follow-up per patient
Onsite Visit Cadence: Quarterly (per standard clinical practice)
Remote Monitoring Frequency: N/A (Standard of care observation)
Checklist Review Interval: Every 3 months (Quarterly)

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				