

1. Administrative & Study Identification

Full Study Title: A Single-dose Study to Evaluate the Safety, Tolerability, Drug Levels, and Relative Biological Availability of Alternate Formulations of BMS-986460 in Healthy Adult Male Participants **Short Title/Acronym:** BMS-986460 Alternate Formulations SAD & Bioavailability Study **Protocol Number:** CA125-1018 **NCT Number:** NCT06877702 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** BMS-986460 (alternate formulations) **Phase of Development:** Phase 1 **Medical Monitor:** Bristol Myers Squibb Medical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the safety, tolerability, drug levels, and relative bioavailability of alternate formulations of BMS-986460 in healthy adult male participants. **Secondary Objectives:** To evaluate the pharmacokinetics (PK) following single ascending doses (SAD) of BMS-986460.

2.2 Background & Rationale BMS-986460 is an investigational drug, currently being explored as a potential immunotherapy for conditions such as advanced prostate cancer that resists standard hormone therapy. This Phase 1 healthy volunteer study is necessary to determine the safety profile, body absorption characteristics, and optimum pharmacological formulation before advancing into broader efficacy trials.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Crossover / Dose-comparison **Blinding:** Open-label (Part 1); Single Ascending Dose (Part 2) **Randomization:** Randomized (Crossover design)

3.2 Planned Enrollment & Duration Target \$N\$: [Pending Final Enrollment Numbers] **Number of Sites:** Multiple sites in the United States (including facilities in Kansas) **Estimated Study Start:** 19-Mar-2025 **Estimated Primary Completion:** 17-Dec-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Healthy adult male participants with no clinically significant deviation from normal in medical history,

physical examination, vital signs, 12-lead ECGs, echocardiogram, or clinical laboratory assessments. 2. Body mass index (BMI) between 18.0 and 35.0 \$kg/m^2\$, inclusive. 3. Sexually active males with individuals of childbearing potential (IOCBP) must agree to follow instructions for methods of contraception.

4.2 Exclusion Criteria 1. Prior exposure to BMS-986460 or a history of heart failure, ischemic heart diseases, clinically significant cardiac arrhythmias, or long QT syndrome. 2. Left ventricular ejection fraction (LVEF) \$\le 50\%\$ at screening. 3. Current or recent (within 3 months) gastrointestinal disease that could affect absorption of the study intervention, history of Gilbert's syndrome, or history of anaphylactic reactions.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single Ascending Doses (SAD) and crossover dose comparisons on specified days.
Route of Administration: Alternate formulations (oral/systemic).
Duration of Treatment: Single-dose administrations throughout the scheduled Phase 1 clinical unit confinement period.

5.2 Concomitant & Prohibited Therapy Permitted: Standard highly restricted medications permitted in Phase 1 healthy volunteer settings. **Prohibited:** Any medication or gastrointestinal agent that might interfere with the absorption or metabolism of the study drug.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, ECG, Echocardiogram, Labs
Baseline	Day 0	Admission to clinical unit, Randomization, Baseline assessments
Interim	Specified Days	Single dose administration, intensive PK sampling, Safety Labs
End of Study	Follow-up	Final Vital Signs, Exit Interview, PK assessment completion

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Adverse Events (AEs) and Serious Adverse Events (SAEs); pharmacokinetic metrics (including \$C_{max}\$ and \$AUC\$) to establish relative bioavailability of the alternate formulations. **Measurement Method:** Clinical assessments, ECG monitoring, standard laboratory testing, and bioanalytical assays of blood samples.

7.2 Secondary & Exploratory Endpoints Evaluating broader PK profiles of BMS-986460 across multiple cohorts during the Single Ascending Dose (SAD) phase.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous clinical monitoring during in-patient stays, identifying both common and serious side effects. **Serious Adverse Events (SAEs):** Mandatory reporting within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Internal safety review team evaluating dose-escalation limits during the SAD portion.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all participants receiving ≥ 1 dose) and Pharmacokinetic (PK) Analysis Set. **Sample Size Justification:** Conventional Phase 1 sizing adequately powered to map basic PK characteristics and capture acute safety events. **Handling of Missing Data:** PK concentrations below the limit of quantification will be treated as zero; no imputation for missing safety data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Direct onsite monitoring of Phase 1 clinical research facilities to ensure protocol compliance and healthy volunteer safety. **Audit Trail:** Robust database systems tracking all eCRF modifications and laboratory data uploads.

11. Study Identifiers & Governance

Primary ID: CA125-1018 **Registry Number:** NCT06877702 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Single-dose Study to Evaluate the Safety, Tolerability, Drug Levels, and Relative Biological Availability of Alternate Formulations of BMS-986460 in Healthy Adult Male Participants **Official Regulatory Title:** A Phase 1, 2-Part, Open-label Study to Evaluate Relative Bioavailability of Alternate Formulations of BMS-986460 in Healthy Adult Male Participants (Part 1), and a Single Ascending Dose Study to Evaluate Safety, Tolerability, and Pharmacokinetics of BMS-986460 in Healthy Adult Male Participants (Part 2)

12. Clinical Framework (Study Specific)

(Note: Template fields adapted from Hyperkalemia framework to match Phase 1 Healthy Volunteer framework) **Primary Condition:** Healthy Volunteers (Drug Target: Prostate Cancer) **Diagnosis Threshold:** N/A (Healthy male screening threshold via BMI, LVEF \$

\ge 50\%\$) **Medical Methodology:** Phase 1 Pharmacokinetics & Bioavailability **Optimization Target:** Identifying the safest and most optimal biological formulation for future trials

13. Study Procedures & Methodology

Management Pathway: Strict inpatient Phase 1 clinical unit confinement for drug administration and PK drawing. **Education Protocol (HCP):** Phase 1 site initiation and dose-escalation protocols. **Education Protocol (Patient):** Informed consent focusing on healthy volunteer confinement rules and contraception mandates. **Quality Audit Mechanism:** Close monitoring of bioanalytical sample processing and protocol adherence.

14. Observation & Follow-Up Schedule

Total Duration: Specified protocol observation window for acute single-dose clearing. **Onsite Visit Cadence:** Confinement periods in the clinical research unit during dosing days. **Remote Monitoring Frequency:** N/A (Primarily an inpatient study) **Checklist Review Interval:** Daily during confinement phases.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	____	[DD-MMM-YYYY]				