

1. Administrative & Study Identification

Full Study Title: A Real-World, Observational, Multicentre Retrospective Analysis to Evaluate the Clinical Characteristics, Medical Management and Outcomes of Hospitalised Patients With Factor Xa Inhibitor-Related InTracranial Haemorrhage (FAITH)
Short Title/Acronym: FAITH Study **Protocol Number:** D9603R00022 **NCT Number:** NCT06420011 **EudraCT Number:** N/A **CTIS Number:** N/A **Sponsor Name:** AstraZeneca **Investigational Product:** N/A (Observational study evaluating patients on Factor Xa Inhibitors) **Phase of Development:** N/A (Retrospective Observational Study) **Medical Monitor:** AstraZeneca Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To describe the characteristics and hospital outcomes of hospitalised adult patients with Factor Xa (FXa) inhibitors-related intracranial haemorrhage (ICH) in real-world settings. **Secondary Objectives:** To understand the burden of ICH related to FXa inhibitors, detail current treatment approaches in countries where specific reversal agents are not yet available, and evaluate the socioeconomic impact and factors associated with negative outcomes.

2.2 Background & Rationale To understand the burden of ICH related to FXa inhibitors and current treatment approaches in real-world settings. The insights gained can inform clinical decision-making, potentially lead to strategies to optimise the use of FXa inhibitors, increase the availability of specific reversal agents, and improve patient safety and outcomes.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Retrospective, Multicentre Cohort Study) **Allocation:** N/A **Intervention Model:** N/A **Control Type:** N/A (Single-arm / Cohort) **Blinding / Masking:** N/A (Open-label / Retrospective record review) **Randomization:** N/A **Primary Purpose:** N/A **Endpoint Classification:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 123 (Actual Enrollment) **Number of Sites:** Multicentre **Study Start:** 08-Jul-2024 **Primary Completion:** 01-Nov-2024 **Study Completion:** 01-Nov-2024

4. Subject Selection (Eligibility Criteria)

4.1 Demographics Age: 18 Years and older Sex: All Healthy
Volunteers: No

4.2 Inclusion Criteria 1. Men and women ≥ 18 years of age at the time of hospital admission. 2. Patients presented with a spontaneous or traumatic haemorrhage into any intracranial compartment, with diagnosis based on Computed Tomography (CT) or Magnetic Resonance Imaging (MRI) scan and according to the ICD-10-CM diagnosis code. 3. Patients who were determined in the medical records to have taken a dose of oral FXa inhibitors within 24 hours before hospital presentation that warranted reversal of anticoagulant activities.

4.3 Exclusion Criteria 1. Patients who were treated with andexanet alfa. 2. Patients who were enrolled in any clinical trials during the study period.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Study Drug: N/A **Dosage/Frequency:** N/A (Retrospective observational analysis. Patients were previously taking oral FXa inhibitors prior to admission). **Route of Administration:** N/A (Historical oral intake of FXa inhibitors). **Duration of Treatment:** N/A (Historical data followed from the index date/hospital admission up to 6 months, or until the earliest date of death or loss to follow-up).

5.2 Concomitant & Prohibited Therapy Permitted: Standard medical management of ICH per institutional hospital protocols.
Prohibited: Andexanet alfa (patients receiving this specific reversal agent are excluded).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures		---
---	---	Index Date	Day 0	Date of hospital admission; baseline characteristics extraction, ICH diagnosis confirmation (CT/MRI)
		Follow-up	Up to 6 Months	Retrospective retrieval of historical data, hospital outcomes, discharge data, and survival status

(Note: Data of consecutive patients admitted on or after 1-Jan-2021 and by 30-Jun-2023 will be retrieved retrospectively)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Clinical characteristics and hospital outcomes (e.g., mortality, length of stay, and

functional status) of patients with FXa inhibitors-related ICH.
Measurement Method: Retrospective medical records extraction and real-world data analysis.

7.2 Secondary & Exploratory Endpoints - Descriptive analysis of current treatment approaches and management strategies utilized.
- Socioeconomic impact and factors associated with negative clinical outcomes.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: N/A (Non-interventional, retrospective analysis; no prospective safety monitoring).
Serious Adverse Events (SAEs): N/A **Data Monitoring Committee (DMC):** N/A (Internal review by AstraZeneca Study Team).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Retrospective Cohort Set (eligible adult patients hospitalized with confirmed FXa-inhibitor-related ICH during the collection window). **Sample Size Justification:** Descriptive statistical analysis based on the convenience sample of available medical records meeting eligibility (Actual Enrollment \$N=123\$). **Handling of Missing Data:** Standard imputation for retrospective observational registries; complete case analysis where applicable.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local data privacy regulations. **Monitoring Plan:** Source data verification of extracted medical records against hospital Electronic Health Records (EHR). **Audit Trail:** Secured eCRF tracking for data extraction with standardized audit trails.

11. Study Identifiers & Governance

Primary ID: D9603R00022 **Registry Number:** NCT06420011 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** FAITH - Factor XA Inhibitor-Related InTracranial Haemorrhage **Official Regulatory Title:** A Real-World, Observational, Multicentre Retrospective Analysis to Evaluate the Clinical Characteristics, Medical Management and Outcomes of Hospitalised Patients With Factor XA Inhibitor-Related InTracranial Haemorrhage (FAITH) **Verification Date:** 01-Aug-2025

12. Clinical Framework (Study Specific)

Primary Condition: InTracranial Haemorrhage (ICH) **Diagnosis Threshold:** Spontaneous or traumatic haemorrhage confirmed by CT/MRI and ICD-10-CM codes **Medical Methodology:** Real-world standard of care ICH management **Optimization Target:** Evaluation of characteristics, socioeconomic impact, and outcomes for FXa inhibitor-related ICH

13. Study Procedures & Methodology

Management Pathway: Retrospective medical records data retrieval **Education Protocol (HCP):** N/A (Observational Retrospective Study) **Education Protocol (Patient):** N/A (Observational Retrospective Study) **Quality Audit Mechanism:** EHR data extraction verification and source data confirmation

14. Observation & Follow-Up Schedule

Total Duration: Up to 6 months post-index date (retrospective collection) **Onsite Visit Cadence:** N/A (Retrospective extraction) **Remote Monitoring Frequency:** N/A (Retrospective extraction) **Checklist Review Interval:** N/A (Retrospective extraction)

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				