

1. Administrative & Study Identification

Full Study Title: A Phase 4, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of Deucravacitinib in Participants With Non-Pustular PalmoPlantar and Genital Psoriasis (Psoriatyk Special Sites)

Short Title/Acronym: A Study to Evaluate Effectiveness and Safety of Deucravacitinib in Participants With Non-Pustular Palmoplantar and Genital Psoriasis **Protocol Number:** IM011-1112 **NCT Number:** NCT06042920 **Posting ID:** 505403582008611403 **Sponsor/Company Name:** Bristol Myers Squibb **Investigational Product:** Deucravacitinib (Trade Name: Sotyktu / BMS-986165) **ATC Code:** L04AA56 **EMA URL:** [Sotyktu EPAR](#) **Phase of Development:** Phase 4 **Medical Monitor:** Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To measure the safety and effectiveness of deucravacitinib in participants with non-pustular palmoplantar psoriasis and genital psoriasis. **Secondary Objectives:** To evaluate improvements in generalized plaque psoriasis, genital psoriasis severity, and long-term tolerability of the study drug over the treatment period.

2.2 Background & Rationale To address the unmet need for effective treatments in patients with moderate-to-severe non-pustular palmoplantar and genital psoriasis. These variants of psoriasis are notoriously difficult to treat and severely impact patients' quality of life. This trial investigates whether deucravacitinib, a selective allosteric tyrosine kinase 2 (TYK2) inhibitor, provides safe and effective disease clearance for patients who have failed to respond to or are intolerant of topical therapies and are candidates for systemic treatment.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized **Trial Status:** TERMINATED (Study was terminated early)

3.2 Planned Enrollment & Duration Target \$N\$: 130 enrolled participants **Number of Sites:** Multicenter **Estimated Study Start:** 09-Oct-2023 (Actual)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Men and women diagnosed with stable plaque psoriasis with involvement of the palm(s) and/or sole(s), or genital area, for at least 6 months or more. Stable psoriasis is defined as no morphology changes or significant flares of disease activity. 2. Moderate-to-severe plaque psoriasis defined as s-PGA score of ≥ 3 on a 5-point scale at both screening visit and Day 1. 3. For Palmoplantar: Moderate-to-severe non-pustular PP psoriasis, defined as pp-PGA score of ≥ 3 and pp-PASI ≥ 8 at screening and Day 1. For Genital: Moderate-to-severe GenPs, defined as static Physician's Global Assessment of Genitalia (s-PGA-G) score of ≥ 3 on a 6-point scale. 4. Deemed by the investigator to be a candidate for phototherapy or systemic therapy, and failed to respond to, or intolerant of ≥ 1 topical therapy.

4.2 Exclusion Criteria 1. Pustular psoriasis: a total maximum of 5 sterile pustules across both palms and soles limited only to psoriatic plaques is allowed; widespread pustular disease (e.g., PP pustular psoriasis, guttate, erythrodermic) is excluded. 2. Prior inadequate response to TYK2 inhibitors or active systemic infection. 3. Pregnant or breastfeeding women.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Deucravacitinib (specified dose on specified days) vs. Placebo. **Route of Administration:** Oral **Duration of Treatment:** Placebo-controlled induction phase followed by active deucravacitinib treatment.

5.2 Concomitant & Prohibited Therapy Permitted: Standard bland emollients and select medications for existing co-morbidities not affecting psoriasis. **Prohibited:** Concurrent use of other systemic anti-psoriatic therapies (e.g., biologics, other JAK/TYK2 inhibitors, methotrexate) and potent topical corticosteroids in the affected study areas during the evaluation period.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Dermatology Assessments (s-PGA, pp-PASI)
Baseline	Day 0	Randomization, First Dose, Vitals, Baseline PASI/PGA Scoring
Interim	Weeks 4, 8, 12 $\pm$ 3	Safety Labs, Efficacy Assessment, Study Drug Dispensation
End of Study	Week 16	Final Primary Endpoint Evaluation, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints 1. Number of Participants With a 75% Improvement in Palmoplantar Psoriasis Area and Severity Index (pp-PASI-75) Score. 2. Number of Participants With Static Physician Global Assessment Genitals (s-PGA-G) Score of 0 (Clear) or 1 (Almost Clear), With At Least a 2-Point Reduction.

7.2 Secondary Endpoints 1. Number of Participants With Palmoplantar Physician Global Assessment (pp-PGA) Score of 0 (Clear) or 1 (Almost Clear), With At Least a 2-Point Reduction. 2. Number of Participants With Static Physician Global Assessment (s-PGA) Score of 0 (Clear) or 1 (Almost Clear), With Least a 2-Point Reduction. 3. Change from baseline in Genital Psoriasis (GenPs) Itch Numeric Rating Scale (NRS) score.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous collection via investigator assessment, patient diary, and laboratory evaluations throughout the study. **Serious Adverse Events (SAEs):** Required reporting timeline of 24 hours to the sponsor and Institutional Review Board (IRB). **Data Monitoring Committee (DMC):** Internal safety monitoring governed by Bristol Myers Squibb guidelines.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy outcomes; Safety Set for all participants receiving at least one dose of the study drug. **Sample Size Justification:** $N = 130$ participants; sufficiently powered ($\alpha = 0.05$) to evaluate the superiority of deucravacitinib over placebo. **Handling of Missing Data:** Non-responder imputation (NRI) for categorical efficacy endpoints and Mixed-Effect Model Repeated Measure (MMRM) for continuous data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite monitoring visits supplemented by centralized remote data monitoring. **Audit Trail:** Validated 21 CFR Part 11 compliant electronic data capture (EDC) system with eCRF locking and audit trails.

11. Study Identifiers & Governance

Primary ID: IM011-1112 **Registry Number:** NCT06042920 **Posting ID:** 505403582008611403 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study to Evaluate Effectiveness and Safety of Deucravacitinib in Participants With Non-Pustular Palmoplantar and Genital Psoriasis **Official Regulatory Title:** A Phase 4, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of Deucravacitinib in Participants With Non-Pustular PalmoPlantar and Genital Psoriasis (Psoriatyk Special Sites)

12. Clinical Framework (Psoriasis Specific)

Primary Condition: Psoriasis **Disease Areas:** Palmoplantar Psoriasis, Genital Psoriasis **Preferred UMLS Name:** Psoriasis, Palmoplantar, Genital **Semantic Type:** Disease or Syndrome **Condition Definition:** A common genetically determined, chronic, inflammatory skin disease characterized by rounded erythematous, dry, scaling patches. The lesions have a predilection for nails, scalp, genitalia, extensor surfaces, and the lumbosacral region. Accelerated epidermopoiesis is considered to be the fundamental pathologic feature in psoriasis. **Terminology Codes:** * **MeSH:** D011565 * **SNOMED ID:** 9014002 * **HPO Code:** HP:0003765 **Medical Methodology:** Selective Allosteric Tyrosine Kinase 2 (TYK2) Inhibition

13. Study Procedures & Methodology

Management Pathway: Specialized clinical dermatologic pathway evaluating oral targeted systemic therapy vs. placebo. **Education Protocol (HCP):** Protocol training, rigorous standardization for administering pp-PASI, pp-PGA, and s-PGA/s-PGA-G scales. **Education Protocol (Patient):** Informed consent, study orientation, and diary completion training. **Quality Audit Mechanism:** Blinded data reviews, automated EDC edit checks, and clinical monitoring oversight.

14. Observation & Follow-Up Schedule

Total Duration: Placebo-controlled primary phase of 16 weeks, followed by extended follow-up. **Onsite Visit Cadence:** Weeks 0, 4, 8, 12, 16 **Remote Monitoring Frequency:** Intermittent monitoring based on clinical need and protocol design. **Checklist Review Interval:** Routine symptom and AE check at every scheduled visit.

15. Sign-off & Approval

Role	Name	Signature	Date	:	---	:	---	:	---	:	---
Principal Investigator	[Name]	_____	07-Apr-2026	:		:		:		:	
Clinical Operations Lead	[Name]	_____	07-Apr-2026	:		:		:		:	
Statistician	[Name]	_____	07-Apr-2026	:		:		:		:	