

1. Administrative & Study Identification

Full Study Title: A Phase 3, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of Rimegepant for Migraine Prevention in Chinese Participants **Short Title/Acronym:** Rimegepant Migraine Prevention in Chinese Subjects **Protocol Number:** C4951019 / BHV3000-319 **NCT Number:** NCT05810038 **Sponsor Name / Company:** Pfizer **Investigational Product:** Rimegepant orally disintegrating tablet (ODT) (PF-07899801 / BHV-3000) **Drug Preferred Name:** Rimegepant **Trade Name:** Nurtec **ATC Code:** N02CD06 **Phase of Development:** Phase III (Phase ID: PHASE3) **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy and safety of rimegepant compared to placebo for the preventive treatment of migraine in Chinese participants over a 12-week double-blind treatment phase. **Secondary Objectives:** To evaluate the % responder rate for moderate or severe migraine days, changes in migraine days during specific 4-week intervals, improvements in the MSQoL restrictive role function domain, and long-term safety during the Open-Label Extension (OLE).

2.2 Background & Rationale To address the unmet need for effective and well-tolerated preventive migraine treatments in the Chinese adult population. Rimegepant is a calcitonin gene-related peptide (CGRP) receptor antagonist. This study aims to generate robust Phase 3 evidence demonstrating that scheduled every-other-day dosing of rimegepant ODT reduces the number of monthly migraine days safely and effectively.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target N: 778 participants **Number of Sites:** Multicenter (China) **Estimated Study Start:** Early 2023 **Trial Status:** ACTIVE_NOT_RECRUITING (Status Description: Active but not currently recruiting)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Male and female participants ≥ 18 years of age. 2. At least a 1-year history of migraine (with or without aura) consistent with ICHD-3 criteria, with an age of onset prior to 50 years. 3. Migraine attacks, on average, lasting 4 to 72 hours if untreated. 4. 4 to 18 migraine attacks of moderate or severe intensity per month within the last 3 months prior to Screening. 5. ≥ 6 migraine days and ≤ 18 headache days during the Observation Phase. 6. Ability to distinguish migraine attacks from tension/cluster headaches.

4.2 Exclusion Criteria 1. History of basilar migraine or hemiplegic migraine. 2. No therapeutic response with > 2 of the 9 medication categories for the preventive treatment of migraine after an adequate therapeutic trial in the past 3 years (per investigator's judgment).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: * **Double-blind Treatment (DBT) Phase:** 1 tablet of rimegepant ODT or matching placebo every other day (EOD) for 12 weeks. * **Open-label Extension (OLE) Phase:** 1 tablet of rimegepant ODT EOD for 12 weeks. If a migraine occurs on a non-scheduled dosing day, participants may take 1 additional tablet of rimegepant ODT as an acute treatment (maximum 1 tablet per calendar day). **Route of Administration:** Oral (Orally Disintegrating Tablet - ODT) **Duration of Treatment:** 24 weeks of total treatment (12-week DBT Phase + 12-week OLE Phase), within a ~30-week total study duration.

5.2 Concomitant & Prohibited Therapy Permitted: Acute treatment for migraine is allowed (e.g., rimegepant PRN during the OLE phase). Triptans are permitted provided participants have no contraindications and meet all other entry criteria. **Prohibited:** Initiation or routine use of new preventive migraine medications outside the study protocol.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	0-4	Observation Phase: Up to 4 weeks Informed Consent, Baseline Migraine Diary/Tracking, Screening Assessments
2	0	Baseline: Randomization, First Dose
3	1-12	DBT Phase: Placebo or Rimegepant EOD, Efficacy & Safety Assessments
4	13-24	OLE Phase: Open-label Rimegepant EOD (PRN allowed), AE Monitoring
5	24	End of Treatment (EOT) Visit, Final Vital Signs, Exit Interview
6	26	Follow-up: Safety follow-up ~14 days after the EOT visit

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Change from the Observation Phase (up to 4 weeks) in the number of monthly migraine days during the 12 weeks of the Double-blind Treatment (DBT) phase (Weeks 1 to 12). **Measurement Method:** Participant electronic daily diary reporting.

7.2 Secondary & Exploratory Endpoints * Reduction of $\geq 50\%$ in the mean number of moderate or severe monthly migraine days during the 12 weeks of the DBT. * Change from OP in the number of monthly migraine days during the last 4 weeks of the DBT phase (Weeks 9 to 12). * Change from baseline in the Migraine-Specific Quality of Life (MSQoL) restrictive role function domain score at Week 12. * Mean change from OP in the number of migraine days per month in the first 4 weeks (Weeks 1 to 4) of the DBT Phase.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Collection of Treatment-Emergent Adverse Events (TEAEs), AEs leading to study drug discontinuation, Electrocardiograms (ECGs), vital signs, and laboratory tests during both DBT and OLE phases. **Serious Adverse Events (SAEs):** Safety monitoring with reporting typically required within 24 hours of site awareness. **Data Monitoring Committee (DMC):** Internal/External committee per Pfizer's standard operating procedures for Phase 3 trials.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) population for primary efficacy; Safety Set for all AE/TEAE evaluations. **Sample Size Justification:** $N=778$ appropriately powered to detect statistically significant differences in the change in monthly migraine days between the rimegepant and placebo groups. **Handling of Missing Data:** Standard imputation methods for missing diary days, applying models like Mixed-effects Model for Repeated Measures (MMRM) for continuous endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Periodic onsite and remote monitoring visits to ensure adherence to protocol and accurate diary completion. **Audit Trail:** Data collected via Electronic Data Capture (EDC) with eCRF locking and audit trails for all data clarification forms.

11. Study Identifiers & Governance

Primary ID: C4951019 **Registry Number:** NCT05810038 **Posting ID:** 508485132428652145 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Learn About the Safety and Effects of Rimegepant to Prevent Migraine in Chinese Subjects. **Official Regulatory Title:** A Phase 3, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of Rimegepant for Migraine Prevention in Chinese Participants **Criteria Type:** PHASE_REQUIREMENT **Criteria Text:** Trial must be in PHASE3 **Source Level:** 5

12. Clinical Framework (Migraine Specific)

Disease Area / Name: Migraine **Preferred Name:** Migraine Disorders **Preferred UMLS Name:** Prevention of Migraine **Semantic Type:** Disease or Syndrome **Definition:** Migraine is a chronic neurological disorder characterized by episodic attacks of headache and associated symptoms. [<https://orcid.org/0000-0002-0736-9199>, PMID:15304572] **Diagnosis Threshold:** 4 to 18 migraine attacks of moderate or severe intensity per month **Medical Methodology:** CGRP receptor antagonist preventive therapy **Optimization Target:** Significant reduction in mean monthly migraine days **MeSH Code:** D008881 **HPO Codes:** HP:0002076 **SNOMED ID:** 37796009 **SNOMED Hierarchy Summary:** Includes Vascular headache, Vascular disorder, Disorder of cardiovascular system, Disorder of body system, Disease, Disorder of soft tissue, Headache disorder, Disorder of head, Vascular structure of head and/or neck, Regional blood vessel structure, Blood vessel structure, Cardiovascular system subdivision, Entire subdivision of organ system, Systemic blood vessel structure, Systemic circulatory system structure, Anatomical structure, Body tissue structure, and related morphological classifications.

13. Study Procedures & Methodology

Management Pathway: Standard clinical pathway for migraine prevention **Education Protocol (HCP):** Investigator training on ICHD-3 criteria, TEAE reporting, and ODT administration protocols **Education Protocol (Patient):** Diary compliance training (recording headache days and severity) and instructions for Every-Other-Day dosing **Quality Audit Mechanism:** Centralized diary review tracking and onsite clinical monitoring

14. Observation & Follow-Up Schedule

Total Duration: ~30 weeks (4-week OP + 24-week Treatment + 2-week Follow-up) **Onsite Visit Cadence:** Periodic visits spanning 11 total planned visits **Remote Monitoring Frequency:** As specified by

the clinical monitoring plan **Checklist Review Interval:**
Continuous via daily electronic diary entries

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				