

1. Administrative & Study Identification

Full Study Title: A Phase 3 Long-term Follow-up Safety and Efficacy Study in Participants With Duchenne Muscular Dystrophy Who Have Received Fordadistrogene Movaparvovec in a Preceding Clinical Study **Short Title/Acronym:** PF-06939926 (Fordadistrogene Movaparvovec) Long-term Extension Study **Protocol Number:** C3391011 **NCT Number:** NCT05689164 **Sponsor Name:** Pfizer **Investigational Product:** Fordadistrogene movaparvovec (Biological gene therapy) **Phase of Development:** Phase 3 **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To understand and evaluate the long-term safety of the experimental gene therapy fordadistrogene movaparvovec over a 10-year period. **Secondary Objectives:** To evaluate the long-term efficacy and durability of effect, including changes in motor function and disease progression (e.g., changes in the ability to climb stairs and ambulation).

2.2 Background & Rationale To address the need for long-term safety and efficacy monitoring in patients with Duchenne Muscular Dystrophy (DMD) who have received gene therapy. Because gene therapies introduce long-lasting genetic modifications, following participants' experience for 10 years after the end of their previous interventional study is essential to track sustained therapeutic benefits and identify any delayed adverse events.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Long-Term Follow-up / Extension) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A (Observational follow-up of previously treated participants)

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 250 participants **Number of Sites:** Multiple global locations **Estimated Study Start:** 13-Mar-2023 **Estimated Primary Completion:** 24-Sep-2025 (Study Status: Terminated)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants who received fordadistrogene movaparvovec in a previous Pfizer interventional study (e.g., Phase 1b NCT03362502 or Phase 3 CFFREO NCT04281485).

4.2 Exclusion Criteria 1. Investigator site staff directly involved in the study and their family members. 2. Any contraindication or withdrawal of consent preventing long-term observational follow-up.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single intravenous (IV) infusion (administered previously during the parent interventional study; no new doses of gene therapy are administered in this extension). **Route of Administration:** Intravenous (Historical) **Duration of Treatment:** 10 years of observational follow-up from the end of the previous study.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care disease management for DMD (e.g., stable daily dose of corticosteroids such as prednisone or deflazacort). **Prohibited:** Any additional treatments designed to increase dystrophin expression or prior/concurrent treatment with other gene therapies.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening / Rollover	Day 0 Informed Consent, Medical History, Verification of prior fordadistrogene movaparvovec dosing
2	Annual Onsite Visits	Years 1-10 1 annual onsite visit: Safety Labs, Functional Assessments (NSAA, Timed tests), Physical Exams
3	Interim Remote Visits	Annually A few annual remote visits (exact number decided by study doctor) to monitor general health and AEs
4	End of Study	Year 10 Final safety assessment, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Long-term safety, evaluated by the incidence of adverse events (AEs) and serious adverse events (SAEs). **Measurement Method:** Clinical observation, physical examinations, and laboratory assessments tracked annually up through 10 years after dosing in the interventional study.

7.2 Secondary & Exploratory Endpoints 1. Change from pre-dose in the ability to climb stairs (Timed Stair Ascend 4 Steps Test)

annually from 5 through 10 years. 2. Change from baseline in North Star Ambulatory Assessment (NSAA) Total Score. 3. Change from baseline in Time to Rise From the Floor, and Time to Complete 10, and 100 Meter Walk/Run.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Method of collection includes annual onsite visits and periodic remote telemedicine interviews. **Serious Adverse Events (SAEs):** Evaluated strictly; monitoring for severe risks including hepatotoxicity, immune responses, or life-threatening events requiring inpatient hospitalization. **Data Monitoring Committee (DMC):** External independent data monitoring committee actively reviewing safety signals across the entire fordadistrogene movaparvovec clinical program.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled participants who previously received fordadistrogene movaparvovec). **Sample Size Justification:** ~N=250\$. The sample size is defined by the number of rollover participants from the predecessor Pfizer DMD interventional trials. **Handling of Missing Data:** Standard descriptive statistics for longitudinal safety data; Last Observation Carried Forward (LOCF) or mixed-effects models for repeated functional measures.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Combination of annual onsite evaluations and multiple remote clinical contacts per year. **Audit Trail:** Electronic Data Capture (EDC) system tracking all long-term longitudinal data, ensuring accuracy of gene therapy post-market/long-term monitoring requirements.

11. Study Identifiers & Governance

Primary ID: C3391011 **Registry Number:** NCT05689164 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Understand the Long-term Safety and Effects of an Experimental Gene Therapy for Duchenne Muscular Dystrophy **Official Regulatory Title:** A Phase 3 Long-term Follow-up Safety and Efficacy Study in Participants With Duchenne Muscular Dystrophy Who Have Received Fordadistrogene Movaparvovec in a Preceding Clinical Study

12. Clinical Framework (DMD Specific)

Primary Condition: Duchenne Muscular Dystrophy (DMD) **Diagnosis Threshold:** Confirmed diagnosis of DMD by prior genetic testing **Medical Methodology:** Recombinant AAV9-mediated gene replacement therapy **Optimization Target:** Maintenance of functional motor ability (NSAA scores) and long-term surveillance of AAV9 micro-dystrophin transgene safety.

13. Study Procedures & Methodology

Management Pathway: Observational follow-up post-gene therapy **Education Protocol (HCP):** Site training on identifying delayed immune/hepatic reactions to AAV9 vectors. **Education Protocol (Patient):** Counseling on long-term trial expectations, recognizing signs of AEs. **Quality Audit Mechanism:** Routine sponsor monitoring of long-term registry tracking mechanisms.

14. Observation & Follow-Up Schedule

Total Duration: 10 Years post-dosing **Onsite Visit Cadence:** 1 visit annually **Remote Monitoring Frequency:** Multiple times per year (at Investigator's discretion) **Checklist Review Interval:** Annually from Year 1 through Year 10

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				