

1. Administrative & Study Identification

Full Study Title: A PHASE 1B, TWO-PART, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED, MULTICENTER STUDY TO EVALUATE THE EFFICACY, SAFETY, AND PHARMACOKINETICS OF ORAL PF-07054894 IN ADULT PARTICIPANTS AGED 18-75 YEARS WITH MILD TO SEVERE ULCERATIVE COLITIS **Short Title/Acronym:** A Study to Learn About the Safety, Effects and Pharmacokinetics of Study Medication (PF-07054894) for the Treatment of Ulcerative Colitis **Protocol Number:** C4151002 **NCT Number:** NCT05549323 **EudraCT Number:** 2022-501047-32-00 **Sponsor Name:** Pfizer **Investigational Product:** PF-07054894 (Oral CCR6 Antagonist) **Phase of Development:** Phase 1b **Condition:** Ulcerative Colitis (UC) **Overall Status:** Terminated **Medical Monitor:** Pfizer Clinical Medical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, and efficacy of PF-07054894, specifically assessing clinical remission at Week 12 in the higher-severity cohort (Part A) and the percent change in modified Mayo Score in the milder cohort (Part B). **Secondary Objectives:** To assess the pharmacokinetics (PK) of oral PF-07054894 and how the experimental medicine is processed in adult patients with ulcerative colitis.

2.2 Background & Rationale To address the need for novel therapies in patients with ulcerative colitis who haven't responded well to conventional treatments. PF-07054894 functions as an allosteric, insurmountable antagonist of CCR6. Sustained CCR6 inhibition aims to prevent the recruitment of pathogenic Th17 cells and other CCR6-expressing immune populations into the gut mucosa, thereby potentially interrupting the inflammatory signaling cascade characteristic of ulcerative colitis.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target \$N\$: 44 participants **Number of Sites:** Multicenter **Estimated Study Start:** November 2022 **Estimated Primary Completion:** November 2025 (*Note: Study was terminated early due to business decisions rather than safety concerns*) **Estimated Study Completion:** January 2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adults (all genders) aged 18 to 75 years, weighing over 88.2 pounds. 2. Confirmed diagnosis of moderate to severe (Part A) or mild to moderate (Part B) ulcerative colitis for ≥ 3 months prior to baseline. 3. Active disease beyond the rectum (>15 cm of active disease from the anal verge at the screening endoscopy).

4.2 Exclusion Criteria 1. Presence of indeterminate, microscopic, ischemic, infectious, or radiation colitis; diverticular disease; Crohn's disease; colonic stricture; colonic obstruction/resection; or presence of cancer. 2. History of bowel surgery within 6 months prior to baseline. 3. History of significant trauma or major surgery within 4 weeks of screening, or considered in imminent need of surgery, or with elective surgery scheduled to occur during the study. 4. Presence of clinical signs of fulminant colitis or toxic megacolon, primary sclerosing cholangitis, and evidence of colonic dysplasia, adenomas, or neoplasia. 5. Clinically significant infections within 6 months of baseline.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Oral administration of PF-07054894 or matching placebo given daily. **Route of Administration:** Oral. **Duration of Treatment:** 12 weeks of treatment.

5.2 Concomitant & Prohibited Therapy Permitted: Stable background UC therapies as permitted by protocol parameters. **Prohibited:** Other concurrent unapproved biological therapies, investigational drugs, and agents strictly forbidden during the washout periods.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -28 to 0 Informed Consent, Endoscopy to confirm disease severity, Medical History
Baseline	Day 0	Randomization, First Dose, Safety Labs, Symptom assessment	Interim Weeks 1 - 11 Safety Labs, Pharmacokinetic (PK) Blood Draws, Efficacy Tracking End of Study Week 12 Final Endoscopy, Clinical Remission Evaluation, Modified Mayo Score calculation, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Clinical remission at Week 12 in the higher-severity cohort (Part A) and percent change in modified Mayo Score at Week 12 in the milder cohort (Part B).

Measurement Method: Endoscopic evaluation combined with standard clinical assessment grading.

7.2 Secondary & Exploratory Endpoints 1. Pharmacokinetic (PK) parameters of PF-07054894. 2. Safety and tolerability tracking (incidence and severity of Adverse Events).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard Phase 1b collection methodologies, monitoring for any side effects from the experimental medicine via patient diaries and HCP interviews.

Serious Adverse Events (SAEs): Standard reporting timeline to the sponsor and IRB within 24 hours of site awareness. **Data**

Monitoring Committee (DMC): Internal Pfizer safety review committee overseeing Phase 1 dose tolerability.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy measures, and Safety Set for safety evaluations. **Sample Size**

Justification: Target sample size of $N=44$ structured to evaluate the safety profile and to provide initial proof-of-concept efficacy data for PF-07054894 in UC. **Handling of Missing**

Data: Standard handling for early-phase endpoints (e.g., LOCF for Mayo Score assessments or multiple imputation).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Routine onsite and remote monitoring visits by Clinical Research Associates (CRAs) to ensure subject safety and data integrity. **Audit Trail:** Validated, 21 CFR Part 11-compliant eCRF systems utilizing data clarification forms.

11. Study Identifiers & Governance

Primary ID: C4151002 **Registry Number:** NCT05549323 **Sponsor/Lead**

Organization: Pfizer **Study Title:** A Study to Learn About the Safety, Effects and Pharmacokinetics of Study Medication

(PF-07054894) for the Treatment of Ulcerative Colitis **Official**

Regulatory Title: A PHASE 1B, TWO-PART, RANDOMIZED, DOUBLE-BLIND,

PLACEBO-CONTROLLED, MULTICENTER STUDY TO EVALUATE THE EFFICACY, SAFETY, AND PHARMACOKINETICS OF ORAL PF-07054894 IN ADULT PARTICIPANTS AGED 18-75 YEARS WITH MILD TO SEVERE ULCERATIVE COLITIS

12. Clinical Framework (Ulcerative Colitis Specific)

Primary Condition: Ulcerative Colitis (UC) **Diagnosis Threshold:** Moderate to severe or mild to moderate UC extending >15cm from anal verge for $\geq$ 3 months **Medical Methodology:** CCR6/CCL20 chemokine axis inhibition **Optimization Target:** Clinical remission and targeted reduction in modified Mayo Score

13. Study Procedures & Methodology

Management Pathway: Standard clinical assessment utilizing Endoscopy and Modified Mayo Score grading **Education Protocol (HCP):** Onsite site initiation visits covering protocol inclusion parameters and AE reporting mechanisms **Education Protocol (Patient):** Onsite training covering oral dosing instructions and daily symptom diary maintenance **Quality Audit Mechanism:** Clinical and safety adherence monitoring overseen by sponsor CRAs

14. Observation & Follow-Up Schedule

Total Duration: 12 treatment weeks **Onsite Visit Cadence:** Baseline, Interim assessments, and Week 12 Final Evaluation **Remote Monitoring Frequency:** Routine data reviews as determined by protocol **Checklist Review Interval:** Regular symptom diary reviews at each study visit

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				