

1. Administrative & Study Identification

Full Study Title: An Open-Label, Randomized, Two-part Study in Healthy Participants to Assess the Food Effect on the Pharmacokinetics of Admilparant To-Be-Marketed Tablet Formulations **Short Title/Acronym:** A Study to Assess the Effect of Food on the Drug Levels of Admilparant **Protocol Number:** IM027-1052 **NCT Number:** NCT07225647 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** Admilparant (LPAR1 antagonist) **Phase of Development:** Phase 1 **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the effect of food on the pharmacokinetics (PK) and drug levels of Admilparant to-be-marketed tablet formulations in healthy participants. **Secondary Objectives:** To evaluate the overall safety and tolerability of Admilparant when administered under fed versus fasted conditions.

2.2 Background & Rationale Admilparant is under development for the treatment of progressive fibrotic interstitial lung diseases such as Idiopathic Pulmonary Fibrosis (IPF). Characterizing how food consumption alters the absorption and systemic exposure of the to-be-marketed oral tablet formulation is a critical regulatory step to provide accurate dosing instructions for patients in future clinical settings.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Active/Self-controlled **Blinding:** Open-label **Randomization:** Randomized (Crossover Assignment)

3.2 Planned Enrollment & Duration Target \$N\$: Standard Phase 1 sample size for healthy participants **Number of Sites:** Single or limited Phase 1 Clinical Pharmacology Units **Estimated Study Start:** 07-Nov-2025 (Actual) **Estimated Primary Completion:** 05-Jan-2026 (Actual)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Healthy Participants. 2. Participants must have a body mass index (BMI) of 18.0 kg/m2 to 32.0 kg/m2,

inclusive, at screening. 3. Participants must have a body weight of ≥ 50 kg for males and ≥ 45 kg for females at screening.

4.2 Exclusion Criteria 1. Participants must not have any significant medical condition, laboratory abnormality, or psychiatric illness that would prevent the participant from participating in the study. 2. Participants must not have had any previous exposure to Admilparant. 3. Participants must not have a history of any severe drug allergy or drug reaction (such as anaphylaxis or hepatotoxicity).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single doses of Admilparant to-be-marketed tablets administered during distinct crossover periods (under standardized fed and fasted conditions). **Route of Administration:** Oral **Duration of Treatment:** Single administrations separated by an appropriate pharmacokinetic washout period.

5.2 Concomitant & Prohibited Therapy Permitted: Standard restricted Phase 1 medications (e.g., occasional paracetamol if approved by PI). **Prohibited:** Use of any other investigational drugs, prescription medications, or over-the-counter supplements that may interfere with PK or safety assessments.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -28 to -1 Informed Consent, Medical History, BMI/Weight confirmation, Safety Labs
Baseline	Day 0	Admission to clinic, Randomization to treatment sequence	Treatment Periods Variable Admilparant dosing (fed/fasted crossover), intensive PK blood sampling, vital signs
End of Study	Follow-up	Final Safety Labs, ECG, Exit Interview, AE monitoring	

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Changes in Admilparant drug levels (PK parameters) when administered with food versus without food, specifically Maximum Observed Plasma Concentration (C_{max}) and Area Under the Concentration-Time Curve (AUC). **Measurement Method:** Validated bioanalytical liquid chromatography-tandem mass spectrometry (LC-MS/MS) of plasma samples.

7.2 Secondary & Exploratory Endpoints Incidence and severity of Treatment-Emergent Adverse Events (TEAEs) and Serious Adverse

Events (SAEs). Clinically significant changes in vital signs, 12-lead electrocardiograms (ECGs), and laboratory safety tests.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous clinical observation during inpatient confinement and scheduled evaluations at follow-up. **Serious Adverse Events (SAEs):** Monitored continuously; must be reported to the sponsor within 24 hours of site awareness. **Data Monitoring Committee (DMC):** Internal safety review mechanisms managed by Bristol-Myers Squibb.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Pharmacokinetic (PK) Analysis Set (participants with evaluable PK profiles) and Safety Set (all participants receiving at least one dose of the investigational product). **Sample Size Justification:** Powered to evaluate standard bioequivalence and food-effect boundaries (e.g., 90% confidence intervals for geometric mean ratios of fed vs. fasted PK parameters). **Handling of Missing Data:** Missing concentration values will be excluded from the PK parameter derivation; no imputation for missing safety data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Onsite Phase 1 unit monitoring to verify protocol adherence, informed consent procedures, and precision of PK sampling times. **Audit Trail:** 100% Source Data Verification (SDV) for primary endpoints, with complete electronic Case Report Form (eCRF) locking mechanisms.

11. Study Identifiers & Governance

Primary ID: IM027-1052 **Registry Number:** NCT07225647 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Study to Assess the Effect of Food on the Drug Levels of Admilparant **Official Regulatory Title:** An Open-Label, Randomized, Two-part Study in Healthy Participants to Assess the Food Effect on the Pharmacokinetics of Admilparant To-Be-Marketed Tablet Formulations

12. Clinical Framework (Study Specific)

Primary Condition: Healthy Participants (for Admilparant PK Evaluation) **Diagnosis Threshold:** BMI between 18.0 - 32.0 kg/m2 and standard healthy physical evaluation **Medical Methodology:** Pharmacokinetic (PK) Crossover Assessment **Optimization Target:** Evaluation of food effect on absorption parameters (Cmax, AUC) of the to-be-marketed formulation

13. Study Procedures & Methodology

Management Pathway: Phase 1 Clinical Pharmacology Pathway **Education Protocol (HCP):** Phase 1 Site Initiation Visit and Protocol Training **Education Protocol (Patient):** Informed Consent and strict dietary/fasting compliance instruction **Quality Audit Mechanism:** Source Data Verification, AE tracking, and PK sample chain-of-custody monitoring

14. Observation & Follow-Up Schedule

Total Duration: ~2 months (Actual Study Start: 07-Nov-2025 to Actual Completion: 05-Jan-2026) **Onsite Visit Cadence:** Confinement to Phase 1 clinical facility during designated dosing and intensive PK sampling periods **Remote Monitoring Frequency:** N/A (Inpatient Phase 1 protocol) **Checklist Review Interval:** Continuous clinical observation during inpatient periods

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				