

1. Administrative & Study Identification

Full Study Title: An Open-label, Phase 1 Study to Investigate the Safety and Pharmacokinetics of SGN-B6A in Chinese Subjects With Advanced Solid Tumors **Short Title/Acronym:** SGNB6A-003 **Protocol Number:** C5751004 **NCT Number:** NCT06549816 **Sponsor Name:** Seagen, a wholly owned subsidiary of Pfizer **Investigational Product:** Sigvotatug vedotin (SGN-B6A) **Phase of Development:** Phase I **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To evaluate the safety and tolerability profile of sigvotatug vedotin (SGN-B6A) in Chinese participants with advanced solid tumors, specifically identifying its adverse events and side effects. * **Secondary Objectives:** To characterize how the Chinese participants' bodies interact with sigvotatug vedotin by studying the Pharmacokinetics (PK) of antibody-conjugated monomethyl auristatin E (ac-MMAE) in plasma, including the Area Under the Curve (AUC) after single and multiple doses.

2.2 Background & Rationale To address the unmet medical need in patients with relapsed or refractory advanced solid tumors who have exhausted or are intolerant to standard-of-care therapies. Sigvotatug vedotin is an investigational antibody-drug conjugate (ADC) designed to deliver the potent cytotoxic agent monomethyl auristatin E (MMAE) specifically to cancer cells expressing integrin beta-6 (IB6).

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional * **Control Type:** Single-arm * **Blinding:** Open-label * **Randomization:** N/A

3.2 Planned Enrollment & Duration * **Target \$N\$:** Phase 1 cohort sizing (Exact target not specified) * **Number of Sites:** 3 locations in China * **Estimated Study Start:** 21-Aug-2024 * **Estimated Primary Completion:** 18-Nov-2025 (Study is now Completed)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Subjects must have histologically or cytologically confirmed metastatic or unresectable locally

advanced solid malignancy within one of the following tumor types: Non-Small Cell Lung Cancer (NSCLC), Squamous Cell Carcinoma of Head and Neck (HNSCC), Esophageal Squamous Cell Carcinoma (ESCC), Gastric Adenocarcinoma (GAC), Esophageal Adenocarcinoma (EAC), or Gastroesophageal Junction Adenocarcinoma (GEJ). 2. Subjects must have disease that is relapsed or refractory, or be intolerant to systemic standard-of-care therapies. 3. Measurable or non-measurable disease per RECIST v1.1 at baseline.

4.2 Exclusion Criteria 1. Known active central nervous system metastases. (Participants with previously treated brain metastases may participate provided they are clinically stable for at least 4 weeks and are off corticosteroids). 2. Evidence of noninfectious interstitial lung disease (ILD) or pneumonitis that required systemic steroids, is currently diagnosed, or suspected on radiologic imaging. 3. Known diffusing capacity of the lung for carbon monoxide (DLCO) < 50%, or any Grade $\geq$ 3 pulmonary disease unrelated to underlying malignancy.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * **Dosage/Frequency:** Sigvotatug vedotin monotherapy at 1.8 mg/kg adjusted ideal body weight on Days 1 and 15 of a 28-day cycle. * **Route of Administration:** Intravenous (IV) administration. * **Duration of Treatment:** Consecutive 28-day cycles until disease progression or unacceptable toxicity.

5.2 Concomitant & Prohibited Therapy * **Permitted:** Standard supportive care. * **Prohibited:** Anti-cancer traditional or herbal medicines within 28 days prior; chemotherapy within 21 days; targeted small molecule agents within 14 days (or 5 half-lives); focal radiotherapy or major surgery not completed 14 days prior to the first dose of sigvotatug vedotin.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -28 to 0 Informed Consent, RECIST evaluation, Medical History, Safety Labs Baseline
Cycle 1 Day 1	First IV Dose, Baseline PK sampling, Safety evaluation	Interim	Days 1 & 15 (28-day cycles) IV dosing, Safety Labs, Efficacy Assessment (RECIST), Multiple-dose PK tracking End of Study End of Treatment Final Safety evaluation, Exit Interview, Survival Follow-up

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** Incidence and severity of adverse events (AEs) to establish the safety and tolerability profile of sigvotatug vedotin. * **Measurement Method:** Clinical evaluations and standard laboratory assessments graded by CTCAE.

7.2 Secondary & Exploratory Endpoints * Pharmacokinetics (PK) of antibody-conjugated monomethyl auristatin E (ac-MMAE) in plasma, specifically the Area Under the Curve (AUC) after single and multiple doses. * Efficacy evaluation per RECIST v1.1.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Standard collection via HCP assessment, lab monitoring, and patient reporting, with stringent monitoring for ILD and pneumonitis.
 - **Serious Adverse Events (SAEs):** Reported within 24 hours of investigator awareness.
 - **Data Monitoring Committee (DMC):** Safety Review Committee managed by the Sponsor to monitor dose administration and respiratory toxicities.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Analysis Set (all subjects receiving ≥ 1 dose) and PK Analysis Set.
 - **Sample Size Justification:** Descriptive statistical evaluation appropriate for a Phase 1 safety and PK study; no formal hypothesis testing is powered for efficacy.
 - **Handling of Missing Data:** Standard descriptive summaries; missing safety data is typically not imputed.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
 - **Monitoring Plan:** Routine onsite and remote monitoring visits for safety, RECIST imaging reviews, and accurate PK sampling execution.
 - **Audit Trail:** Validated electronic data capture (EDC) system with audit trails and data clarification forms.
-

11. Study Identifiers & Governance

- **Primary ID:** C5751004 / SGNB6A-003
- **Registry Number:** NCT06549816

- **Sponsor/Lead Organization:** Seagen, a wholly owned subsidiary of Pfizer
 - **Study Title:** A Study of SGN-B6A in Chinese Participants With Advanced Solid Tumors
 - **Official Regulatory Title:** An Open-label, Phase 1 Study to Investigate the Safety and Pharmacokinetics of SGN-B6A in Chinese Subjects With Advanced Solid Tumors
-

12. Clinical Framework (Oncology Specific)

- **Primary Condition:** Advanced Solid Tumors (NSCLC, HNSCC, ESCC, GAC, EAC, GEJ adenocarcinoma)
 - **Diagnosis Threshold:** Metastatic or unresectable locally advanced solid malignancy with relapsed/refractory status
 - **Medical Methodology:** Antibody-Drug Conjugate (ADC) targeted therapy
 - **Optimization Target:** Evaluation of maximal safety, tolerability, and PK limits
-

13. Study Procedures & Methodology

- **Management Pathway:** Standard clinical pathway for Phase 1 investigational Oncology trials.
 - **Education Protocol (HCP):** Protocol-specific training, emphasizing prompt identification and management of pulmonary toxicities (ILD/pneumonitis).
 - **Education Protocol (Patient):** Informed consent and strict guidelines for reporting respiratory symptoms and adverse side effects.
 - **Quality Audit Mechanism:** Source data verification, central PK assessment tracking, and site safety audits.
-

14. Observation & Follow-Up Schedule

- **Total Duration:** Length of treatment (ongoing 28-day cycles) plus safety/survival follow-up.
 - **Onsite Visit Cadence:** Days 1 and 15 of every 28-day cycle.
 - **Remote Monitoring Frequency:** Standard clinical trial follow-up for patient stability.
 - **Checklist Review Interval:** Every cycle evaluation for safety and RECIST response.
-

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	____	[DD-MMM-YYYY]				