

1. Administrative & Study Identification

Full Study Title: Real World Clinical Outcomes of Resected ALK-Positive Early Stage NSCLC Patients Treated With Alectinib as Adjuvant Therapy in China: A Multicenter, Prospective Cohort Study **Short Title/Acronym:** Real World Alectinib Adjuvant NSCLC Study **Protocol Number:** N/A **NCT Number:** NCT06862869 **Sponsor Name:** Roche (Hoffmann-La Roche) **Trial Status:** RECRUITING **Investigational Product:** Alectinib **Trade Name:** Alecensa **ATC Code:** L01ED03 **Phase of Development:** Not Applicable **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the clinical outcomes and characteristics of resected stage II-IIIB anaplastic lymphoma kinase (ALK)-positive non-small-cell lung cancer (NSCLC) adult patients treated with Alectinib as adjuvant therapy in China. **Secondary Objectives:** To evaluate duration of therapy, patient demographics, and clinical characteristics in a real-world clinical setting.

2.2 Background & Rationale To address the need for real-world evidence confirming the clinical outcomes of adjuvant Alectinib in patients with ALK-positive early-stage NSCLC. While adjuvant targeted therapies have revolutionized the standard of care for oncogene-driven early NSCLC, real-world prospective data are necessary to understand patient compliance, treatment patterns, and disease-free survival outside of controlled interventional trials.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective Cohort Study) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 800 participants **Number of Sites:** Multicenter (in China) **Estimated Study Start:** 30-Apr-2025 **Estimated Primary Completion:** 30-Oct-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age $\geq$ 18 years. 2. Histologically-confirmed stage II-IIIA or selected IIIB (T3N2) NSCLC as per the

American Joint Committee on Cancer and International Union Against Cancer (UICC/AJCC), 8th edition. 3. ALK positive. 4. Postoperative NSCLC patients who have undergone complete resection. 5. Had taken Alectinib monotherapy without prior systemic therapy (including other ALK-TKIs or chemotherapy) as adjuvant therapy for resected stage II-IIIB ALK-positive NSCLC, and the time from the first dose to enrollment was no more than 28 days.

4.2 Exclusion Criteria 1. Patients participating in an interventional study of adjuvant treatment. 2. Pregnant, lactating, or breastfeeding women.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Alectinib (Alecensa) 600 mg twice daily. **Route of Administration:** Oral
Duration of Treatment: 2 years of Alectinib as adjuvant therapy.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications for co-morbidities as per routine clinical practice. **Prohibited:** Prior systemic therapy (including other ALK-TKIs or chemotherapy) as adjuvant therapy; concurrent participation in other interventional clinical trials.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Confirmation of Complete Resection, ALK+ Testing
Baseline	Day 0	Cohort Enrollment, First Dose of Alectinib (within 28 days prior)
Interim	Routine Care	Standard Oncology Follow-Up, Real-World DFS Assessment, Safety Monitoring
End of Study	Up to 244 Weeks	Final Clinical Status Assessment, Exit from Cohort Registry

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint 1. Real-world disease-free survival (rwDFS).

7.2 Secondary Endpoints 1. Duration of alectinib therapy. 2. Participant demographics by disease stage and city tier. 3. Participant clinical characteristics as determined by Eastern Cooperative Oncology Group performance status (ECOG PS) by disease stage and city tier.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Collection of safety data from electronic health records during standard-of-care visits. **Serious Adverse Events (SAEs):** Standard reporting timeline for real-world registries. **Data Monitoring Committee (DMC):** Internal safety monitoring managed by the sponsor for cohort analysis.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Real-World Full Analysis Set (Enrolled Cohort). **Sample Size Justification:** $N=800$ to robustly estimate real-world DFS and outcome trends in a large Chinese subpopulation. **Handling of Missing Data:** Standard imputation methods applicable for real-world evidence and observational cohort datasets.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and the Declaration of Helsinki. **Monitoring Plan:** Periodic electronic health record (EHR) extraction, source data verification of registry entries. **Audit Trail:** eCRF locking and real-world data clarification processes per the study's data management plan.

11. Study Identifiers & Governance

Posting ID: 557191149958509585 **Primary ID:** NCT06862869 **Registry Number:** NCT06862869 **Sponsor/Lead Organization:** Roche **Study Title:** Real World Clinical Outcomes of Resected ALK-Positive Early Stage NSCLC Patients Treated With Alectinib as Adjuvant Therapy **Official Regulatory Title:** Real World Clinical Outcomes of Resected ALK-Positive Early Stage NSCLC Patients Treated With Alectinib as Adjuvant Therapy in China: A Multicenter, Prospective Cohort Study

12. Clinical Framework (NSCLC Specific)

Disease Area: Carcinoma, Non-Small-Cell Lung (Carcinoma) **Preferred UMLS Name:** ALK-positive Non-small cell lung cancer **Primary Condition:** Non-Small Cell Lung Cancer (NSCLC) **Diagnosis Threshold:** Stage II-IIIA or selected IIIB (T3N2) NSCLC, ALK positive **Medical Methodology:** Complete surgical resection followed by targeted adjuvant therapy **Optimization Target:** Alectinib targeted dose treatment (600 mg twice daily)

13. Study Procedures & Methodology

Management Pathway: Routine clinical pathway for early-stage resected ALK-positive NSCLC **Education Protocol (HCP):** Standard prescribing guidelines for Alectinib **Education Protocol (Patient):** Routine post-operative targeted therapy education **Quality Audit Mechanism:** Real-world data verification and patient cohort tracking

14. Observation & Follow-Up Schedule

Total Duration: 244 Follow-up weeks **Onsite Visit Cadence:** As determined by routine oncology standard of care **Remote Monitoring Frequency:** Periodic EHR data extraction **Checklist Review Interval:** Regular observational registry updates

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				