

1. Administrative & Study Identification

Full Study Title: Observational, Multicenter Study to Describe the Persistence in Relapsing Remitting Multiple Sclerosis Naïve Patients With Low-moderate Activity Treated With Ozanimod (Zeposia®) in Clinical Practice in Spain **Short Title/Acronym:** AppreZiate
Protocol Number: IM047-066
NCT Number: NCT05811416
Sponsor Name: Bristol-Myers Squibb
Investigational Product: Ozanimod (Zeposia®)
Phase of Development: Observational / Phase IV
Medical Monitor: Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To describe the long-term persistence with ozanimod treatment at 24 months in naïve patients with low-to-moderate activity relapsing-remitting multiple sclerosis (RRMS). **Secondary Objectives:** To evaluate the annualized relapse rate (ARR), cognitive impairment via the Symbol Digit Modalities Test (SDMT), disability progression via the Expanded Disability Status Scale (EDSS), incidence of adverse events (AEs), and Patient Reported Outcomes (PRO) including treatment satisfaction (TSQM), physical and psychological impact (MSIS-29), and motor/cognitive fatigue (FSMC).

2.2 Background & Rationale To understand the real-world treatment persistence, effectiveness, and patient experience of ozanimod in treating RRMS with mild-to-moderate symptoms. This study aims to address the longitudinal data gap regarding patient adherence and quality of life in standard Spanish clinical practice.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational, ambispective
Control Type: Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 200 participants
Number of Sites: 38 hospitals across Spain **Estimated Study Start:** 14-Jun-2023 **Estimated Primary Completion:** Nov-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years. 2. Relapsing-remitting multiple sclerosis (RRMS) diagnosis by 2017 revised McDonald criteria at the treatment start. 3. Participant who started treatment with ozanimod for the first time 3 months (± 2 weeks) before inclusion, according to the European Union (EU) Summary of Product Characteristics (SmPC). 4. Low-to-moderate activity, defined as less than 2 relapses in the previous year before starting ozanimod.

4.2 Exclusion Criteria 1. Prior exposure to ozanimod or any other disease modifier treatment (DMT) for RRMS before starting the treatment subject of this study. 2. Participant who has started ozanimod within a clinical trial.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Oral ozanimod dosed according to routine clinical practice guidelines and EU SmPC. **Route of Administration:** Oral **Duration of Treatment:** 24 months of observational follow-up.

5.2 Concomitant & Prohibited Therapy Permitted: Standard routine care medications for symptomatic management of MS. **Prohibited:** Prior or concurrent use of other disease-modifying therapies (DMTs).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening / Baseline	Day 0 Informed Consent, Medical History, RRMS Diagnosis (McDonald Criteria), EDSS Baseline, SDMT Baseline
Interim	Months 6 to 18	Routine clinical care, safety assessment, ARR tracking, AE monitoring, PRO Questionnaires	End of Study Month 24 Final clinical assessment, persistence evaluation, Exit Interview, Final PROs (TSQM, MSIS-29, FSMC)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Persistence of ozanimod treatment (percentage of participants remaining on the medication at 24 months and the time to treatment discontinuation). **Measurement Method:** Evaluation of patient medical records and clinical review.

7.2 Secondary & Exploratory Endpoints * Annualized relapse rate (ARR) * Disease progression and cognitive function changes evaluated by EDSS and SDMT * Patient-reported outcomes (PROs)

regarding satisfaction (TSQM), disease impact (MSIS-29), and fatigue (FSMC)

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Collection of adverse events reported during the course of routine clinical practice visits. **Serious Adverse Events (SAEs):** Routine reporting within pharmacovigilance standard windows. **Data Monitoring Committee (DMC):** Internal sponsor review (standard for non-interventional/observational research).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled patients who meet eligibility criteria and have started their first dose of ozanimod. **Sample Size Justification:** $N = 200$ targeted to produce statistically robust descriptive real-world evidence for persistence and PROs. **Handling of Missing Data:** Standard handling for observational real-world data (e.g., evaluated as observed).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local Spanish regulations. **Monitoring Plan:** Data source verification through periodic electronic medical record reviews. **Audit Trail:** Data abstracted via validated electronic database / eCRF.

11. Study Identifiers & Governance

Primary ID: IM047-066 **Registry Number:** NCT05811416 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** AppreZiate **Official Regulatory Title:** Observational, Multicenter Study to Describe the Persistence in Relapsing Remitting Multiple Sclerosis Naïve Patients With Low-moderate Activity Treated With Ozanimod (Zeposia®) in Clinical Practice in Spain

12. Clinical Framework (RRMS Specific)

Primary Condition: Relapsing-Remitting Multiple Sclerosis (RRMS) **Diagnosis Threshold:** 2017 revised McDonald criteria **Medical Methodology:** Initiation of Disease Modifying Treatment (DMT) **Optimization Target:** Long-term medication persistence and clinical stability

13. Study Procedures & Methodology

Management Pathway: Routine clinical practice pathway for RRMS in Spain **Education Protocol (HCP):** EU SmPC prescribing guidelines adherence **Education Protocol (Patient):** Standard clinical DMT counseling **Quality Audit Mechanism:** Retrospective/prospective extraction from electronic medical records

14. Observation & Follow-Up Schedule

Total Duration: 24 months **Onsite Visit Cadence:** Standard clinical practice schedule (typically Baseline, Months 6, 12, 18, and 24)
Remote Monitoring Frequency: N/A (observational clinic data)
Checklist Review Interval: End of the 24-month observation period

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					