

1. Administrative & Study Identification

Official Title: An Open-Label, Multicenter Extension Study in Patients Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Study **Brief Title:** A Rollover Study for Participants Previously Enrolled in a Genentech and/or F. Hoffman-La Roche Sponsored Study **Short Title/Acronym:** UmbrellaMAX / BX44273 **Protocol Number:** BX44273 / 2023-504263-16-00 **NCT Number:** NCT05862285 **Posting ID:** 606193624651413284 **Sponsor/Company:** Hoffmann-La Roche / Genentech / Roche **Investigational Product:** Roche Investigational Medicinal Products (IMPs) including Bevacizumab, Atezolizumab, Ipatasertib, Tiragolumab, Entrectinib, Inavolisib, Divarasib, etc. **Phase of Development:** PHASE3 **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead / welwyn.uk_ethics@roche.com

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To provide continued treatment with Roche investigational medicinal product (IMP[s]) monotherapy or Roche IMP(s) combined with other agent(s) or comparator agent(s) for eligible participants with cancer who are still on study treatment at the time of roll-over from the parent study and who do not have access to the study treatment locally.

* **Secondary Objectives:** To monitor the long-term safety, tolerability, and sustained clinical benefit of the study treatments in participants who roll over from parent trials.

2.2 Background & Rationale People with cancer who derive clinical benefit (i.e., their cancer shrinks or does not get worse) from a treatment given in a parent clinical trial may continue to be given that treatment if there is no alternative treatment option and it is safe to do so. This rollover study allows patients to continue accessing a clinical trial treatment that is otherwise not commercially available or accessible to them locally, ensuring ethical continuation of care.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional (Rollover / Extension Study) * **Control Type:** Non-Randomized (Parallel Assignment) * **Blinding:** Open-label (None) * **Randomization:** N/A * **Trial Status:** RECRUITING

3.2 Planned Enrollment & Duration * **Target N**: 60 participants *
Number of Sites: Multicenter (Global) * **Estimated Study Start**:
01-Jun-2023 * **Estimated Primary Completion**: 01-Mar-2033

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Eligible for continuing Roche IMP-based therapy at the time of roll-over from the parent study, as per the parent study protocol OR eligible for continuing the comparator agent(s) in a Genentech- or Roche-sponsored study as per the parent study protocol, with no access to commercially available comparator agent. 2. First dose of study treatment in this extension study will be received within 7 days of the treatment interruption window allowed by the parent study. 3. Continue to benefit from the Roche IMP-based therapy or comparator at the time of roll-over from the parent study as assessed by the investigator. 4. Ability to comply with the extension study protocol, per Investigator's judgement.

4.2 Exclusion Criteria 1. Meet any of the study treatment discontinuation criteria specified in the parent study at the time of enrollment in this extension study. 2. Study treatment or comparator agent is commercially marketed in the participant's country for the participant-specific disease and is accessible to the participant. 3. Treatment with any anti-cancer treatment (other than treatment permitted in the parent study) during the time between last treatment in the parent study and the first dose of study treatment in this extension study. 4. Permanent discontinuation of all study treatment(s) or comparator agent(s) for any reason during the parent study or during the time between last treatment in the parent study and the first dose of study treatment in this extension study (if applicable). 5. Ongoing SAE(s) that has not resolved to baseline level or Grade ≤ 1 from the parent study or during the time between the last treatment in the parent study and the first dose of study treatment in this extension study. 6. Concurrent participation in any therapeutic clinical trial (other than the parent study).

5. Intervention & Treatment Plan

5.1 Investigational Regimen * **Products Include**: Bevacizumab (Trade names: Avastin, Vegzelma, Alymsys, Zirabev, Mvasi; ATC Codes: S01LA08, L01FG01) along with other parent study IMPs. * **Dosage/Frequency**: Administered at the same dose, schedule, and with the same administration guidelines that were in effect at the time of the participant's discontinuation/rollover from the parent study. * **Route of Administration**: Varies (e.g., Oral, IV, SC) depending on the specific parent study IMP. * **Duration of Treatment**: Continued for as long as the treatment can help them, until unacceptable side effects occur, or until the trial stops.

5.2 Concomitant & Prohibited Therapy * **Permitted:** Standard concomitant medications and therapies explicitly permitted in the parent study protocol. * **Prohibited:** Any investigational or anti-cancer treatment other than the permitted parent study regimen during the transition.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Prior to Rollover	Verify eligibility, document continued clinical benefit from parent trial, check local commercial drug access.
Baseline	Within 7 days	First extension dose (must be within 7 days of the parent study's allowed treatment interruption window).
Interim	Per Parent Protocol	Routine clinic visits, efficacy checks, and safety monitoring identical or similar to the parent trial.
End of Study	Upon Discontinuation	End of treatment safety assessment, final survival/progression follow-up.

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints 1. Number of Participants With Continued Access to Roche IMP(s)-Based Therapy and/or Comparator Agent(s). 2. Number and Severity of Participants With Selected Adverse Events Assessed as per National Cancer Institute Common Terminology Criteria for Adverse Events (NCI CTCAE), Version 5.0.

7.2 Secondary & Exploratory Endpoints * Duration of clinical benefit and maintenance of objective response. * Long-term survival outcomes (Overall Survival, Progression-Free Survival).

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Assessed regularly during clinic visits, utilizing checks that are the same as, or similar to, the parent trial.
 - **Serious Adverse Events (SAEs):** Evaluated continuously with standard 24-hour reporting to the sponsor.
 - **Data Monitoring Committee (DMC):** Internal Roche pharmacovigilance and data safety monitoring mechanisms.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all participants receiving ≥ 1 dose of IMP in the extension study).
- **Sample Size Justification:** A formal power calculation is not applicable. The sample size (N = 60) is based on targeted rollover estimates.

- **Handling of Missing Data:** Participant data from this extension study can potentially be pooled with data from the respective parent studies at a later date.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
 - **Monitoring Plan:** Regular onsite and remote monitoring as per standard Roche protocols for extension studies.
 - **Audit Trail:** Validated Electronic Data Capture (EDC) systems and eCRF locking.
-

11. Study Identifiers & Governance

- **Primary ID:** BX44273 / 2023-504263-16-00
 - **Registry Number:** NCT05862285
 - **Posting ID:** 606193624651413284
 - **Sponsor/Lead Organization:** Roche / Hoffmann-La Roche
 - **Study Title:** UmbrellaMAX
-

12. Clinical Framework (Cancer Extension Specific)

- **Disease Area:** Cancer
 - **Condition Name:** Malignant Neoplasms
 - **Preferred Name:** Malignant Neoplasms
 - **Semantic Type:** Neoplastic Process
 - **Preferred UMLS Name:** Cancer Rollover Study
 - **MeSH Code:** D009369
 - **HPO Code:** HP:0002664
 - **SNOMED ID:** 1240414004
 - **Diagnosis Threshold:** Objective response or stable disease verified in the parent trial.
 - **Medical Methodology:** Continued Investigational Therapy / Rollover
 - **Optimization Target:** Sustained disease control and manageable safety profile
-

13. Study Procedures & Methodology

- **Management Pathway:** Adherence to parent study treatment protocols
- **Education Protocol (HCP):** Site initiation and training on rollover logistics and extension tracking
- **Education Protocol (Patient):** Informed consent detailing extension study expectations

- **Quality Audit Mechanism:** Source data verification and pharmacovigilance tracking