

1. Administrative & Study Identification

Full Study Title: An Observational Study Evaluating Treatment Situations of Adjuvant Nivolumab for Muscle-invasive Urothelial Carcinoma in Japan **Short Title/Acronym:** ANNIVERSARY **Protocol Number:** CA209-6H7 **NCT Number:** NCT05779592 **Sponsor Name:** Bristol-Myers Squibb (Primary Sponsor) & Ono Pharmaceutical Co., Ltd. **Investigational Product:** Nivolumab (OPDIVO) **Phase of Development:** Observational / Phase IV **Medical Monitor:** Bristol-Myers Squibb K.K. Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective **Primary Objective:** To evaluate the efficacy (including Disease-Free Survival [DFS] and Non-Urothelial Tract Recurrence-Free Survival [NUTRFS]), safety (incidence of Adverse Events [AEs] and Treatment-Related Adverse Events [TRAEs]), and real-world treatment status (number of doses, treatment duration, completion rate, and reasons for discontinuation) of adjuvant nivolumab. **Secondary Objectives:** To describe real-world outcomes (DFS, NUTRFS, safety, and treatment status) specifically in subpopulations of Japanese patients with muscle-invasive bladder cancer (MIBC) and upper tract urothelial carcinoma (UTUC).

2.2 Background & Rationale To address the gap in real-world data regarding the use of adjuvant nivolumab following radical resection in Japanese clinical practice. While clinical trials demonstrate efficacy, evaluating treatment status, safety, and survival endpoints (DFS and NUTRFS) in an observational real-world setting ensures a more comprehensive understanding of patient outcomes and tolerability outside strictly controlled environments.

3. Study Design & Methodology

3.1 Design Framework **Study Type:** Observational **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration **Target N\$:** 400 evaluable patients **Number of Sites:** Multiple sites across Japan **Estimated Study Start:** 2023 **Estimated Primary Completion:** Ongoing (Active, not recruiting)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Male or female patients aged ≥ 18 years. 2. Histologically confirmed diagnosis of muscle-invasive urothelial carcinoma (MIUC) at the participating site. 3. Received nivolumab as adjuvant therapy after undergoing radical resection. 4. Have visited the medical institution at least once post-treatment initiation or have survival information available, and provided informed consent (if actively visiting).

4.2 Exclusion Criteria 1. Refusal to provide informed consent for the use of clinical data (for actively visiting patients). 2. Patients treated as part of another interventional clinical trial where treatment regimens were strictly mandated. 3. Patients with entirely missing essential clinical or survival records post-resection.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Nivolumab administered according to standard Japanese clinical practice and approved labeling for adjuvant therapy. **Route of Administration:** Intravenous (IV). **Duration of Treatment:** Determined by real-world clinical practice; tracked as a primary endpoint (treatment duration and completion rate).

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications and supportive care as prescribed by the treating HCP in a routine clinical setting. **Prohibited:** N/A (observational study assessing standard of care).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening	Retrospective/Prospective Informed Consent (if applicable), Medical History, Confirmation of radical resection & MIUC diagnosis
2	Baseline	Day 0 Initiation of adjuvant nivolumab therapy
3	Interim	Real-world cadence Routine safety labs, imaging for recurrence monitoring, tracking of administered doses
4	End of Study	Follow-up Final survival/recurrence status, documentation of treatment discontinuation reason

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: - Efficacy: Disease-Free Survival (DFS) and Non-Urothelial Tract Recurrence-Free Survival (NUTRFS). - Safety: Incidence of all AEs and TRAEs. - Treatment Status: Number of doses, duration of treatment, completion rate, and discontinuation reasons. **Measurement Method:** Retrospective

and prospective electronic medical record (EMR) review and data extraction.

7.2 Secondary & Exploratory Endpoints - Subgroup analysis of DFS, NUTRFS, safety, and treatment patterns specifically for muscle-invasive bladder cancer (MIBC). - Subgroup analysis of DFS, NUTRFS, safety, and treatment patterns specifically for upper tract urothelial carcinoma (UTUC).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Extracted directly from routine clinical medical records; includes tracking of all AEs and treatment-related AEs (TRAEs). **Serious Adverse Events (SAEs):** Documented and reported according to post-marketing pharmacovigilance and observational research regulations in Japan. **Data Monitoring Committee (DMC):** Non-interventional oversight via a third-party data management/monitoring body.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Full Analysis Set (FAS) comprising all enrolled patients who received at least one dose of adjuvant nivolumab and met all eligibility criteria. **Sample Size Justification:** Target of $N=400$ participants provides sufficient statistical power to descriptively analyze real-world clinical outcomes, AE rates, and completion rates in the Japanese MIUC population. **Handling of Missing Data:** Missing data will not be imputed, given the observational nature of the study; analyses will be performed on observed data only.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with the Declaration of Helsinki, Good Pharmacoeconomics Practices (GPP), and Japanese ethical guidelines for medical and biological research involving human subjects. **Monitoring Plan:** Independent third-party data monitoring and statistical analysis to ensure objective assessment of real-world outcomes. **Audit Trail:** Secure EDC (Electronic Data Capture) systems with full audit trails for site-entered medical records.

11. Study Identifiers & Governance

Primary ID: CA209-6H7 **Registry Number:** NCT05779592 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** ANNIVERSARY **Official Regulatory Title:** An Observational Study Evaluating

12. Clinical Framework (MIUC Specific)

Primary Condition: Muscle-invasive Urothelial Carcinoma (MIUC)
Diagnosis Threshold: Histologically confirmed MIBC or UTUC post-radical resection
Medical Methodology: Adjuvant Immunotherapy
Optimization Target: Disease-Free Survival (DFS) extension and clinical safety tracking

13. Study Procedures & Methodology

Management Pathway: Standard real-world clinical pathway for post-resection adjuvant therapy
Education Protocol (HCP): Routine real-world care instructions per approved package insert
Education Protocol (Patient): Standard post-operative oncology care counseling
Quality Audit Mechanism: EMR source data verification and independent third-party monitoring

14. Observation & Follow-Up Schedule

Total Duration: Dependent on individual patient disease-free survival trajectories
Onsite Visit Cadence: Determined by standard of care (typically aligned with standard oncology follow-up imaging and dosing schedules)
Remote Monitoring Frequency: N/A (Data extraction from institutional EMRs)
Checklist Review Interval: Routine clinical data abstraction intervals

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				