

1. Administrative & Study Identification

Full Study Title: OverTTuRe: An Observational Multi-Country Study Collecting Real-World Secondary Data on the Characteristics, Treatment Patterns and Outcomes of Patients with ATTR amyloidosis
Short Title/Acronym: OverTTuRe **Protocol Number:** D8450R00004 **NCT Number:** NCT06355934 **Sponsor Name:** AstraZeneca **Investigational Product:** N/A (Observational Real-World Evidence Study) **Phase of Development:** Observational (N/A for Phase) **Medical Monitor:** AstraZeneca Clinical Study Information Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To describe patient characteristics (e.g., demographics, family history, key comorbidities), treatment patterns, and disease outcomes, and to characterize and quantify healthcare resource utilization (HCRU) and humanistic outcomes (HRQoL, Neuropathy impairment score, activities of daily living) in patients diagnosed with ATTR amyloidosis followed post-index. **Secondary Objectives:** To describe demographics, clinical characteristics, and HCRU in ATTR amyloidosis patients prior to diagnosis.

2.2 Background & Rationale Patients with amyloid transthyretin (ATTR) amyloidosis typically experience rapid disease progression, poor treatment outcomes, irreversible loss of health-related quality of life (HRQoL), and premature mortality. Early diagnosis is vital. However, diagnostic delays and misdiagnosis are common due to under-recognition of early signs and symptoms. OverTTuRe (part of the ANTHOLOGY program) aims to broaden the understanding of contemporary epidemiology, identify opportunities to accelerate diagnosis, and assess real-world comparative effectiveness of treatments to inform clinical guidelines and improve patient care.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Retrospective, longitudinal, multi-country cohort study) **Control Type:** N/A (Single cohort) **Blinding:** N/A (Open-label / Database extraction) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target **SN\$:** 52,121 **Number of Sites:** Multi-country (utilizing secondary data from healthcare registries, EHRs, chart reviews, and insurance claims databases)

Estimated Study Start: 21-Aug-2023 **Estimated Primary Completion:** 30-Sep-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients aged >18 years at study index date. 2. A reported diagnosis code for amyloidosis OR a claim for ATTR-specific treatment OR a positive biopsy for amyloidosis and positive immunostaining result of biopsy for ATTR.

4.2 Exclusion Criteria 1. Evidence of primary (AL) or secondary (AA) systemic amyloidosis (e.g., claims/procedure codes for stem cell transplant or chemotherapy/autoimmune disease drugs). 2. Asymptomatic patients or asymptomatic TTR mutation carriers. 3. Patients currently participating in other interventional clinical trials for ATTR amyloidosis.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: N/A (Observational study extracting real-world secondary data; patients receive standard of care). **Route of Administration:** N/A **Duration of Treatment:** N/A (Data collected from up to 12 years prior to diagnosis and followed post-index for 3-7 years or up to the end of data availability).

5.2 Concomitant & Prohibited Therapy Permitted: N/A (All real-world therapies observed and recorded) **Prohibited:** N/A

6. Study Timeline & Visit Schedule

(Note: Adjusted for retrospective observational data extraction)

Visit ID	Window	Key Activities/Procedures	:---	:---
:---		Pre-Index	Up to 12 years prior to diagnosis	
Extraction of pre-diagnosis characteristics, HCRU, and clinical history		Index Date	Diagnosis / First Claim	Baseline characteristics, initial ATTR-specific treatments
		Follow-up	3-7 years post-index	Tracking of treatment patterns, clinical/economic outcomes, HCRU, HRQoL, and survival
		End of Study	Data Cutoff	Final data extraction and outcomes assessment

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Patient characteristics, treatment patterns, humanistic outcomes (HRQoL, Neuropathy impairment score, ADL), disease outcomes, and quantified HCRU in ATTR amyloidosis patients post-index. **Measurement Method:**

Retrospective extraction from electronic health records, disease registries, and insurance claims.

7.2 Secondary & Exploratory Endpoints Demographics, clinical characteristics, and HCRU prior to ATTR diagnosis to map the natural pre-diagnosis disease journey.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: N/A (Retrospective secondary data analysis; no active AE monitoring beyond standard pharmacovigilance for sponsor products in real-world data).

Serious Adverse Events (SAEs): N/A **Data Monitoring Committee (DMC):** N/A

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All eligible patients with confirmed ATTR amyloidosis identified in the secondary databases. **Sample Size**

Justification: N/A (Descriptive cohort study maximizing available data; estimated target \$N=52,121\$). **Handling of Missing Data:** Standard imputation techniques for missing real-world data or missing category classifications as defined in the statistical analysis plan.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: Conducted in accordance with Good Pharmacoepidemiology Practices (GPP), applicable privacy laws, and the Declaration of Helsinki. **Monitoring Plan:** Data quality checks, source data verification protocols, and data linkage enrichment specific to secondary database extraction. **Audit Trail:** Secured and de-identified database extraction logs and analysis audit trails.

11. Study Identifiers & Governance

Primary ID: D8450R00004 **Registry Number:** NCT06355934 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** OverTTuRe **Official Regulatory Title:** OverTTuRe: An Observational Multi-Country Study Collecting Real-World Secondary Data on the Characteristics, Treatment Patterns and Outcomes of Patients with ATTR amyloidosis

12. Clinical Framework (ATTR Amyloidosis Specific)

Primary Condition: ATTR Amyloidosis **Diagnosis Threshold:** Positive biopsy/immunostaining, diagnostic code, or ATTR-specific

treatment claim **Medical Methodology:** Real-World Evidence (RWE) extraction **Optimization Target:** Describe natural history, highlight diagnostic delays, and evaluate treatment effectiveness

13. Study Procedures & Methodology

Management Pathway: Standard real-world clinical care **Education Protocol (HCP):** N/A (Observational) **Education Protocol (Patient):** N/A (Observational) **Quality Audit Mechanism:** Database linkage enrichment and data quality control checks

14. Observation & Follow-Up Schedule

Total Duration: Up to 12 years pre-diagnosis and 3-7 years post-index follow-up **Onsite Visit Cadence:** N/A (Retrospective data) **Remote Monitoring Frequency:** N/A **Checklist Review Interval:** N/A

15. Sign-off & Approval

Role	Name	Signature	Date		:---		:---		:---		:---	
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]									
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]									
Lead Statistician	[Name]	_____	[DD-MMM-YYYY]									