

1. Administrative & Study Identification

Full Study Title: A Multicentre, Parallel-group, Phase IIb, Randomised, Double-blind, Placebo-controlled, 4-Arm, 24-Week Study to Investigate the Effect of AZD6793 in Participants With Moderate to Very Severe Chronic Obstructive Pulmonary Disease
Short Title/Acronym: PRESTO **Protocol Number:** D7860C00006 **NCT Number:** NCT07082738 **Sponsor Name:** AstraZeneca **Investigational Product:** AZD6793 (Oral IRAK4 Inhibitor) **Phase of Development:** Phase IIb **Medical Monitor:** AstraZeneca Clinical Study Information Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy and safety of three different doses of AZD6793 compared with placebo in reducing the annualised rate of moderate or severe COPD exacerbations in participants with moderate to very severe chronic obstructive pulmonary disease (COPD). **Secondary Objectives:** To evaluate the time to first exacerbation, annualised rate of severe exacerbations, CompEx, pre-bronchodilator (pre-BD) FEV1, and post-BD FEV1.

2.2 Background & Rationale To learn more about how well AZD6793 reduces flare-ups of COPD symptoms in patients at risk of sudden worsening. AZD6793 is a targeted oral treatment designed to block a protein called IRAK4, which plays a critical role in downstream pathways causing neutrophilic and eosinophilic inflammation in the lungs—a key driver of COPD progression and exacerbations.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled (4-Arm study: Dose 1 AZD6793, Dose 2 AZD6793, Dose 3 AZD6793, Placebo) **Blinding:** Double-blind **Randomization:** 1:1:1:1 ratio across the four treatment arms

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 1,160 participants **Number of Sites:** Approximately 400 sites globally **Estimated Study Start:** [Ongoing/Recruiting] **Estimated Primary Completion:** [Date pending final enrollment]

4. Subject Selection (Eligibility Criteria)

- 4.1 Inclusion Criteria** 1. Age ≥ 40 years. 2. Confirmed diagnosis of moderate to very severe Chronic Obstructive Pulmonary Disease (COPD). 3. Current or past smoker. 4. At risk of sudden worsening of symptoms (frequent exacerbators).
- 4.2 Exclusion Criteria** 1. Clinically important pulmonary disease other than COPD (e.g., asthma). 2. Any unstable disorder that can impact participant safety or study outcomes. 3. Inability to comply with the 24-week oral treatment and testing regimen.
-

5. Intervention & Treatment Plan

- 5.1 Investigational Regimen Dosage/Frequency:** Three different targeted doses of AZD6793 **Route of Administration:** Oral (pill delivery) **Duration of Treatment:** 24 weeks of active study treatment (Total participation length is 7 months).
- 5.2 Concomitant & Prohibited Therapy Permitted:** Standard inhaled maintenance therapy for COPD. **Prohibited:** Concurrent investigational therapies or biologics targeting systemic lung inflammation not approved by the study protocol.
-

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures	:---	:---
:---	Screening/Before	4 Weeks	2 study doctor visits.	
Physical exams, blood, urine, and breathing tests to determine eligibility.	Treatment/During	24 Weeks	6 study doctor visits.	
Receive study treatment (AZD6793 or placebo). Regular physical exams, blood, urine, and breathing tests.	Follow-up/After	2 Weeks	1 study doctor visit.	
Final physical exams, blood, urine, breathing tests, and safety evaluations.				

(Total number of visits: 9)

7. Outcome Measures (Endpoints)

- 7.1 Primary Endpoint Definition:** Annualised rate of moderate or severe COPD exacerbations. **Measurement Method:** Clinical assessment and exacerbation tracking reported by the investigator over the 24-week treatment period.
- 7.2 Secondary & Exploratory Endpoints** 1. Time to first moderate or severe exacerbation. 2. Annualised rate of severe exacerbations. 3. Change from baseline in pre-bronchodilator (pre-BD) FEV1 and post-BD FEV1. 4. CompEx (Composite Exacerbation) metrics.
-

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via physical exams, blood/urine laboratory tests, and breathing tests conducted across the 9 scheduled study visits. **Serious Adverse Events (SAEs):** Typically reported within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Utilized to evaluate the safety and efficacy of the three escalating dose groups versus placebo.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy analysis; Safety Set for all adverse event tracking. **Sample Size Justification:** $N \approx 1,160$ across 4 arms is powered to detect statistically significant reductions in the annualised rate of COPD exacerbations between the active IRAK4 inhibitor doses and placebo. **Handling of Missing Data:** Standard methodologies (e.g., Multiple Imputation) for dropouts or missing breathing test data over the 24-week period.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** On-site monitoring across the ~400 global sites to ensure protocol compliance and accurate reporting of exacerbations. **Audit Trail:** Validated eCRF systems for secure data capture, locking, and clarification.

11. Study Identifiers & Governance

Primary ID: D7860C00006 **Registry Number:** NCT07082738 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** PRESTO **Official Regulatory Title:** A Multicentre, Parallel-group, Phase IIb, Randomised, Double-blind, Placebo-controlled, 4-Arm, 24-Week Study to Investigate the Effect of AZD6793 in Participants With Moderate to Very Severe Chronic Obstructive Pulmonary Disease

12. Clinical Framework (COPD Specific)

Primary Condition: Chronic Obstructive Pulmonary Disease (COPD) **Diagnosis Threshold:** Moderate to very severe COPD in patients ≥ 40 years old **Medical Methodology:** IRAK4 Inhibition **Optimization Target:** Reduction in neutrophilic and eosinophilic inflammation to prevent flare-ups

13. Study Procedures & Methodology

Management Pathway: Standard COPD maintenance combined with oral AZD6793 or placebo. **Education Protocol (HCP):** Site initiation and training across ~400 global sites. **Education Protocol (Patient):** Clear instructions on identifying and recording COPD exacerbations and flare-up symptoms. **Quality Audit Mechanism:** Centralized spirometry (breathing test) evaluations and laboratory biomarker tracking.

14. Observation & Follow-Up Schedule

Total Duration: 7 months (28 weeks) **Onsite Visit Cadence:** 9 total visits (2 in the 4-week lead-up, 6 during the 24-week treatment phase, 1 during the 2-week follow-up). **Remote Monitoring Frequency:** As required between onsite assessments. **Checklist Review Interval:** Regular symptom and flare-up reviews at every clinic visit.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				