

1. Administrative & Study Identification

Official Study Title: A 2 COHORT, SINGLE DOSE, OPEN-LABEL, RANDOMIZED, PIVOTAL BIOEQUIVALENCE STUDY TO QUALIFY MANUFACTURING SITE TRANSFER FROM BARCELONETA TO ASCOLI FOR PRAZOSIN HYDROCHLORIDE CAPSULES IN HEALTHY ADULT PARTICIPANTS UNDER FASTED CONDITIONS
General Study Title: A Study to Learn How Different Forms of the Study Medicine Called Prazosin Are Taken up Into the Blood in Healthy Adults
Short Title/Acronym: Prazosin Bioequivalence Site Transfer Study
Protocol Number: CP-012299
NCT Number: NCT07231978
Posting ID: 665135437063357265
Trial Status: Not Yet Recruiting
Sponsor/Company Name: Pfizer
Investigational Product: Prazosin Hydrochloride (HCl) Capsules
Drug Name: Prazosin
ATC Code: C02CA01
Trade Names: Alphavase, Kentovace, Minizide, Minipress
Phase of Development: Phase 1
Medical Monitor: Pfizer Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective
* **Primary Objective:** To prove that the prazosin HCl capsules made at the manufacturing site at Barceloneta (Puerto Rico) work the same in the body (are bioequivalent) as those made at Ascoli (Italy).
* **Secondary Objectives:** To check how safe these capsules are, how well people can handle them, and to understand how the different capsules and doses of prazosin HCl are changed and eliminated from the body after oral intake.

2.2 Background & Rationale Prazosin hydrochloride is a medication taken by mouth that helps lower high blood pressure and is used to treat hypertension and heart failure. The purpose of this clinical trial is to conduct a pivotal bioequivalence evaluation to qualify a manufacturing site transfer. Demonstrating that the drug's absorption and elimination profiles remain identical ensures product safety and efficacy following the transition from the Barceloneta site to the Ascoli site.

3. Study Design & Methodology

3.1 Design Framework
* **Study Type:** Interventional
* **Control Type:** Active Comparator (Ascoli-manufactured capsules vs. Barceloneta-manufactured capsules)
* **Blinding:** Open-label
* **Randomization:** Randomized

3.2 Planned Enrollment & Duration
* **Target Enrollment:** 72 healthy participants
* **Number of Sites:** 1 Clinical Research Unit (CRU) in

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Male and female participants, 18 years of age or older and who are overtly healthy as determined by medical evaluation. 2. Total body weight > 50 kg (110 lb) and BMI of 16-32 kg/m². 3. Willing to comply with all study procedures. 4. Capable of giving signed informed consent.

4.2 Exclusion Criteria 1. Evidence or history of clinically significant disease. 2. Evidence of any active suicidal ideation in the past year or suicidal behavior in the past 5 years. 3. Use of drugs within 14 days or 5 half-lives (whichever is longer) prior to study intervention. 4. Previous administration of an investigational product (drug or vaccine) within 30 days or 5 half-lives preceding the first dose of study intervention. 5. Inability to comply with the prolonged CRU stay and overnight fasting requirements.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * Dosage/Frequency: Single dose of Prazosin HCl across 4 treatments. Cohort 1 will receive 4 capsules, and Cohort 2 will receive 2 capsules at different time points. *** Route of Administration:** Oral, taken with a glass of water after overnight fasting. *** Duration of Treatment:** The CRU stay lasts until 24 hours after the last dose, accounting for approximately 9 days and 8 nights for Cohort 1, and 5 days and 4 nights for Cohort 2. Total duration of participation from screening to follow-up is approximately 10 weeks (5 weeks from screening to CRU discharge).

5.2 Concomitant & Prohibited Therapy * Permitted: Water is allowed freely except for a specific restricted window around dosing. *** Prohibited:** No food is allowed until 4 hours after taking the dose. Water is restricted 1 hour before dosing and cannot be consumed again until 1 hour after dosing.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Up to Day -28 Informed consent, interviews, and medical examinations by skilled personnel
Baseline	Day -1	Admission and check-in to the clinical research unit (CRU)	Interim (Dosing) Days 1 to 5-9 Overnight fasting, oral dosing, PK blood sampling, continuous ECG, and blood pressure monitoring End of Study Days 28 to

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints * **Pharmacokinetics (PK):** Area under the plasma concentration (AUC) of prazosin. * **Pharmacokinetics (PK):** Maximum plasma concentration (C_{max}) of prazosin. * **Measurement Method:** Serial blood sampling before and after medicine intake, analyzed at a central laboratory to demonstrate bioequivalence between the two manufacturing sites.

7.2 Secondary & Exploratory Endpoints * Number of Participants with Treatment Emergent Adverse Events (TEAEs). * Number of Participants With Clinical Laboratory Abnormalities. * Number of participants with change from baseline in physical examinations.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Continuous in-patient monitoring during the CRU stay, plus a follow-up health check via telephone 28 to 35 days after the final dose.
 - **Serious Adverse Events (SAEs):** Reported according to standard Phase 1 regulatory timelines (typically 24 hours).
 - **Data Monitoring Committee (DMC):** Internal safety review handled by the Sponsor.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Pharmacokinetic (PK) Analysis Set, Safety Analysis Set.
 - **Sample Size Justification:** Target Enrollment = 72 to adequately power the pivotal bioequivalence comparison between the Barceloneta and Ascoli formulations.
 - **Handling of Missing Data:** Handled per standard PK analysis protocols (e.g., exclusion of profiles lacking critical concentration time points).
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
- **Monitoring Plan:** Continuous onsite monitoring and direct observation within the CRU during the dosing and sample collection windows.
- **Audit Trail:** eCRF data entry, PK sample tracking, and source data verification.

11. Study Identifiers & Governance

- **Primary ID:** CP-012299
- **Posting ID:** 665135437063357265
- **Registry Number:** NCT07231978
- **Trial Status:** Not Yet Recruiting
- **Sponsor/Lead Organization:** Pfizer
- **Study Title:** A Study to Learn How Different Forms of the Study Medicine Called Prazosin Are Taken up Into the Blood in Healthy Adults
- **Official Regulatory Title:** A 2 COHORT, SINGLE DOSE, OPEN-LABEL, RANDOMIZED, PIVOTAL BIOEQUIVALENCE STUDY TO QUALIFY MANUFACTURING SITE TRANSFER FROM BARCELONETA TO ASCOLI FOR PRAZOSIN HYDROCHLORIDE CAPSULES IN HEALTHY ADULT PARTICIPANTS UNDER FASTED CONDITIONS

12. Clinical Framework (*Adapted for Bioequivalence & PK*)

- **Disease Area/Condition:** Healthy
- **Preferred UMLS Name:** Drug Bioavailability
- **Diagnosis Threshold:** Total body weight > 50 kg (110 lb), BMI 16-32 kg/m²
- **Medical Methodology:** Pharmacokinetic Bioequivalence Evaluation
- **Optimization Target:** Qualification of manufacturing site transfer (Barceloneta to Ascoli)

13. Study Procedures & Methodology

- **Management Pathway:** Single-dose oral administration under strict fasted conditions
- **Education Protocol (HCP):** CRU Investigator Protocol & Safety Training
- **Education Protocol (Patient):** Informed consent and CRU orientation
- **Quality Audit Mechanism:** Direct observation of dosing, fluid/food control, and scheduled PK blood sampling

14. Observation & Follow-Up Schedule

- **Total Duration:** Approximately 10 weeks (from screening to final follow-up)
- **Onsite Visit Cadence:** CRU admission from Day -1 until 24 hours after the last dose (up to 9 days and 8 nights for Cohort 1)
- **Remote Monitoring Frequency:** Follow-up phone call at 28 to 35 days post-final dose

- **Checklist Review Interval:** Continuous clinical monitoring during the active CRU stay

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---	
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					