

1. Administrative & Study Identification

Full Study Title: Non Interventional Study to Investigate the Safety and Effectiveness in Patients With Relapsed and Refractory Multiple Myeloma Treated With Elranatamab Under the Actual Use.
Short Title/Acronym: ELREXFIO SPECIAL INVESTIGATION - INVESTIGATION ON LONG-TERM TREATMENT **Protocol Number:** C1071010
NCT Number: NCT06479954 **Sponsor Name:** Pfizer **Investigational Product:** Elranatamab (Elrexfio) **Phase of Development:** Observational / Post-Marketing (Non-Interventional) **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To confirm whether the onset status (the number of patients, incidence, grade, seriousness, timing of onset, duration, treatment, and outcome) of cytokine release syndrome (CRS) and immune effector cell-associated neurotoxicity syndrome (ICANS) is comparable to that in the clinical studies and whether adverse reactions were appropriately treated. **Secondary Objectives:** To confirm the onset status of any adverse reaction (including unknown adverse reactions) to long-term treatment with elranatamab and the overall response rate (ORR) as an efficacy assessment, and to evaluate them in terms of benefit-risk.

2.2 Background & Rationale Because of the extremely limited number of patients treated in Japanese clinical studies, a drug use investigation in all patients is being conducted. This is necessary to understand the background information of patients on elranatamab, rapidly collect data on the safety and efficacy of the drug under actual use, and take measures necessary for proper administration until data on a sufficient number of patients are accumulated.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Non-Interventional) **Control Type:** Single-arm (Real-world cohort) **Blinding:** Open-label / None (Observational) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: All eligible patients in Japan receiving elranatamab who satisfy registration criteria **Number of Sites:** Multiple institutions across Japan where elranatamab is delivered **Estimated Study Start:** 30-Jul-2024 **Estimated Primary Completion:** 25-Feb-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients who have received at least one dose of elranatamab. 2. All patients who satisfy all the registration criteria in all institutions to which elranatamab is delivered, based on the conditions for approval.

4.2 Exclusion Criteria 1. Patients who have not received elranatamab. (*Note: As an observational drug use investigation, broad actual-use criteria apply with no other specific exclusion criteria listed*).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Elranatamab dosed as per standard clinical practice and approved prescribing information for actual use. **Route of Administration:** Subcutaneous Injection. **Duration of Treatment:** Long-term treatment until disease progression, unacceptable toxicity, or discontinuation per physician discretion.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care for Multiple Myeloma and management of adverse events (e.g., standard CRS/ICANS mitigating treatments) as prescribed by the treating physician. **Prohibited:** Per routine clinical care contraindications.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening	Day 0 Registration, Baseline Patient Background Information
2	Treatment Period	Ongoing Routine clinical monitoring for RRMM, CRS/ICANS onset assessment, ORR tracking
3	End of Study	2027 Final data collection on long-term safety, overall response, and benefit-risk evaluation

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Onset status of cytokine release syndrome (CRS) and immune effector cell-associated neurotoxicity syndrome (ICANS)—including incidence, grade, seriousness, timing, duration, treatment, and outcomes. **Measurement Method:** Physician assessment and institutional Adverse Drug Reaction (ADR) reporting.

7.2 Secondary & Exploratory Endpoints 1. Onset status of any adverse reaction (including unknown adverse reactions) related to

long-term elranatamab treatment. 2. Overall Response Rate (ORR) to assess efficacy and clinical benefit-risk profile.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous physician assessment. An adverse drug reaction (ADR) is defined as any untoward medical occurrence attributed to Elrexfio. **Serious Adverse Events (SAEs):** Defined as any ADR resulting in death, life-threatening experience (immediate risk of dying), initial or prolonged inpatient hospitalization, persistent or significant disability/incapacity, or congenital anomaly. Relatedness assessed by the physician. **Data Monitoring Committee (DMC):** Pharmacovigilance safety monitoring for post-marketing actual use tracking.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All registered patients in Japan receiving at least one dose of elranatamab. **Sample Size Justification:** A drug use investigation encompassing the entire real-world population prescribed elranatamab in Japan to ensure enough statistical power to identify previously unknown or rare adverse events. **Handling of Missing Data:** Standard handling procedures for observational and real-world evidence (RWE) studies.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: Conducted in accordance with Good Pharmacovigilance Practices (GVP) and local post-marketing surveillance regulations in Japan. **Monitoring Plan:** Centralized collection of institutional registration, real-world data, and physician ADR reports. **Audit Trail:** Mandatory institutional registration and standardized adverse event tracking for regulatory approval conditions.

11. Study Identifiers & Governance

Primary ID: C1071010 **Registry Number:** NCT06479954 **Sponsor/Lead Organization:** Pfizer **Study Title:** ELREXFIO SPECIAL INVESTIGATION- INVESTIGATION ON LONG-TERM TREATMENT **Official Regulatory Title:** Non Interventional Study to Investigate the Safety and Effectiveness in Patients With Relapsed and Refractory Multiple Myeloma Treated With Elranatamab Under the Actual Use.

12. Clinical Framework (Multiple Myeloma Specific)

Primary Condition: Relapsed and Refractory Multiple Myeloma (RRMM) **Diagnosis Threshold:** Confirmed diagnosis of RRMM mapped to elranatamab actual-use indication **Medical Methodology:** Post-marketing actual use surveillance **Optimization Target:** Safety monitoring targeting CRS and ICANS mitigation

13. Study Procedures & Methodology

Management Pathway: Routine clinical care for RRMM **Education Protocol (HCP):** Safety management training for the early identification and treatment of CRS/ICANS **Education Protocol (Patient):** Counseling on CRS and ICANS symptom awareness **Quality Audit Mechanism:** Institutional registration and systematic Adverse Drug Reaction (ADR) reporting

14. Observation & Follow-Up Schedule

Total Duration: ~31 months (July 2024 to February 2027) **Onsite Visit Cadence:** Directed by routine clinical care **Remote Monitoring Frequency:** Directed by routine clinical care / Institutional registry updates **Checklist Review Interval:** Ongoing monitoring for ADRs and treatment outcomes

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--	
Principal Investigator	[Insert Name]	____	02-Apr-2026					
Clinical Operations Lead	[Insert Name]	____	02-Apr-2026					
Lead Statistician	[Insert Name]	____	02-Apr-2026					