

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Study Investigating the Utilization, Effectiveness and Quality of Life in Clinical Practice in Germany for Participants With Relapsing-remitting Multiple Sclerosis Treated With Ozanimod (Zeposia®) **Short Title/Acronym:** OzEAN
Protocol Number: RPC-1063-MS-003 **Posting ID:** 736585939879440558
NCT Number: NCT05335031 **Sponsor/Company Name:** Bristol Myers Squibb **Investigational Product:** Ozanimod (Zeposia®) **Preferred UMLS Name:** Ozanimod for Relapsing-remitting Multiple Sclerosis
Phase of Development: Not Applicable **Trial Status:** COMPLETED
Medical Monitor: Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To collect real-world data and gain insights about long-term usage, specifically evaluating the proportion of participants' persistence with ozanimod treatment over a 3-year period in patients with relapsing-remitting multiple sclerosis (RRMS) in Germany. **Secondary Objectives:** To evaluate the distribution of participant demographic characteristics (Age, Sex, Height), physician-reported outcomes (annualized relapse rate, Expanded Disability Status Scale [EDSS] score, cognition via Symbol Digit Modalities Test, incidence of adverse events), and patient-reported outcomes (patient satisfaction, disability, quality of life [MSQOL-54], fatigue, and health economics).

2.2 Background & Rationale Ozanimod is a sphingosine 1-phosphate receptor 1 and 5 modulator approved as a disease-modifying therapy for active RRMS. Long-term, real-world studies in a nonselective population are needed to supplement phase 3 trial data. The OzEAN study is designed to evaluate real-world persistent use, effectiveness, and safety of ozanimod and its impact on quality of life over 3 years utilizing a patient portal for patient-reported outcomes.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective, noninterventive, postmarketing authorization study) **Control Type:** Single-arm (Real-world cohort) **Blinding:** Open-label
Randomization: N/A

3.2 Planned Enrollment & Duration Targeted Enrollment: 450 adult participants **Number of Sites:** Up to 140 specialist study sites

(office-based neurologists and clinics) across Germany **Estimated Study Start:** 03-Mar-2021 **Study Status:** COMPLETED

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years. 2. Confirmed diagnosis of relapsing-remitting multiple sclerosis (RRMS). 3. The decision upon treatment with ozanimod must have been made before enrollment and independently of this non-interventional observational study. 4. All data on ozanimod treatment are collected prospectively.

4.2 Exclusion Criteria 1. Retrospective documentation of ozanimod therapy and enrollment of participants that are already on ozanimod therapy is not allowed. 2. Special warnings, precautions and contraindications specified in the current version of the Summary of Product Characteristics (SmPC). 3. Hypersensitivity to the active substance(s) or to any of the excipients of ozanimod as specified in the prescribing information. 4. Participation in any other clinical studies.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Drug Name: Ozanimod **Trade Name:** Zeposia® **ATC Code:** L04AA38 **Dosage/Frequency:** Oral ozanimod 0.92 mg/day after an initial dose escalation, per the summary of product characteristics (SmPC). **Route of Administration:** Oral **Duration of Treatment:** Up to 3 years (36 months) of observation. **EMA URL:** https://www.ema.europa.eu/en/documents/product-information/zeposia-epar-product-information_en.pdf

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care disease-modifying therapies (for patients switching to ozanimod) and routine symptom management in clinical practice. **Prohibited:** Participation in other clinical trials; medications strictly contraindicated in the ozanimod SmPC.

6. Study Timeline & Visit Schedule

Visit ID	Window (Months)	Key Activities/Procedures
Screening / Baseline	Month 0	Enrollment, Medical History, Independent Ozanimod Prescription
Interim Follow-ups	Months 6, 12, 18, 24, 30	Real-world safety/efficacy assessment, EDSS, Patient Portal Questionnaires
End of Study	Month 36	Final clinical assessment, persistence evaluation, QoL survey collection
Safety Follow-up	3-8 months post-dose	Follow-up exclusively for participants who discontinue treatment early

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Proportion of participants persistence with therapy. **Measurement Method:** Physician reporting and documentation via electronic clinical records.

7.2 Secondary & Exploratory Endpoints - Distribution of participant demographics characteristics: Age - Distribution of participant demographics characteristics: Sex - Distribution of participant demographics characteristics: Height - Annualized Relapse Rate (ARR) and Expanded Disability Status Scale (EDSS) scores. - Patient-reported Quality of Life (MSQOL-54), disability (UKNDRS), fatigue (FSMC), and health economics (WPAI-MS and MS-HRS) collected via internet-based e-health portal.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard real-world collection via clinical practice visits and continuous monitoring via the patient portal. **Serious Adverse Events (SAEs):** Evaluated according to standard postmarketing pharmacovigilance safety regulations. **Data Monitoring Committee (DMC):** Overseen by Bristol Myers Squibb internal pharmacovigilance teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Real-world observational cohort consisting of patients who received ≥ 1 dose of ozanimod. **Sample Size Justification:** Target enrollment of $N=450$ to provide a robust, representative real-world sampling across 140 nationwide German clinics. **Handling of Missing Data:** Standard handling for observational registries; yearly interim analyses are planned after enrollment reaches 25%.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local German observational study standards. **Monitoring Plan:** Utilization of a Multiple Sclerosis Documentation System with an internet-based e-health portal to allow remote monitoring and automated questionnaire completion. **Audit Trail:** Electronic data capture (EDC) locking, tracking of physician clinical pathway adherence, and validation of patient-entered data directly from the portal.

11. Study Identifiers & Governance

Primary ID: RPC-1063-MS-003 **Registry Number:** NCT05335031 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** OzEAN
Official Regulatory Title: Ozanimod (Zeposia®) In Patients With RRMS: A 3-Year, Multicenter, Prospective, Non-Interventional Study to Document Utilization, Effectiveness and Quality of Life in Clinical Practice in Germany (OZEAN)

12. Clinical Framework (Multiple Sclerosis Specific)

Primary Condition / Disease Area: Multiple Sclerosis, Relapsing-Remitting (Relapsing Remitting Multiple Sclerosis) **MeSH Code:** D020529 **SNOMED ID:** 426373005 **Diagnosis Threshold:** Confirmed diagnosis of RRMS requiring a disease-modifying therapy **Medical Methodology:** Sphingosine 1-phosphate (S1P) receptor modulator therapy **Optimization Target:** Long-term treatment persistence and reduction of annualized relapse rates

13. Study Procedures & Methodology

Management Pathway: Standard real-world clinical practice and neurology guidelines in Germany **Education Protocol (HCP):** Adherence to Summary of Product Characteristics (SmPC) dose escalation strategies **Education Protocol (Patient):** Self-learning via the MS internet-based e-health portal **Quality Audit Mechanism:** Real-world data entry tracking through the electronic Multiple Sclerosis Documentation System

14. Observation & Follow-Up Schedule

Total Duration: 36 months (3-Year) observation, plus 3-8 months safety follow-up **Onsite Visit Cadence:** Every 6 months in routine clinical practice **Remote Monitoring Frequency:** Continuous patient-reported outcome entry via e-health portal **Checklist Review Interval:** Yearly formal interim analyses

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				