

1. Administrative & Study Identification

Full Study Title: A Phase 3, Multicenter, Double-blind, Placebo-controlled, Randomized Withdrawal Trial to Evaluate the Efficacy, Safety, and Pharmacokinetics of Deucravacitinib in Children and Adolescents From 5 to Less Than 18 Years of Age With Active Juvenile Psoriatic Arthritis **Short Title/Acronym:** Deucravacitinib in Pediatric JPsA **Protocol Number:** BMS-986165 **NCT Number:** NCT06869551 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** Deucravacitinib (Trade Name: Sotyktu, ATC Code: L04AA56) **Product Information:** [EMA URL](#) **Phase of Development:** Phase III (PHASE3) **Trial Status:** RECRUITING (Currently recruiting participants) **Medical Monitor:** Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy of deucravacitinib by assessing the time to first flare during the withdrawal period in pediatric participants with juvenile psoriatic arthritis (JPsA). **Secondary Objectives:** To evaluate the drug levels, steady-state pharmacokinetics, and safety of deucravacitinib in the target pediatric population.

2.2 Background & Rationale To address the clinical need for effective, targeted therapies in children and adolescents (5 to <18 years of age) with active Juvenile Psoriatic Arthritis. This study is conducted to provide an alternative for pediatric patients who have tried at least one type of medicine for JPsA for at least three months without adequate relief, or who experienced tolerability issues with prior treatments.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled (Randomized Withdrawal) **Blinding:** Double-blind **Randomization:** Randomized withdrawal design

3.2 Planned Enrollment & Duration Target \$N\$: 60 pediatric participants **Number of Sites:** Multicenter **Estimated Study Start:** [Pending Protocol Details] **Estimated Primary Completion:** [Pending Protocol Details]

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants must have been diagnosed with Juvenile Psoriatic Arthritis (JPsA). 2. Participants must have at least three joints that are affected by arthritis. 3. Participants must have tried at least one type of medicine for JPsA for at least three months, but it didn't work well or caused problems.

4.2 Exclusion Criteria 1. Participants must not have been diagnosed with JPsA before 5 years of age. 2. Participants must not have other types of Juvenile Idiopathic Arthritis (JIA) that aren't JPsA. 3. Participants must not have a history of chronic eye inflammation (uveitis), or were diagnosed with uveitis within the last three months. 4. Other protocol-defined Inclusion/Exclusion criteria apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Deucravacitinib (BMS-986165) administered as part of a run-in phase followed by a randomized, placebo-controlled withdrawal phase. **Route of Administration:** Oral **Duration of Treatment:** [Determined by the randomized withdrawal timeline and time to flare]

5.2 Concomitant & Prohibited Therapy Permitted: Standard background medications as allowed per the protocol criteria. **Prohibited:** Concurrent administration of conflicting biologics or DMARDs not specified in the protocol.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent/ Assent, Medical History, Joint Count Assessment, JPsA confirmation
Baseline	Day 0	Randomization/Enrollment, First Dose, Efficacy Baseline
Interim	Weeks [X]	Efficacy Assessment (Flare evaluation), PK Sampling (Cminss, Cavgss, Cmaxss), Safety Labs
End of Study	Week [X]	Final Joint Assessment, Exit Interview, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Time to first flare during the withdrawal period. **Measurement Method:** Clinical assessment of joint involvement and JPsA disease activity utilizing standard pediatric rheumatology criteria.

7.2 Secondary & Exploratory Endpoints * Trough concentration at steady state (C_{minss}) * Time-averaged steady-state concentration (C_{avgss}) * Steady-state maximum observed concentration (C_{maxss})

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard clinical monitoring via onsite visits, laboratory tests, and patient/caregiver reporting. **Serious Adverse Events (SAEs):** Required reporting within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** External independent Data Monitoring Committee to evaluate safety signals in the pediatric population.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy, Pharmacokinetic (PK) Set for drug level analysis, Safety Set for all enrolled patients receiving \$\\ge 1\$ dose. **Sample Size Justification:** \$N=60\$ participants, powered to detect statistically significant differences in the time to flare between the deucravacitinib and placebo groups during the withdrawal period. **Handling of Missing Data:** Censoring methodologies utilized for time-to-event analysis (Kaplan-Meier survival estimates for time to flare).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP), the Declaration of Helsinki, and specific regulatory guidelines for pediatric clinical trials. **Monitoring Plan:** Routine onsite and remote monitoring to ensure protocol adherence, accuracy of joint counts, and proper PK sampling. **Audit Trail:** Secure electronic Data Capture (eDC) system with full audit trails and eCRF locking mechanisms.

11. Study Identifiers & Governance

Primary ID: 748854712827289020 **Registry Number:** NCT06869551 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study to Evaluate the Drug Levels, Efficacy, and Safety of Deucravacitinib (BMS-986165) in Pediatric Participants With Juvenile Psoriatic Arthritis **Official Regulatory Title:** A Phase 3, Multicenter, Double-blind, Placebo-controlled, Randomized Withdrawal Trial to Evaluate the Efficacy, Safety, and Pharmacokinetics of Deucravacitinib in Children and Adolescents From 5 to Less Than 18 Years of Age With Active Juvenile Psoriatic Arthritis **Phase Requirement:** Trial must be in PHASE3 (Criteria Type: PHASE_REQUIREMENT) **Source Level:** 5

12. Clinical Framework (JPsa Specific)

Primary Condition: Juvenile Psoriatic Arthritis (JPsA) **Preferred Name:** Juvenile psoriatic arthritis **Definition:** Childhood arthritis typically associated with psoriasis. **Semantic Type:** Disease or Syndrome **MeSH Code:** D001171 **SNOMED ID:** 239802003 **SNOMED Hierarchy:** 410502007|Juvenile idiopathic arthritis|Juvenile idiopathic arthritis (disorder), 156370009|Psoriatic arthritis|Psoriatic arthritis (disorder), 784332006|Spondyloarthritis|Spondyloarthritis (disorder), 3723001|Arthritis|Arthritis (disorder), 64572001|Disease|Disease (disorder) **Diagnosis Threshold:** ≥ 3 joints affected by arthritis **Medical Methodology:** Targeted TYK2 Inhibition (Deucravacitinib) **Optimization Target:** Maintenance of disease control (delayed time to first flare)

13. Study Procedures & Methodology

Management Pathway: Randomized withdrawal protocol **Education Protocol (HCP):** Site training on pediatric joint assessment and specific PK drawing timelines **Education Protocol (Patient/Caregiver):** Administration of oral study drug and recognizing signs of arthritis flare **Quality Audit Mechanism:** Joint assessor standardization and centralized PK sample evaluation

14. Observation & Follow-Up Schedule

Total Duration: Dependent on the time to flare / randomized withdrawal completion **Onsite Visit Cadence:** Dictated by protocol PK and joint assessment intervals **Remote Monitoring Frequency:** Intermittent safety follow-ups as defined by protocol **Checklist Review Interval:** Routine ePRO or patient diary review for JPSA symptoms

15. Sign-off & Approval

Role	Name	Signature	Date	_____	_____	_____	_____
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____