

## **1. Administrative & Study Identification**

**Full Study Title:** A Randomised, Double-blind, Placebo-controlled, Multi-centre, Sequential Phase II, and Phase III Study to Evaluate the Efficacy, Safety, and Pharmacokinetics of AZD0780 Administered for up to 52 Weeks in Participants With Dyslipidaemia (AZURE-CHINA) **Short Title/Acronym:** AZURE-CHINA  
**Study Title:** A Study to Evaluate the Efficacy, Safety, and Pharmacokinetics of AZD0780 in Participants With Dyslipidaemia  
**Protocol Number:** D7960C00008 **NCT Number:** NCT06834932 **Posting ID:** 759569201749052268 **Sponsor/Company Name:** AstraZeneca  
**Investigational Product:** AZD0780 (Oral PCSK9 inhibitor) **Phase of Development:** Phase II / Phase III (PHASE2, PHASE3) **Trial Status:** RECRUITING **Medical Monitor:** AstraZeneca Clinical Operations Lead

---

## **2. Study Synopsis & Rationale**

**2.1 Study Objective Primary Objective:** \* Part A (Phase II): To evaluate the Pharmacokinetics (PK parameters including AZD0780 concentrations in plasma, AUC<sub>0-t</sub>, and C<sub>max</sub>) of AZD0780. \* Part B (Phase III): To evaluate the reduction of LDL-C (Low-Density Lipoprotein Cholesterol) as well as the safety and tolerability after oral administration of AZD0780 on background lipid-lowering therapy. **Secondary Objectives:** To evaluate the effect of treatment with AZD0780 versus placebo on LDL-C at Week 4 (Part A) and 12 weeks (Part B), and assess overall pharmacodynamics, long-term safety, and tolerability.

**2.2 Background & Rationale** To address the need for more accessible and potent cholesterol-lowering treatments in patients with elevated LDL-C. AZD0780 is a novel, orally administered PCSK9 inhibitor. PCSK9 inhibition offers cardiovascular benefits by significantly lowering LDL-C levels, protecting against adverse cardiovascular outcomes.

---

## **3. Study Design & Methodology**

**3.1 Design Framework Study Type:** Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomised, Sequential Phase II and Phase III

**3.2 Planned Enrollment & Duration Targeted Enrollment:** 300 participants officially targeted, with cohort planning supporting up to approximately 380 participants (Part A: ~60 participants across 4 periods totalling up to 80 days; Part B: ~320 participants across Cohort 1 [~220] and Cohort 2 [~100]). **Number**

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Males, and females of non-childbearing potential, 18 to 55 years of age (Part A); Males and females,  $\geq 18$  years of age (Part B). 2. Diagnosis of dyslipidaemia with fasting LDL-C  $\geq 100$  mg/dL (2.6 mmol/L) and  $< 190$  mg/dL (4.9 mmol/L) at screening. 3. Fasting triglycerides  $< 400$  mg/dL at screening; Body Mass Index  $\geq 18$  and  $\leq 35$  kg/m<sup>2</sup>.

4.2 Exclusion Criteria 1. Homozygous familial hypercholesterolaemia, known diagnosis of HeFH, or LDL/plasma apheresis within 12 months prior to screening. 2. Acute ischaemic ASCVD event within 7 days prior to screening, or uncontrolled type 2 diabetes mellitus (HbA1c  $\geq 9.5\%$ ). 3. eGFR  $< 15$  mL/min/1.73m<sup>2</sup> using the CKD-EPI 2021 equation at screening. 4. (Part A) An LDL-C reduction that is  $< 30\%$  post rosuvastatin (ATC: C10AA07; Trade names: Crestor, Ezallor, Roszet) run-in period (Day -8).

---

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Daily administration of AZD0780 or placebo. Route of Administration: Oral Duration of Treatment: Up to 52 weeks

5.2 Concomitant & Prohibited Therapy Permitted: Stable doses of background lipid-lowering therapies (LLT) including moderate to high-intensity statins for specified cohorts in Part B. Prohibited: Unapproved concurrent investigational treatments, or any LLT not specified in the strict inclusion pathways for the statin-free cohorts.

---

6. Study Timeline & Visit Schedule

|          |               |                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------|---------------|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Visit ID | Window (Days) | Key Activities/Procedures | :---                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| :---     | :---          | <b>Screening</b>          | Day -28 to 0   Informed Consent, Medical History, Fasting Lipid Labs, eGFR, Rosuvastatin run-in (Part A)     <b>Baseline</b>   Day 0   Randomization, First Dose     <b>Interim 1</b>   Week 4 $\pm$ 3   PK/PD Assessment, LDL-C Evaluation, Safety Labs     <b>Interim 2</b>   Week 12 $\pm$ 3   Secondary Endpoint Assessment (Part B LDL-C relative change)     <b>End of Study</b>   Week 52   Final Lipid Panel, Exit Interview, IP Accountability |

---

## 7. Outcome Measures (Endpoints)

**7.1 Primary Endpoints Definition:** \* Part A: Pharmacokinetic (PK) parameters, including AZD0780 concentrations in plasma, AUC<sub>0-t</sub> (intensive PK subgroup), and C<sub>max</sub> (intensive PK subgroup). \* Part B: Percent change in LDL-C from baseline. **Measurement Method:** Central Laboratory Lipid Analysis and PK Blood Draws.

**7.2 Secondary & Exploratory Endpoints** \* Relative change from baseline of LDL-C at Week 4 (Part A). \* Relative change in LDL-C from baseline to 12 weeks (Part B, including Cohort 2). \* Incidence of Adverse Events (AEs) and Serious Adverse Events (SAEs) over the 52-week treatment period.

---

## 8. Safety & Adverse Event Reporting

**Adverse Event (AE) Monitoring:** Routine laboratory monitoring, ECGs, vital signs, and HCP interview. **Serious Adverse Events (SAEs):** Required reporting to the sponsor within 24 hours of site awareness. **Data Monitoring Committee (DMC):** Independent safety review board to govern the transition between Part A (Phase II) and Part B (Phase III).

---

## 9. Statistical Analysis Plan (SAP) Summary

**Analysis Populations:** Intent-to-Treat (ITT) for primary efficacy outcomes (LDL-C reduction). Safety Set for all participants receiving at least one dose of IP. **Sample Size Justification:** Targeted N=300 (up to ~380) appropriately powered to detect a statistically significant percentage reduction in LDL-C versus placebo. **Handling of Missing Data:** Mixed Models for Repeated Measures (MMRM) applied to continuous variables, or Multiple Imputation for missing lipid profiles.

---

## 10. Quality Assurance & Regulatory Compliance

**GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite and remote monitoring visits by Clinical Research Associates (CRAs). **Audit Trail:** Validated eCRF locking and electronic data clarification forms.

---

## 11. Study Identifiers & Governance

**Primary ID:** D7960C00008 **Registry Number:** NCT06834932 **Posting ID:** 759569201749052268 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** AZURE-CHINA **Official Regulatory Title:** A Randomised, Double-blind, Placebo-controlled, Multi-centre, Sequential Phase

II, and Phase III Study to Evaluate the Efficacy, Safety, and Pharmacokinetics of AZD0780 Administered for up to 52 Weeks in Participants With Dyslipidaemia **Trial Status:** RECRUITING

---

12. Clinical Framework (Dyslipidaemia Specific)

**Primary Condition:** Dyslipidaemia (Disease Areas: Dyslipidaemia)  
**Ontology Codes:** MeSH: D050171 | SNOMED: 370992007 | HPO: HP: 0003119 **Diagnosis Threshold:** Fasting LDL-C  $\geq 100$  mg/dL and  $< 190$  mg/dL **Medical Methodology:** PCSK9 Inhibition / Background Lipid-Lowering Therapy **Optimization Target:** LDL-C Reduction

---

13. Study Procedures & Methodology

**Management Pathway:** Oral administration of AZD0780 alongside stable background LLT **Education Protocol (HCP):** Protocol training and oral PCSK9i administration guidelines **Education Protocol (Patient):** Heart-healthy lifestyle, diet, and IP compliance **Quality Audit Mechanism:** Pharmacokinetic blood draws and stringent LDL-C lab monitoring

---

14. Observation & Follow-Up Schedule

**Total Duration:** 52 Weeks (with Part A totalling up to 80 days)  
**Onsite Visit Cadence:** Baseline, Week 4, Week 12, and periodic visits up to Week 52 **Remote Monitoring Frequency:** Every 4 weeks (Q4W) **Checklist Review Interval:** Every 12 weeks (Q12W)

---

15. Sign-off & Approval

|                          |        |           |               |     |      |     |     |
|--------------------------|--------|-----------|---------------|-----|------|-----|-----|
| Role                     | Name   | Signature | Date          | :-- | :--  | :-- | :-- |
| Principal Investigator   | [Name] | _____     | [DD-MMM-YYYY] |     |      |     |     |
| Clinical Operations Lead | [Name] | _____     | [DD-MMM-YYYY] |     | Lead |     |     |
| Statistician             | [Name] | _____     | [DD-MMM-YYYY] |     |      |     |     |