

1. Administrative & Study Identification

Full Study Title: A Phase 1b/2, Open-Label, Multicohort Study of Disitamab Vedotin in Adults With HER2 Expressing Advanced Breast Cancer **Short Title/Acronym:** SGNDV-006 / DV-006 **Protocol Number:** C5731006 **NCT Number:** NCT06966453 **Sponsor Name:** Pfizer **Investigational Product:** Disitamab Vedotin (DV), an antibody-drug conjugate (ADC) **Phase of Development:** Phase 1b/2 **Medical Monitor:** Pfizer Clinical Trial Contact Center (1-800-887-7002)

2. Study Synopsis & Rationale

2.1 Study Objective **Primary Objective:** To evaluate the preliminary efficacy, specifically Objective Response (OR), and safety of disitamab vedotin in adults with HER2-expressing advanced breast cancer. **Secondary Objectives:** To evaluate the Duration of Response (DoR), Progression-Free Survival (PFS), Overall Survival (OS), Disease Control Rate (DCR), Pharmacokinetics (PK), and Anti-Drug Antibody (ADA) incidence.

2.2 Background & Rationale To address the critical need for effective therapies in patients with locally advanced, unresectable, or metastatic HER2-expressing breast cancer that has worsened after prior treatments. Disitamab vedotin is an investigational antibody-drug conjugate (ADC) intended to target and kill cancer cells expressing HER2, including patients with HER2-positive, HER2-low, and HER2-ultralow tumors.

3. Study Design & Methodology

3.1 Design Framework **Study Type:** Interventional **Control Type:** Single-arm (Multicohort design; no placebo) **Blinding:** Open-label **Randomization:** N/A (Participants are assigned to specific cohorts based on HR and HER2 expression levels)

3.2 Planned Enrollment & Duration **Target N\$:** [Not publicly specified] **Number of Sites:** 159 locations across 9 countries (United States, Australia, Brazil, Canada, Germany, Italy, Japan, Puerto Rico, Spain) **Estimated Study Start:** 30-Jun-2025 **Estimated Primary Completion:** 25-Oct-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years. 2. Histologically or cytologically confirmed diagnosis of locally-advanced,

unresectable, or metastatic breast carcinoma. 3. HER2 and hormone receptor (HR) status appropriate for enrollment in the assigned cohort (HER2-positive, HER2-low, or HER2-ultralow) as determined by ASCO/CAP guidelines.

4.2 Exclusion Criteria 1. Known hypersensitivity to any excipient contained in the drug formulation of disitamab vedotin. 2. Active central nervous system (CNS) and/or leptomeningeal metastasis. 3. Prior therapy with ADCs with a MMAE payload, or a history of other invasive malignancy within 3 years before Cycle 1 Day 1.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Disitamab vedotin administered once every 2 weeks. **Route of Administration:** Intravenous (IV) infusion. **Duration of Treatment:** Until disease progression, unacceptable toxicity, or patient withdrawal (estimated up to approximately 2 years).

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care for oncology patients. **Prohibited:** Concurrent administration of other experimental medicines or active systemic anti-cancer treatments outside of the study protocol.

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures	:---	:---
:---	Screening	Weeks -4 to 0	Informed Consent, Medical History, Tumor Imaging, Blood Sample Collections, HER2 Assessment	
Baseline	Day 0	Cohort Assignment, First Dose (Cycle 1 Day 1)	Interim	Every 2 Weeks IV Infusion, Safety Labs, Efficacy Assessment (Tumor Scans) End of Study Post-Treatment Follow-up visits every 6 weeks, followed by phone calls every 12 weeks for survival tracking

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Objective Response (OR) / Objective Response Rate (ORR). **Measurement Method:** Proportion of participants with confirmed Complete Response (CR) or Partial Response (PR) as determined by investigator assessment per RECIST Version 1.1.

7.2 Secondary & Exploratory Endpoints * Duration of Response (DoR) by investigator assessment * Progression-Free Survival (PFS) by investigator assessment * Overall Survival (OS) * Disease Control Rate (DCR) * Pharmacokinetics (PK)

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard continuous collection of AE incidence, severity, and laboratory abnormalities. **Serious Adverse Events (SAEs):** Evaluated continuously and reported per standard 24-hour regulatory oncology timelines. **Data Monitoring Committee (DMC):** Internal/External safety monitoring boards managed by the sponsor to oversee trial safety and data integrity.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) set for efficacy endpoints; Safety Set for all participants receiving at least one dose of the study drug. **Sample Size Justification:** Sized accordingly for a multicohort Phase 1b/2 trial to evaluate preliminary efficacy signals across distinct HR/HER2 stratifications. **Handling of Missing Data:** Standard oncology censoring rules applied for time-to-event endpoints (e.g., PFS, OS) at the time of last known contact.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Periodic onsite and remote monitoring visits conducted by Pfizer clinical operations. **Audit Trail:** Standard EDC (Electronic Data Capture) systems utilizing eCRF locking and query resolution.

11. Study Identifiers & Governance

Primary ID: C5731006 **Registry Number:** NCT06966453 **Sponsor/Lead Organization:** Pfizer **Study Title:** DV-006 Study **Official Regulatory Title:** A Phase 1b/2, Open-Label, Multicohort Study of Disitamab Vedotin in Adults With HER2 Expressing Advanced Breast Cancer

12. Clinical Framework (Breast Cancer Specific)

Primary Condition: Locally-advanced, unresectable, or metastatic breast carcinoma **Diagnosis Threshold:** HER2-positive, HER2-low, or HER2-ultralow confirmed per ASCO/CAP guidelines **Medical Methodology:** Targeted therapy via Antibody-Drug Conjugate (ADC) **Optimization Target:** Objective tumor response / Tumor shrinkage

13. Study Procedures & Methodology

Management Pathway: Standard oncological clinical pathway combined with experimental ADC infusions. **Education Protocol (HCP):** Site-level training on RECIST 1.1 response evaluation and ADC infusion management. **Education Protocol (Patient):** Informed consent review, expectations for bi-weekly visits, and AE/side effect reporting. **Quality Audit Mechanism:** Independent/Central imaging review checks against Investigator assessments.

14. Observation & Follow-Up Schedule

Total Duration: Up to approximately 5 years (2 years active treatment + 3 years post-treatment tracking) **Onsite Visit Cadence:** Every 2 weeks during active treatment; every 6 weeks for early post-treatment follow-up **Remote Monitoring Frequency:** Phone calls every 12 weeks (Q12W) after the 6-week in-person post-treatment visits conclude **Checklist Review Interval:** Routine at every treatment/follow-up cycle.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				