

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Study to Learn About the Study Medicine (CIBINQO) in People With Atopic Dermatitis. **Official Title/Short Title:** Special Investigation for CIBINQO (Long Term) **Posting ID:** 785435236305679904 **Protocol Number:** B7451055 **NCT Number:** NCT05387980 **Sponsor/Company Name:** Pfizer **Investigational Product:** CIBINQO (abrocitinib) **Phase of Development:** Phase N/A (Not Applicable / Observational / Post-marketing surveillance) **Trial Status:** ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Medical Monitor:** Pfizer CT.gov Call Center / Pfizer Local Country Office, Tokyo, Japan

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To learn about the safety and effectiveness (how well the study treatment works) of the study medicine (CIBINQO) for the potential treatment of atopic dermatitis in people under Japanese medical practice. **Secondary Objectives:** To evaluate long-term tolerability, changes in Investigator's Global Assessment (IGA) score, Eczema Area and Severity Index (EASI), affected Body Surface Area (BSA), and pruritus assessments over time.

2.2 Background & Rationale To address the need for long-term, real-world evidence. We are conducting this study to gather robust safety, tolerability, and effectiveness data of CIBINQO (abrocitinib) when used under standard Japanese medical practice for the treatment of moderate-to-severe Atopic Dermatitis.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational / Post-marketing Surveillance **Control Type:** Single-arm (1 patient group) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target **NS:** 1,128 participants **Number of Sites:** Multiple sites across Japan **Estimated Study Start:** 19-Apr-2022 **Estimated Primary Completion:** 02-Aug-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 12 years. 2. Participants receiving this Product (CIBINQO) for the treatment of Atopic Dermatitis (AD). 3. Participants start receiving this Product

(commercial product) for the first time and no earlier than the contract date of this Study, or Participants who continue to receive this drug after hospital transfer can be registered retrospectively.

4.2 Exclusion Criteria 1. Participants previously enrolled in this Study at the same site.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Administered via standard Japanese clinical practice guidelines. **Route of Administration:** Oral (tablets) **Duration of Treatment:** Long-term follow-up (up to approximately 6 years).

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant therapies for AD co-morbidities as prescribed by the treating physician in real-world practice. **Prohibited:** Any therapies strictly conflicting with the prescribing information and contraindications of CIBINQO in Japan.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Baseline AD Assessment
Baseline	Day 0	First dose of CIBINQO (commercial product)
Interim	Standard clinical follow-up	Safety monitoring, IGA/EASI assessments, Pruritus evaluation
End of Study	2028 or Discontinuation	Final safety assessment, Treatment Discontinuation Documentation

(Note: As an observational study under Japanese medical practice, visits align with the standard routine clinical care schedule).

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Number of Participants with adverse drug reactions and Number of Participants with Discontinuation of Treatment. **Measurement Method:** Standard Pharmacovigilance tracking and clinical assessment by the HCP.

7.2 Secondary & Exploratory Endpoints 1. Percentage of Participants Achieving Investigator's Global Assessment (IGA) Score. 2. Percentage of Participants with Change From Baseline in Eczema Area and Severity Index (EASI). 3. Percentage of Participants with Change From Baseline in Affected % Body Surface Area (BSA). 4. Percentage of Participants with Change From Baseline in Pruritus Assessment.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine post-marketing surveillance collection via HCP reporting and clinical chart reviews. **Serious Adverse Events (SAEs):** Reported according to Japanese regulatory timelines for post-marketing surveillance. **Data Monitoring Committee (DMC):** Managed by Pfizer safety and pharmacovigilance teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled participants who received at least one dose of the medication). **Sample Size Justification:** $N = 1,128$ targeted to appropriately capture long-term, real-world adverse drug reactions and evaluate practical effectiveness. **Handling of Missing Data:** Appropriate observational techniques such as Last Observation Carried Forward (LOCF) for ongoing efficacy assessments.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: Conducted in accordance with Japanese Good Post-marketing Study Practice (GPSP) and relevant local regulations. **Monitoring Plan:** Real-world data collection, periodic remote monitoring, and site follow-up per Pfizer's real-world evidence framework. **Audit Trail:** eCRF locking and standard observational audit mechanisms ensuring secure and compliant data capture.

11. Study Identifiers & Governance

Primary ID: {{B7451055}} **Registry Number:** {{NCT05387980}} **Posting ID:** {{785435236305679904}} **Sponsor/Lead Organization:** {{Pfizer}} **Study Title:** {{A Study to Learn About the Study Medicine (CIBINQO) in People With Atopic Dermatitis.}} **Official Regulatory Title:** {{Special Investigation for CIBINQO (Long Term)}} **EMA URL:** {{https://www.ema.europa.eu/en/documents/product-information/cibinqo-epar-product-information_en.pdf}} **Source Level:** {{5}}

12. Clinical Framework (Atopic Dermatitis Specific)

Primary Condition / Disease Area: {{Atopic Dermatitis / Eczema}} **Preferred UMLS Name:** {{Atopic Dermatitis}} **ATC Code:** {{D11AH08}} **MeSH Code:** {{D003876}} **HPO Code:** {{HP:0001047}} **SNOMED ID:** {{200775004}} **Diagnosis Threshold:** {{Clinical diagnosis of AD in participants aged ≥ 12 years}} **Medical Methodology:** {{Standard Japanese Medical Practice}} **Optimization Target:** {{Symptom control, IGA clearance, and Pruritus reduction}}

13. Study Procedures & Methodology

Management Pathway: {{Standard clinical pathway for Atopic Dermatitis}} **Education Protocol (HCP):** {{Routine standard of care training on CIBINQO prescription}} **Education Protocol (Patient):** {{Routine clinical counseling during standard visits}} **Quality Audit Mechanism:** {{Observational data tracking & safety/AE reporting monitoring}}

14. Observation & Follow-Up Schedule

Total Duration: {{Long-term follow-up through August 2028}} **Onsite Visit Cadence:** {{As per standard Japanese clinical practice}} **Remote Monitoring Frequency:** {{Routine pharmacovigilance data collection}} **Checklist Review Interval:** {{Per standard HCP follow-up schedule}}

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---	
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					
Statistician	[Name]	_____	[DD-MMM-YYYY]					