

1. Administrative & Study Identification

Full Study Title: A Phase 1/2a, Multicenter, Open-label, First in Human Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors **Short Title/Acronym:** A Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors **Protocol Number:** CA238-0001 **NCT Number:** NCT06730750 **Posting ID:** 806183977223786652 **Sponsor Name:** Bristol Myers Squibb **Company:** Bristol Myers Squibb **Investigational Product:** BMS-986490 (with or without bevacizumab) - **Drug Name:** bevacizumab - **Drug Preferred Name:** bevacizumab - **Trade Names:** Avastin, Vegzelma, Alymsys, Zirabev, Mvasi - **ATC Code:** S01LA08 - **ATC Codes:** S01LA08, L01FG01 - **RxNorm Code:** None - **Drug Semantic Type:** None - **EMA URLs:** - https://www.ema.europa.eu/en/documents/product-information/alymsys-epar-product-information_en.pdf - https://www.ema.europa.eu/en/documents/product-information/avastin-epar-product-information_en.pdf - https://www.ema.europa.eu/en/documents/product-information/mvasi-epar-product-information_en.pdf - https://www.ema.europa.eu/en/documents/product-information/vegzelma-epar-product-information_en.pdf - https://www.ema.europa.eu/en/documents/product-information/zirabev-epar-product-information_en.pdf **Phase of Development:** PHASE1, PHASE2 **Phase ID:** PHASE1, PHASE2 **Criteria Type:** PHASE_REQUIREMENT **Criteria Text:** Trial must be in PHASE1, PHASE2 **Trial Status:** RECRUITING **Status Name:** RECRUITING **Status Description:** Currently recruiting participants **Source Level:** 5 **Medical Monitor:** Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, and recommended Phase 2 dose (RP2D) of BMS-986490 both as a monotherapy and in combination with bevacizumab in participants with select advanced solid tumors. **Secondary Objectives:** To evaluate preliminary efficacy, including tumor response and progression-free survival (PFS), of BMS-986490 alone and in combination with bevacizumab.

2.2 Background & Rationale To address the unmet medical need in patients with advanced solid tumors (specifically Colorectal Cancer [CRC], Non-Small Cell Lung Cancer [NSCLC], and Gastric Cancer [GC]) who have progressed on standard systemic therapies. The study tests a novel investigational drug, BMS-986490, which targets tumors expressing the CEACAM5 marker. Research shows that bevacizumab, an anti-VEGF medication, improves tumor response when combined with other therapies; therefore, this study will evaluate BMS-986490 alone and in combination with bevacizumab to potentially stop or delay disease progression.

2.3 Semantic Text Title: A Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors Official Title: A Phase 1/2a, Multicenter, Open-label, First in Human Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors Summary: This is a study of BMS-986490 as a monotherapy and in combination with bevacizumab in participants with select advanced solid tumors known to express CEACAM5. Study Design: Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: RECRUITING Conditions: Advanced Solid Tumors Eligibility Criteria: Inclusion Criteria: * Documented histologically or cytologically confirmed, advanced, unresectable/metastatic solid tumor measurable by RECIST v1.1. * CRC: Part 1A, Part 2A-CRC, Part 1B, and Part 2B: i) Locally advanced/metastatic, recurrent, or unresectable CRC with adenocarcinoma histology and whose disease has progressed after systemic cancer therapy in the metastatic or adjuvant setting including 5-FU, irinotecan, and/or oxaliplatin (if available and not contraindicated). * NSCLC: Part 2A-NSCLC/GC, 2L+ NSCLC: i) Histologically confirmed NSCLC meeting stage criteria for Stage IIIB, Stage IV, or recurrent disease. ii) Participants must have received and progressed on or after anti-PD-(L)1 therapy, if available. - GC: Part 2A-NSCLC/GC, 2L+ GC: i) Participants must have received and then progressed or been intolerant to at least 1 standard treatment regimen in the advanced or metastatic setting (or have progressed within 6 months of adjuvant therapy). ii) ECOG performance status of 0 or 1. Exclusion Criteria: * History of anaphylactic reactions to irinotecan and/or bevacizumab. * Previously received therapy targeting CEACAM5. * Grade ≥ 3 ILD/pneumonitis. * Other protocol-defined Inclusion/Exclusion criteria apply. Primary Outcomes: 1. Number of participants with Adverse Events (AEs) 2. Number of participants with Serious AEs (SAEs) 3. Number of participants with AEs meeting protocol-defined dose limiting toxicity (DLT) criteria Secondary Outcomes: 1. Area under the concentration-time curve in 1 dosing interval (AUC(TAU)) 2. Trough observed concentration (C_{trough}) 3. Maximum observed concentration (C_{max})

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Multiple experimental arms (Dose Escalation and Expansion Cohorts: Part 1A, 1B, 2A, 2B) **Blinding:** Open-label **Randomization:** N/A (Sequential assignment to dose escalation/expansion cohorts)

3.2 Planned Enrollment & Duration Targeted Enrollment: 360 evaluable patients **Number of Sites:** Multicenter (Global, including sites in the United States, Canada, and Australia) **Estimated Study Start:** 12-Feb-2025 **Estimated Primary Completion:** 05-Sep-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Documented histologically or cytologically confirmed, advanced, unresectable/metastatic solid tumor measurable by RECIST v1.1. 2. **CRC:** Locally advanced/metastatic, recurrent, or unresectable CRC with adenocarcinoma histology that has progressed after systemic therapy including 5-FU, irinotecan, and/or oxaliplatin. 3. **NSCLC:** Stage IIIB, Stage IV, or recurrent disease that has progressed on or after anti-PD-(L)1 therapy. 4. **GC:** Progressed or intolerant to at least 1 standard treatment regimen in the advanced or metastatic setting. 5. ECOG performance status of 0 or 1.

4.2 Exclusion Criteria 1. History of anaphylactic reactions to irinotecan and/or bevacizumab. 2. Previously received therapy targeting CEACAM5. 3. Grade ≥ 3 Interstitial Lung Disease (ILD) or pneumonitis.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: BMS-986490 administered alone (Parts 1A, 2A) or in combination with bevacizumab (Parts 1B, 2B) at specified doses on specified days based on cohort assignment. **Route of Administration:** Intravenous (IV) **Duration of Treatment:** Cycles continuing until disease progression, unacceptable toxicity, or study withdrawal.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care for advanced cancer. **Prohibited:** Other concurrent investigational agents or previously received CEACAM5-targeted therapies.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Tumor Assessment (RECIST v1.1), Biomarker Screening
Baseline	Day 0	First Dose of BMS-986490 $\pm$ bevacizumab, Safety Labs
Interim	Every Cycle	Safety Labs, PK/PD Sampling, Efficacy Assessment (Tumor Scans)
End of Study	PD/Toxicity Final Vital Signs, Exit Interview, IP Accountability	

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Number of participants with Adverse Events (AEs) 2. Number of participants with Serious AEs (SAEs) 3. Number of participants with AEs meeting protocol-defined dose limiting toxicity (DLT) criteria

7.2 Secondary Outcomes 1. Area under the concentration-time curve in 1 dosing interval (AUC(TAU)) 2. Trough observed concentration (C_{trough}) 3. Maximum observed concentration (C_{max}) 4. Objective Response Rate (ORR) measured by RECIST v1.1 criteria. 5. Progression-Free Survival (PFS).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via HCP assessment; specifically monitoring for known bevacizumab toxicities (bleeding, hypertension) and pneumonitis/ILD. **Serious Adverse Events (SAEs):** Reported within 24 hours to the sponsor and regulatory authorities. **Data Monitoring Committee (DMC):** Internal/External Safety Review Committee to evaluate DLTs prior to cohort dose escalation.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients who receive ≥ 1 dose), Efficacy Evaluable Set (patients with measurable disease and at least one post-baseline scan). **Sample Size Justification:** Targeted Enrollment = 360, adequately sized for a Phase 1/2a dose-escalation and expansion study. **Handling of Missing Data:** Standard oncological conventions; event-driven endpoints (like PFS) will use censoring for patients lost to follow-up.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine onsite and remote monitoring visits by Clinical Research Associates (CRAs) to verify source data and safety events. **Audit Trail:** eCRF locking and query resolution via standard data management platforms.

11. Study Identifiers & Governance

Primary ID: CA238-0001 **Registry Number:** NCT06730750 **Posting ID:** 806183977223786652 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors **Official Regulatory Title:** A Phase 1/2a, Multicenter, Open-label, First in Human Study of BMS-986490 With or Without Bevacizumab in Advanced Solid Tumors

12. Clinical Framework (Oncology Specific)

Disease Areas: Advanced Solid Tumors **Name:** Advanced Solid Malignancies **Preferred Name:** Advanced Malignant Solid Neoplasm **Preferred UMLS Name:** Neoplasms, Solid **Semantic Type:** Neoplastic Process **Definition:** A malignant solid neoplasm that has spread extensively to other anatomic sites or is no longer responding to treatment. **MeSH Code:** N/A **MeSH Codes:** None **HPO Codes:** None **SNOMED ID:** 39958004 **SNOMED Hierarchy:** 785317006|Advanced solid malignant neoplasm|Advanced solid malignant neoplasm (disorder) **Medical Methodology:** CEACAM5-targeted therapy with or without anti-VEGF (bevacizumab) **Optimization Target:** Tumor response and progression-free survival (PFS)

13. Study Procedures & Methodology

Management Pathway: Standard oncology clinical trial pathway **Education Protocol (HCP):** Site Initiation Visits (SIV) and continuous investigator protocol training **Education Protocol (Patient):** Rigorous Informed Consent detailing experimental drug risks (BMS-986490) and bevacizumab side effects **Quality Audit Mechanism:** Clinical site monitoring, RECIST independent central review (if applicable), and safety data validation

14. Observation & Follow-Up Schedule

Total Duration: Estimated study duration approx. 4 years (Est. Study Completion: Dec 2029) **Onsite Visit Cadence:** Per treatment cycle (e.g., every 2 to 3 weeks) **Remote Monitoring Frequency:** Continuous monitoring of safety labs and reported AEs **Checklist Review Interval:** End of every treatment cycle

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				