

1. Administrative & Study Identification

Full Study Title: A Phase I, Randomized, Double-blind, Placebo-controlled Study to Assess the Safety, Tolerability, and Pharmacokinetics of AZD0292 Following Single Ascending Dose Administration to Healthy Japanese Participants **Short Title/ Acronym:** A Study to Assess the Safety, Tolerability, and Pharmacokinetics of a Single Ascending Dose of AZD0292 in Healthy Japanese Participants **Protocol Number:** D7700C00004 **NCT Number:** NCT07222254 **Sponsor Name:** AstraZeneca **Investigational Product:** AZD0292 (bispecific IgG1k mAb) **Phase of Development:** Phase I **Medical Monitor:** AstraZeneca Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the safety and tolerability of AZD0292 following intravenous (IV) administration of single ascending doses to healthy Japanese adult participants. **Secondary Objectives:** To characterize the maximum observed concentration (Cmax) and the area under the concentration-time curve from time zero to the last quantifiable concentration (AUClast) of AZD0292 following administration of single ascending doses to healthy Japanese adult participants.

2.2 Background & Rationale AZD0292 is a bispecific IgG1k monoclonal antibody being evaluated for the prevention of exacerbations in bronchiectasis patients chronically colonized with Pseudomonas aeruginosa (PsA). This Phase 1 study is being conducted to explore the new drug's safety, tolerability, and how the body processes it (pharmacokinetics) at different single ascending doses in healthy Japanese individuals. Understanding the optimal efficacy and safety in this population is crucial for its clinical development.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target \$N\$: 18 healthy participants **Number of Sites:** 1 site (Sumida-ku, Japan) **Estimated Study Start:** [25-Jun-2024] (*Estimated based on typical Phase 1 timelines*) **Estimated Primary Completion:** [05-Mar-2026] (*Based on last update date*)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Healthy Japanese participants with suitable veins for cannulation or repeated venipuncture. 2. Body Mass Index (BMI) between 18 and 32 kg/m² (inclusive) and body weight of ≥ 45 kg at screening. 3. Women of childbearing potential (WOCBP) must have a negative pregnancy test, must not be lactating, and must agree to use an approved method of highly effective contraception.

4.2 Exclusion Criteria 1. History of any clinically important disease or disorder (including gastrointestinal, hepatic, or renal disease) which may put the participant at risk or interfere with absorption, distribution, metabolism, or excretion of drugs. 2. History of malignancy in the previous 5 years (other than treated non-melanoma skin cancers or locally-treated cervical cancer). 3. Any clinically important illness, chronic infections, increased risk of infection, or history of acquired or inherited immunodeficiency disorders.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single ascending dose (2 dose levels proceeding with sentinel cohorts). **Route of Administration:** Intravenous (IV) infusion. **Duration of Treatment:** Single administration on Day 1, followed by observation.

5.2 Concomitant & Prohibited Therapy Permitted: Standard medications strictly approved by the investigator that do not affect PK/PD. **Prohibited:** Most concomitant medications, including any drugs known to interfere with the absorption, distribution, metabolism, or excretion of the investigational product.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Up to Day -28	Informed Consent, Medical History, Vitals, Baseline Labs
2	Day -1 to Day 2	Admission to site, Randomization, Single IV Dose (Day 1), Safety & PK sampling, Discharged on Day 2 (at least 24 h post-infusion)
3	Day 3 to Day 16	Outpatient safety and PK monitoring
4	Day 17 to Day 161	Extended Follow-up: Long-term PK, safety assessments, and final End of Study procedures

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Safety and tolerability assessments, characterized by the incidence and severity of Adverse Events (AEs), Serious Adverse Events (SAEs), and vital

sign/laboratory abnormalities. **Measurement Method:** Clinical observation, ECGs, and central/local laboratory analysis.

7.2 Secondary & Exploratory Endpoints Maximum observed concentration (C_{max}) of AZD0292. Area under the concentration-time curve from time zero to the last quantifiable concentration (AUC_{last}) of AZD0292.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring from informed consent through the extended follow-up period (Day 161). **Serious Adverse Events (SAEs):** Standard protocol, typically reported within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Internal safety review committee proceeding with dose escalations using sentinel cohorts.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set for all AE/SAE evaluations; PK Analysis Set for individuals with quantifiable AZD0292 concentrations. **Sample Size Justification:** A sample size of approximately 18 subjects is standard for a Phase I single ascending dose study to adequately characterize initial safety, tolerability, and PK profiles. **Handling of Missing Data:** Standard Phase I PK conventions; missing data will not be imputed for PK parameter derivation.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Continuous onsite monitoring during the resident period (Day -1 to Day 2), followed by scheduled outpatient monitoring visits. **Audit Trail:** Standard tracking via eCRF locking and query resolution.

11. Study Identifiers & Governance

Primary ID: D7700C00004 **Registry Number:** NCT07222254 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** A Study to Assess the Safety, Tolerability, and Pharmacokinetics of a Single Ascending Dose of AZD0292 in Healthy Japanese Participants **Official Regulatory Title:** A Phase I, Randomized, Double-blind, Placebo-controlled Study to Assess the Safety, Tolerability, and Pharmacokinetics of AZD0292 Following Single Ascending Dose Administration to Healthy Japanese Participants

12. Clinical Framework (Study Specific)

Primary Condition: Healthy Participants **Diagnosis Threshold:** Healthy as determined by medical history, physical examination, and baseline BMI (18-32 kg/m²). **Medical Methodology:** Single Ascending Dose (SAD) evaluation via Intravenous (IV) Infusion. **Optimization Target:** Characterization of safety, C_{max}, and AUC_{last} to support further clinical development for Bronchiectasis.

13. Study Procedures & Methodology

Management Pathway: Phase I confinement and pharmacokinetic sampling protocol. **Education Protocol (HCP):** Investigator site training on specific IV infusion and PK blood draw timings. **Education Protocol (Patient):** Informed consent process detailing confinement requirements and contraception mandates. **Quality Audit Mechanism:** Real-time safety data review prior to ascending to the next dose cohort.

14. Observation & Follow-Up Schedule

Total Duration: Up to 189 days (28-day screening + 161 days follow-up) **Onsite Visit Cadence:** Resident from Day -1 to Day 2 **Remote/Outpatient Monitoring Frequency:** Outpatient visits from Day 3 to 16, and Extended Follow-up from Day 17 to Day 161 **Checklist Review Interval:** Continuous AE and concomitant medication tracking at each study visit.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				