

1. Administrative & Study Identification

Full Study Title: A Phase 2b, Randomized, Double-Blind, Placebo-Controlled, Dose-Ranging Study to Evaluate the Efficacy and Safety of PF-08049820 in Adult Participants with Moderate to Severe Atopic Dermatitis **Short Title/Acronym:** A Study to Learn About Study Medicine Called PF-08049820 in People With Eczema **Protocol Number:** C6231002 **NCT Number:** NCT07216027 **Sponsor Name:** Pfizer **Investigational Product:** PF-08049820 **Phase of Development:** Phase 2b **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy and safety of the investigational medicine PF-08049820 in reducing eczema symptoms, measured by the percentage improvement in the Eczema Area and Severity Index (EASI) score after 12 weeks of treatment. **Secondary Objectives:** To evaluate the proportion of participants achieving a 75% improvement in their eczema symptoms (EASI-75), changes in investigator assessments of skin clearance, reduction in itching severity, and the overall safety and tolerability profile.

2.2 Background & Rationale To address the unmet medical need in patients with moderate to severe Atopic Dermatitis (AD) who experience severe itching and rashes and do not have an adequate or suitable prescribed medicine. This study investigates whether the novel oral treatment PF-08049820 is safe and effective in providing symptom relief and skin clearance compared to placebo.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized, dose-ranging

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 200 evaluable adult participants **Number of Sites:** Global, including sites in the US and Japan **Estimated Study Start:** Q1 2026 **Estimated Primary Completion:** Aug-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years or older. 2. Clinically confirmed diagnosis of Atopic Dermatitis (AD) for at

least 6 months. 3. Moderate to severe AD, covering between 10% and 60% of the body surface area, with significant itching. 4. Body Mass Index (BMI) between 17.5 and 40 kg/m² and weighing more than 45 kg (100 pounds).

4.2 Exclusion Criteria 1. Have an active infection that requires treatment. 2. Have other significant skin conditions besides AD. 3. Severe uncontrolled asthma. 4. Regular use (more than 2 visits per week) of a tanning booth or phototherapy for AD within 4 weeks of the screening visit.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Different experimental doses of PF-08049820 or matching placebo taken daily. **Route of Administration:** Oral (Tablets). **Duration of Treatment:** 12 weeks of active treatment, followed by a 4-week follow-up period.

5.2 Concomitant & Prohibited Therapy Permitted: Standard basic emollients as designated by the investigator. **Prohibited:** Other suitable prescribed medications for AD treatment, phototherapy, or tanning booths (>2 visits/week).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, AD Confirmation, Baseline Scaling
Baseline	Day 1	Randomization, First Dose, Baseline EASI Score, Blood/Urine Tests
Interim	Weeks 1, 2, 4, 6, 8	Safety Labs, Efficacy Assessment (EASI, itch scales), Questionnaires
End of Treatment	Week 12	Final Efficacy Assessment, EASI score measurement, IP Accountability
Follow-Up	Week 16	Post-treatment safety check and final monitoring

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Percentage improvement in the Eczema Area and Severity Index (EASI) score from baseline after 12 weeks of treatment. **Measurement Method:** Clinician-reported scaling and assessment during clinic visits.

7.2 Secondary & Exploratory Endpoints 1. Proportion of participants achieving 75% improvement in their eczema symptoms (EASI-75). 2. Changes in investigator assessments of skin clearance. 3. Reduction in itching severity. 4. Incidence of treatment-emergent adverse events (TEAEs) to monitor safety profile.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine blood and urine tests, along with patient questionnaires regarding health and skin conditions at all scheduled clinic visits. **Serious Adverse Events (SAEs):** Standard protocol collection and reporting within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Internal Pfizer safety monitoring committee assessing the dose-ranging safety profile.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) set for efficacy endpoints; Safety Set for adverse events. **Sample Size Justification:** $N = 200$ is adequately powered to detect a statistically significant difference in EASI score percentage improvement across the different dose cohorts versus placebo. **Handling of Missing Data:** MMRM (Mixed Model for Repeated Measures) for continuous longitudinal data, with non-responder imputation for binary endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite and remote monitoring of safety data and EASI scoring fidelity. **Audit Trail:** Electronic Case Report Form (eCRF) locking and standard source data verification.

11. Study Identifiers & Governance

Primary ID: C6231002 **Registry Number:** NCT07216027 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Learn About Study Medicine Called PF-08049820 in People With Eczema **Official Regulatory Title:** A PHASE 2B, RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED, DOSE-RANGING STUDY TO EVALUATE THE EFFICACY AND SAFETY OF PF-08049820 IN ADULT PARTICIPANTS WITH MODERATE TO SEVERE ATOPIC DERMATITIS

12. Clinical Framework (Atopic Dermatitis Specific)

Primary Condition: Moderate to Severe Atopic Dermatitis (Eczema) **Diagnosis Threshold:** Clinically diagnosed ≥ 6 months, covering 10%-60% Body Surface Area **Medical Methodology:** Investigational Oral Medication (PF-08049820) vs. Placebo **Optimization Target:** Improvement in EASI score and reduction of severe itching/rashes

13. Study Procedures & Methodology

Management Pathway: Daily oral administration evaluated via strict periodic clinical visits. **Education Protocol (HCP):** Standardized training on EASI scoring and Investigator Global Assessments. **Education Protocol (Patient):** Guidance on daily tablet intake and completion of health/itching questionnaires. **Quality Audit Mechanism:** Periodic review of patient diaries, questionnaires, and EASI assessments.

14. Observation & Follow-Up Schedule

Total Duration: 16 weeks (12 weeks active treatment + 4 weeks follow-up) **Onsite Visit Cadence:** Day 1, Weeks 1, 2, 4, 6, 8, 12, and 16 **Remote Monitoring Frequency:** As specified by site-level telehealth checks between visits. **Checklist Review Interval:** Blood/urine tests and questionnaires administered at every onsite visit.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				